## Mark Anthony Kotowicz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6268736/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Annual High-Dose Oral Vitamin D and Falls and Fractures in Older Women. JAMA - Journal of the American Medical Association, 2010, 303, 1815.	3.8	1,159
2	Association of Western and Traditional Diets With Depression and Anxiety in Women. American Journal of Psychiatry, 2010, 167, 305-311.	4.0	583
3	A Meta-Analysis of Trabecular Bone Score in Fracture Risk Prediction and Its Relationship to FRAX. Journal of Bone and Mineral Research, 2016, 31, 940-948.	3.1	508
4	Increased Risk of Cognitive Impairment in Patients With Diabetes Is Associated With Metformin. Diabetes Care, 2013, 36, 2981-2987.	4.3	308
5	Association of high-sensitivity C-reactive protein with <i>de novo</i> major depression. British Journal of Psychiatry, 2010, 197, 372-377.	1.7	281
6	Genome-Wide Association Study Using Extreme Truncate Selection Identifies Novel Genes Affecting Bone Mineral Density and Fracture Risk. PLoS Genetics, 2011, 7, e1001372.	1.5	233
7	β-Adrenergic Blockers Reduce the Risk of Fracture Partly by Increasing Bone Mineral Density: Geelong Osteoporosis Study. Journal of Bone and Mineral Research, 2003, 19, 19-24.	3.1	229
8	Cohort Profile: Geelong Osteoporosis Study. International Journal of Epidemiology, 2012, 41, 1565-1575.	0.9	205
9	Tobacco smoking as a risk factor for major depressive disorder: population-based study. British Journal of Psychiatry, 2008, 193, 322-326.	1.7	190
10	Health burden of hip and other fractures in Australia beyond 2000: Projections based on the Geelong Osteoporosis Study. Medical Journal of Australia, 1999, 170, 467-470.	0.8	178
11	Serum Leptin Levels Are Associated with Bone Mass in Nonobese Women <sup>1</sup> . Journal of Clinical Endocrinology and Metabolism, 2001, 86, 1884-1887.	1.8	178
12	Seasonal Periodicity of Serum Vitamin D and Parathyroid Hormone, Bone Resorption, and Fractures: The Geelong Osteoporosis Study. Journal of Bone and Mineral Research, 2004, 19, 752-758.	3.1	173
13	Biochemical and radiologic improvement in Paget's disease of bone treated with alendronate: A randomized, placebo-controlled trial. American Journal of Medicine, 1996, 101, 341-348.	0.6	164
14	Half the burden of fragility fractures in the community occur in women without osteoporosis. When is fracture prevention cost-effective?. Bone, 2006, 38, 694-700.	1.4	159
15	Statin Use, Bone Mineral Density, and Fracture Risk. Archives of Internal Medicine, 2002, 162, 537.	4.3	158
16	The human cost of fracture. Osteoporosis International, 2005, 16, 2046-2052.	1.3	158
17	Total and Appendicular Lean Mass Reference Ranges for Australian Men and Women: The Geelong Osteoporosis Study. Calcified Tissue International, 2014, 94, 363-372.	1.5	135
18	Feasibility and patient acceptability of a novel artificial intelligence-based screening model for diabetic retinopathy at endocrinology outpatient services: a pilot study. Scientific Reports, 2018, 8, 4330.	1.6	129

#	Article	IF	CITATIONS
19	Vitamin D status of women in the Geelong Osteoporosis Study: association with diet and casual exposure to sunlight. Medical Journal of Australia, 2001, 175, 401-405.	0.8	127
20	Prevalence of Osteoporosis in Australian Women. Journal of Clinical Densitometry, 2000, 3, 261-268.	0.5	126
21	Risk of hip fracture in women with vertebral fracture. Journal of Bone and Mineral Research, 1994, 9, 599-605.	3.1	122
22	Prevention and Treatment of Glucocorticoid-Induced Osteoporosis: A Comparison of Calcitriol, Vitamin D Plus Calcium, and Alendronate Plus Calcium. Journal of Bone and Mineral Research, 2003, 18, 919-924.	3.1	120
23	High-Sensitivity C-Reactive Protein and Fracture Risk in Elderly Women. JAMA - Journal of the American Medical Association, 2006, 296, 1349.	3.8	114
24	Prevalence of Obesity and the Relationship between the Body Mass Index and Body Fat: Cross-Sectional, Population-Based Data. PLoS ONE, 2012, 7, e29580.	1.1	112
25	Socioeconomic status and risk factors for obesity and metabolic disorders in a population-based sample of adult females. Preventive Medicine, 2009, 49, 165-171.	1.6	105
26	Selective serotonin reuptake inhibitor use and bone mineral density in women with a history of depression. International Clinical Psychopharmacology, 2008, 23, 84-87.	0.9	97
27	Prevalence of mood and anxiety disorder in self reported irritable bowel syndrome (IBS). An epidemiological population based study of women. BMC Gastroenterology, 2010, 10, 88.	0.8	96
28	Habitual physical activity and the risk for depressive and anxiety disorders among older men and women. International Psychogeriatrics, 2011, 23, 292-298.	0.6	92
29	Leptin in depressed women: Cross-sectional and longitudinal data from an epidemiologic study. Journal of Affective Disorders, 2008, 107, 221-225.	2.0	89
30	Diet quality in bipolar disorder in a population-based sample of women. Journal of Affective Disorders, 2011, 129, 332-337.	2.0	89
31	A novel serogenetic approach determines the community prevalence of celiac disease and informs improved diagnostic pathways. BMC Medicine, 2013, 11, 188.	2.3	88
32	Dietary selenium and major depression: a nested case-control study. Complementary Therapies in Medicine, 2012, 20, 119-123.	1.3	85
33	Clinical Implications of the Cytokine Hypothesis of Depression: The Association between Use of Statins and Aspirin and the Risk of Major Depression. Psychotherapy and Psychosomatics, 2010, 79, 323-325.	4.0	82
34	Depression is a risk factor for incident coronary heart disease in women: An 18-year longitudinal study. Journal of Affective Disorders, 2016, 196, 117-124.	2.0	77
35	Body mass index and measures of body fat for defining obesity and underweight: a cross-sectional, population-based study. BMC Obesity, 2014, 1, 9.	3.1	76
36	SGLT2 Inhibitors Increase the Risk of Diabetic Ketoacidosis Developing in the Community and During Hospital Admission. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 3077-3087.	1.8	74

MARK ANTHONY KOTOWICZ

#	Article	IF	CITATIONS
37	Depression and bone mineral density in a community sample of perimenopausal women: Geelong Osteoporosis Study. Menopause, 2005, 12, 88-91.	0.8	66
38	Behavioural and physical characteristics associated with vitamin D status in women. Bone, 2009, 44, 1085-1091.	1.4	65
39	Alleles of RUNX2/CBFA1 Gene Are Associated With Differences in Bone Mineral Density and Risk of Fracture. Journal of Bone and Mineral Research, 2002, 17, 1527-1534.	3.1	63
40	Musculoskeletal decline and mortality: prospective data from the Geelong Osteoporosis Study. Journal of Cachexia, Sarcopenia and Muscle, 2017, 8, 482-489.	2.9	61
41	Validity of 12-Month Falls Recall in Community-Dwelling Older Women Participating in a Clinical Trial. International Journal of Endocrinology, 2014, 2014, 1-6.	0.6	60
42	Effects of Calcitriol or Calcium on Bone Mineral Density, Bone Turnover, and Fractures in Men with Primary Osteoporosis: A Two-Year Randomized, Double Blind, Double Placebo Study. Journal of Clinical Endocrinology and Metabolism, 2001, 86, 4098-4103.	1.8	59
43	Pro-inflammatory dietary intake as a risk factor for CVD in men: a 5-year longitudinal study. British Journal of Nutrition, 2015, 114, 2074-2082.	1.2	59
44	Oral contraceptives and bone mineral density: A population-based study. American Journal of Obstetrics and Gynecology, 2000, 182, 265-269.	0.7	57
45	Antioxidant Vitamin Supplements and Markers of Bone Turnover in a Community Sample of Nonsmoking Women. Journal of Women's Health, 2006, 15, 295-300.	1.5	57
46	Lifetime psychiatric disorders and body composition: A population-based study. Journal of Affective Disorders, 2009, 118, 173-179.	2.0	56
47	Prevalence of osteoporosis in Australian men and women: Geelong Osteoporosis Study. Medical Journal of Australia, 2011, 195, 321-322.	0.8	55
48	Fracture Risk (FRISK) Score: Geelong Osteoporosis Study. Radiology, 2006, 241, 190-196.	3.6	54
49	Secular trends in the incidence of postmenopausal vertebral fractures. Calcified Tissue International, 1992, 51, 100-104.	1.5	53
50	The Epidemiology of Incident Fracture from Cradle to Senescence. Calcified Tissue International, 2015, 97, 568-576.	1.5	50
51	Calcium and bone health: position statement for the Australian and New Zealand Bone and Mineral Society, Osteoporosis Australia and the Endocrine Society of Australia. Medical Journal of Australia, 2009, 190, 316-320.	0.8	48
52	The Prevalence of Mood and Anxiety Disorders in Australian Women. Australasian Psychiatry, 2010, 18, 250-255.	0.4	48
53	Association of Functionally Different RUNX2 P2 Promoter Alleles With BMD. Journal of Bone and Mineral Research, 2005, 21, 265-273.	3.1	47
54	Changes in Bone Mineral Density in the Year after Critical Illness. American Journal of Respiratory and Critical Care Medicine, 2016, 193, 736-744.	2.5	45

#	Article	IF	CITATIONS
55	General medical practitioners' knowledge and beliefs about osteoporosis and its investigation and management. Archives of Osteoporosis, 2012, 7, 107-114.	1.0	44
56	Effect of age on variables relating to calcium and phosphorus metabolism in women. Journal of Bone and Mineral Research, 1990, 5, 345-352.	3.1	39
57	Trials and tribulations of recruiting 2,000 older women onto a clinical trial investigating falls and fractures: Vital D study. BMC Medical Research Methodology, 2009, 9, 78.	1.4	38
58	BMD in Population-Based Adult Women Is Associated With Socioeconomic Status. Journal of Bone and Mineral Research, 2009, 24, 809-815.	3.1	38
59	Does an increase in body mass index over 10 years affect knee structure in a population-based cohort study of adult women?. Arthritis Research and Therapy, 2010, 12, R139.	1.6	37
60	Skeletal morbidity among survivors of critical illness*. Critical Care Medicine, 2011, 39, 1295-1300.	0.4	37
61	Physical comorbidities in men with mood and anxiety disorders: a population-based study. BMC Medicine, 2013, 11, 110.	2.3	37
62	Rheumatoid arthritis and incident fracture in women: a case–control study. BMC Musculoskeletal Disorders, 2014, 15, 13.	0.8	37
63	Personalised telehealth intervention for chronic disease management: A pilot randomised controlled trial. Journal of Telemedicine and Telecare, 2019, 25, 343-352.	1.4	36
64	Lifestyle factors fail to explain the variation in plasma leptin concentrations in women. Nutrition, 1998, 14, 653-657.	1.1	35
65	Obesity and type 2 diabetes have additive effects on left ventricular remodelling in normotensive patients-a cross sectional study. Cardiovascular Diabetology, 2017, 16, 21.	2.7	35
66	Trabecular Bone Score in Men and Women with Impaired Fasting Glucose and Diabetes. Calcified Tissue International, 2018, 102, 32-40.	1.5	34
67	Socioeconomic status, obesity and lifestyle in men: The Geelong Osteoporosis Study. Journal of Men's Health, 2010, 7, 31-41.	0.1	33
68	Suicidal ideation and physical illness: Does the link lie with depression?. Journal of Affective Disorders, 2014, 152-154, 422-426.	2.0	33
69	Potential role of the antioxidant N-acetylcysteine in slowing bone resorption in early post-menopausal women: a pilot study. Translational Research, 2007, 150, 215.	2.2	31
70	Changes in hip fracture rates in southeastern Australia spanning the period 1994–2007. Journal of Bone and Mineral Research, 2011, 26, 1648-1654.	3.1	31
71	Validity of 12-Month Falls Recall in Community-Dwelling Older Women Participating in a Clinical Trial. International Journal of Endocrinology, 2015, 2015, 1-6.	0.6	31
72	Muscle strength and areal bone mineral density at the hip in women: a cross-sectional study. BMC Musculoskeletal Disorders, 2015, 16, 124.	0.8	31

#	Article	IF	CITATIONS
73	Is trabecular bone score less affected by degenerative-changes at the spine than lumbar spine BMD?. Archives of Osteoporosis, 2018, 13, 127.	1.0	31
74	Relationship of Serum Leptin to Total and Truncal Body Fat. Clinical Science, 1997, 93, 581-584.	1.8	30
75	Alcohol consumption and body composition in a population-based sample of elderly Australian men. Aging Clinical and Experimental Research, 2013, 25, 183-192.	1.4	30
76	Assessment of Fracture Risk. Journal of Clinical Densitometry, 2001, 4, 283-289.	0.5	26
77	β-blockers reduce bone resorption marker in early postmenopausal women. Annals of Human Biology, 2005, 32, 738-745.	0.4	25
78	Lower-limb muscle strength: normative data from an observational population-based study. BMC Musculoskeletal Disorders, 2020, 21, 89.	0.8	25
79	Socioeconomic status and bone mineral density in a population-based sample of men. Bone, 2010, 46, 993-999.	1.4	24
80	The association of time and medications with changes in bone mineral density in the 2Âyears after critical illness. Critical Care, 2017, 21, 69.	2.5	24
81	Osteoporosis and the Critically III Patient. Critical Care Clinics, 2019, 35, 301-313.	1.0	24
82	Harmonised Australian Reference Intervals for Serum PINP and CTX in Adults. Clinical Biochemist Reviews, 2014, 35, 237-42.	3.3	24
83	Oxidative stress may be a common mechanism linking major depression and osteoporosis. Acta Neuropsychiatrica, 2008, 20, 112-116.	1.0	23
84	Acute Delirium in the Setting of Primary Hypothyroidism: The Role of Thyroid Hormone Replacement Therapy. Thyroid, 2005, 15, 1099-1101.	2.4	21
85	Cross-sectional analysis of association between socioeconomic status and utilization of primary total hip joint replacements 2006–7: Australian Orthopaedic Association National Joint Replacement Registry. BMC Musculoskeletal Disorders, 2012, 13, 63.	0.8	21
86	Personal and Psychosocial Impacts of Clinical Fracture in Men. Journal of Men's Health, 2013, 10, 22-27.	0.1	21
87	Impact microindentation in men with impaired fasting glucose and type 2 diabetes. Bone, 2021, 142, 115685.	1.4	21
88	Self-Reported Depression and Cardiovascular Risk Factors in a Community Sample of Women. Psychosomatics, 2007, 48, 54-59.	2.5	20
89	Paracetamol (acetaminophen) use, fracture and bone mineral density. Bone, 2011, 48, 1277-1281.	1.4	20
90	Fracture Risk Score and Absolute Risk of Fracture. Radiology, 2011, 259, 495-501.	3.6	20

MARK ANTHONY KOTOWICZ

#	Article	IF	CITATIONS
91	Musculoskeletal deterioration in men accompanies increases in body fat. Obesity, 2014, 22, 863-867.	1.5	20
92	Feasibility and tolerability of bone impact microindentation testing: a cross-sectional, population-based study in Australia. BMJ Open, 2018, 8, e023959.	0.8	20
93	Humeral Fractures in South-Eastern Australia: Epidemiology and Risk Factors. Calcified Tissue International, 2015, 97, 453-465.	1.5	19
94	Hormone therapy and risk of non-vertebral fracture: Geelong Osteoporosis Study. Osteoporosis International, 2004, 15, 434-8.	1.3	18
95	Morbid obesity in women on the rise: an observational, population-based study. BMC Public Health, 2013, 13, 290.	1.2	18
96	Dysglycaemia and Other Predictors for Progression or Regression from Impaired Fasting Glucose to Diabetes or Normoglycaemia. Journal of Diabetes Research, 2015, 2015, 1-8.	1.0	18
97	Area-based socioeconomic status and mood disorders: Cross-sectional evidence from a cohort of randomly selected adult women. Maturitas, 2011, 69, 173-178.	1.0	17
98	Quantitative Heel Ultrasound (QUS) measures of bone quality in association with mood and anxiety disorders. Journal of Affective Disorders, 2013, 146, 395-400.	2.0	17
99	Bone Turnover Markers in Men and Women with Impaired Fasting Glucose and Diabetes. Calcified Tissue International, 2019, 104, 599-604.	1.5	17
100	Social Determinants of Bone Densitometry Uptake for Osteoporosis Risk in Patients Aged 50Yr and Older: A Systematic Review. Journal of Clinical Densitometry, 2012, 15, 165-175.	0.5	16
101	Patterns of Alcohol Use and Associated Physical and Lifestyle Characteristics According to New Australian Guidelines. Australian and New Zealand Journal of Psychiatry, 2010, 44, 946-951.	1.3	15
102	Geographic region, socioeconomic position and the utilisation of primary total joint replacement for hip or knee osteoarthritis across western Victoria: a cross-sectional multilevel study of the Australian Orthopaedic Association National Joint Replacement Registry. Archives of Osteoporosis, 2017 12, 97	1.0	15
103	Selective Serotonin Reuptake Inhibitors (SSRIs) and Markers of Bone Turnover in Men. Calcified Tissue International, 2018, 103, 125-130.	1.5	15
104	Zoledronate in the prevention of Paget's (ZiPP): protocol for a randomised trial of genetic testing and targeted zoledronic acid therapy to preventSQSTM1-mediated Paget's disease of bone. BMJ Open, 2019, 9, e030689.	0.8	15
105	Reference Ranges for Trabecular Bone Score in Australian Men and Women: A Crossâ€5ectional Study. JBMR Plus, 2019, 3, e10133.	1.3	15
106	FRAX (Aus) and falls risk: Association in men and women. Bone, 2015, 76, 1-4.	1.4	14
107	The epidemiology of hip fractures across western Victoria, Australia. Bone, 2018, 108, 1-9.	1.4	14
108	Bone material strength index is associated with prior fracture in men with and without moderate chronic kidney disease. Bone, 2020, 133, 115241.	1.4	14

#	Article	IF	CITATIONS
109	Associations Between Bone Impact Microindentation and Clinical Risk Factors for Fracture. Endocrinology, 2019, 160, 2143-2150.	1.4	13
110	A Cultural Models Approach to Osteoporosis Prevention and Treatment. SAGE Open, 2012, 2, 215824401246497.	0.8	12
111	Normative Data for Lean Mass Using FNIH Criteria in an Australian Setting. Calcified Tissue International, 2019, 104, 475-479.	1.5	12
112	Characteristics of Early Paget's Disease in <scp><i>SQSTM1</i></scp> Mutation Carriers: Baseline Analysis of the <scp>ZiPP</scp> Study Cohort. Journal of Bone and Mineral Research, 2020, 35, 1246-1252.	3.1	12
113	Dynapenia and Low Cognition: A Cross-Sectional Association in Postmenopausal Women. Journal of Clinical Medicine, 2021, 10, 173.	1.0	12
114	Carpal and scaphoid fracture incidence in south-eastern Australia: an epidemiologic study. Archives of Osteoporosis, 2015, 10, 10.	1.0	11
115	Poor Agreement Between Self-Reported Diagnosis and Bone Mineral Density Results in the Identification of Osteoporosis. Journal of Clinical Densitometry, 2015, 18, 13-16.	0.5	11
116	Ageing, Chronic Disease and Injury: A Study in Western Victoria (Australia). Journal of Public Health Research, 2016, 5, jphr.2016.678.	0.5	11
117	Prevalence of Frailty in Older Men and Women: Cross-Sectional Data from the Geelong Osteoporosis Study. Calcified Tissue International, 2020, 107, 220-229.	1.5	11
118	Patients with end-stage kidney disease have markedly abnormal cortical hip parameters by dual-energy X-ray absorptiometry. Nephrology Dialysis Transplantation, 2021, 36, 543-550.	0.4	10
119	MONITORING FALLS IN COHORT STUDIES OF COMMUNITYâ€DWELLING OLDER WOMEN. Journal of the American Geriatrics Society, 2009, 57, 733-734.	1.3	9
120	Annual Feedback Is an Effective Tool for a Sustained Increase in Calcium Intake among Older Women. Nutrients, 2010, 2, 1018-1025.	1.7	9
121	Utilisation of primary total knee joint replacements across socioeconomic status in the Barwon Statistical Division, Australia, 2006–2007: a cross-sectional study. BMJ Open, 2012, 2, e001310.	0.8	9
122	Personality disorder is an excess risk factor for physical multimorbidity among women with mental state disorders. Psychiatry Research, 2017, 257, 546-549.	1.7	9
123	Mapping Cancer incidence across Western Victoria: the association with age, accessibility, and socioeconomic status among men and women. BMC Cancer, 2019, 19, 892.	1.1	9
124	The association between a fracture risk tool and frailty: Geelong Osteoporosis Study. BMC Geriatrics, 2020, 20, 196.	1.1	9
125	The addition of depression to the Framingham Risk Equation model for predicting coronary heart disease risk in women. Preventive Medicine, 2016, 87, 115-120.	1.6	8
126	Total Antioxidant Capacity and Frailty in Older Men. American Journal of Men's Health, 2020, 14, 155798832094659.	0.7	8

Mark Anthony Kotowicz

#	Article	IF	CITATIONS
127	Age- and Sex-Related Patterns of First Fracture and Fracture Prevalence. Calcified Tissue International, 2015, 96, 38-44.	1.5	7
128	Sarcopenic Obesity and Falls in the Elderly. Journal of Gerontology & Geriatric Research, 2018, 07, .	0.1	7
129	Association between serum interleukin-6 and frailty in older men: cross-sectional data. European Geriatric Medicine, 2021, 12, 887-892.	1.2	7
130	The contribution of musculoskeletal factors to physical frailty: a cross-sectional study. BMC Musculoskeletal Disorders, 2021, 22, 921.	0.8	7
131	Fatty Liver Index and Skeletal Muscle Density. Calcified Tissue International, 2022, 110, 649-657.	1.5	7
132	Evaluating AUSDRISK for predicting incident diabetes in an independent sample of women. Medical Journal of Australia, 2010, 193, 374-374.	0.8	6
133	All-Cause Mortality Risk in Australian Women with Impaired Fasting Glucose and Diabetes. Journal of Diabetes Research, 2017, 2017, 1-8.	1.0	6
134	FRAX (Australia) scores in women with impaired fasting glucose and diabetes. Bone Reports, 2019, 11, 100223.	0.2	6
135	Fracture Risk in Women with Dysglycaemia: Assessing Effects of Baseline and Time-Varying Risk Factors. Calcified Tissue International, 2019, 104, 262-272.	1.5	6
136	Physical and lifestyle factors associated with trabecular bone score values. Archives of Osteoporosis, 2020, 15, 177.	1.0	6
137	Annual feedback is an effective tool for a sustained increase in calcium intake among older women. Nutrients, 2010, 2, 1018-25.	1.7	6
138	Associations between Bone Material Strength Index, Calcaneal Quantitative Ultrasound, and Bone Mineral Density in Men. Journal of the Endocrine Society, 2021, 5, bvaa179.	0.1	6
139	The Predictability of Frailty Associated with Musculoskeletal Deficits: A Longitudinal Study. Calcified Tissue International, 2021, 109, 525-533.	1.5	5
140	Impact of subclinical hypothyroidism on healthâ€related quality of life: a narrative review. Internal Medicine Journal, 2021, 51, 1380-1387.	0.5	5
141	Lean mass as a risk factor for intensive care unit admission: an observational study. Critical Care, 2021, 25, 364.	2.5	5
142	Polycystic ovarian syndrome increases prevalence of concentric hypertrophy in normotensive obese women. PLoS ONE, 2022, 17, e0263312.	1.1	5
143	Abnormal Trabecular Bone Score, Lower Bone Mineral Density and Lean Mass in Young Women With Premature Ovarian Insufficiency Are Prevented by Oestrogen Replacement. Frontiers in Endocrinology, 2022, 13, .	1.5	5
144	The metabolic syndrome and bone mineral density in a random sample of Australian men. The Journal of Men's Health & Gender: the Official Journal of the International Society for Men's Health & Gender, 2007, 4, 298-299.	0.3	4

#	Article	IF	CITATIONS
145	Paradoxical nutritional deficiency in overweight and obesity: the importance of nutrient density. Medical Journal of Australia, 2009, 191, 44-45.	0.8	4
146	Methodological reflections on using pilot data from fracture patients to develop a qualitative study. BMC Research Notes, 2011, 4, 508.	0.6	4
147	Endogenous parathyroid hormone is associated with reduced cartilage volume in vivo in a population-based sample of adult women. Annals of the Rheumatic Diseases, 2012, 71, 1000-1003.	0.5	4
148	Who are the older Australians referred for a bone density scan? Data from the Barwon region. Archives of Osteoporosis, 2014, 9, 196.	1.0	4
149	Response to Comment on Moore et al. Increased Risk of Cognitive Impairment in Patients With Diabetes Is Associated With Metformin. Diabetes Care 2013;36:2981–2987. Diabetes Care, 2014, 37, e151-e151.	4.3	4
150	Changes in bone mineral density in women before critical illness: a matched control nested cohort study. Archives of Osteoporosis, 2018, 13, 119.	1.0	4
151	The epidemiology of emergency presentations for falls from height across Western Victoria, Australia. Australasian Emergency Care, 2020, 23, 119-125.	0.7	4
152	Normative Data for Impact Microindentation for Australian Men: Cross‧ectional Data From the Geelong Osteoporosis Study. JBMR Plus, 2020, 4, e10384.	1.3	4
153	Repurposing a fracture risk calculator (FRAX) as a screening tool for women at risk for sarcopenia. Osteoporosis International, 2020, 31, 1389-1394.	1.3	4
154	Effect of Glucocorticoid and 11β-Hydroxysteroid-Dehydrogenase Type 1 (11β-HSD1) in Neurological and Psychiatric Disorders. International Journal of Neuropsychopharmacology, 2022, 25, 387-398.	1.0	4
155	Changes in body composition in the year following critical illness: A case-control study. Journal of Critical Care, 2022, 71, 154043.	1.0	4
156	Application of Epidemiology to Change Health Policy: Defining Age-Related Thresholds of Bone Mineral Density for Primary Prevention of Fracture. Journal of Clinical Densitometry, 2008, 11, 494-497.	0.5	3
157	Health Outcomes Associated with Hormone Therapy in Australian Women. Current Drug Safety, 2009, 4, 169-172.	0.3	3
158	Bipolar disorder and adiposity: a study using whole body dual energy X-ray absorptiometry scans. Acta Neuropsychiatrica, 2011, 23, 219-223.	1.0	3
159	Reasons for referral to bone densitometry in men and women aged 20–49Âyears: population-based data. Archives of Osteoporosis, 2012, 7, 173-178.	1.0	3
160	Comparison of incidence, rate and length of all-cause hospital admissions between adults with normoglycaemia, impaired fasting glucose and diabetes: a retrospective cohort study in Geelong, Australia. BMJ Open, 2018, 8, e020346.	0.8	3
161	Revision joint replacement surgeries of the hip and knee across geographic region and socioeconomic status in the western region of Victoria: a cross-sectional multilevel analysis of registry data. BMC Musculoskeletal Disorders, 2019, 20, 300.	0.8	3
162	Association between bone measures and use of angiotensin-converting enzyme inhibitors or angiotensin II receptor blockers. Archives of Osteoporosis, 2021, 16, 137.	1.0	3

#	Article	IF	CITATIONS
163	Falls and 3-Hydroxy-3-Methylglutaryl Coenzyme A Reductase Inhibitors. Archives of Internal Medicine, 2002, 162, 2381-2381.	4.3	3
164	Associations between parameters of peripheral quantitative computed tomography and bone material strength index. Bone, 2022, 155, 116268.	1.4	3
165	Impact of changing the criteria for diagnosing diabetes in Australia. Medical Journal of Australia, 2002, 176, 353-354.	0.8	2
166	The epidemiology of emergency presentations for falls across Western Victoria, Australia. Australasian Emergency Care, 2019, 22, 206-215.	0.7	2
167	Normative data for peripheral quantitative computed tomography (pQCT) bone parameters in Australian men. Bone Reports, 2021, 15, 101107.	0.2	2
168	Denosumab-induced hypocalcaemia in metastatic castrate-resistant prostate cancer. Endocrinology, Diabetes and Metabolism Case Reports, 2019, 2019, .	0.2	2
169	Thyroidectomy for the treatment of Graves' thyrotoxicosis in thioamide-induced agranulocytosis and sepsis. Endocrinology, Diabetes and Metabolism Case Reports, 2017, 2017, .	0.2	2
170	Frailty associations with socioeconomic status, healthcare utilisation and quality of life among older women residing in regional Australia. Journal of Frailty, Sarcopenia and Falls, 2021, 06, 209-217.	0.4	2
171	Letters to the Editor. Thyroid, 2005, 15, 178-181.	2.4	1
172	Osteoporosis medication use among Australian women over two decades. Archives of Osteoporosis, 2020, 15, 67.	1.0	1
173	Hip fracture rates in South Australia: Into the next century: Comment. Australian and New Zealand Journal of Surgery, 2000, 70, 813-813.	0.2	0
174	Refractory hyperparathyroidism with a T3 bony lesion—differential diagnoses. Oxford Medical Case Reports, 2018, 2018, omx109.	0.2	0
175	The Epidemiology of Joint Replacements Across Western Victoria, Australia: a Cross-sectional Study. SN Comprehensive Clinical Medicine, 2019, 1, 1038-1047.	0.3	0
176	Estimation of Whole-Body and Appendicular Lean Mass from Spine and Hip Dual Energy X-ray Absorptiometry: A Cross-Sectional Study. Calcified Tissue International, 2021, , 1.	1.5	0
177	Peripheral quantitative computed tomography (pQCT) measures are associated with prior low trauma fracture in men. Archives of Osteoporosis, 2021, 16, 178.	1.0	0
178	Resolution of hypertension following waterâ€clear cell parathyroid adenoma excision. ANZ Journal of Surgery, 2021, , .	0.3	0
179	Fracture Risk and Use of Angiotensin-Converting Enzyme Inhibitors or Angiotensin II Receptor Blockers. Calcified Tissue International, 2022, 111, 396-408.	1.5	0