
Mark Anthony Kotowicz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6268736/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Associations between parameters of peripheral quantitative computed tomography and bone material strength index. Bone, 2022, 155, 116268. | 1.4 | 3 |
| 2 | Fatty Liver Index and Skeletal Muscle Density. Calcified Tissue International, 2022, 110, 649-657. | 1.5 | 7 |
| 3 | Effect of Glucocorticoid and 11β-Hydroxysteroid-Dehydrogenase Type 1 (11β-HSD1) in Neurological and Psychiatric Disorders. International Journal of Neuropsychopharmacology, 2022, 25, 387-398. | 1.0 | 4 |
| 4 | Polycystic ovarian syndrome increases prevalence of concentric hypertrophy in normotensive obese women. PLoS ONE, 2022, 17, e0263312. | 1.1 | 5 |
| 5 | Changes in body composition in the year following critical illness: A case-control study. Journal of Critical Care, 2022, 71, 154043. | 1.0 | 4 |
| 6 | Abnormal Trabecular Bone Score, Lower Bone Mineral Density and Lean Mass in Young Women With Premature Ovarian Insufficiency Are Prevented by Oestrogen Replacement. Frontiers in Endocrinology, 2022, 13, . | 1.5 | 5 |
| 7 | Fracture Risk and Use of Angiotensin-Converting Enzyme Inhibitors or Angiotensin II Receptor Blockers. Calcified Tissue International, 2022, 111, 396-408. | 1.5 | 0 |
| 8 | Impact microindentation in men with impaired fasting glucose and type 2 diabetes. Bone, 2021, 142, 115685. | 1.4 | 21 |
| 9 | Patients with end-stage kidney disease have markedly abnormal cortical hip parameters by dual-energy X-ray absorptiometry. Nephrology Dialysis Transplantation, 2021, 36, 543-550. | 0.4 | 10 |
| 10 | Dynapenia and Low Cognition: A Cross-Sectional Association in Postmenopausal Women. Journal of Clinical Medicine, 2021, 10, 173. | 1.0 | 12 |
| 11 | Association between serum interleukin-6 and frailty in older men: cross-sectional data. European Geriatric Medicine, 2021, 12, 887-892. | 1.2 | 7 |
| 12 | The Predictability of Frailty Associated with Musculoskeletal Deficits: A Longitudinal Study. Calcified Tissue International, 2021, 109, 525-533. | 1.5 | 5 |
| 13 | Impact of subclinical hypothyroidism on healthâ€related quality of life: a narrative review. Internal Medicine Journal, 2021, 51, 1380-1387. | 0.5 | 5 |
| 14 | Association between bone measures and use of angiotensin-converting enzyme inhibitors or angiotensin II receptor blockers. Archives of Osteoporosis, 2021, 16, 137. | 1.0 | 3 |
| 15 | Normative data for peripheral quantitative computed tomography (pQCT) bone parameters in Australian men. Bone Reports, 2021, 15, 101107. | 0.2 | 2 |
| 16 | Lean mass as a risk factor for intensive care unit admission: an observational study. Critical Care, 2021, 25, 364. | 2.5 | 5 |
| 17 | Estimation of Whole-Body and Appendicular Lean Mass from Spine and Hip Dual Energy X-ray Absorptiometry: A Cross-Sectional Study. Calcified Tissue International, 2021, , 1. | 1.5 | 0 |
| 18 | The contribution of musculoskeletal factors to physical frailty: a cross-sectional study. BMC Musculoskeletal Disorders, 2021, 22, 921. | 0.8 | 7 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Associations between Bone Material Strength Index, Calcaneal Quantitative Ultrasound, and Bone Mineral Density in Men. Journal of the Endocrine Society, 2021, 5, bvaa179. | 0.1 | 6 |
| 20 | Peripheral quantitative computed tomography (pQCT) measures are associated with prior low trauma fracture in men. Archives of Osteoporosis, 2021, 16, 178. | 1.0 | 0 |
| 21 | Frailty associations with socioeconomic status, healthcare utilisation and quality of life among older women residing in regional Australia. Journal of Frailty, Sarcopenia and Falls, 2021, 06, 209-217. | 0.4 | 2 |
| 22 | Resolution of hypertension following waterâ€elear cell parathyroid adenoma excision. ANZ Journal of Surgery, 2021, , . | 0.3 | 0 |
| 23 | The epidemiology of emergency presentations for falls from height across Western Victoria, Australia. Australasian Emergency Care, 2020, 23, 119-125. | 0.7 | 4 |
| 24 | Physical and lifestyle factors associated with trabecular bone score values. Archives of Osteoporosis, 2020, 15, 177. | 1.0 | 6 |
| 25 | Total Antioxidant Capacity and Frailty in Older Men. American Journal of Men's Health, 2020, 14, 155798832094659. | 0.7 | 8 |
| 26 | Osteoporosis medication use among Australian women over two decades. Archives of Osteoporosis, 2020, 15, 67. | 1.0 | 1 |
| 27 | Normative Data for Impact Microindentation for Australian Men: Crossâ€5ectional Data From the Geelong Osteoporosis Study. JBMR Plus, 2020, 4, e10384. | 1.3 | 4 |
| 28 | The association between a fracture risk tool and frailty: Geelong Osteoporosis Study. BMC Geriatrics, 2020, 20, 196. | 1.1 | 9 |
| 29 | Characteristics of Early Paget's Disease in <scp><i>SQSTM1</i></scp> Mutation Carriers: Baseline Analysis of the <scp>ZiPP</scp> Study Cohort. Journal of Bone and Mineral Research, 2020, 35, 1246-1252. | 3.1 | 12 |
| 30 | Repurposing a fracture risk calculator (FRAX) as a screening tool for women at risk for sarcopenia. Osteoporosis International, 2020, 31, 1389-1394. | 1.3 | 4 |
| 31 | Prevalence of Frailty in Older Men and Women: Cross-Sectional Data from the Geelong Osteoporosis Study. Calcified Tissue International, 2020, 107, 220-229. | 1.5 | 11 |
| 32 | Lower-limb muscle strength: normative data from an observational population-based study. BMC Musculoskeletal Disorders, 2020, 21, 89. | 0.8 | 25 |
| 33 | Bone material strength index is associated with prior fracture in men with and without moderate chronic kidney disease. Bone, 2020, 133, 115241. | 1.4 | 14 |
| 34 | Personalised telehealth intervention for chronic disease management: A pilot randomised controlled trial. Journal of Telemedicine and Telecare, 2019, 25, 343-352. | 1.4 | 36 |
| 35 | Revision joint replacement surgeries of the hip and knee across geographic region and socioeconomic status in the western region of Victoria: a cross-sectional multilevel analysis of registry data. BMC Musculoskeletal Disorders, 2019, 20, 300. | 0.8 | 3 |
| 36 | Associations Between Bone Impact Microindentation and Clinical Risk Factors for Fracture. Endocrinology, 2019, 160, 2143-2150. | 1.4 | 13 |

MARK ANTHONY KOTOWICZ

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | The epidemiology of emergency presentations for falls across Western Victoria, Australia. Australasian Emergency Care, 2019, 22, 206-215. | 0.7 | 2 |
| 38 | FRAX (Australia) scores in women with impaired fasting glucose and diabetes. Bone Reports, 2019, 11, 100223. | 0.2 | 6 |
| 39 | Mapping Cancer incidence across Western Victoria: the association with age, accessibility, and socioeconomic status among men and women. BMC Cancer, 2019, 19, 892. | 1.1 | 9 |
| 40 | Osteoporosis and the Critically III Patient. Critical Care Clinics, 2019, 35, 301-313. | 1.0 | 24 |
| 41 | Bone Turnover Markers in Men and Women with Impaired Fasting Glucose and Diabetes. Calcified Tissue International, 2019, 104, 599-604. | 1.5 | 17 |
| 42 | Normative Data for Lean Mass Using FNIH Criteria in an Australian Setting. Calcified Tissue International, 2019, 104, 475-479. | 1.5 | 12 |
| 43 | SGLT2 Inhibitors Increase the Risk of Diabetic Ketoacidosis Developing in the Community and During Hospital Admission. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 3077-3087. | 1.8 | 74 |
| 44 | Zoledronate in the prevention of Paget's (ZiPP): protocol for a randomised trial of genetic testing and targeted zoledronic acid therapy to preventSQSTM1-mediated Paget's disease of bone. BMJ Open, 2019, 9, e030689. | 0.8 | 15 |
| 45 | The Epidemiology of Joint Replacements Across Western Victoria, Australia: a Cross-sectional Study. SN Comprehensive Clinical Medicine, 2019, 1, 1038-1047. | 0.3 | 0 |
| 46 | Fracture Risk in Women with Dysglycaemia: Assessing Effects of Baseline and Time-Varying Risk Factors. Calcified Tissue International, 2019, 104, 262-272. | 1.5 | 6 |
| 47 | Reference Ranges for Trabecular Bone Score in Australian Men and Women: A Crossâ€ S ectional Study. JBMR Plus, 2019, 3, e10133. | 1.3 | 15 |
| 48 | Denosumab-induced hypocalcaemia in metastatic castrate-resistant prostate cancer. Endocrinology, Diabetes and Metabolism Case Reports, 2019, 2019, . | 0.2 | 2 |
| 49 | Selective Serotonin Reuptake Inhibitors (SSRIs) and Markers of Bone Turnover in Men. Calcified Tissue International, 2018, 103, 125-130. | 1.5 | 15 |
| 50 | Refractory hyperparathyroidism with a T3 bony lesion—differential diagnoses. Oxford Medical Case Reports, 2018, 2018, omx109. | 0.2 | 0 |
| 51 | Comparison of incidence, rate and length of all-cause hospital admissions between adults with normoglycaemia, impaired fasting glucose and diabetes: a retrospective cohort study in Geelong, Australia. BMJ Open, 2018, 8, e020346. | 0.8 | 3 |
| 52 | Feasibility and patient acceptability of a novel artificial intelligence-based screening model for diabetic retinopathy at endocrinology outpatient services: a pilot study. Scientific Reports, 2018, 8, 4330. | 1.6 | 129 |
| 53 | Trabecular Bone Score in Men and Women with Impaired Fasting Glucose and Diabetes. Calcified Tissue International, 2018, 102, 32-40. | 1.5 | 34 |
| 54 | The epidemiology of hip fractures across western Victoria, Australia. Bone, 2018, 108, 1-9. | 1.4 | 14 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Sarcopenic Obesity and Falls in the Elderly. Journal of Gerontology & Geriatric Research, 2018, 07, . | 0.1 | 7 |
| 56 | Changes in bone mineral density in women before critical illness: a matched control nested cohort study. Archives of Osteoporosis, 2018, 13, 119. | 1.0 | 4 |
| 57 | Is trabecular bone score less affected by degenerative-changes at the spine than lumbar spine BMD?. Archives of Osteoporosis, 2018, 13, 127. | 1.0 | 31 |
| 58 | Feasibility and tolerability of bone impact microindentation testing: a cross-sectional, population-based study in Australia. BMJ Open, 2018, 8, e023959. | 0.8 | 20 |
| 59 | Musculoskeletal decline and mortality: prospective data from the Geelong Osteoporosis Study. Journal of Cachexia, Sarcopenia and Muscle, 2017, 8, 482-489. | 2.9 | 61 |
| 60 | Personality disorder is an excess risk factor for physical multimorbidity among women with mental state disorders. Psychiatry Research, 2017, 257, 546-549. | 1.7 | 9 |
| 61 | Geographic region, socioeconomic position and the utilisation of primary total joint replacement for hip or knee osteoarthritis across western Victoria: a cross-sectional multilevel study of the Australian Orthopaedic Association National Joint Replacement Registry. Archives of Osteoporosis, 2017, 12, 97. | 1.0 | 15 |
| 62 | Obesity and type 2 diabetes have additive effects on left ventricular remodelling in normotensive patients-a cross sectional study. Cardiovascular Diabetology, 2017, 16, 21. | 2.7 | 35 |
| 63 | The association of time and medications with changes in bone mineral density in the 2Âyears after critical illness. Critical Care, 2017, 21, 69. | 2.5 | 24 |
| 64 | All-Cause Mortality Risk in Australian Women with Impaired Fasting Glucose and Diabetes. Journal of Diabetes Research, 2017, 2017, 1-8. | 1.0 | 6 |
| 65 | Thyroidectomy for the treatment of Graves' thyrotoxicosis in thioamide-induced agranulocytosis and sepsis. Endocrinology, Diabetes and Metabolism Case Reports, 2017, 2017, . | 0.2 | 2 |
| 66 | Ageing, Chronic Disease and Injury: A Study in Western Victoria (Australia). Journal of Public Health Research, 2016, 5, jphr.2016.678. | 0.5 | 11 |
| 67 | A Meta-Analysis of Trabecular Bone Score in Fracture Risk Prediction and Its Relationship to FRAX. Journal of Bone and Mineral Research, 2016, 31, 940-948. | 3.1 | 508 |
| 68 | Changes in Bone Mineral Density in the Year after Critical Illness. American Journal of Respiratory and Critical Care Medicine, 2016, 193, 736-744. | 2.5 | 45 |
| 69 | Depression is a risk factor for incident coronary heart disease in women: An 18-year longitudinal study. Journal of Affective Disorders, 2016, 196, 117-124. | 2.0 | 77 |
| 70 | The addition of depression to the Framingham Risk Equation model for predicting coronary heart disease risk in women. Preventive Medicine, 2016, 87, 115-120. | 1.6 | 8 |
| 71 | Pro-inflammatory dietary intake as a risk factor for CVD in men: a 5-year longitudinal study. British Journal of Nutrition, 2015, 114, 2074-2082. | 1.2 | 59 |
| 72 | Validity of 12-Month Falls Recall in Community-Dwelling Older Women Participating in a Clinical Trial. International Journal of Endocrinology, 2015, 2015, 1-6. | 0.6 | 31 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Dysglycaemia and Other Predictors for Progression or Regression from Impaired Fasting Glucose to Diabetes or Normoglycaemia. Journal of Diabetes Research, 2015, 2015, 1-8. | 1.0 | 18 |
| 74 | Carpal and scaphoid fracture incidence in south-eastern Australia: an epidemiologic study. Archives of Osteoporosis, 2015, 10, 10. | 1.0 | 11 |
| 75 | FRAX (Aus) and falls risk: Association in men and women. Bone, 2015, 76, 1-4. | 1.4 | 14 |
| 76 | The Epidemiology of Incident Fracture from Cradle to Senescence. Calcified Tissue International, 2015, 97, 568-576. | 1.5 | 50 |
| 77 | Humeral Fractures in South-Eastern Australia: Epidemiology and Risk Factors. Calcified Tissue International, 2015, 97, 453-465. | 1.5 | 19 |
| 78 | Muscle strength and areal bone mineral density at the hip in women: a cross-sectional study. BMC Musculoskeletal Disorders, 2015, 16, 124. | 0.8 | 31 |
| 79 | Age- and Sex-Related Patterns of First Fracture and Fracture Prevalence. Calcified Tissue International, 2015, 96, 38-44. | 1.5 | 7 |
| 80 | Poor Agreement Between Self-Reported Diagnosis and Bone Mineral Density Results in the Identification of Osteoporosis. Journal of Clinical Densitometry, 2015, 18, 13-16. | 0.5 | 11 |
| 81 | Who are the older Australians referred for a bone density scan? Data from the Barwon region. Archives of Osteoporosis, 2014, 9, 196. | 1.0 | 4 |
| 82 | Body mass index and measures of body fat for defining obesity and underweight: a cross-sectional, population-based study. BMC Obesity, 2014, 1, 9. | 3.1 | 76 |
| 83 | Rheumatoid arthritis and incident fracture in women: a case–control study. BMC Musculoskeletal Disorders, 2014, 15, 13. | 0.8 | 37 |
| 84 | Total and Appendicular Lean Mass Reference Ranges for Australian Men and Women: The Geelong Osteoporosis Study. Calcified Tissue International, 2014, 94, 363-372. | 1.5 | 135 |
| 85 | Response to Comment on Moore et al. Increased Risk of Cognitive Impairment in Patients With Diabetes Is Associated With Metformin. Diabetes Care 2013;36:2981–2987. Diabetes Care, 2014, 37, e151-e151. | 4.3 | 4 |
| 86 | Suicidal ideation and physical illness: Does the link lie with depression?. Journal of Affective Disorders, 2014, 152-154, 422-426. | 2.0 | 33 |
| 87 | Musculoskeletal deterioration in men accompanies increases in body fat. Obesity, 2014, 22, 863-867. | 1.5 | 20 |
| 88 | Validity of 12-Month Falls Recall in Community-Dwelling Older Women Participating in a Clinical Trial. International Journal of Endocrinology, 2014, 2014, 1-6. | 0.6 | 60 |
| 89 | Harmonised Australian Reference Intervals for Serum PINP and CTX in Adults. Clinical Biochemist Reviews, 2014, 35, 237-42. | 3.3 | 24 |
| 90 | Morbid obesity in women on the rise: an observational, population-based study. BMC Public Health, 2013, 13, 290. | 1.2 | 18 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Physical comorbidities in men with mood and anxiety disorders: a population-based study. BMC Medicine, 2013, 11, 110. | 2.3 | 37 |
| 92 | Quantitative Heel Ultrasound (QUS) measures of bone quality in association with mood and anxiety disorders. Journal of Affective Disorders, 2013, 146, 395-400. | 2.0 | 17 |
| 93 | A novel serogenetic approach determines the community prevalence of celiac disease and informs improved diagnostic pathways. BMC Medicine, 2013, 11, 188. | 2.3 | 88 |
| 94 | Alcohol consumption and body composition in a population-based sample of elderly Australian men. Aging Clinical and Experimental Research, 2013, 25, 183-192. | 1.4 | 30 |
| 95 | Increased Risk of Cognitive Impairment in Patients With Diabetes Is Associated With Metformin. Diabetes Care, 2013, 36, 2981-2987. | 4.3 | 308 |
| 96 | Personal and Psychosocial Impacts of Clinical Fracture in Men. Journal of Men's Health, 2013, 10, 22-27. | 0.1 | 21 |
| 97 | Cohort Profile: Geelong Osteoporosis Study. International Journal of Epidemiology, 2012, 41, 1565-1575. | 0.9 | 205 |
| 98 | Endogenous parathyroid hormone is associated with reduced cartilage volume in vivo in a population-based sample of adult women. Annals of the Rheumatic Diseases, 2012, 71, 1000-1003. | 0.5 | 4 |
| 99 | Utilisation of primary total knee joint replacements across socioeconomic status in the Barwon Statistical Division, Australia, 2006–2007: a cross-sectional study. BMJ Open, 2012, 2, e001310. | 0.8 | 9 |
| 100 | A Cultural Models Approach to Osteoporosis Prevention and Treatment. SAGE Open, 2012, 2, 215824401246497. | 0.8 | 12 |
| 101 | Social Determinants of Bone Densitometry Uptake for Osteoporosis Risk in Patients Aged 50Yr and Older: A Systematic Review. Journal of Clinical Densitometry, 2012, 15, 165-175. | 0.5 | 16 |
| 102 | Reasons for referral to bone densitometry in men and women aged 20–49Âyears: population-based data. Archives of Osteoporosis, 2012, 7, 173-178. | 1.0 | 3 |
| 103 | Dietary selenium and major depression: a nested case-control study. Complementary Therapies in Medicine, 2012, 20, 119-123. | 1.3 | 85 |
| 104 | Cross-sectional analysis of association between socioeconomic status and utilization of primary total hip joint replacements 2006–7: Australian Orthopaedic Association National Joint Replacement Registry. BMC Musculoskeletal Disorders, 2012, 13, 63. | 0.8 | 21 |
| 105 | General medical practitioners' knowledge and beliefs about osteoporosis and its investigation and management. Archives of Osteoporosis, 2012, 7, 107-114. | 1.0 | 44 |
| 106 | Prevalence of Obesity and the Relationship between the Body Mass Index and Body Fat: Cross-Sectional, Population-Based Data. PLoS ONE, 2012, 7, e29580. | 1.1 | 112 |
| 107 | Methodological reflections on using pilot data from fracture patients to develop a qualitative study. BMC Research Notes, 2011, 4, 508. | 0.6 | 4 |
| 108 | Paracetamol (acetaminophen) use, fracture and bone mineral density. Bone, 2011, 48, 1277-1281. | 1.4 | 20 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Area-based socioeconomic status and mood disorders: Cross-sectional evidence from a cohort of randomly selected adult women. Maturitas, 2011, 69, 173-178. | 1.0 | 17 |
| 110 | Prevalence of osteoporosis in Australian men and women: Geelong Osteoporosis Study. Medical Journal of Australia, 2011, 195, 321-322. | 0.8 | 55 |
| 111 | Skeletal morbidity among survivors of critical illness*. Critical Care Medicine, 2011, 39, 1295-1300. | 0.4 | 37 |
| 112 | Bipolar disorder and adiposity: a study using whole body dual energy X-ray absorptiometry scans. Acta Neuropsychiatrica, 2011, 23, 219-223. | 1.0 | 3 |
| 113 | Diet quality in bipolar disorder in a population-based sample of women. Journal of Affective Disorders, 2011, 129, 332-337. | 2.0 | 89 |
| 114 | Changes in hip fracture rates in southeastern Australia spanning the period 1994–2007. Journal of Bone and Mineral Research, 2011, 26, 1648-1654. | 3.1 | 31 |
| 115 | Habitual physical activity and the risk for depressive and anxiety disorders among older men and women. International Psychogeriatrics, 2011, 23, 292-298. | 0.6 | 92 |
| 116 | Fracture Risk Score and Absolute Risk of Fracture. Radiology, 2011, 259, 495-501. | 3.6 | 20 |
| 117 | Genome-Wide Association Study Using Extreme Truncate Selection Identifies Novel Genes Affecting Bone Mineral Density and Fracture Risk. PLoS Genetics, 2011, 7, e1001372. | 1.5 | 233 |
| 118 | Socioeconomic status, obesity and lifestyle in men: The Geelong Osteoporosis Study. Journal of Men's Health, 2010, 7, 31-41. | 0.1 | 33 |
| 119 | Prevalence of mood and anxiety disorder in self reported irritable bowel syndrome (IBS). An epidemiological population based study of women. BMC Gastroenterology, 2010, 10, 88. | 0.8 | 96 |
| 120 | Annual Feedback Is an Effective Tool for a Sustained Increase in Calcium Intake among Older Women. Nutrients, 2010, 2, 1018-1025. | 1.7 | 9 |
| 121 | Evaluating AUSDRISK for predicting incident diabetes in an independent sample of women. Medical Journal of Australia, 2010, 193, 374-374. | 0.8 | 6 |
| 122 | Association of Western and Traditional Diets With Depression and Anxiety in Women. American Journal of Psychiatry, 2010, 167, 305-311. | 4.0 | 583 |
| 123 | Patterns of Alcohol Use and Associated Physical and Lifestyle Characteristics According to New Australian Guidelines. Australian and New Zealand Journal of Psychiatry, 2010, 44, 946-951. | 1.3 | 15 |
| 124 | Association of high-sensitivity C-reactive protein with <i>de novo</i> major depression. British Journal of Psychiatry, 2010, 197, 372-377. | 1.7 | 281 |
| 125 | Annual High-Dose Oral Vitamin D and Falls and Fractures in Older Women. JAMA - Journal of the American Medical Association, 2010, 303, 1815. | 3.8 | 1,159 |
| 126 | The Prevalence of Mood and Anxiety Disorders in Australian Women. Australasian Psychiatry, 2010, 18, 250-255. | 0.4 | 48 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Clinical Implications of the Cytokine Hypothesis of Depression: The Association between Use of Statins and Aspirin and the Risk of Major Depression. Psychotherapy and Psychosomatics, 2010, 79, 323-325. | 4.0 | 82 |
| 128 | Socioeconomic status and bone mineral density in a population-based sample of men. Bone, 2010, 46, 993-999. | 1.4 | 24 |
| 129 | Does an increase in body mass index over 10 years affect knee structure in a population-based cohort study of adult women?. Arthritis Research and Therapy, 2010, 12, R139. | 1.6 | 37 |
| 130 | Annual feedback is an effective tool for a sustained increase in calcium intake among older women. Nutrients, 2010, 2, 1018-25. | 1.7 | 6 |
| 131 | Paradoxical nutritional deficiency in overweight and obesity: the importance of nutrient density. Medical Journal of Australia, 2009, 191, 44-45. | 0.8 | 4 |
| 132 | Calcium and bone health: position statement for the Australian and New Zealand Bone and Mineral Society, Osteoporosis Australia and the Endocrine Society of Australia. Medical Journal of Australia, 2009, 190, 316-320. | 0.8 | 48 |
| 133 | Health Outcomes Associated with Hormone Therapy in Australian Women. Current Drug Safety, 2009, 4, 169-172. | 0.3 | 3 |
| 134 | Trials and tribulations of recruiting 2,000 older women onto a clinical trial investigating falls and fractures: Vital D study. BMC Medical Research Methodology, 2009, 9, 78. | 1.4 | 38 |
| 135 | Lifetime psychiatric disorders and body composition: A population-based study. Journal of Affective Disorders, 2009, 118, 173-179. | 2.0 | 56 |
| 136 | MONITORING FALLS IN COHORT STUDIES OF COMMUNITYâ€DWELLING OLDER WOMEN. Journal of the American Geriatrics Society, 2009, 57, 733-734. | 1.3 | 9 |
| 137 | BMD in Population-Based Adult Women Is Associated With Socioeconomic Status. Journal of Bone and Mineral Research, 2009, 24, 809-815. | 3.1 | 38 |
| 138 | Behavioural and physical characteristics associated with vitamin D status in women. Bone, 2009, 44, 1085-1091. | 1.4 | 65 |
| 139 | Socioeconomic status and risk factors for obesity and metabolic disorders in a population-based sample of adult females. Preventive Medicine, 2009, 49, 165-171. | 1.6 | 105 |
| 140 | Oxidative stress may be a common mechanism linking major depression and osteoporosis. Acta Neuropsychiatrica, 2008, 20, 112-116. | 1.0 | 23 |
| 141 | Leptin in depressed women: Cross-sectional and longitudinal data from an epidemiologic study. Journal of Affective Disorders, 2008, 107, 221-225. | 2.0 | 89 |
| 142 | Application of Epidemiology to Change Health Policy: Defining Age-Related Thresholds of Bone Mineral Density for Primary Prevention of Fracture. Journal of Clinical Densitometry, 2008, 11, 494-497. | 0.5 | 3 |
| 143 | Tobacco smoking as a risk factor for major depressive disorder: population-based study. British Journal of Psychiatry, 2008, 193, 322-326. | 1.7 | 190 |
| 144 | Selective serotonin reuptake inhibitor use and bone mineral density in women with a history of depression. International Clinical Psychopharmacology, 2008, 23, 84-87. | 0.9 | 97 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | The metabolic syndrome and bone mineral density in a random sample of Australian men. The Journal of Men's Health & Gender: the Official Journal of the International Society for Men's Health & Gender, 2007, 4, 298-299. | 0.3 | 4 |
| 146 | Self-Reported Depression and Cardiovascular Risk Factors in a Community Sample of Women. Psychosomatics, 2007, 48, 54-59. | 2.5 | 20 |
| 147 | Potential role of the antioxidant N-acetylcysteine in slowing bone resorption in early post-menopausal women: a pilot study. Translational Research, 2007, 150, 215. | 2.2 | 31 |
| 148 | Half the burden of fragility fractures in the community occur in women without osteoporosis. When is fracture prevention cost-effective?. Bone, 2006, 38, 694-700. | 1.4 | 159 |
| 149 | Fracture Risk (FRISK) Score: Geelong Osteoporosis Study. Radiology, 2006, 241, 190-196. | 3.6 | 54 |
| 150 | High-Sensitivity C-Reactive Protein and Fracture Risk in Elderly Women. JAMA - Journal of the American Medical Association, 2006, 296, 1349. | 3.8 | 114 |
| 151 | Antioxidant Vitamin Supplements and Markers of Bone Turnover in a Community Sample of Nonsmoking Women. Journal of Women's Health, 2006, 15, 295-300. | 1.5 | 57 |
| 152 | Depression and bone mineral density in a community sample of perimenopausal women: Geelong Osteoporosis Study. Menopause, 2005, 12, 88-91. | 0.8 | 66 |
| 153 | Association of Functionally Different RUNX2 P2 Promoter Alleles With BMD. Journal of Bone and Mineral Research, 2005, 21, 265-273. | 3.1 | 47 |
| 154 | The human cost of fracture. Osteoporosis International, 2005, 16, 2046-2052. | 1.3 | 158 |
| 155 | Acute Delirium in the Setting of Primary Hypothyroidism: The Role of Thyroid Hormone Replacement Therapy. Thyroid, 2005, 15, 1099-1101. | 2.4 | 21 |
| 156 | Letters to the Editor. Thyroid, 2005, 15, 178-181. | 2.4 | 1 |
| 157 | Î2-blockers reduce bone resorption marker in early postmenopausal women. Annals of Human Biology, 2005, 32, 738-745. | 0.4 | 25 |
| 158 | Seasonal Periodicity of Serum Vitamin D and Parathyroid Hormone, Bone Resorption, and Fractures: The Geelong Osteoporosis Study. Journal of Bone and Mineral Research, 2004, 19, 752-758. | 3.1 | 173 |
| 159 | Hormone therapy and risk of non-vertebral fracture: Geelong Osteoporosis Study. Osteoporosis International, 2004, 15, 434-8. | 1.3 | 18 |
| 160 | β-Adrenergic Blockers Reduce the Risk of Fracture Partly by Increasing Bone Mineral Density: Geelong Osteoporosis Study. Journal of Bone and Mineral Research, 2003, 19, 19-24. | 3.1 | 229 |
| 161 | Prevention and Treatment of Glucocorticoid-Induced Osteoporosis: A Comparison of Calcitriol, Vitamin D Plus Calcium, and Alendronate Plus Calcium. Journal of Bone and Mineral Research, 2003, 18, 919-924. | 3.1 | 120 |
| 162 | Statin Use, Bone Mineral Density, and Fracture Risk. Archives of Internal Medicine, 2002, 162, 537. | 4.3 | 158 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Impact of changing the criteria for diagnosing diabetes in Australia. Medical Journal of Australia, 2002, 176, 353-354. | 0.8 | 2 |
| 164 | Alleles of RUNX2/CBFA1 Gene Are Associated With Differences in Bone Mineral Density and Risk of Fracture. Journal of Bone and Mineral Research, 2002, 17, 1527-1534. | 3.1 | 63 |
| 165 | Falls and 3-Hydroxy-3-Methylglutaryl Coenzyme A Reductase Inhibitors. Archives of Internal Medicine, 2002, 162, 2381-2381. | 4.3 | 3 |
| 166 | Assessment of Fracture Risk. Journal of Clinical Densitometry, 2001, 4, 283-289. | 0.5 | 26 |
| 167 | Vitamin D status of women in the Geelong Osteoporosis Study: association with diet and casual exposure to sunlight. Medical Journal of Australia, 2001, 175, 401-405. | 0.8 | 127 |
| 168 | Serum Leptin Levels Are Associated with Bone Mass in Nonobese Women ¹ . Journal of Clinical Endocrinology and Metabolism, 2001, 86, 1884-1887. | 1.8 | 178 |
| 169 | Effects of Calcitriol or Calcium on Bone Mineral Density, Bone Turnover, and Fractures in Men with Primary Osteoporosis: A Two-Year Randomized, Double Blind, Double Placebo Study. Journal of Clinical Endocrinology and Metabolism, 2001, 86, 4098-4103. | 1.8 | 59 |
| 170 | Oral contraceptives and bone mineral density: A population-based study. American Journal of Obstetrics and Gynecology, 2000, 182, 265-269. | 0.7 | 57 |
| 171 | Prevalence of Osteoporosis in Australian Women. Journal of Clinical Densitometry, 2000, 3, 261-268. | 0.5 | 126 |
| 172 | Hip fracture rates in South Australia: Into the next century: Comment. Australian and New Zealand Journal of Surgery, 2000, 70, 813-813. | 0.2 | 0 |
| 173 | Health burden of hip and other fractures in Australia beyond 2000: Projections based on the Geelong Osteoporosis Study. Medical Journal of Australia, 1999, 170, 467-470. | 0.8 | 178 |
| 174 | Lifestyle factors fail to explain the variation in plasma leptin concentrations in women. Nutrition, 1998, 14, 653-657. | 1.1 | 35 |
| 175 | Relationship of Serum Leptin to Total and Truncal Body Fat. Clinical Science, 1997, 93, 581-584. | 1.8 | 30 |
| 176 | Biochemical and radiologic improvement in Paget's disease of bone treated with alendronate: A randomized, placebo-controlled trial. American Journal of Medicine, 1996, 101, 341-348. | 0.6 | 164 |
| 177 | Risk of hip fracture in women with vertebral fracture. Journal of Bone and Mineral Research, 1994, 9, 599-605. | 3.1 | 122 |
| 178 | Secular trends in the incidence of postmenopausal vertebral fractures. Calcified Tissue International, 1992, 51, 100-104. | 1.5 | 53 |
| 179 | Effect of age on variables relating to calcium and phosphorus metabolism in women. Journal of Bone and Mineral Research, 1990, 5, 345-352. | 3.1 | 39 |