

Ghanshyam Swarup

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6270613/ghanshyam-swarup-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

6,166

citations

27

h-index

77

g-index

77

ext. papers

6,932

ext. citations

4.4

avg, IF

4.8

L-index

#	Paper	IF	Citations
68	Optineurin modulates ER stress-induced signaling pathways and cell death. <i>Biochemical and Biophysical Research Communications</i> , 2021 , 534, 297-302	3.4	2
67	A glaucoma- and ALS-associated mutant of OPTN induces neuronal cell death dependent on Tbk1 activity, autophagy and ER stress. <i>FEBS Journal</i> , 2021 , 288, 4576-4595	5.7	5
66	Human primary retinal cells as an in-vitro model for investigating defective signalling caused by OPTN mutants associated with glaucoma. <i>Neurochemistry International</i> , 2021 , 148, 105075	4.4	0
65	HSC70 regulates cold-induced caspase-1 hyperactivation by an autoinflammation-causing mutant of cytoplasmic immune receptor NLRC4. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 21694-21703	11.5	10
64	Altered Functions and Interactions of Glaucoma-Associated Mutants of Optineurin. <i>Frontiers in Immunology</i> , 2018 , 9, 1287	8.4	22
63	Identification of a splice variant of optineurin which is defective in autophagy and phosphorylation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2018 , 1865, 1526-1538	4.9	4
62	Autophagy receptor optineurin promotes autophagosome formation by potentiating LC3-II production and phagophore maturation. <i>Communicative and Integrative Biology</i> , 2018 , 11, 1-4	1.7	13
61	Optineurin promotes autophagosome formation by recruiting the autophagy-related Atg12-5-16L1 complex to phagophores containing the Wipi2 protein. <i>Journal of Biological Chemistry</i> , 2018 , 293, 132-147	5.4	47
60	A Disease-associated Mutant of NLRC4 Shows Enhanced Interaction with SUG1 Leading to Constitutive FADD-dependent Caspase-8 Activation and Cell Death. <i>Journal of Biological Chemistry</i> , 2017 , 292, 1218-1230	5.4	31
59	661W is a retinal ganglion precursor-like cell line in which glaucoma-associated optineurin mutants induce cell death selectively. <i>Scientific Reports</i> , 2017 , 7, 16855	4.9	45
58	Defects in autophagy caused by glaucoma-associated mutations in optineurin. <i>Experimental Eye Research</i> , 2016 , 144, 54-63	3.7	27
57	The Nobel Prize for understanding autophagy, a cellular mechanism of waste disposal that keeps us healthy. <i>Journal of Biosciences</i> , 2016 , 41, 563-567	2.3	
56	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
55	Functional analysis of optineurin and some of its disease-associated mutants. <i>IUBMB Life</i> , 2015 , 67, 120-8	4.7	17
54	A Glaucoma-Associated Variant of Optineurin, M98K, Activates Tbk1 to Enhance Autophagosome Formation and Retinal Cell Death Dependent on Ser177 Phosphorylation of Optineurin. <i>PLoS ONE</i> , 2015 , 10, e0138289	3.7	31
53	E50K-OPTN-induced retinal cell death involves the Rab GTPase-activating protein, TBC1D17 mediated block in autophagy. <i>PLoS ONE</i> , 2014 , 9, e95758	3.7	41
52	Emerging role of tyrosine phosphatase, TCPTP, in the organelles of the early secretory pathway. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013 , 1833, 1125-32	4.9	11

51	A cataract-causing connexin 50 mutant is mislocalized to the ER due to loss of the fourth transmembrane domain and cytoplasmic domain. <i>FEBS Open Bio</i> , 2013 , 3, 22-9	2.7	2
50	IRF-1-binding site in the first intron mediates interferon- β -induced optineurin promoter activation. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 437, 179-84	3.4	6
49	M98K-OPTN induces transferrin receptor degradation and RAB12-mediated autophagic death in retinal ganglion cells. <i>Autophagy</i> , 2013 , 9, 510-27	10.2	58
48	Functional Defects Caused by Glaucoma Associated Mutations in Optineurin 2013 ,		2
47	Tyrosine phosphorylation of a SNARE protein, syntaxin 17: implications for membrane trafficking in the early secretory pathway. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2012 , 1823, 2109-19	4.9	9
46	Optineurin mediates a negative regulation of Rab8 by the GTPase-activating protein TBC1D17. <i>Journal of Cell Science</i> , 2012 , 125, 5026-39	5.3	43
45	Syntaxin 17 cycles between the ER and ERGIC and is required to maintain the architecture of ERGIC and Golgi. <i>Biology of the Cell</i> , 2011 , 103, 333-50	3.5	30
44	Optineurin is required for CYLD-dependent inhibition of TNF-induced NF- κ B activation. <i>PLoS ONE</i> , 2011 , 6, e17477	3.7	79
43	Interaction with Sug1 enables I κ B ubiquitination leading to caspase 8 activation and cell death. <i>Biochemical Journal</i> , 2010 , 427, 91-104	3.8	27
42	Optineurin, a multifunctional protein involved in glaucoma, amyotrophic lateral sclerosis and antiviral signalling. <i>Journal of Biosciences</i> , 2010 , 35, 501-5	2.3	11
41	Regulation of endocytic trafficking of transferrin receptor by optineurin and its impairment by a glaucoma-associated mutant. <i>BMC Cell Biology</i> , 2010 , 11, 4		70
40	Optineurin and its mutants: molecules associated with some forms of glaucoma. <i>Ophthalmic Research</i> , 2009 , 42, 176-84	2.9	49
39	NF- κ B mediates tumor necrosis factor alpha-induced expression of optineurin, a negative regulator of NF- κ B. <i>PLoS ONE</i> , 2009 , 4, e5114	3.7	86
38	Focus on molecules: optineurin. <i>Experimental Eye Research</i> , 2008 , 87, 1-2	3.7	12
37	Sp1-like sequences mediate human caspase-3 promoter activation by p73 and cisplatin. <i>FEBS Journal</i> , 2008 , 275, 2200-13	5.7	18
36	Regulation of p73 by Hck through kinase-dependent and independent mechanisms. <i>BMC Molecular Biology</i> , 2007 , 8, 45	4.5	29
35	Tumor necrosis factor-alpha-induced caspase-1 gene expression. Role of p73. <i>FEBS Journal</i> , 2007 , 274, 4396-407	5.7	31
34	C3G is required for c-Abl-induced filopodia and its overexpression promotes filopodia formation. <i>Experimental Cell Research</i> , 2007 , 313, 2476-92	4.2	35

33	A glaucoma-associated mutant of optineurin selectively induces death of retinal ganglion cells which is inhibited by antioxidants. <i>Investigative Ophthalmology and Visual Science</i> , 2007 , 48, 1607-14		83
32	Evidence for a role of transmembrane protein p25 in localization of protein tyrosine phosphatase TC48 to the ER. <i>Journal of Cell Science</i> , 2006 , 119, 1703-14	5.3	27
31	Involvement of caspase 1 and its activator Ipaf upstream of mitochondrial events in apoptosis. <i>FEBS Journal</i> , 2006 , 273, 2766-78	5.7	20
30	Caspase-1 activator Ipaf is a p53-inducible gene involved in apoptosis. <i>Oncogene</i> , 2005 , 24, 627-36	9.2	46
29	Role of p73 in regulating human caspase-1 gene transcription induced by interferon- γ and cisplatin. <i>Journal of Biological Chemistry</i> , 2005 , 280, 36664-73	5.4	21
28	How to design a highly effective siRNA. <i>Journal of Biosciences</i> , 2004 , 29, 129-31	2.3	8
27	Phosphorylated guanine nucleotide exchange factor C3G, induced by pervanadate and Src family kinases localizes to the Golgi and subcortical actin cytoskeleton. <i>BMC Cell Biology</i> , 2004 , 5, 31		37
26	Physical and functional interaction between Hck tyrosine kinase and guanine nucleotide exchange factor C3G results in apoptosis, which is independent of C3G catalytic domain. <i>Journal of Biological Chemistry</i> , 2003 , 278, 52188-94	5.4	64
25	Induction of cytochrome c release and apoptosis by Hck-SH3 domain-mediated signalling requires caspase-3. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2002 , 7, 195-207	5.4	17
24	A nuclear protein tyrosine phosphatase activates p53 and induces caspase-1-dependent apoptosis. <i>FEBS Letters</i> , 2002 , 532, 61-6	3.8	25
23	A nuclear protein tyrosine phosphatase induces shortening of G1 phase and increase in c-Myc protein level. <i>Experimental Cell Research</i> , 2001 , 265, 1-10	4.2	10
22	Inhibition of anchorage-independent cell growth, adhesion, and cyclin D1 gene expression by a dominant negative mutant of a tyrosine phosphatase. <i>Experimental Cell Research</i> , 2001 , 270, 32-44	4.2	7
21	Direct transcriptional activation of human caspase-1 by tumor suppressor p53. <i>Journal of Biological Chemistry</i> , 2001 , 276, 10585-8	5.4	68
20	PTP-S2, a nuclear tyrosine phosphatase, is phosphorylated and excluded from condensed chromosomes during mitosis. <i>Journal of Biosciences</i> , 2000 , 25, 33-40	2.3	10
19	Identification of a novel splice variant of C3G which shows tissue-specific expression. <i>DNA and Cell Biology</i> , 1999 , 18, 701-8	3.6	8
18	Induction of p53 dependent apoptosis upon overexpression of a nuclear protein tyrosine phosphatase. <i>FEBS Letters</i> , 1999 , 453, 308-12	3.8	23
17	Regulation of cellular and molecular functions by protein phosphorylation 1998 , 3, 70-78		2
16	Overexpression of a nuclear protein tyrosine phosphatase increases cell proliferation. <i>FEBS Letters</i> , 1997 , 409, 33-6	3.8	14

15	Two splice variants of a tyrosine phosphatase differ in substrate specificity, DNA binding, and subcellular location. <i>Journal of Biological Chemistry</i> , 1996 , 271, 26755-61	5.4	46
14	Association of Lyn tyrosine kinase with the nuclear matrix and cell-cycle-dependent changes in matrix-associated tyrosine kinase activity. <i>FEBS Journal</i> , 1996 , 236, 352-9		36
13	Enhanced expression of a chromatin associated protein tyrosine phosphatase during G0 to S transition. <i>Journal of Biosciences</i> , 1995 , 20, 461-471	2.3	10
12	Alternative splicing generates four different forms of a non-transmembrane protein tyrosine phosphatase mRNA. <i>DNA and Cell Biology</i> , 1995 , 14, 1007-15	3.6	22
11	Nucleotide sequence of a cDNA coding for rathck tyrosine kinase and characterization of its gene product. <i>Journal of Biosciences</i> , 1994 , 19, 117-129	2.3	2
10	Binding of a protein-tyrosine phosphatase to DNA through its carboxy-terminal noncatalytic domain. <i>Biochemistry</i> , 1993 , 32, 2194-201	3.2	22
9	Stabilization of a protein-tyrosine phosphatase mRNA upon mitogenic stimulation of T-lymphocytes. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1993 , 1216, 205-12		16
8	Downregulation of phospho-tyrosine phosphatases in a macrophage tumor. <i>FEBS Letters</i> , 1993 , 326, 75-9	3.8	4
7	Molecular cloning and expression of a protein-tyrosine phosphatase showing homology with transcription factors Fos and Jun. <i>FEBS Letters</i> , 1991 , 280, 65-9	3.8	36
6	Modulation of phosphorylation and dephosphorylation of keratin and other polypeptides by estradiol-17 beta in rat vaginal epithelium. <i>FEBS Letters</i> , 1990 , 273, 135-8	3.8	6
5	Activation of a cellular tyrosine-specific protein kinase by phosphorylation. <i>FEBS Letters</i> , 1985 , 188, 131-4.8		12
4	Tyrosine-specific protein kinases of normal tissues. <i>Advances in Enzyme Regulation</i> , 1984 , 22, 267-88		23
3	Stimulation of rhodopsin phosphorylation by guanine nucleotides in rod outer segments. <i>Biochemistry</i> , 1983 , 22, 1102-6	3.2	12
2	Phosphoprotein phosphatase activity of sea urchin spermatozoa. <i>Biology of Reproduction</i> , 1982 , 26, 953-60		24
1	Inhibition of membrane phosphotyrosyl-protein phosphatase activity by vanadate. <i>Biochemical and Biophysical Research Communications</i> , 1982 , 107, 1104-9	3.4	662