

# Aihua Du

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6270892/publications.pdf>

Version: 2024-02-01

16  
papers

135  
citations

1307594

7  
h-index

1281871

11  
g-index

16  
all docs

16  
docs citations

16  
times ranked

101  
citing authors

#	ARTICLE	IF	CITATIONS
1	Damping and Electromechanical Behavior of Ionic-Modified Brominated Poly(isobutylene-co-isoprene) Rubber Containing Petroleum Resin C5. <i>Industrial &amp; Engineering Chemistry Research</i> , 2022, 61, 3063-3074.	3.7	10
2	Solvent-Induced Programmable Wettability/Transparency Transition of Electrospun Colloidal Fibers with Embedded Polymer Nanospheres for Oil Adsorption and Plastic Remediation. <i>ACS Applied Nano Materials</i> , 2022, 5, 5346-5355.	5.0	0
3	Molecularly engineered dual-crosslinked elastomer vitrimers with superior strength, improved creep resistance, and retained malleability. <i>Polymer Chemistry</i> , 2022, 13, 4144-4153.	3.9	13
4	Compressive Fatigue Behavior of Gum and Filled SBR Vulcanizates. <i>Polymers</i> , 2021, 13, 1497.	4.5	3
5	The Effect of Network Structure on Compressive Fatigue Behavior of Unfilled Styrene-Butadiene Rubber. <i>Advances in Materials Science and Engineering</i> , 2020, 2020, 1-9.	1.8	3
6	Comparison of crystallization behavior of Trans-1,4-polyisoprene under different crystallization temperature, pressure and tension. <i>Journal of Polymer Research</i> , 2019, 26, 1.	2.4	4
7	Interactions Between an Ionic Liquid and Silica, Silica and Silica, and Rubber and Silica and Their Effects on the Properties of Styrene-Butadiene Rubber Composites. <i>Journal of Macromolecular Science - Physics</i> , 2019, 58, 99-112.	1.0	10
8	Effects of tension fatigue on the structure and properties of carbon black filled-SBR and SBR/TPI blends. <i>Journal of Polymer Engineering</i> , 2019, 40, 13-20.	1.4	2
9	Hollow glass microsphere as a lightweight composites with good gas barrier property. <i>Journal of Vinyl and Additive Technology</i> , 2018, 24, 224-228.	3.4	2
10	Facile fabrication of a superhydrophobic surface from natural <i>Eucommia</i> rubber. <i>Polymers for Advanced Technologies</i> , 2017, 28, 1125-1131.	3.2	9
11	Preparation of epoxidized <i>Eucommia ulmoides</i> gum and its application in styrene-butadiene rubber (SBR)/silica composites. <i>Polymers for Advanced Technologies</i> , 2017, 28, 94-101.	3.2	27
12	Effects of Chlorinated Trans-1,4-polyisoprene on Cure, Morphology, and Mechanical Properties of Neoprene Blends and Their Vulcanizates. <i>Journal of Macromolecular Science - Physics</i> , 2010, 49, 479-486.	1.0	1
13	Epoxidation of high trans-1,4-polyisoprene and its properties. <i>Journal of Applied Polymer Science</i> , 2008, 107, 2986-2993.	2.6	28
14	The Characterization of Pyrolytic Carbon Black Prepared from Used Tires and Its Application in Styrene-Butadiene Rubber (SBR). <i>Journal of Macromolecular Science - Physics</i> , 2008, 47, 268-275.	1.0	19
15	Properties and Application of Low-Molecular-Weight High-Trans-1,4-Polyisoprene. <i>Journal of Macromolecular Science - Physics</i> , 2008, 47, 358-367.	1.0	3
16	The Effect of Oil-Extension on the Properties of TPI and TPI/SBR Vulcanizates. <i>Journal of Macromolecular Science - Physics</i> , 2008, 47, 765-773.	1.0	1