Landon Myer

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6274792/landon-myer-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 266 6,008 40 h-index g-index citations papers 286 7,255 5.2 5.97 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
266	The impact of the COVID-19 pandemic on the mental health of healthcare workers: study protocol for the COVID-19 HEalth caRe wOrkErS (HEROES) study <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 57, 633	4.5	2
265	Use of tenofovir diphosphate levels to predict viremia during the postpartum period in women living with HIV: a nested case-control study <i>Clinical Infectious Diseases</i> , 2022 ,	11.6	1
264	Growth patterns of infants with in- utero HIV and ARV exposure in Cape Town, South Africa and Lusaka, Zambia <i>BMC Public Health</i> , 2022 , 22, 55	4.1	O
263	Empowerment in pregnancy: ART adherence among women living with HIV in Cape Town, South Africa <i>Social Science and Medicine</i> , 2022 , 296, 114738	5.1	
262	Early pre-exposure prophylaxis (PrEP) initiation and continuation among pregnant and postpartum women in antenatal care in Cape Town, South Africa <i>Journal of the International AIDS Society</i> , 2022 , 25, e25866	5.4	6
261	Barriers to Oral HIV Pre-exposure Prophylaxis (PrEP) Adherence Among Pregnant and Post-partum Women from Cape Town, South Africa <i>AIDS and Behavior</i> , 2022 , 1	4.3	1
260	Impact of aetiological screening of sexually transmitted infections during pregnancy on pregnancy outcomes in South Africa <i>BMC Pregnancy and Childbirth</i> , 2022 , 22, 194	3.2	
259	Cost-effectiveness of Routine Provider-Initiated Testing and Counseling for Children With Undiagnosed HIV in South Africa <i>Open Forum Infectious Diseases</i> , 2022 , 9, ofab603	1	1
258	Pre-exposure Prophylaxis Recent Adherence With Real-Time Adherence Feedback and Partner Human Immunodeficiency Virus Self-Testing: A Pilot Trial Among Postpartum Women <i>Open Forum Infectious Diseases</i> , 2022 , 9, ofab609	1	1
257	Klebsiella pneumoniae Lower Respiratory Tract Infection in a South African Birth Cohort: a Longitudinal Study <i>International Journal of Infectious Diseases</i> , 2022 , 121, 31-38	10.5	
256	Ending the evidence gap for pregnancy, HIV and co-infections: ethics guidance from the PHASES project <i>Journal of the International AIDS Society</i> , 2021 , 24, e25846	5.4	1
255	The CombinADO study to assess the impact of a combination intervention strategy on viral suppression, antiretroviral therapy adherence, and retention in HIV care among adolescents and young people living with HIV: protocol for a cluster-randomized controlled trial <i>Trials</i> , 2021 , 22, 956	2.8	0
254	Antiretroviral Therapy, Sexually Transmitted Infections, and Adverse Pregnancy Outcomes in South Africa. <i>Clinical Infectious Diseases</i> , 2021 , 73, e851-e852	11.6	
253	Impact of adverse childhood experiences on women's psychosocial and HIV-related outcomes and early child development in their offspring. <i>Global Public Health</i> , 2021 , 1-13	3.5	1
252	HIV Incidence Among Pregnant and Nonpregnant Women in the FACTS-001 Trial: Implications for HIV Prevention, Especially PrEP Use. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021 , 88, 376-383	3.1	1
251	Longitudinal association between intimate partner violence and viral suppression during pregnancy and postpartum in South African women. <i>Aids</i> , 2021 , 35, 791-799	3.5	3
250	Infant Exposure to Dolutegravir Through Placental and Breast Milk Transfer: A Population Pharmacokinetic Analysis of DolPHIN-1. <i>Clinical Infectious Diseases</i> , 2021 , 73, e1200-e1207	11.6	4

(2021-2021)

249	Prevalence, incidence and associated risk factors of STIs during pregnancy in South Africa. <i>Sexually Transmitted Infections</i> , 2021 , 97, 375-381	2.8	4
248	Sociodemographic and psychosocial predictors of longitudinal antiretroviral therapy (ART) adherence among first-time ART initiators in Cape Town, South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 33, 1394-1403	2.2	3
247	Tuberculosis infection and disease in South African adolescents with perinatally acquired HIV on antiretroviral therapy: a cohort study. <i>Journal of the International AIDS Society</i> , 2021 , 24, e25671	5.4	4
246	Advancing knowledge in perinatal HIV treatment. <i>Lancet HIV,the</i> , 2021 , 8, e124-e125	7.8	O
245	T-Cell Homeostatic Imbalance in Placentas From Women With Human Immunodeficiency Virus in the Absence of Vertical Transmission. <i>Journal of Infectious Diseases</i> , 2021 , 224, S670-S682	7	2
244	Characteristics of adolescents aged 15-19 years living with vertically and horizontally acquired HIV in Nampula, Mozambique. <i>PLoS ONE</i> , 2021 , 16, e0250218	3.7	3
243	Prevalence and Correlates of Vitamin D Deficiency among Young South African Infants: A Birth Cohort Study. <i>Nutrients</i> , 2021 , 13,	6.7	4
242	Lower birth weight-for-age and length-for-age z-scores in infants with in-utero HIV and ART exposure: a prospective study in Cape Town, South Africa. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 354	3.2	2
241	All the viral loads we cannot see. Lancet HIV, the, 2021, 8, e246-e247	7.8	
240	"I had Made the Decision, and No One was Going to Stop Me" -Facilitators of PrEP Adherence During Pregnancy and Postpartum in Cape Town, South Africa. <i>AIDS and Behavior</i> , 2021 , 25, 3978-3986	4.3	10
240			10
	During Pregnancy and Postpartum in Cape Town, South Africa. <i>AIDS and Behavior</i> , 2021 , 25, 3978-3986 The relationship between childhood trauma, socioeconomic status, and maternal depression		
239	During Pregnancy and Postpartum in Cape Town, South Africa. <i>AIDS and Behavior</i> , 2021 , 25, 3978-3986 The relationship between childhood trauma, socioeconomic status, and maternal depression among pregnant women in a South African birth cohort study. <i>SSM - Population Health</i> , 2021 , 14, 10077 HIV-Related Stigma and Psychological Adjustment Among Perinatally HIV-Infected Youth in Cape	03.8	1
239	During Pregnancy and Postpartum in Cape Town, South Africa. <i>AIDS and Behavior</i> , 2021 , 25, 3978-3986 The relationship between childhood trauma, socioeconomic status, and maternal depression among pregnant women in a South African birth cohort study. <i>SSM - Population Health</i> , 2021 , 14, 10077 HIV-Related Stigma and Psychological Adjustment Among Perinatally HIV-Infected Youth in Cape Town, South Africa. <i>AIDS and Behavior</i> , 2021 , 1 Maternal PrEP Use in HIV-Uninfected Pregnant Women in South Africa: Role of Stigma in PrEP	4.3	1 O
239 238 237	During Pregnancy and Postpartum in Cape Town, South Africa. <i>AIDS and Behavior</i> , 2021 , 25, 3978-3986 The relationship between childhood trauma, socioeconomic status, and maternal depression among pregnant women in a South African birth cohort study. <i>SSM - Population Health</i> , 2021 , 14, 10077 HIV-Related Stigma and Psychological Adjustment Among Perinatally HIV-Infected Youth in Cape Town, South Africa. <i>AIDS and Behavior</i> , 2021 , 1 Maternal PrEP Use in HIV-Uninfected Pregnant Women in South Africa: Role of Stigma in PrEP Initiation, Retention and Adherence. <i>AIDS and Behavior</i> , 2021 , 1 Risk-based screening to identify reproductive tract infection among HIV-infected women desiring	10 ^{3.8} 4-3 4-3	1 O
239 238 237 236	During Pregnancy and Postpartum in Cape Town, South Africa. <i>AIDS and Behavior</i> , 2021 , 25, 3978-3986 The relationship between childhood trauma, socioeconomic status, and maternal depression among pregnant women in a South African birth cohort study. <i>SSM - Population Health</i> , 2021 , 14, 10077 HIV-Related Stigma and Psychological Adjustment Among Perinatally HIV-Infected Youth in Cape Town, South Africa. <i>AIDS and Behavior</i> , 2021 , 1 Maternal PrEP Use in HIV-Uninfected Pregnant Women in South Africa: Role of Stigma in PrEP Initiation, Retention and Adherence. <i>AIDS and Behavior</i> , 2021 , 1 Risk-based screening to identify reproductive tract infection among HIV-infected women desiring use of intrauterine contraceptives. <i>BMJ Sexual and Reproductive Health</i> , 2021 , 47, 137-143 Mother-child separation among women living with HIV and their children in the first four years	1.9	1 0 9
239 238 237 236 235	During Pregnancy and Postpartum in Cape Town, South Africa. <i>AIDS and Behavior</i> , 2021 , 25, 3978-3986 The relationship between childhood trauma, socioeconomic status, and maternal depression among pregnant women in a South African birth cohort study. <i>SSM - Population Health</i> , 2021 , 14, 10077 HIV-Related Stigma and Psychological Adjustment Among Perinatally HIV-Infected Youth in Cape Town, South Africa. <i>AIDS and Behavior</i> , 2021 , 1 Maternal PrEP Use in HIV-Uninfected Pregnant Women in South Africa: Role of Stigma in PrEP Initiation, Retention and Adherence. <i>AIDS and Behavior</i> , 2021 , 1 Risk-based screening to identify reproductive tract infection among HIV-infected women desiring use of intrauterine contraceptives. <i>BMJ Sexual and Reproductive Health</i> , 2021 , 47, 137-143 Mother-child separation among women living with HIV and their children in the first four years postpartum in South Africa. <i>Tropical Medicine and International Health</i> , 2021 , 26, 173-183 High blood pressure at entry into antenatal care and birth outcomes among a cohort of HIV-uninfected women and women living with HIV initiating antiretroviral therapy in South Africa.	1.9 2.3	1 0 9

231	Lessons from dolutegravir and neural tube defects. Lancet HIV,the, 2021, 8, e3-e4	7.8	Ο
230	Attitudes Toward a Proposed GPS-Based Location Tracking Smartphone App for Improving Engagement in HIV Care Among Pregnant and Postpartum Women in South Africa: Focus Group and Interview Study. <i>JMIR Formative Research</i> , 2021 , 5, e19243	2.5	3
229	Youth perinatal HIV-associated neurocognitive disorders: association with functional impairment. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 1-5	2.2	1
228	A Longitudinal Study of the Epidemiology of Seasonal Coronaviruses in an African Birth Cohort. Journal of the Pediatric Infectious Diseases Society, 2021 , 10, 607-614	4.8	1
227	Low immune activation in early pregnancy is associated with preterm but not small-for-gestational age delivery in HIV infected women initiating antiretroviral therapy in pregnancy: a PIMS case-control study in Cape Town, South Africa. <i>Clinical Infectious Diseases</i> , 2021 ,	11.6	1
226	Accelerated epigenetic aging in adolescents living with HIV is associated with altered development of brain structures. <i>Journal of NeuroVirology</i> , 2021 , 1	3.9	4
225	Lack of macrolide resistance in infections in a cohort of pregnant women in South Africa. <i>Sexually Transmitted Infections</i> , 2021 , 97, 624-625	2.8	O
224	The association between mental health and metabolic outcomes in youth living with perinatally acquired HIV in the Cape Town Adolescent Antiretroviral Cohort. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 1-8	2.2	
223	Association between food intake and obesity in pregnant women living with and without HIV in Cape Town, South Africa: a prospective cohort study. <i>BMC Public Health</i> , 2021 , 21, 1504	4.1	0
222	Alcohol use and intimate partner violence in HIV-uninfected pregnant women in Cape Town, South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2021 , 1-6	2.2	
221	Alcohol use is associated with mental health problems and brain structural alterations in adolescents with perinatally acquired HIV infection on ART. <i>Alcohol</i> , 2021 , 97, 59-66	2.7	
220	Cohort profile: Prematurity Immunology in Mothers living with HIV and their infants Study (PIMS). <i>BMJ Open</i> , 2021 , 11, e047133	3	3
219	Brief Report: Viral Load Monitoring in Pregnancy to Predict Peripartum Viremia in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2021 , 88, 6-9	3.1	
218	Methodological Considerations for Preterm Birth Research <i>Frontiers in Global Women S Health</i> , 2021 , 2, 821064	8.4	
217	Physical development and mental health in South African perinatally HIV-positive adolescents on antiretroviral therapy and their caregivers with and without household food insecurity <i>Southern African Journal of HIV Medicine</i> , 2021 , 22, 1316	1.4	
216	Community acceptability of dolutegravir-based HIV treatment in women: a qualitative study in South Africa and Uganda. <i>BMC Public Health</i> , 2020 , 20, 1883	4.1	3
215	Hormonal contraception alters vaginal microbiota and cytokines in South African adolescents in a randomized trial. <i>Nature Communications</i> , 2020 , 11, 5578	17.4	9
214	Measuring retention in HIV care: the impact of data sources and definitions using routine data. <i>Aids</i> , 2020 , 34, 749-759	3.5	6

213	Dolutegravir versus efavirenz in women starting HIV therapy in late pregnancy (DolPHIN-2): an open-label, randomised controlled trial. <i>Lancet HIV,the</i> , 2020 , 7, e332-e339	7.8	30
212	Does HIV infection modify the relationship between pre-pregnancy body mass index and adverse birth outcomes?. <i>Paediatric and Perinatal Epidemiology</i> , 2020 , 34, 713-723	2.7	O
211	Echocardiographic Findings in a Cohort of Perinatally HIV-Infected Adolescents Compared with Uninfected Peers from the Cape Town Adolescent Antiretroviral Cohort. <i>Journal of the American Society of Echocardiography</i> , 2020 , 33, 604-611	5.8	0
21 0	Elevated body mass index during pregnancy and gestational weight gain in HIV-infected and HIV-uninfected women in Cape Town, South Africa: association with adverse birth outcomes. <i>Tropical Medicine and International Health</i> , 2020 , 25, 702-713	2.3	6
209	CareConekta: study protocol for a randomized controlled trial of a mobile health intervention to improve engagement in postpartum HIV care in South Africa. <i>Trials</i> , 2020 , 21, 258	2.8	3
208	The role of HIV viral load in mathematical models of HIV transmission and treatment: a review. <i>BMJ Global Health</i> , 2020 , 5, e001800	6.6	3
207	The Video intervention to Inspire Treatment Adherence for Life (VITAL Start): protocol for a multisite randomized controlled trial of a brief video-based intervention to improve antiretroviral adherence and retention among HIV-infected pregnant women in Malawi. <i>Trials</i> , 2020 , 21, 207	2.8	6
206	Infectious morbidity of breastfed, HIV-exposed uninfected infants under conditions of universal antiretroviral therapy in South Africa: a prospective cohort study. <i>The Lancet Child and Adolescent Health</i> , 2020 , 4, 220-231	14.5	16
205	Safety and Effectiveness of Isoniazid Preventive Therapy in Pregnant Women Living with Human Immunodeficiency Virus on Antiretroviral Therapy: An Observational Study Using Linked Population Data. <i>Clinical Infectious Diseases</i> , 2020 , 71, e351-e358	11.6	15
204	Prevalence and incidence of in a cohort of HIV-infected and HIV-uninfected pregnant women in Cape Town, South Africa. <i>Sexually Transmitted Infections</i> , 2020 , 96, 501-508	2.8	3
203	Postpartum obesity and weight gain among human immunodeficiency virus-infected and human immunodeficiency virus-uninfected women in South Africa. <i>Maternal and Child Nutrition</i> , 2020 , 16, e129	4 ³ 9 ⁴	2
202	Safety and continued use of the levonorgestrel intrauterine system as compared with the copper intrauterine device among women living with HIV in South Africa: A randomized controlled trial. <i>PLoS Medicine</i> , 2020 , 17, e1003110	11.6	2
201	Neurodevelopment of HIV-exposed uninfected children in Cape Town, South Africa. <i>PLoS ONE</i> , 2020 , 15, e0242244	3.7	0
2 00	A Systematic Review and Meta-analysis of Sex Differences in Morbidity and Mortality of Acute Lower Respiratory Tract Infections Among African Children. <i>Journal of Pediatrics Review</i> , 2020 , 8, 65-78	1	4
199	Southern African guidelines on the safe, easy and effective use of pre-exposure prophylaxis: 2020. <i>Southern African Journal of HIV Medicine</i> , 2020 , 21, 1152	1.4	2
198	Neural correlates of maintenance working memory, as well as relevant structural qualities, are associated with earlier antiretroviral treatment initiation in vertically transmitted HIV. <i>Journal of NeuroVirology</i> , 2020 , 26, 60-69	3.9	3
197	Impact of Hormonal Contraceptives on Cervical T-helper 17 Phenotype and Function in Adolescents: Results from a Randomized, Crossover Study Comparing Long-acting Injectable Norethisterone Oenanthate (NET-EN), Combined Oral Contraceptive Pills, and Combined	11.6	6
196	Emerging evidence from a systematic review of safety of pre-exposure prophylaxis for pregnant and postpartum women: where are we now and where are we heading?. <i>Journal of the International AIDS Society</i> , 2020 , 23, e25426	5.4	30

195	Long-Term Outcomes of HIV-Infected Women Receiving Antiretroviral Therapy After Transferring Out of an Integrated Maternal and Child Health Service in South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 83, 202-209	3.1	7
194	PrEP implementation in pregnant and post-partum women. <i>Lancet HIV,the</i> , 2020 , 7, e5-e6	7.8	3
193	Task-sharing of psychological treatment for antenatal depression in Khayelitsha, South Africa: Effects on antenatal and postnatal outcomes in an individual randomised controlled trial. <i>Behaviour Research and Therapy</i> , 2020 , 130, 103466	5.2	19
192	Comparison of guidelines for HIV viral load monitoring among pregnant and breastfeeding women in sub-Saharan Africa. <i>Aids</i> , 2020 , 34, 311-315	3.5	4
191	ART Adherence, Resistance, and Long-term HIV Viral Suppression in Postpartum Women. <i>Open Forum Infectious Diseases</i> , 2020 , 7, ofaa346	1	3
190	Chronic comorbidities in children and adolescents with perinatally acquired HIV infection in sub-Saharan Africa in the era of antiretroviral therapy. <i>The Lancet Child and Adolescent Health</i> , 2020 , 4, 688-698	14.5	19
189	Partner notification and treatment for sexually transmitted infections among pregnant women in Cape Town, South Africa. <i>International Journal of STD and AIDS</i> , 2020 , 31, 1282-1290	1.4	2
188	Early-life respiratory syncytial virus lower respiratory tract infection in a South African birth cohort: epidemiology and effect on lung health. <i>The Lancet Global Health</i> , 2020 , 8, e1316-e1325	13.6	20
187	INSTIs and weight gain in pregnancy. Lancet HIV, the, 2020, 7, e663-e665	7.8	1
186	Hospitalization in South African Adolescents With Perinatally Acquired HIV on Antiretroviral Therapy. <i>Pediatric Infectious Disease Journal</i> , 2020 , 39, 1035-1039	3.4	1
185	Accelerated epigenetic aging in adolescents from low-income households is associated with altered development of brain structures. <i>Metabolic Brain Disease</i> , 2020 , 35, 1287-1298	3.9	4
184	Healthcare provider knowledge and attitudes about pre-exposure prophylaxis (PrEP) in pregnancy in Cape Town, South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020 , 32, 1290-1294	2.2	6
183	Community-based adherence clubs for postpartum women on antiretroviral therapy (ART) in Cape Town, South Africa: a pilot study. <i>BMC Health Services Research</i> , 2020 , 20, 621	2.9	5
182	The epidemiology and pathogenesis of SARS-CoV-2 infection in pregnancy: More questions than answers. <i>EClinicalMedicine</i> , 2020 , 26, 100534	11.3	4
181	Acceptability, safety, and patterns of use of oral tenofovir disoproxil fumarate and emtricitabine for HIV pre-exposure prophylaxis in South African adolescents: an open-label single-arm phase 2 trial. <i>The Lancet Child and Adolescent Health</i> , 2020 , 4, 875-883	14.5	12
180	Blood pressure trajectories during pregnancy and associations with adverse birth outcomes among HIV-infected and HIV-uninfected women in South Africa: a group-based trajectory modelling approach. <i>BMC Pregnancy and Childbirth</i> , 2020 , 20, 742	3.2	1
179	PrEP retention and prescriptions for pregnant women during COVID-19 lockdown in South Africa. <i>Lancet HIV,the</i> , 2020 , 7, e735	7.8	18
178	Monocyte activation and gut barrier dysfunction in South African youth on antiretroviral therapy and their associations with endothelial dysfunction. <i>Aids</i> , 2020 , 34, 1615-1623	3.5	2

177	Defining gaps in pre-exposure prophylaxis delivery for pregnant and post-partum women in high-burden settings using an implementation science framework. <i>Lancet HIV,the</i> , 2020 , 7, e582-e592	7.8	18
176	Engendering health systems in response to national rollout of dolutegravir-based regimens among women of childbearing potential: a qualitative study with stakeholders in South Africa and Uganda. BMC Health Services Research, 2020 , 20, 705	2.9	6
175	Modelling the impact of COVID-19 on HIV. Lancet HIV, the, 2020, 7, e596-e598	7.8	4
174	Prevalence and predictors of bone health among perinatally HIV-infected adolescents. <i>Aids</i> , 2020 , 34, 2061-2070	3.5	1
173	Mixed-method estimation of population-level HIV viral suppression rate in the Western Cape, South Africa. <i>BMJ Global Health</i> , 2020 , 5,	6.6	1
172	Provider- and patient-level costs associated with providing antiretroviral therapy during the postpartum phase to women living with HIV in South Africa: A cost comparison of three postpartum models of care. <i>Tropical Medicine and International Health</i> , 2020 , 25, 1553-1567	2.3	1
171	"This is My Life We are Talking About": Adaptive Strategies for HIV Care Retention and Treatment Adherence Among Postpartum Women Living with HIV in Cape Town, South Africa. <i>Maternal and Child Health Journal</i> , 2020 , 24, 1454-1463	2.4	О
170	Longitudinal Changes in Spirometry in South African Adolescents Perinatally Infected With Human Immunodeficiency Virus Who Are Receiving Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2020 , 70, 483-490	11.6	14
169	Antiretroviral Adherence, Elevated Viral Load, and Drug Resistance Mutations in Human Immunodeficiency Virus-infected Women Initiating Treatment in Pregnancy: A Nested Case-control Study. <i>Clinical Infectious Diseases</i> , 2020 , 70, 501-508	11.6	10
168	"You must leave but I didn't want to leave": qualitative evaluation of the integration of ART into postnatal maternal and child health services in Cape Town, South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020 , 32, 480-485	2.2	6
167	Cognition, Structural Brain Changes, and Systemic Inflammation in Adolescents Living With HIV on Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020 , 84, 114-121	3.1	9
166	Endothelial Dysfunction in South African Youth Living With Perinatally Acquired Human Immunodeficiency Virus on Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2020 , 71, e672-e679	11.6	3
165	Safety and continued use of the levonorgestrel intrauterine system as compared with the copper intrauterine device among women living with HIV in South Africa: A randomized controlled trial 2020 , 17, e1003110		
164	Safety and continued use of the levonorgestrel intrauterine system as compared with the copper intrauterine device among women living with HIV in South Africa: A randomized controlled trial 2020 , 17, e1003110		
163	Safety and continued use of the levonorgestrel intrauterine system as compared with the copper intrauterine device among women living with HIV in South Africa: A randomized controlled trial 2020 , 17, e1003110		
162	Safety and continued use of the levonorgestrel intrauterine system as compared with the copper intrauterine device among women living with HIV in South Africa: A randomized controlled trial 2020 , 17, e1003110		
161	Safety and continued use of the levonorgestrel intrauterine system as compared with the copper intrauterine device among women living with HIV in South Africa: A randomized controlled trial 2020 , 17, e1003110		
160	Multisystem impairment in South African adolescents with Perinatally acquired HIV on antiretroviral therapy (ART). <i>Journal of the International AIDS Society</i> , 2019 , 22, e25386	5.4	7

159	The injection or the injection? Restricted contraceptive choices among women living with HIV. Sexual and Reproductive Health Matters, 2019, 27, 1628593	2.4	6
158	Safety and pharmacokinetics of dolutegravir in pregnant mothers with HIV infection and their neonates: Alrandomised trial (DolPHIN-1 study). <i>PLoS Medicine</i> , 2019 , 16, e1002895	11.6	31
157	Neurodevelopment of HIV-exposed uninfected children in South Africa: outcomes from an observational birth cohort study. <i>The Lancet Child and Adolescent Health</i> , 2019 , 3, 803-813	14.5	41
156	Periconception dolutegravir use in women living with HIV and missed opportunities in maternal and child health. <i>The Lancet Child and Adolescent Health</i> , 2019 , 3, 669-671	14.5	
155	Patient experiences of ART adherence clubs in Khayelitsha and Gugulethu, Cape Town, South Africa: A qualitative study. <i>PLoS ONE</i> , 2019 , 14, e0218340	3.7	19
154	Acceptability of Interventions to Improve Engagement in HIV Care Among Pregnant and Postpartum Women at Two Urban Clinics in South Africa. <i>Maternal and Child Health Journal</i> , 2019 , 23, 1260-1270	2.4	2
153	Impact of universal antiretroviral therapy for pregnant and postpartum women on antiretroviral therapy uptake and retention. <i>Aids</i> , 2019 , 33, 45-54	3.5	12
152	Efavirenz is associated with altered fronto-striatal function in HIV+ adolescents. <i>Journal of NeuroVirology</i> , 2019 , 25, 783-791	3.9	2
151	Transfer of primary care patients receiving chronic care: the next step in the continuum of care. <i>International Health</i> , 2019 , 11, 432-439	2.4	1
150	Healthcare worker experiences with Option B+ for prevention of mother-to-child HIV transmission in eSwatini: findings from a two-year follow-up study. <i>BMC Health Services Research</i> , 2019 , 19, 210	2.9	9
149	Growth trajectories of breastfed HIV-exposed uninfected and HIV-unexposed children under conditions of universal maternal antiretroviral therapy: a prospective study. <i>The Lancet Child and Adolescent Health</i> , 2019 , 3, 234-244	14.5	35
148	Shifting to the long view: engagement of pregnant and postpartum women living with HIV in lifelong antiretroviral therapy services. <i>Expert Review of Anti-Infective Therapy</i> , 2019 , 17, 349-361	5.5	3
147	Lower Respiratory Tract Infections in Children in a Well-vaccinated South African Birth Cohort: Spectrum of Disease and Risk Factors. <i>Clinical Infectious Diseases</i> , 2019 , 69, 1588-1596	11.6	21
146	Cardiopulmonary dysfunction in perinatally HIV-infected South African adolescents on antiretroviral therapy: baseline findings from the Cape Town Adolescent Antiretroviral Cohort. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25340	5.4	9
145	Re-recruiting postpartum women living with HIV into a follow-up study in Cape Town, South Africa. <i>BMC Research Notes</i> , 2019 , 12, 461	2.3	4
144	Prevalence and correlates of sexually transmitted infections in pregnancy in HIV-infected and-uninfected women in Cape Town, South Africa. <i>PLoS ONE</i> , 2019 , 14, e0218349	3.7	25
143	High-resolution computed tomography features of lung disease in perinatally HIV-infected adolescents on combined antiretroviral therapy. <i>Pediatric Pulmonology</i> , 2019 , 54, 1765-1773	3.5	9
142	Delivery of antiretroviral therapy to HIV-infected women during the postpartum period: The Postpartum Adherence Clubs for Antiretroviral Therapy (PACART) trial. <i>Contemporary Clinical Trials Communications</i> , 2019 , 16, 100442	1.8	2

141	Risks and Benefits of Dolutegravir- and Efavirenz-Based Strategies for South African Women With HIV of Child-Bearing Potential: A Modeling Study. <i>Annals of Internal Medicine</i> , 2019 , 170, 614-625	8	26	
140	Implementation of prevention of mother-to-child transmission (PMTCT) in South Africa: outcomes from a population-based birth cohort study in Paarl, Western Cape. <i>BMJ Open</i> , 2019 , 9, e033259	3	9	
139	Cost-effectiveness of integrating postpartum antiretroviral therapy and infant care into maternal & child health services in South Africa. <i>PLoS ONE</i> , 2019 , 14, e0225104	3.7	6	
138	Use of an Indeterminate Range in HIV Early Infant Diagnosis: A Systematic Review and Meta-Analysis. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 82, 281-286	3.1	2	
137	Bias in the estimation of cumulative viremia in cohort studies of HIV-infected individuals. <i>Annals of Epidemiology</i> , 2019 , 38, 22-27	6.4	3	
136	Long-term effects of unintended pregnancy on antiretroviral therapy outcomes among South African women living with HIV. <i>Aids</i> , 2019 , 33, 885-893	3.5	14	
135	Decreases in Self-Reported ART Adherence Predict HIV Viremia Among Pregnant and Postpartum South African Women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 80, 247-254	3.1	7	
134	Impact of HIV-Status Disclosure on HIV Viral Load in Pregnant and Postpartum Women on Antiretroviral Therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 81, 379-386	3.1	10	
133	Mental Health and Functional Competence in the Cape Town Adolescent Antiretroviral Cohort. Journal of Acquired Immune Deficiency Syndromes (1999), 2019, 81, e109-e116	3.1	16	
132	Modelling the potential impact of providing preexposure prophylaxis in pregnant and breastfeeding women in South Africa. <i>Aids</i> , 2019 , 33, 1391-1395	3.5	16	
131	HIV incidence during breastfeeding and mother-to-child transmission in Cape Town, South Africa. <i>Aids</i> , 2019 , 33, 1399-1401	3.5	9	
130	A Comparison of Plasma Efavirenz and Tenofovir, Dried Blood Spot Tenofovir-Diphosphate, and Self-Reported Adherence to Predict Virologic Suppression Among South African Women. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 81, 311-318	3.1	16	
129	Prevalence of risk factors for chronic kidney disease in South African youth with perinatally acquired HIV. <i>Pediatric Nephrology</i> , 2019 , 34, 313-318	3.2	10	
128	Behavioural health risks during early adolescence among perinatally HIV-infected South African adolescents and same-age, HIV-uninfected peers. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019 , 31, 131-140	2.2	11	
127	A Systematic Review and Meta-analysis of Antiretroviral Therapy (ART) Adherence Interventions for Women Living with HIV. <i>AIDS and Behavior</i> , 2019 , 23, 1998-2013	4.3	18	
126	Smartphone usage and preferences among postpartum HIV-positive women in South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019 , 31, 723-729	2.2	9	
125	Initiation of antiretroviral therapy after the critical neuronal developmental period of the second postnatal year affects white matter microstructure in adolescents living with HIV. <i>Journal of NeuroVirology</i> , 2019 , 25, 254-262	3.9	6	
124	HIV-status disclosure and depression in the context of unintended pregnancy among South African women. <i>Global Public Health</i> , 2019 , 14, 1087-1097	3.5	6	

123	Insulin Resistance in South African Youth Living with Perinatally Acquired HIV Receiving Antiretroviral Therapy. <i>AIDS Research and Human Retroviruses</i> , 2019 , 35, 56-62	1.6	9
122	HIV-associated cognitive disorders in perinatally infected children and adolescents: a novel composite cognitive domains score. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018 , 30, 8-16	2.2	16
121	Prevalence and determinants of unplanned pregnancy in HIV-positive and HIV-negative pregnant women in Cape Town, South Africa: a cross-sectional study. <i>BMJ Open</i> , 2018 , 8, e019979	3	30
120	A systematic review of contraceptive continuation among women living with HIV. <i>Contraception</i> , 2018 , 98, 8-24	2.5	2
119	Association of Adolescent- and Caregiver-Reported Antiretroviral Therapy Adherence with HIV Viral Load Among Perinatally-infected South African Adolescents. <i>AIDS and Behavior</i> , 2018 , 22, 909-917	4.3	13
118	Experiences of HIV-positive postpartum women and health workers involved with community-based antiretroviral therapy adherence clubs in Cape Town, South Africa. <i>BMC Public Health</i> , 2018 , 18, 935	4.1	12
117	Determinants of suboptimal adherence and elevated HIV viral load in pregnant women already on antiretroviral therapy when entering antenatal care in Cape Town, South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018 , 30, 1517-1523	2.2	17
116	Risk perception and sex behaviour in pregnancy and breastfeeding in high HIV prevalence settings: Programmatic implications for PrEP delivery. <i>PLoS ONE</i> , 2018 , 13, e0197143	3.7	14
115	Same-day antiretroviral therapy (ART) initiation in pregnancy is not associated with viral suppression or engagement in care: A cohort study. <i>Journal of the International AIDS Society</i> , 2018 , 21, e25133	5.4	17
114	Linkage to care, mobility and retention of HIV-positive postpartum women in antiretroviral therapy services in South Africa. <i>Journal of the International AIDS Society</i> , 2018 , 21 Suppl 4, e25114	5.4	49
113	Lower genital tract cytokine profiles in South African women living with HIV: influence of mucosal sampling. <i>Scientific Reports</i> , 2018 , 8, 12203	4.9	0
112	Integration of postpartum healthcare services for HIV-infected women and their infants in South Africa: A randomised controlled trial. <i>PLoS Medicine</i> , 2018 , 15, e1002547	11.6	53
111	Sexual risk during pregnancy and postpartum periods among HIV-infected and -uninfected South African women: Implications for primary and secondary HIV prevention interventions. <i>PLoS ONE</i> , 2018 , 13, e0192982	3.7	19
110	Guidelines to support HIV-affected individuals and couples to achieve pregnancy safely: Update 2018. <i>Southern African Journal of HIV Medicine</i> , 2018 , 19, 915	1.4	22
109	Validation and clinical application of a novel LC-MS method for quantification of dolutegravir in breast milk. <i>Bioanalysis</i> , 2018 ,	2.1	2
108	Methods of gestational age assessment influence the observed association between antiretroviral therapy exposure, preterm delivery, and small-for-gestational age infants: a prospective study in Cape Town, South Africa. <i>Annals of Epidemiology</i> , 2018 , 28, 893-900	6.4	10
107	Tenofovir 1% vaginal gel for prevention of HIV-1 infection in women in South Africa (FACTS-001): a phase 3, randomised, double-blind, placebo-controlled trial. <i>Lancet Infectious Diseases, The</i> , 2018 , 18, 1241-1250	25.5	54
106	HIV Disclosure Among Pregnant Women Initiating ART in Cape Town, South Africa: Qualitative Perspectives During the Pregnancy and Postpartum Periods. <i>AIDS and Behavior</i> , 2018 , 22, 3945-3956	4.3	14

105	Patterns and Predictors of HIV-Status Disclosure Among Pregnant Women in South Africa: Dimensions of Disclosure and Influence of Social and Economic Circumstances. <i>AIDS and Behavior</i> , 2018 , 22, 3933-3944	4.3	17
104	Comparison of mental health screening tools for detecting antenatal depression and anxiety disorders in South African women. <i>PLoS ONE</i> , 2018 , 13, e0193697	3.7	38
103	A Self-Reported Adherence Measure to Screen for Elevated HIV Viral Load in Pregnant and Postpartum Women on Antiretroviral Therapy. <i>AIDS and Behavior</i> , 2017 , 21, 450-461	4.3	25
102	Social Support, Stigma and Antenatal Depression Among HIV-Infected Pregnant Women in South Africa. <i>AIDS and Behavior</i> , 2017 , 21, 274-282	4.3	51
101	Factors associated with alcohol use prior to and during pregnancy among HIV-infected pregnant women in Cape Town, South Africa. <i>Drug and Alcohol Dependence</i> , 2017 , 173, 69-77	4.9	9
100	Lung Function in South African Adolescents Infected Perinatally with HIV and Treated Long-Term with Antiretroviral Therapy. <i>Annals of the American Thoracic Society</i> , 2017 , 14, 722-729	4.7	34
99	Comparison of sampling methods to measure HIV RNA viral load in female genital tract secretions. <i>American Journal of Reproductive Immunology</i> , 2017 , 77, e12619	3.8	5
98	Depression, alcohol use, and stigma in younger versus older HIV-infected pregnant women initiating antiretroviral therapy in Cape Town, South Africa. <i>Archives of Womenis Mental Health</i> , 2017 , 20, 149-159	5	19
97	Beyond "Option B+": Understanding Antiretroviral Therapy (ART) Adherence, Retention in Care and Engagement in ART Services Among Pregnant and Postpartum Women Initiating Therapy in Sub-Saharan Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2017 , 75 Suppl 2, S115-S12	3.1 22	39
96	Differentiated models of care for postpartum women on antiretroviral therapy in Cape Town, South Africa: a cohort study. <i>Journal of the International AIDS Society</i> , 2017 , 20, 21636	5.4	35
95	Effect of alcohol consumption and psychosocial stressors on preterm and small-for-gestational-age births in HIV-infected women in South Africa: a cohort study. <i>BMJ Open</i> , 2017 , 7, e014293	3	9
94	Field evaluation of HIV point-of-care testing for early infant diagnosis in Cape Town, South Africa. <i>PLoS ONE</i> , 2017 , 12, e0189226	3.7	23
93	The value of confirmatory testing in early infant HIV diagnosis programmes in South Africa: A cost-effectiveness analysis. <i>PLoS Medicine</i> , 2017 , 14, e1002446	11.6	24
92	Accuracy of gestational age estimation from last menstrual period among women seeking abortion in South Africa, with a view to task sharing: a mixed methods study. <i>Reproductive Health</i> , 2017 , 14, 100	3.5	5
91	Prevalence and predictors of anxiety disorders amongst low-income pregnant women in urban South Africa: a cross-sectional study. <i>Archives of Womenis Mental Health</i> , 2017 , 20, 765-775	5	69
90	Delivering preexposure prophylaxis to pregnant and breastfeeding women in Sub-Saharan Africa: the implementation science frontier. <i>Aids</i> , 2017 , 31, 2193-2197	3.5	21
89	Infant feeding practices in a South African birth cohort-A longitudinal study. <i>Maternal and Child Nutrition</i> , 2017 , 13,	3.4	22
88	Misdiagnosed HIV infection in pregnant women initiating universal ART in South Africa. <i>Journal of the International AIDS Society</i> , 2017 , 20, 21758	5.4	6

87	Understanding data sources to measure patient retention in HIV care in sub-Saharan Africa. <i>International Health</i> , 2017 , 9, 203-205	2.4	10
86	Optimal timing of viral load monitoring during pregnancy to predict viraemia at delivery in HIV-infected women initiating ART in South Africa: a simulation study. <i>Journal of the International AIDS Society</i> , 2017 , 20 Suppl 7, e25000	5.4	13
85	Pregnant and breastfeeding women: A priority population for HIV viral load monitoring. <i>PLoS Medicine</i> , 2017 , 14, e1002375	11.6	35
84	Is self-assessment of medical abortion using a low-sensitivity pregnancy test combined with a checklist and phone text messages feasible in South African primary healthcare settings? A randomized trial. <i>PLoS ONE</i> , 2017 , 12, e0179600	3.7	14
83	The dimensionality of disclosure of HIV status amongst post-partum women in Cape Town, South Africa. <i>African Journal of AIDS Research</i> , 2017 , 16, 101-107	1.8	8
82	Frequency of Viremic Episodes in HIV-Infected Women Initiating Antiretroviral Therapy During Pregnancy: A Cohort Study. <i>Clinical Infectious Diseases</i> , 2017 , 64, 422-427	11.6	34
81	Clinical Impact and Cost-effectiveness of Diagnosing HIV Infection During Early Infancy in South Africa: Test Timing and Frequency. <i>Journal of Infectious Diseases</i> , 2016 , 214, 1319-1328	7	41
80	Perceptions related to breastfeeding and the early introduction of complementary foods amongst migrants in Cape Town, South Africa. <i>International Breastfeeding Journal</i> , 2016 , 11, 29	3.8	12
79	Intimate partner violence experienced by HIV-infected pregnant women in South Africa: a cross-sectional study. <i>BMJ Open</i> , 2016 , 6, e011999	3	47
78	Prospects for HIV control in South Africa: a model-based analysis. <i>Global Health Action</i> , 2016 , 9, 30314	3	40
77	Optimizing Antiretroviral Therapy (ART) for Maternal and Child Health (MCH): Rationale and Design of the MCH-ART Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016 , 72 Suppl 2, S189	-96 ¹	59
76	Integrating Human Immunodeficiency Virus and Reproductive, Maternal and Child, and Tuberculosis Health Services Within National Health Systems. <i>Current HIV/AIDS Reports</i> , 2016 , 13, 170-6	5.9	12
75	Antenatal depression and adversity in urban South Africa. <i>Journal of Affective Disorders</i> , 2016 , 203, 121-	-120	69
74	CD4 count at antiretroviral therapy initiation and the risk of loss to follow-up: results from a multicentre cohort study. <i>Journal of Epidemiology and Community Health</i> , 2016 , 70, 549-55	5.1	28
73	Clinical Outcomes and Women's Experiences before and after the Introduction of Mifepristone into Second-Trimester Medical Abortion Services in South Africa. <i>PLoS ONE</i> , 2016 , 11, e0161843	3.7	15
72	Self-Reported Side Effects and Adherence to Antiretroviral Therapy in HIV-Infected Pregnant Women under Option B+: A Prospective Study. <i>PLoS ONE</i> , 2016 , 11, e0163079	3.7	9
71	Laboratory Evaluation of the Alere q Point-of-Care System for Early Infant HIV Diagnosis. <i>PLoS ONE</i> , 2016 , 11, e0152672	3.7	45
70	Rethinking the HIV-exposed, uninfected child: epidemiologic perspectives. <i>Future Microbiology</i> , 2016 , 11, 717-20	2.9	2

69	Clinical outcomes of HIV-exposed, HIV-uninfected children in sub-Saharan Africa. <i>Tropical Medicine and International Health</i> , 2016 , 21, 829-45	2.3	32
68	Aetiology of childhood pneumonia in a well vaccinated South African birth cohort: a nested case-control study of the Drakenstein Child Health Study. <i>Lancet Respiratory Medicine,the</i> , 2016 , 4, 463-7	7 3 5.1	110
67	Hormonal contraception and the risk of HIV acquisition: an individual participant data meta-analysis. <i>PLoS Medicine</i> , 2015 , 12, e1001778	11.6	145
66	Tuberculous Pericarditis is Multibacillary and Bacterial Burden Drives High Mortality. <i>EBioMedicine</i> , 2015 , 2, 1634-9	8.8	20
65	Age in antiretroviral therapy programmes in South Africa: a retrospective, multicentre, observational cohort study. <i>Lancet HIV,the</i> , 2015 , 2, e368-75	7.8	24
64	Risk Factors for Antenatal Depression and Associations with Infant Birth Outcomes: Results From a South African Birth Cohort Study. <i>Paediatric and Perinatal Epidemiology</i> , 2015 , 29, 505-14	2.7	70
63	Evolution of antiretroviral therapy services for HIV-infected pregnant women in Cape Town, South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015 , 69, e57-e65	3.1	39
62	Implementation and Operational Research: Postpartum Transfer of Care Among HIV-Infected Women Initiating Antiretroviral Therapy During Pregnancy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015 , 70, e102-9	3.1	32
61	Plasma viraemia in HIV-positive pregnant women entering antenatal care in South Africa. <i>Journal of the International AIDS Society</i> , 2015 , 18, 20045	5.4	27
60	Implementation of community-based adherence clubs for stable antiretroviral therapy patients in Cape Town, South Africa. <i>Journal of the International AIDS Society</i> , 2015 , 18, 19984	5.4	91
59	Point-of-care HIV early infant diagnosis: is test sensitivity everything?. <i>Journal of the International AIDS Society</i> , 2015 , 18, 20235	5.4	7
58	Transmission of tuberculosis in a South African community with a high prevalence of HIV infection. Journal of Infectious Diseases, 2015 , 211, 53-61	7	75
57	Incidence of childhood pneumonia: facility-based surveillance estimate compared to measured incidence in a South African birth cohort study. <i>BMJ Open</i> , 2015 , 5, e009111	3	18
56	Incidence and severity of childhood pneumonia in the first year of life in a South African birth cohort: the Drakenstein Child Health Study. <i>The Lancet Global Health</i> , 2015 , 3, e95-e103	13.6	82
55	Assessment of completion of early medical abortion using a text questionnaire on mobile phones compared to a self-administered paper questionnaire among women attending four clinics, Cape Town, South Africa. <i>Reproductive Health Matters</i> , 2015 , 22, 83-93		12
54	Point-of-care CD4 testing to inform selection of antiretroviral medications in south african antenatal clinics: a cost-effectiveness analysis. <i>PLoS ONE</i> , 2015 , 10, e0117751	3.7	12
53	A Cross Sectional Analysis of Gonococcal and Chlamydial Infections among Men-Who-Have-Sex-with-Men in Cape Town, South Africa. <i>PLoS ONE</i> , 2015 , 10, e0138315	3.7	38
52	FACTS 001: Characteristics of Participants Enrolled in a Phase III Randomised Controlled Trial of Tenofovir Gel for Prevention of HIV-1 and HSV-2. <i>AIDS Research and Human Retroviruses</i> , 2014 , 30, A281	 - 1 282	2

51	Mobile phone messages to provide support to women during the home phase of medical abortion in South Africa: a randomised controlled trial. <i>Contraception</i> , 2014 , 90, 226-33	2.5	42
50	Retention in care under universal antiretroviral therapy for HIV-infected pregnant and breastfeeding women ('Option B+') in Malawi. <i>Aids</i> , 2014 , 28, 589-598	3.5	285
49	Disengagement of HIV-positive pregnant and postpartum women from antiretroviral therapy services: a cohort study. <i>Journal of the International AIDS Society</i> , 2014 , 17, 19242	5.4	93
48	Mortality among adults transferred and lost to follow-up from antiretroviral therapy programmes in South Africa: a multicenter cohort study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014 , 67, e67-75	3.1	43
47	Pregnancy intent among a sample of recently diagnosed HIV-positive women and men practicing unprotected sex in Cape Town, South Africa. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2014 , 67 Suppl 4, S202-9	3.1	19
46	Family matters: Co-enrollment of family members into care is associated with improved outcomes for HIV-infected women initiating antiretroviral therapy. <i>Journal of Acquired Immune Deficiency Syndromes</i> (1999), 2014 , 67 Suppl 4, S243-9	3.1	13
45	Factors affecting tuberculosis strain success over 10 years in a high TB- and HIV-burdened community. <i>International Journal of Epidemiology</i> , 2014 , 43, 1114-22	7.8	8
44	Maternal deaths and HIV treatment in sub-Saharan Africa. <i>Lancet, The</i> , 2013 , 381, 1699-700	40	4
43	Comparison of point-of-care versus laboratory-based CD4 cell enumeration in HIV-positive pregnant women. <i>Journal of the International AIDS Society</i> , 2013 , 16, 18649	5.4	21
42	Low prevalence of renal dysfunction in HIV-infected pregnant women: implications for guidelines for the prevention of mother-to-child transmission of HIV. <i>Tropical Medicine and International Health</i> , 2013 , 18, 1400-5	2.3	6
41	Linkage of HIV-infected infants from diagnosis to antiretroviral therapy services across the Western Cape, South Africa. <i>PLoS ONE</i> , 2013 , 8, e55308	3.7	46
40	Diversity of patient preparation activities before initiation of antiretroviral therapy in Cape Town, South Africa. <i>Tropical Medicine and International Health</i> , 2012 , 17, 972-7	2.3	15
39	Systemic delays in the initiation of antiretroviral therapy during pregnancy do not improve outcomes of HIV-positive mothers: a cohort study. <i>BMC Pregnancy and Childbirth</i> , 2012 , 12, 94	3.2	22
38	Medical inpatient mortality at Groote Schuur Hospital, Cape Town, South Africa, 2002-2009. <i>South African Medical Journal</i> , 2012 , 103, 28-31	1.5	16
37	HIV-infected women's experiences of pregnancy and motherhood in Cape Town, South Africa. <i>Vulnerable Children and Youth Studies</i> , 2012 , 7, 36-46	1.3	4
36	Pilot programme for the rapid initiation of antiretroviral therapy in pregnancy in Cape Town, South Africa. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2012 , 24, 986-92	2.2	20
35	Characterization of HIV-Associated Neurocognitive Disorders among individuals starting antiretroviral therapy in South Africa. <i>AIDS and Behavior</i> , 2011 , 15, 1197-203	4.3	98
34	The Impact of Pneumonia on Development of Chronic Respiratory Illness in Childhood. <i>Pediatric, Allergy, Immunology, and Pulmonology,</i> 2010 , 23, 279-290	0.8	4

(2006-2010)

33	Impact of antiretroviral therapy on incidence of pregnancy among HIV-infected women in Sub-Saharan Africa: a cohort study. <i>PLoS Medicine</i> , 2010 , 7, e1000229	11.6	149
32	The association between hypertension and depression and anxiety disorders: results from a nationally-representative sample of South African adults. <i>PLoS ONE</i> , 2009 , 4, e5552	3.7	62
31	Impact of HIV treatment scale-up on women's reproductive health care and reproductive rights in Southern Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 52 Suppl 1, S52-3	3.1	9
30	Fertility intentions and reproductive health care needs of people living with HIV in Cape Town, South Africa: implications for integrating reproductive health and HIV care services. <i>AIDS and Behavior</i> , 2009 , 13 Suppl 1, 38-46	4.3	182
29	The impact of gender and income on survival and retention in a South African antiretroviral therapy programme. <i>Tropical Medicine and International Health</i> , 2009 , 14, 722-31	2.3	105
28	Impact of common mental disorders during childhood and adolescence on secondary school completion. <i>South African Medical Journal</i> , 2009 , 99, 354-6	1.5	16
27	DSM-IV-defined common mental disorders: association with HIV testing, HIV-related fears, perceived risk and preventive behaviours among South African adults. <i>South African Medical Journal</i> , 2009 , 99, 396-402	1.5	11
26	The social epidemiology of tuberculosis in South Africa: a multilevel analysis. <i>Social Science and Medicine</i> , 2008 , 66, 492-505	5.1	99
25	Social determinants of psychological distress in a nationally-representative sample of South African adults. <i>Social Science and Medicine</i> , 2008 , 66, 1828-40	5.1	160
24	Common mental disorders among HIV-infected individuals in South Africa: prevalence, predictors, and validation of brief psychiatric rating scales. <i>AIDS Patient Care and STDs</i> , 2008 , 22, 147-58	5.8	315
23	Knowledge and use of emergency contraception among women in the Western Cape province of South Africa: a cross-sectional study. <i>BMC Womenis Health</i> , 2007 , 7, 14	2.9	30
22	Missed opportunities to address reproductive health care needs among HIV-infected women in antiretroviral therapy programmes. <i>Tropical Medicine and International Health</i> , 2007 , 12, 1484-9	2.3	44
21	Prevalence and determinants of fertility intentions of HIV-infected women and men receiving antiretroviral therapy in South Africa. <i>AIDS Patient Care and STDs</i> , 2007 , 21, 278-85	5.8	147
20	Prospective study of hormonal contraception and women's risk of HIV infection in South Africa. <i>International Journal of Epidemiology</i> , 2007 , 36, 166-74	7.8	71
19	Experience of violence and socioeconomic position in South Africa: a national study. <i>PLoS ONE</i> , 2007 , 2, e1290	3.7	19
18	Substitutions Due to Antiretroviral Toxicity or Contraindication in the First 3 years of Antiretroviral Therapy in a Large South African Cohort. <i>Antiviral Therapy</i> , 2007 , 12, 753-760	1.6	76
17	Nested case-control study of cervical mucosal lesions, ectopy, and incident HIV infection among women in Cape Town, South Africa. <i>Sexually Transmitted Diseases</i> , 2006 , 33, 683-7	2.4	42
16	Healthcare providers' perspectives on discussing HIV status with infected children. <i>Journal of Tropical Pediatrics</i> , 2006 , 52, 293-5	1.2	53

15	Distinguishing the temporal association between women's intravaginal practices and risk of human immunodeficiency virus infection: a prospective study of South African women. <i>American Journal of Epidemiology</i> , 2006 , 163, 552-60	3.8	61
14	Reproductive decisions in HIV-infected individuals. <i>Lancet, The</i> , 2005 , 366, 698-700	40	30
13	Focus on women: linking HIV care and treatment with reproductive health services in the MTCT-Plus Initiative. <i>Reproductive Health Matters</i> , 2005 , 13, 136-46		58
12	Intravaginal practices, bacterial vaginosis, and women's susceptibility to HIV infection: epidemiological evidence and biological mechanisms. <i>Lancet Infectious Diseases, The</i> , 2005 , 5, 786-94	25.5	146
11	Bacterial vaginosis and susceptibility to HIV infection in South African women: a nested case-control study. <i>Journal of Infectious Diseases</i> , 2005 , 192, 1372-80	7	194
10	Social epidemiology in South Africa. <i>Epidemiologic Reviews</i> , 2004 , 26, 112-23	4.1	4º
9	Treatment of maternal syphilis in rural South Africa: effect of multiple doses of benzathine penicillin on pregnancy loss. <i>Tropical Medicine and International Health</i> , 2004 , 9, 1216-21	2.3	19
8	Intravaginal practices, HIV and other sexually transmitted diseases among South African women. <i>Sexually Transmitted Diseases</i> , 2004 , 31, 174-9	2.4	35
7	Commentary: the social pathology of the HIV/AIDS pandemic. <i>International Journal of Epidemiology</i> , 2003 , 32, 189-92	7.8	9
6	Condom use and sexual behaviors among individuals procuring free male condoms in South Africa: a prospective study. <i>Sexually Transmitted Diseases</i> , 2002 , 29, 239-41	2.4	39
5	Elhad made the decision, and no one was going to stop meleacilitators of PrEP adherence during pregnancy and postpartum in Cape Town, South Africa		1
4	Maternal PrEP use in HIV-uninfected pregnant women in South Africa: Role of Stigma in PrEP initiation, retention and adherence		2
3	Childhood Trauma and Mental Health in the Cape Town Adolescent Antiretroviral Cohort. <i>Journal of Child and Adolescent Trauma</i> ,1	1.5	
2	Early pre-exposure prophylaxis (PrEP) discontinuation among pregnant and postpartum women: Implications for maternal PrEP roll out in South Africa		2
1	T cell Homeostatic Imbalance in Placentae from Women with HIV in the absence of Vertical Transmissic	on	1