Dominique S Michaud

List of Publications by Citations

171 papers	12,188 citations	58 h-index	108 g-index
182 ext. papers	13,787 ext. citations	6.3 avg, IF	5.97 L-index

#	Paper	IF	Citations
171	Circulating concentrations of insulin-like growth factor-I and risk of breast cancer. *Lancet, The*, **1998**, 351, 1393-6	40	1556
170	Design and serendipity in establishing a large cohort with wide dietary intake distributions : the National Institutes of Health-American Association of Retired Persons Diet and Health Study. *American Journal of Epidemiology*, **2001**, 154, 1119-25	3.8	485
169	Genome-wide association study identifies variants in the ABO locus associated with susceptibility to pancreatic cancer. *Nature Genetics*, **2009**, 41, 986-90	36.3	483
168	A genome-wide association study identifies pancreatic cancer susceptibility loci on chromosomes 13q22.1, 1q32.1 and 5p15.33. *Nature Genetics*, **2010**, 42, 224-8	36.3	463
167	Physical activity, obesity, height, and the risk of pancreatic cancer. *JAMA - Journal of the American Medical Association*, **2001**, 286, 921-9	27.4	422
166	Detectable clonal mosaicism and its relationship to aging and cancer. *Nature Genetics*, **2012**, 44, 651-8	36.3	409
165	Periodontal disease, tooth loss, and cancer risk in male health professionals: a prospective cohort study. *Lancet Oncology, The*, **2008**, 9, 550-8	21.7	248
164	Intake of specific carotenoids and risk of lung cancer in 2 prospective US cohorts. *American Journal of Clinical Nutrition*, **2000**, 72, 990-7	7	243
163	Fruit and vegetable intake and incidence of bladder cancer in a male prospective cohort. *Journal of the National Cancer Institute*, **1999**, 91, 605-13	9.7	243
162	A review of the relationship between tooth loss, periodontal disease, and cancer. *Cancer Causes and Control*, **2008**, 19, 895-907	2.8	229
161	Plasma antibodies to oral bacteria and risk of pancreatic cancer in a large European prospective cohort study. *Gut*, **2013**, 62, 1764-70	19.2	228
160	Fluid intake and the risk of bladder cancer in men. *New England Journal of Medicine*, **1999**, 340, 1390-7	59.2	221
159	A prospective study of periodontal disease and pancreatic cancer in US male health professionals. *Journal of the National Cancer Institute*, **2007**, 99, 171-5	9.7	217
158	Dietary intake of n-3 and n-6 fatty acids and the risk of prostate cancer. *American Journal of Clinical Nutrition*, **2004**, 80, 204-16	7	207
157	Atopy and risk of brain tumors: a meta-analysis. *Journal of the National Cancer Institute*, **2007**, 99, 1544-50	9.7	198
156	Genome-wide association study of glioma and meta-analysis. *Human Genetics*, **2012**, 131, 1877-88	6.3	191
155	Pancreatic cancer risk and ABO blood group alleles: results from the pancreatic cancer cohort consortium. *Cancer Research*, **2010**, 70, 1015-23	10.1	168

154	A prospective study on intake of animal products and risk of prostate cancer. *Cancer Causes and Control*, **2001**, 12, 557-67	2.8	165
153	Dietary carotenoids, serum beta-carotene, and retinol and risk of lung cancer in the alpha-tocopherol, beta-carotene cohort study. *American Journal of Epidemiology*, **2002**, 156, 536-47	3.8	165
152	Dietary sugar, glycemic load, and pancreatic cancer risk in a prospective study. *Journal of the National Cancer Institute*, **2002**, 94, 1293-300	9.7	154
151	Periodontal Disease, Tooth Loss, and Cancer Risk. *Epidemiologic Reviews*, **2017**, 39, 49-58	4.1	148
150	Chronic inflammation and bladder cancer. *Urologic Oncology: Seminars and Original Investigations*, **2007**, 25, 260-8	2.8	142
149	A prospective study of aspirin use and the risk of pancreatic cancer in women. *Journal of the National Cancer Institute*, **2004**, 96, 22-8	9.7	114
148	Hormonal and reproductive factors and the risk of bladder cancer in women. *American Journal of Epidemiology*, **2006**, 163, 236-44	3.8	111
147	Dietary meat, dairy products, fat, and cholesterol and pancreatic cancer risk in a prospective study. *American Journal of Epidemiology*, **2003**, 157, 1115-25	3.8	110
146	Genetic polymorphisms of interleukin-1B (IL-1B), IL-6, IL-8, and IL-10 and risk of prostate cancer. *Cancer Research*, **2006**, 66, 4525-30	10.1	108
145	Prospective study of dietary supplements, macronutrients, micronutrients, and risk of bladder cancer in US men. *American Journal of Epidemiology*, **2000**, 152, 1145-53	3.8	108
144	Role of bacterial infections in pancreatic cancer. *Carcinogenesis*, **2013**, 34, 2193-7	4.6	99
143	Menopausal hormone therapy and risk of endometrial carcinoma among postmenopausal women in the European Prospective Investigation Into Cancer and Nutrition. *American Journal of Epidemiology*, **2010**, 172, 1394-403	3.8	99
142	Reproductive factors and exogenous hormone use in relation to risk of glioma and meningioma in a large European cohort study. *Cancer Epidemiology Biomarkers and Prevention*, **2010**, 19, 2562-9	4	94
141	Diabetes and risk of pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium. *Cancer Causes and Control*, **2013**, 24, 13-25	2.8	86
140	Cigarette smoking, environmental tobacco smoke exposure and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. *International Journal of Cancer*, **2010** , 126, 2394-403	7.5	86
139	Adiposity, physical activity, and pancreatic cancer in the National Institutes of Health-AARP Diet and Health Cohort. *American Journal of Epidemiology*, **2008**, 167, 586-97	3.8	86
138	Meat, eggs, dairy products, and risk of breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. *American Journal of Clinical Nutrition*, **2009**, 90, 602-12	7	85
137	Alcohol intake and pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium (PanScan). *Cancer Causes and Control*, **2010**, 21, 1213-25	2.8	82

136	Cost-Effectiveness of the FDA Added Sugar Labeling to Reduce Cancer Burden in the United States (OR28-03-19). *Current Developments in Nutrition*, **2019**, 3,	0.4	78
135	Obesity-Related Cancer Burden Associated with Ultra-Processed Food Consumption Among US Adults. *Current Developments in Nutrition*, **2020**, 4, 361-361	0.4	78
134	Cost-effectiveness of Nutrition Policies to Discourage Processed Meat Consumption: Implications for Cancer Burden in the United States (OR16-01-19). *Current Developments in Nutrition*, **2019**, 3,	0.4	78
133	Disparities in Health and Economic Burden of Cancer Attributable to Suboptimal Diet in the United States. *Current Developments in Nutrition*, **2020**, 4, 360-360	0.4	78
132	Cost-Effectiveness of the FDA Menu Labeling to Reduce Obesity-Associated Cancer Burden in the United States. *Current Developments in Nutrition*, **2020**, 4, 1712-1712	0.4	78
131	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. *Human Molecular Genetics*, **2014**, 23, 6616-33	5.6	77
130	Prediagnostic plasma C-peptide and pancreatic cancer risk in men and women. *Cancer Epidemiology Biomarkers and Prevention*, **2007**, 16, 2101-9	4	77
129	Microbiota, oral microbiome, and pancreatic cancer. *Cancer Journal (Sudbury, Mass.)*, **2014**, 20, 203-6	2.2	74
128	Dietary patterns and pancreatic cancer risk in men and women. *Journal of the National Cancer Institute*, **2005**, 97, 518-24	9.7	74
127	Mediterranean and Dietary Approaches to Stop Hypertension dietary patterns and risk of sudden cardiac death in postmenopausal women. *American Journal of Clinical Nutrition*, **2014**, 99, 344-51	7	70
126	Meat and components of meat and the risk of bladder cancer in the NIH-AARP Diet and Health Study. *Cancer*, **2010**, 116, 4345-53	6.4	69
125	Periodontal disease and risk of all cancers among male never smokers: an updated analysis of the Health Professionals Follow-up Study. *Annals of Oncology*, **2016**, 27, 941-7	10.3	67
124	Variant ABO blood group alleles, secretor status, and risk of pancreatic cancer: results from the pancreatic cancer cohort consortium. *Cancer Epidemiology Biomarkers and Prevention*, **2010**, 19, 3140-9	4	67
123	Periodontal disease, tooth loss and colorectal cancer risk: Results from the Nurses' Health Study. *International Journal of Cancer*, **2017**, 140, 646-652	7.5	65
122	Coffee, tea, caffeine intake, and risk of adult glioma in three prospective cohort studies. *Cancer Epidemiology Biomarkers and Prevention*, **2010**, 19, 39-47	4	65
121	High-risk HPV types and head and neck cancer. *International Journal of Cancer*, **2014**, 135, 1653-61	7.5	64
120	Fruit and vegetable consumption and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. *International Journal of Cancer*, **2009**, 124, 1926-34	7.5	63
119	Prospective study of body mass index, height, physical activity and incidence of bladder cancer in US men and women. *International Journal of Cancer*, **2007**, 120, 140-6	7.5	62

118	Periodontal Disease Assessed Using Clinical Dental Measurements and Cancer Risk in the ARIC Study. *Journal of the National Cancer Institute*, **2018**, 110, 843-854	9.7	60
117	Anthropometric measures and epithelial ovarian cancer risk in the European Prospective Investigation into Cancer and Nutrition. *International Journal of Cancer*, **2010**, 126, 2404-15	7.5	60
116	Silk-based blood stabilization for diagnostics. *Proceedings of the National Academy of Sciences of the United States of America*, **2016**, 113, 5892-7	11.5	60
115	Healthy lifestyle and decreasing risk of heart failure in women: the Women's Health Initiative observational study. *Journal of the American College of Cardiology*, **2014**, 64, 1777-85	15.1	59
114	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. *International Journal of Cancer*, **2012**, 131, E544-54	7.5	59
113	Reproductive factors, exogenous hormone use and bladder cancer risk in a prospective study. *International Journal of Cancer*, **2006**, 119, 2398-401	7.5	58
112	Circulating insulin-like growth factor binding protein-1 and the risk of pancreatic cancer. *Cancer Research*, **2007**, 67, 7923-8	10.1	58
111	The Microbiomes of Pancreatic and Duodenum Tissue Overlap and Are Highly Subject Specific but Differ between Pancreatic Cancer and Noncancer Subjects. *Cancer Epidemiology Biomarkers and Prevention*, **2019**, 28, 370-383	4	55
110	Prospective study of meat intake and dietary nitrates, nitrites, and nitrosamines and risk of adult glioma. *American Journal of Clinical Nutrition*, **2009**, 90, 570-7	7	53
109	Total fluid and water consumption and the joint effect of exposure to disinfection by-products on risk of bladder cancer. *Environmental Health Perspectives*, **2007**, 115, 1569-72	8.4	53
108	Gastric reflux is an independent risk factor for laryngopharyngeal carcinoma. *Cancer Epidemiology Biomarkers and Prevention*, **2013**, 22, 1061-8	4	51
107	Prediagnostic plasma IgE levels and risk of adult glioma in four prospective cohort studies. *Journal of the National Cancer Institute*, **2011**, 103, 1588-95	9.7	51
106	Added sugar and sugar-sweetened foods and beverages and the risk of pancreatic cancer in the National Institutes of Health-AARP Diet and Health Study. *American Journal of Clinical Nutrition*, **2008**, 88, 431-40	7	51
105	A prospective study of folate intake and the risk of pancreatic cancer in men and women. *American Journal of Epidemiology*, **2004**, 160, 248-58	3.8	51
104	Intake of fruits and vegetables, carotenoids, folate, and vitamins A, C, E and risk of bladder cancer among women (United States). *Cancer Causes and Control*, **2005**, 16, 1135-45	2.8	51
103	Preventable Cancer Burden Associated With Poor Diet in the United States. *JNCI Cancer Spectrum*, **2019**, 3, pkz034	4.6	50
102	Arsenic concentrations in prediagnostic toenails and the risk of bladder cancer in a cohort study of male smokers. *American Journal of Epidemiology*, **2004**, 160, 853-9	3.8	50
101	Dietary glycemic load, carbohydrate, sugar, and colorectal cancer risk in men and women. *Cancer Epidemiology Biomarkers and Prevention*, **2005**, 14, 138-47	4	50

100	Anthropometric measures, physical activity, and risk of glioma and meningioma in a large prospective cohort study. *Cancer Prevention Research*, **2011**, 4, 1385-92	3.2	48
99	Interrelation of energy intake, body size, and physical activity with prostate cancer in a large prospective cohort study. *Cancer Research*, **2003**, 63, 8542-8	10.1	48
98	Fluid intake and the risk of urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition (EPIC). *International Journal of Cancer*, **2011**, 128, 2695-708	7.5	45
97	Smokeless tobacco and risk of head and neck cancer: evidence from a case-control study in New England. *International Journal of Cancer*, **2013**, 132, 1911-7	7.5	44
96	Coffee and tea intake and risk of brain tumors in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. *American Journal of Clinical Nutrition*, **2010**, 92, 1145-50	7	42
95	Ethanol intake and the risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). *Cancer Causes and Control*, **2009**, 20, 785-94	2.8	40
94	History of Periodontitis Diagnosis and Edentulism as Predictors of Cardiovascular Disease, Stroke, and Mortality in Postmenopausal Women. *Journal of the American Heart Association*, **2017**, 6,	6	38
93	Meat intake and bladder cancer risk in 2 prospective cohort studies. *American Journal of Clinical Nutrition*, **2006**, 84, 1177-83	7	38
92	Periodontal disease and mouthwash use are risk factors for head and neck squamous cell carcinoma. *Cancer Causes and Control*, **2013**, 24, 1315-22	2.8	37
91	Red meat, dietary nitrosamines, and heme iron and risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). *Cancer Epidemiology Biomarkers and Prevention*, **2011**, 20, 555-9	4	37
90	History of peptic ulcer disease and pancreatic cancer risk in men. *Gastroenterology*, **2010**, 138, 541-9	13.3	36
89	Consumption of vegetables and fruit and the risk of bladder cancer in the European Prospective Investigation into Cancer and Nutrition. *International Journal of Cancer*, **2009**, 125, 2643-51	7.5	36
88	A food pattern that is predictive of flavonol intake and risk of pancreatic cancer. *American Journal of Clinical Nutrition*, **2008**, 88, 1653-62	7	36
87	TNF polymorphisms and prostate cancer risk. *Prostate*, **2008**, 68, 400-7	4.2	36
86	Prospective study of intake of fruit, vegetables, and carotenoids and the risk of adult glioma. *American Journal of Clinical Nutrition*, **2007**, 85, 877-86	7	35
85	Regular dental visits are associated with earlier stage at diagnosis for oral and pharyngeal cancer. *Cancer Causes and Control*, **2012**, 23, 1821-9	2.8	34
84	Prospective study of cigarette smoking and adult glioma: dosage, duration, and latency. *Neuro-Oncology*, **2007**, 9, 326-34	1	33
83	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. *International Journal of Cancer*, **2012**, 130, 2654-63	7.5	30

82	Comparison of estimated renal net acid excretion from dietary intake and body size with urine pH. *Journal of the American Dietetic Association*, **2003**, 103, 1001-7; discussion 1007		30
81	The association of circulating adiponectin levels with pancreatic cancer risk: a study within the prospective EPIC cohort. *International Journal of Cancer*, **2012**, 130, 2428-37	7.5	29
80	Menstrual and reproductive factors, exogenous hormone use, and gastric cancer risk in a cohort of women from the European Prospective Investigation Into Cancer and Nutrition. *American Journal of Epidemiology*, **2010**, 172, 1384-93	3.8	29
79	Dietary insulin load, dietary insulin index, and colorectal cancer. *Cancer Epidemiology Biomarkers and Prevention*, **2010**, 19, 3020-6	4	29
78	Folate intake and risk of pancreatic cancer: pooled analysis of prospective cohort studies. *Journal of the National Cancer Institute*, **2011**, 103, 1840-50	9.7	29
77	High erythrocyte levels of the n-6 polyunsaturated fatty acid linoleic acid are associated with lower risk of subsequent rheumatoid arthritis in a southern European nested case-control study. *Annals of the Rheumatic Diseases*, **2018**, 77, 981-987	2.4	28
76	Smoking, Porphyromonas gingivalis and the immune response to citrullinated autoantigens before the clinical onset of rheumatoid arthritis in a Southern European nested case-control study. *BMC Musculoskeletal Disorders*, **2015**, 16, 331	2.8	28
75	A prospective study of periodontal disease and risk of gastric and duodenal ulcer in male health professionals. *Clinical and Translational Gastroenterology*, **2014**, 5, e49	4.2	27
74	Polymorphic variants in PTGS2 and prostate cancer risk: results from two large nested case-control studies. *Carcinogenesis*, **2008**, 29, 568-72	4.6	26
73	Exposure to environmental tobacco smoke in childhood and incidence of cancer in adulthood in never smokers in the European Prospective Investigation into Cancer and Nutrition. *Cancer Causes and Control*, **2011**, 22, 487-94	2.8	25
72	Concentrations of IGF-I and IGFBP-3 and brain tumor risk in the European Prospective Investigation into Cancer and Nutrition. *Cancer Epidemiology Biomarkers and Prevention*, **2011**, 20, 2174-82	4	25
71	Dietary insulin load, dietary insulin index, and risk of pancreatic cancer. *American Journal of Clinical Nutrition*, **2011**, 94, 862-8	7	25
70	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. *International Journal of Cancer*, **2012**, 131, E1134-47	7.5	24
69	Association between adult height, genetic susceptibility and risk of glioma. *International Journal of Epidemiology*, **2012**, 41, 1075-85	7.8	24
68	Periodontal disease and risk of non-Hodgkin lymphoma in the Health Professionals Follow-Up Study. *International Journal of Cancer*, **2017**, 140, 1020-1026	7.5	22
67	Plasma phytanic acid concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. *American Journal of Clinical Nutrition*, **2010**, 91, 1769-76	7	22
66	Long-term alcohol and caffeine intake and risk of sudden cardiac death in women. *American Journal of Clinical Nutrition*, **2013**, 97, 1356-63	7	21
65	Reexamination of total fluid intake and bladder cancer in the Health Professionals Follow-up Study Cohort. *American Journal of Epidemiology*, **2012**, 175, 696-705	3.8	20

64	Sweet-beverage consumption and risk of pancreatic cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC). *American Journal of Clinical Nutrition*, **2016**, 104, 760-8	7	20
63	Variation in DNA methylation of human blood over a 1-year period using the Illumina MethylationEPIC array. *Epigenetics*, **2018**, 13, 1056-1071	5.7	20
62	Immune Response to HPV16 E6 and E7 Proteins and Patient Outcomes in Head and Neck Cancer. *JAMA Oncology*, **2017**, 3, 178-185	13.4	19
61	Menstrual and reproductive factors in women, genetic variation in CYP17A1, and pancreatic cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. *International Journal of Cancer*, **2013**, 132, 2164-75	7.5	19
60	Passive smoking and pancreatic cancer in women: a prospective cohort study. *Cancer Epidemiology Biomarkers and Prevention*, **2009**, 18, 2292-6	4	19
59	Nonsteroidal antiinflammatory drug use and risk of bladder cancer in the health professionals follow-up study. *International Journal of Cancer*, **2007**, 120, 2221-5	7.5	19
58	Estimated urine pH and bladder cancer risk in a cohort of male smokers (Finland). *Cancer Causes and Control*, **2005**, 16, 1117-23	2.8	19
57	Single-nucleotide polymorphisms of allergy-related genes and risk of adult glioma. *Journal of Neuro-Oncology*, **2013**, 113, 229-38	4.8	18
56	Lifestyle, dietary factors, and antibody levels to oral bacteria in cancer-free participants of a European cohort study. *Cancer Causes and Control*, **2013**, 24, 1901-9	2.8	18
55	Occupational dust exposure and head and neck squamous cell carcinoma risk in a population-based case-control study conducted in the greater Boston area. *Cancer Medicine*, **2013**, 2, 978-86	4.8	17
54	Environmental tobacco smoke and the risk of pancreatic cancer among non-smokers: a meta-analysis. *Occupational and Environmental Medicine*, **2012**, 69, 853-7	2.1	17
53	Chronic inflammation markers are associated with risk of pancreatic cancer in the Swedish AMORIS cohort study. *BMC Cancer*, **2019**, 19, 858	4.8	15
52	Understanding the Role of the Immune System in the Development of Cancer: New Opportunities for Population-Based Research. *Cancer Epidemiology Biomarkers and Prevention*, **2015**, 24, 1811-9	4	15
51	Intake of coffee, decaffeinated coffee, or tea does not affect risk for pancreatic cancer: results from the European Prospective Investigation into Nutrition and Cancer Study. *Clinical Gastroenterology and Hepatology*, **2013**, 11, 1486-92	6.9	15
50	Oral Health and Cancer. *Current Oral Health Reports*, **2019**, 6, 130-137	1.2	14
49	Fluid intake and risk of bladder cancer in the Nurses' Health Studies. *International Journal of Cancer*, **2014**, 135, 1229-37	7.5	14
48	Allergies and risk of head and neck cancer. *Cancer Causes and Control*, **2012**, 23, 1317-22	2.8	14
47	A prospective study of magnesium and iron intake and pancreatic cancer in men. *American Journal of Epidemiology*, **2010**, 171, 233-41	3.8	14

46	Rapid Change in Residual Renal Function Decline Is Associated with Lower Survival and Worse Residual Renal Function Preservation in Peritoneal Dialysis Patients. *Peritoneal Dialysis International*, **2017**, 37, 477-481	2.8	12
45	Further Confirmation of Germline Glioma Risk Variant rs78378222 in TP53 and Its Implication in Tumor Tissues via Integrative Analysis of TCGA Data. *Human Mutation*, **2015**, 36, 684-8	4.7	12
44	A Chimeric Affinity Tag for Efficient Expression and Chromatographic Purification of Heterologous Proteins from Plants. *Frontiers in Plant Science*, **2016**, 7, 141	6.2	12
43	Methodological issues in a prospective study on plasma concentrations of persistent organic pollutants and pancreatic cancer risk within the EPIC cohort. *Environmental Research*, **2019**, 169, 417-433	7.9	12
42	Obesity and head and neck cancer risk and survival by human papillomavirus serology. *Cancer Causes and Control*, **2015**, 26, 111-9	2.8	10
41	A prospective study of fish, marine fatty acids, and bladder cancer risk among men and women (United States). *Cancer Causes and Control*, **2006**, 17, 1163-73	2.8	10
40	Obesity and Pancreatic Cancer. *Recent Results in Cancer Research*, **2016**, 208, 95-105	1.5	10
39	DNA methylation ageing clocks and pancreatic cancer risk: pooled analysis of three prospective nested case-control studies. *Epigenetics*, **2021**, 16, 1306-1316	5.7	9
38	Human papillomavirus serology and tobacco smoking in a community control group. *BMC Infectious Diseases*, **2015**, 15, 8	4	8
37	Lower Urinary Tract Symptoms and Risk of Bladder Cancer in Men: Results From the Health Professionals Follow-up Study. *Urology*, **2015**, 85, 1312-8	1.6	8
36	No association between educational level and pancreatic cancer incidence in the European Prospective Investigation into Cancer and Nutrition. *Cancer Epidemiology*, **2010**, 34, 696-701	2.8	8
35	Comparisons of oral, intestinal, and pancreatic bacterial microbiomes in patients with pancreatic cancer and other gastrointestinal diseases. *Journal of Oral Microbiology*, **2021**, 13, 1887680	6.3	8
34	DNA Methylation-Derived Immune Cell Profiles, CpG Markers of Inflammation, and Pancreatic Cancer Risk. *Cancer Epidemiology Biomarkers and Prevention*, **2020**, 29, 1577-1585	4	7
33	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. *International Journal of Cancer*, **2012**, 131, 997-1002	7.5	7
32	Cost Effectiveness of Nutrition Policies on Processed Meat: Implications for Cancer Burden in the U.S. *American Journal of Preventive Medicine*, **2019**, 57, e143-e152	6.1	7
31	Genotype-based gene signature of glioma risk. *Neuro-Oncology*, **2017**, 19, 940-950	1	6
30	Oral Health in Relation to Pancreatic Cancer Risk in African American Women. *Cancer Epidemiology Biomarkers and Prevention*, **2019**, 28, 675-679	4	6
29	The epidemiology of pancreatic, gallbladder, and other biliary tract cancers. *Gastrointestinal Endoscopy*, **2002**, 56, S195-200	5.2	6

28	Mannose-binding lectin 2 gene and risk of adult glioma. *PLoS ONE*, **2013**, 8, e61117	3.7	5
27	Serum Immunoglobulin G Is Associated With Decreased Risk of Pancreatic Cancer in the Swedish AMORIS Study. *Frontiers in Oncology*, **2020**, 10, 263	5.3	4
26	The association of clinically determined periodontal disease and edentulism with total cancer mortality: The National Health and Nutrition Examination Survey III. *International Journal of Cancer*, **2020**, 147, 1587-1596	7.5	4
25	Methylation-derived inflammatory measures and lung cancer risk and survival.. *Clinical Epigenetics*, **2021**, 13, 222	7.7	4
24	Reducing US Cancer Burden and Disparities Through National and Targeted Food Price Policies (P04-101-19). *Current Developments in Nutrition*, **2019**, 3,	0.4	3
23	Vitamin D and pancreatic cancer risk in the alpha-tocopherol, beta-carotene cancer prevention cohort. *Cancer Research*, **2006**, 66, 9802-3	10.1	3
22	Epigenome-Wide Association Study Using Prediagnostic Bloods Identifies New Genomic Regions Associated With Pancreatic Cancer Risk. *JNCI Cancer Spectrum*, **2020**, 4, pkaa041	4.6	3
21	Epigenome-wide scan identifies differentially methylated regions for lung cancer using pre-diagnostic peripheral blood. *Epigenetics*, **2021**, 1-13	5.7	3
20	A Bayesian framework for identifying consistent patterns of microbial abundance between body sites. *Statistical Applications in Genetics and Molecular Biology*, **2019**, 18,	1.2	3
19	The association between clinically determined periodontal disease and prostate-specific antigen concentration in men without prostate cancer: the 2009-2010 National Health and Nutrition Examination Survey. *Cancer Causes and Control*, **2019**, 30, 1293-1300	2.8	2
18	The oral microbiome in relation to pancreatic cancer risk in African Americans. *British Journal of Cancer*, **2021**,	8.7	2
17	Cost-Effectiveness of a National Sugar-Sweetened Beverage Tax to Reduce Cancer Burdens and Disparities in the United States. *JNCI Cancer Spectrum*, **2020**, 4, pkaa073	4.6	2
16	Two-Sample Mendelian Randomization Analysis of Associations Between Periodontal Disease and Risk of Cancer. *JNCI Cancer Spectrum*, **2021**, 5, pkab037	4.6	2
15	Health Impact and Cost-Effectiveness of Sugar-Sweetened Beverage Taxes for Reducing Cancer Burden in the United States (P22-010-19). *Current Developments in Nutrition*, **2019**, 3,	0.4	1
14	SES and correlated factors do not explain the association between periodontal disease, edentulism, and cancer risk. *Annals of Epidemiology*, **2019**, 38, 35-41	6.4	1
13	A1.5 Smoking is a risk factor for ACPA prior to onset of symptoms of rheumatoid arthritis in a cohort from southern europe. *Annals of the Rheumatic Diseases*, **2014**, 73, A2.3-A3	2.4	1
12	Oral, intestinal, and pancreatic microbiomes are correlated and exhibit co-abundance in patients with pancreatic cancer and other gastrointestinal diseases		1
11	Feasibility of investigating the association between bacterial pathogens and oral leukoplakia in low and middle income countries: A population-based pilot study in India. *PLoS ONE*, **2021**, 16, e0251017	3.7	1

10	Methylation-derived Inflammatory Measures and Lung Cancer Risk and Survival		1
9	Number needed to screen for presumptive screening diagnoses among first-time SPOTme screening participants (1992-2010). *Journal of the American Academy of Dermatology*, **2020**, 82, 233-234	4.5	1
8	Factors associated with suspected nonmelanoma skin cancers, dysplastic nevus, and cutaneous melanoma among first-time SPOTme screening program participants (2009-2010). *Journal of the American Academy of Dermatology*, **2018**,	4.5	1
7	DNA Methylation in Peripheral Blood: Providing Novel Biomarkers of Exposure and Immunity to Examine Cancer Risk. *Cancer Epidemiology Biomarkers and Prevention*, **2021**, 30, 2176-2178	4	1
6	Disparities in Health and Economic Burdens of Cancer Attributable to Suboptimal Diet in the United States, 2015-2018. *American Journal of Public Health*, **2021**, 111, 2008-2018	5.1	0
5	Cost-effectiveness Analysis of Nutrition Facts Added-Sugar Labeling and Obesity-Associated Cancer Rates in the US. *JAMA Network Open*, **2021**, 4, e217501	10.4	0
4	Integrating Genome and Methylome Data to Identify Candidate DNA Methylation Biomarkers for Pancreatic Cancer Risk. *Cancer Epidemiology Biomarkers and Prevention*, **2021**, 30, 2079-2087	4	0
3	Reply to B Watzl and G Rechkemmer. *American Journal of Clinical Nutrition*, **2001**, 74, 273-274	7	
2	Periodontal Disease and Risk of Non Hodgkin Lymphoma (NHL) in the Health Professionals Follow-up Study (HPFS). *Blood*, **2015**, 126, 5024-5024	2.2	
1	A geographically based cross-sectional analysis of SPOT me skin cancer screening data. *Journal of the American Academy of Dermatology*, **2021**, 84, 809-810.e3	4.5	