

Shuzo Sato

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6276740/publications.pdf>

Version: 2024-02-01

63
papers

777
citations

516710

16
h-index

610901

24
g-index

65
all docs

65
docs citations

65
times ranked

1221
citing authors

#	ARTICLE	IF	CITATIONS
1	Outcome of rituximab treatment in Japanese patients with ANCA-associated vasculitis in daily clinical practice: A two-centre study in Fukushima, Japan. <i>Modern Rheumatology</i> , 2023, 33, 352-359.	1.8	3
2	Effectiveness of combination tocilizumab and glucocorticoids as an induction therapy in patients with Takayasu arteritis: An observational study. <i>Modern Rheumatology</i> , 2023, 33, 360-366.	1.8	5
3	The Expanding Spectrum of Autoinflammatory Diseases. <i>Internal Medicine</i> , 2022, , .	0.7	2
4	Uric acid-mediated inflammasome activation in IL-6 primed innate immune cells is regulated by baricitinib. <i>Modern Rheumatology</i> , 2021, 31, 270-275.	1.8	14
5	Sustained Long-Term Retention Rates of Abatacept in Combination with Conventional Synthetic Disease-Modifying Antirheumatic Drugs in Elderly Patients with Rheumatoid Arthritis. <i>Medicina (Lithuania)</i> , 2021, 57, 914.	2.0	1
6	TAFRO syndrome complicated by porto-sinusoidal vascular liver disease with portal hypertension: a case report. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 1711-1717.	0.8	1
7	Vascular Behçet's Disease Preceded by Fever of Unknown Origin: Usefulness of Ultrasonography for the Detection of Large-Vessel Vasculitis. <i>Tohoku Journal of Experimental Medicine</i> , 2021, 255, 163-169.	1.2	0
8	Intestinal Behçet's disease complicated by myelodysplastic syndrome and secondary pulmonary alveolar proteinosis: a case report. <i>BMC Gastroenterology</i> , 2021, 21, 488.	2.0	5
9	A case of Takayasu arteritis complicated by refractory ulcerative colitis successfully treated with tofacitinib. <i>Rheumatology</i> , 2020, 59, 1773-1775.	1.9	23
10	Serum Levels of T Cell Immunoglobulin and Mucin-Domain Containing Molecule 3 in Patients with Systemic Lupus Erythematosus. <i>Journal of Clinical Medicine</i> , 2020, 9, 3563.	2.4	12
11	JAK inhibitors impair GM-CSF-mediated signaling in innate immune cells. <i>BMC Immunology</i> , 2020, 21, 35.	2.2	10
12	Ets Family Transcription Factor Fli-1 Promotes Leukocyte Recruitment and Production of IL-17A in the MRL/Lpr Mouse Model of Lupus Nephritis. <i>Cells</i> , 2020, 9, 714.	4.1	12
13	Autoantibodies associated with neuropsychiatric systemic lupus erythematosus: the quest for symptom-specific biomarkers. <i>Fukushima Journal of Medical Sciences</i> , 2020, 66, 1-9.	0.4	9
14	Galectin-9 as a biomarker for disease activity in systemic lupus erythematosus. <i>PLoS ONE</i> , 2020, 15, e0227069.	2.5	41
15	Differential regulation and correlation between galectin-9 and anti-CCP antibody (ACPA) in rheumatoid arthritis patients. <i>Arthritis Research and Therapy</i> , 2020, 22, 80.	3.5	17
16	Association of soluble T cell immunoglobulin domain and mucin-3 (sTIM-3) and mac-2 binding protein glycosylation isomer (M2BPGi) in patients with autoimmune hepatitis. <i>PLoS ONE</i> , 2020, 15, e0238540.	2.5	5
17	HLA-DQB1 DPB1 alleles in Japanese patients with adult-onset Still's disease. <i>Modern Rheumatology</i> , 2019, 29, 843-847.	1.8	6
18	Gastrointestinal Involvement of Systemic Vasculitis. , 2019, , 137-153.		1

#	ARTICLE	IF	CITATIONS
19	Clinical significance of myositis-specific autoantibody profiles in Japanese patients with polymyositis/dermatomyositis. <i>Medicine (United States)</i> , 2019, 98, e15578.	1.0	33
20	Vasculo-BeH disease complicated by conversion disorder diagnosed with ¹⁸ F-fluoro-deoxy-glucose positron emission tomography combined with computed tomography (PET/CT). <i>Fukushima Journal of Medical Sciences</i> , 2019, 65, 55-60.	0.4	3
21	Coexistence of Mixed Connective Tissue Disease and Familial Mediterranean Fever in a Japanese Patient. <i>Internal Medicine</i> , 2019, 58, 2235-2240.	0.7	2
22	Hydroxychloroquine inhibits IL-1 β production from amyloid-stimulated human neutrophils. <i>Arthritis Research and Therapy</i> , 2019, 21, 250.	3.5	21
23	Galectin-9 in autoimmune hepatitis. <i>Medicine (United States)</i> , 2019, 98, e16924.	1.0	11
24	Intestinal Beh disease associated with myelodysplastic syndrome accompanying trisomy 8 successfully treated with abdominal surgery followed by hematopoietic stem cell transplantation. <i>Medicine (United States)</i> , 2019, 98, e17979.	1.0	11
25	Rheumatoid Arthritis Complicated with Anti-melanoma Differentiation-associated Gene 5 Antibody-positive Interstitial Pneumonia. <i>Internal Medicine</i> , 2019, 58, 737-742.	0.7	4
26	Gastrointestinal Involvement of Beh disease. , 2019, , 155-168.		0
27	TNF- α potentiates uric acid-induced interleukin-1 β (IL-1 β) secretion in human neutrophils. <i>Modern Rheumatology</i> , 2018, 28, 513-517.	1.8	37
28	The utility of FDG-PET/CT imaging in the evaluation of multicentric reticulohistiocytosis. <i>Medicine (United States)</i> , 2018, 97, e11449.	1.0	6
29	Serum amyloid A1 (SAA1) gene polymorphisms in Japanese patients with adult-onset Still's disease. <i>Medicine (United States)</i> , 2018, 97, e13394.	1.0	16
30	Beh disease associated with gastrointestinal amyloidosis manifested as hematochezia. <i>Medicine (United States)</i> , 2018, 97, e11153.	1.0	2
31	Diagnostic value of ultrasonography in synovitis-acne-pustulosis-hyperostosis-osteitis (SAPHO) syndrome. <i>Medicine (United States)</i> , 2018, 97, e12725.	1.0	1
32	Serum cytokine profiles and Mac-2 binding protein glycosylation isomer (M2BPGi) level in patients with autoimmune hepatitis. <i>Medicine (United States)</i> , 2018, 97, e13450.	1.0	13
33	Induction of anti-PF4/heparin antibodies after arthroplasty for rheumatic diseases. <i>Fukushima Journal of Medical Sciences</i> , 2018, 64, 1-8.	0.4	2
34	Juvenile onset autoinflammatory disease due to a novel mutation in TNFAIP3 (A20). <i>Arthritis Research and Therapy</i> , 2018, 20, 274.	3.5	8
35	Anti-MDA5 antibody-positive hypomyopathic dermatomyositis complicated with pneumomediastinum. <i>Fukushima Journal of Medical Sciences</i> , 2018, 64, 89-94.	0.4	14
36	Clinical features and outcomes in patients with elderly-onset anti-neutrophil cytoplasmic antibody-associated vasculitis. <i>Geriatrics and Gerontology International</i> , 2018, 18, 1453-1457.	1.5	9

#	ARTICLE	IF	CITATIONS
37	Tofacitinib inhibits granulocyte-macrophage colony-stimulating factor-induced NLRP3 inflammasome activation in human neutrophils. <i>Arthritis Research and Therapy</i> , 2018, 20, 196.	3.5	43
38	Changes in N-glycans of IgG4 and its relationship with the existence of hypocomplementemia and individual organ involvement in patients with IgG4-related disease. <i>PLoS ONE</i> , 2018, 13, e0196163.	2.5	19
39	Association of anti-triosephosphate isomerase antibodies with aseptic meningitis in patients with neuropsychiatric systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2017, 36, 1655-1659.	2.2	11
40	Effects of HLA-DRB1 alleles on susceptibility and clinical manifestations in Japanese patients with adult onset Still's disease. <i>Arthritis Research and Therapy</i> , 2017, 19, 199.	3.5	25
41	Evaluation of blood-brain barrier function by quotient alpha2 macroglobulin and its relationship with interleukin-6 and complement component 3 levels in neuropsychiatric systemic lupus erythematosus. <i>PLoS ONE</i> , 2017, 12, e0186414.	2.5	34
42	Successful Immunosuppressive Treatment of Mixed Connective Tissue Disease Complicated by Microscopic Polyangiitis. <i>Tohoku Journal of Experimental Medicine</i> , 2016, 239, 111-116.	1.2	4
43	Up-regulation of C3 levels in cerebrospinal fluid of neuropsychiatric systemic lupus erythematosus patients. <i>Immunobiology</i> , 2016, 221, 1210-1211.	1.9	0
44	Acetylation impacts Fli-1-driven regulation of granulocyte colony stimulating factor. <i>European Journal of Immunology</i> , 2016, 46, 2322-2332.	2.9	18
45	Possible participation of IgG4 in the activation of complement in IgG4-related disease with hypocomplementemia. <i>Modern Rheumatology</i> , 2016, 26, 251-258.	1.8	35
46	Relationship of complement activation route with clinical manifestations in Japanese patients with systemic lupus erythematosus: A retrospective observational study. <i>Modern Rheumatology</i> , 2015, 25, 205-209.	1.8	16
47	Impact of aging on the clinical features and treatment of polymyositis in adults. <i>Modern Rheumatology</i> , 2015, 25, 748-751.	1.8	1
48	A Critical Role of the Transcription Factor Fli-1 in Murine Lupus Development by Regulation of Interleukin-6 Expression. <i>Arthritis and Rheumatology</i> , 2014, 66, 3436-3444.	5.6	34
49	The Fli-1 Transcription Factor Regulates the Expression of CCL5/RANTES. <i>Journal of Immunology</i> , 2014, 193, 2661-2668.	0.8	33
50	Plasma osteopontin is correlated with bone resorption markers in rheumatoid arthritis patients. <i>International Journal of Rheumatic Diseases</i> , 2014, 17, 50-56.	1.9	31
51	Biliary hamartomas (von Meyenburg complex) complicated with microscopic polyangiitis. <i>Modern Rheumatology</i> , 2013, 23, 611-613.	1.8	3
52	The transcription factor Fli-1 regulates monocyte, macrophage and dendritic cell development in mice. <i>Immunology</i> , 2013, 139, 318-327.	4.4	31
53	Biliary hamartomas (von Meyenburg complex) complicated with microscopic polyangiitis. <i>Modern Rheumatology</i> , 2013, 23, 611-613.	1.8	3
54	Serum L-ficolin levels in patients with systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2012, 22, 899-902.	1.8	17

#	ARTICLE	IF	CITATIONS
55	Membranous nephropathy associated with primary biliary cirrhosis and acute meningitis. <i>Clinical Journal of Gastroenterology</i> , 2012, 5, 292-297.	0.8	0
56	Serum L-ficolin levels in patients with systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2012, 22, 899-902.	1.8	7
57	Autoimmune neutropenia associated with autoimmune pancreatitis. <i>JOP: Journal of the Pancreas</i> , 2011, 12, 407-9.	1.5	1
58	Association of anti-triosephosphate isomerase antibody and MRL/MpJ-Faslpr mouse. <i>Journal of Neuroimmunology</i> , 2010, 226, 110-115.	2.3	4
59	A CASE OF STEROID-REFRACTORY ULCERATIVE COLITIS COMPLICATED WITH CYTOMEGALOVIRUS PNEUMONIA. <i>Fukushima Journal of Medical Sciences</i> , 2007, 53, 27-32.	0.4	3
60	Anti-triosephosphate isomerase antibodies in cerebrospinal fluid are associated with neuropsychiatric lupus. <i>Journal of Neuroimmunology</i> , 2006, 181, 150-156.	2.3	23
61	HEPATIC ADENOMATOUS HYPERPLASIA WITH HYPERATTENUATION ON CT DURING ARTERIAL PORTOGRAPHY: A CASE REPORT. <i>Fukushima Journal of Medical Sciences</i> , 2005, 51, 87-94.	0.4	0
62	In Vivo Rat Closed Spinal Window for Spinal Microcirculation: Observation of Pial Vessels, Leukocyte Adhesion, and Red Blood Cell Velocity. <i>Neurosurgery</i> , 1999, 44, 156-161.	1.1	10
63	Glycerol attenuates the adherence of leukocytes in rat pial venules after transient middle cerebral artery occlusion. <i>Neurological Research</i> , 1999, 21, 785-790.	1.3	10