

Anna Mary Bofin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6277038/publications.pdf>

Version: 2024-02-01

28
papers

529
citations

759055

12
h-index

677027

22
g-index

28
all docs

28
docs citations

28
times ranked

990
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | <i>FGFR1</i> copy number in breast cancer: associations with proliferation, histopathological grade and molecular subtypes. <i>Journal of Clinical Pathology</i> , 2022, 75, 459-464. | 1.0 | 4 |
| 2 | CCND1 Amplification in Breast Cancer -associations With Proliferation, Histopathological Grade, Molecular Subtype and Prognosis. <i>Journal of Mammary Gland Biology and Neoplasia</i> , 2022, 27, 67-77. | 1.0 | 17 |
| 3 | Visual and digital assessment of Ki-67 in breast cancer tissue - a comparison of methods. <i>Diagnostic Pathology</i> , 2022, 17, 45. | 0.9 | 4 |
| 4 | ZNF703 gene copy number and protein expression in breast cancer; associations with proliferation, prognosis and luminal subtypes. <i>Breast Cancer Research and Treatment</i> , 2021, 186, 65-77. | 1.1 | 5 |
| 5 | DTX3 copy number increase in breast cancer: a study of associations to molecular subtype, proliferation and prognosis. <i>Breast Cancer Research and Treatment</i> , 2021, 187, 57-67. | 1.1 | 6 |
| 6 | The association of women's birth size with risk of molecular breast cancer subtypes: a cohort study. <i>BMC Cancer</i> , 2021, 21, 299. | 1.1 | 3 |
| 7 | Reproducible Lipid Alterations in Patient-Derived Breast Cancer Xenograft FFPE Tissue Identified with MALDI MSI for Pre-Clinical and Clinical Application. <i>Metabolites</i> , 2021, 11, 577. | 1.3 | 9 |
| 8 | Stromal Collagen Content in Breast Tumors Correlates With In Vivo Diffusion-Weighted Imaging: A Comparison of Multi-Value DWI With Histologic Specimen From Benign and Malignant Breast Lesions. <i>Journal of Magnetic Resonance Imaging</i> , 2020, 51, 1868-1878. | 1.9 | 16 |
| 9 | The expression of the long NEAT1_2 isoform is associated with human epidermal growth factor receptor 2-positive breast cancers. <i>Scientific Reports</i> , 2020, 10, 1277. | 1.6 | 22 |
| 10 | MRPS23 amplification and gene expression in breast cancer; association with proliferation and the non-basal subtypes. <i>Breast Cancer Research and Treatment</i> , 2020, 180, 73-86. | 1.1 | 13 |
| 11 | Microvessel density in breast cancer: the impact of field area on prognostic informativeness. <i>Journal of Clinical Pathology</i> , 2019, 72, 304-310. | 1.0 | 8 |
| 12 | Nephronectin is Correlated with Poor Prognosis in Breast Cancer and Promotes Metastasis via its Integrin-Binding Motifs. <i>Neoplasia</i> , 2018, 20, 387-400. | 2.3 | 26 |
| 13 | Characterization of FGD5 Expression in Primary Breast Cancers and Lymph Node Metastases. <i>Journal of Histochemistry and Cytochemistry</i> , 2018, 66, 787-799. | 1.3 | 9 |
| 14 | The prognostic value of androgen receptors in breast cancer subtypes. <i>Breast Cancer Research and Treatment</i> , 2018, 172, 283-296. | 1.1 | 38 |
| 15 | FGD5 amplification in breast cancer patients is associated with tumour proliferation and a poorer prognosis. <i>Breast Cancer Research and Treatment</i> , 2017, 162, 243-253. | 1.1 | 12 |
| 16 | Quantifying tumour vascularity in non-luminal breast cancers. <i>Journal of Clinical Pathology</i> , 2017, 70, 766-774. | 1.0 | 9 |
| 17 | Basal markers and prognosis in luminal breast cancer. <i>Breast Cancer Research and Treatment</i> , 2017, 163, 207-217. | 1.1 | 6 |
| 18 | SFRP4 gene expression is increased in aggressive prostate cancer. <i>Scientific Reports</i> , 2017, 7, 14276. | 1.6 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Prevalence of human papillomavirus infection among women in rural Nepal. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 29-38. | 1.3 | 11 |
| 20 | A novel non-canonical Wnt signature for prostate cancer aggressiveness. <i>Oncotarget</i> , 2017, 8, 9572-9586. | 0.8 | 59 |
| 21 | <i>HER2</i> gene copy number and breast cancer-specific survival. <i>Histopathology</i> , 2016, 69, 871-879. | 1.6 | 13 |
| 22 | Molecular Subtypes of Breast Cancer: Long-term Incidence Trends and Prognostic Differences. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016, 25, 1625-1634. | 1.1 | 30 |
| 23 | Alterations in collagen fibre patterns in breast cancer. A premise for tumour invasiveness?. <i>Apmis</i> , 2015, 123, 1-8. | 0.9 | 51 |
| 24 | Microvascular proliferation in luminal A and basal-like breast cancer subtypes. <i>Journal of Clinical Pathology</i> , 2015, 68, 891-897. | 1.0 | 23 |
| 25 | Papanicolaou smear history in women with low-grade cytology before cervical cancer diagnosis. <i>Cancer</i> , 2007, 111, 210-216. | 2.0 | 16 |
| 26 | Cytological criteria for the diagnosis of intraductal hyperplasia, ductal carcinoma in situ, and invasive carcinoma of the breast. <i>Diagnostic Cytopathology</i> , 2004, 31, 207-215. | 0.5 | 33 |
| 27 | Detection and quantitation of HER-2 gene amplification and protein expression in breast carcinoma. <i>American Journal of Clinical Pathology</i> , 2004, 122, 110-9. | 0.4 | 35 |
| 28 | Presence of TMPRSS2-ERG is associated with alterations of the metabolic profile in human prostate cancer. <i>Oncotarget</i> , 0, 7, 42071-42085. | 0.8 | 28 |