
Michael L Alosco

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6278206/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Clinicopathological Evaluation of Chronic Traumatic Encephalopathy in Players of American Football. JAMA - Journal of the American Medical Association, 2017, 318, 360.	7.4	771
2	Cumulative Head Impact Exposure Predicts Later-Life Depression, Apathy, Executive Dysfunction, and Cognitive Impairment in Former High School and College Football Players. Journal of Neurotrauma, 2017, 34, 328-340.	3.4	425
3	Microglial neuroinflammation contributes to tau accumulation in chronic traumatic encephalopathy. Acta Neuropathologica Communications, 2016, 4, 112.	5.2	206
4	Tau Positron-Emission Tomography in Former National Football League Players. New England Journal of Medicine, 2019, 380, 1716-1725.	27.0	165
5	National Institute of Neurological Disorders and Stroke Consensus Diagnostic Criteria for Traumatic Encephalopathy Syndrome. Neurology, 2021, 96, 848-863.	1.1	149
6	Cognitive function after bariatric surgery: evidence for improvement 3 years after surgery. American Journal of Surgery, 2014, 207, 870-876.	1.8	138
7	Duration of American Football Play and Chronic Traumatic Encephalopathy. Annals of Neurology, 2020, 87, 116-131.	5.3	136
8	Repetitive Head Impacts and Chronic Traumatic Encephalopathy. Neurosurgery Clinics of North America, 2016, 27, 529-535.	1.7	114
9	The Second NINDS/NIBIB Consensus Meeting to Define Neuropathological Criteria for the Diagnosis of Chronic Traumatic Encephalopathy. Journal of Neuropathology and Experimental Neurology, 2021, 80, 210-219.	1.7	111
10	Age of first exposure to tackle football and chronic traumatic encephalopathy. Annals of Neurology, 2018, 83, 886-901.	5.3	106
11	Cognitive Function and Treatment Adherence in Older Adults With Heart Failure. Psychosomatic Medicine, 2012, 74, 965-973.	2.0	99
12	Cerebrospinal fluid tau, Aβ, and sTREM2 in Former National Football League Players: Modeling the relationship between repetitive head impacts, microglial activation, and neurodegeneration. Alzheimer's and Dementia, 2018, 14, 1159-1170.	0.8	96
13	Cerebral Perfusion is Associated With White Matter Hyperintensities in Older Adults With Heart Failure. Congestive Heart Failure, 2013, 19, E29-34.	2.0	94
14	The adverse effects of reduced cerebral perfusion on cognition and brain structure in older adults with cardiovascular disease. Brain and Behavior, 2013, 3, 626-636.	2.2	86
15	Attention deficit hyperactivity disorder as a risk factor for concussions in NCAA division-I athletes. Brain Injury, 2014, 28, 472-474.	1.2	81
16	Cognitive Impairment Is Independently Associated With Reduced Instrumental Activities of Daily Living in Persons With Heart Failure. Journal of Cardiovascular Nursing, 2012, 27, 44-50.	1.1	80
17	Repetitive head impact exposure and laterâ€life plasma total tau in former National Football League players. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 7, 33-40.	2.4	79
18	Atrial Fibrillation Exacerbates Cognitive Dysfunction and Cerebral Perfusion in Heart Failure. PACE - Pacing and Clinical Electrophysiology, 2015, 38, 178-186.	1.2	77

#	Article	IF	CITATIONS
19	Age at First Exposure to Repetitive Head Impacts Is Associated with Smaller Thalamic Volumes in Former Professional American Football Players. Journal of Neurotrauma, 2018, 35, 278-285.	3.4	76
20	Lewy Body Pathology and Chronic Traumatic Encephalopathy Associated With Contact Sports. Journal of Neuropathology and Experimental Neurology, 2018, 77, 757-768.	1.7	74
21	Cerebrospinal Fluid Abnormalities and Rate of Decline in Everyday Function Across the Dementia Spectrum. Archives of Neurology, 2010, 67, 688.	4.5	69
22	Acute cold exposure and cognitive function: evidence for sustained impairment. Ergonomics, 2012, 55, 792-798.	2.1	67
23	The impact of hypertension on cerebral perfusion and cortical thickness in older adults. Journal of the American Society of Hypertension, 2014, 8, 561-570.	2.3	67
24	Association of White Matter Rarefaction, Arteriolosclerosis, and Tau With Dementia in Chronic Traumatic Encephalopathy. JAMA Neurology, 2019, 76, 1298.	9.0	67
25	Impact of family functioning on quality of life in patients with psychogenic nonepileptic seizures versus epilepsy. Epilepsia, 2011, 52, 292-300.	5.1	66
26	Characterizing tau deposition in chronic traumatic encephalopathy (CTE): utility of the McKee CTE staging scheme. Acta Neuropathologica, 2020, 140, 495-512.	7.7	66
27	The Effects of Aerobic Exercise on Cognitive and Neural Decline in Aging and Cardiovascular Disease. Current Geriatrics Reports, 2014, 3, 282-290.	1.1	64
28	The Role of Cognitive Function in Postoperative Weight Loss Outcomes: 36-Month Follow-Up. Obesity Surgery, 2014, 24, 1078-1084.	2.1	64
29	Depression is associated with reduced physical activity in persons with heart failure Health Psychology, 2012, 31, 754-762.	1.6	63
30	Neurocognitive Effects of Obesity and Bariatric Surgery. European Eating Disorders Review, 2015, 23, 488-495.	4.1	62
31	Potential Long-Term Consequences of Concussive and Subconcussive Injury. Physical Medicine and Rehabilitation Clinics of North America, 2016, 27, 503-511.	1.3	61
32	Obesity Interacts with Cerebral Hypoperfusion to Exacerbate Cognitive Impairment in Older Adults with Heart Failure. Cerebrovascular Diseases Extra, 2012, 2, 88-98.	1.5	60
33	Physical Activity Is Positively Associated with Episodic Memory in Aging. Journal of the International Neuropsychological Society, 2015, 21, 780-790.	1.8	60
34	Longitudinal Trajectories of Cognitive Decline among Older Adults with Cardiovascular Disease. Cerebrovascular Diseases, 2010, 30, 362-373.	1.7	59
35	Cognitive function predicts 24-month weight loss success after bariatric surgery. Surgery for Obesity and Related Diseases, 2013, 9, 765-770.	1.2	59
36	White matter signal abnormalities in former National Football League players. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 56-65.	2.4	57

#	Article	IF	CITATIONS
37	CCL11 is increased in the CNS in chronic traumatic encephalopathy but not in Alzheimer's disease. PLoS ONE, 2017, 12, e0185541.	2.5	56
38	A Clinicopathological Investigation of White Matter Hyperintensities and Alzheimer's Disease Neuropathology. Journal of Alzheimer's Disease, 2018, 63, 1347-1360.	2.6	55
39	Failure to detect an association between selfâ€reported traumatic brain injury and Alzheimer's disease neuropathology and dementia. Alzheimer's and Dementia, 2019, 15, 686-698.	0.8	52
40	Structural brain alterations in heart failure: a review of the literature and implications for risk of Alzheimer's disease. Heart Failure Reviews, 2015, 20, 561-571.	3.9	50
41	Independent effects of white matter hyperintensities on cognitive, neuropsychiatric, and functional decline: a longitudinal investigation using the National Alzheimer's Coordinating Center Uniform Data Set. Alzheimer's Research and Therapy, 2019, 11, 64.	6.2	47
42	Decreased physical activity predicts cognitive dysfunction and reduced cerebral blood flow in heart failure. Journal of the Neurological Sciences, 2014, 339, 169-175.	0.6	45
43	Reduced cerebral perfusion predicts greater depressive symptoms and cognitive dysfunction at a 1â€year followâ€up in patients with heart failure. International Journal of Geriatric Psychiatry, 2014, 29, 428-436.	2.7	43

44 Improved Serum Leptin and Ghrelin Following Bariatric Surgery Predict Better Postoperative

#	Article	IF	CITATIONS
55	Automated versus manual segmentation of brain region volumes in former football players. NeuroImage: Clinical, 2018, 18, 888-896.	2.7	35
56	Limbic system structure volumes and associated neurocognitive functioning in former NFL players. Brain Imaging and Behavior, 2019, 13, 725-734.	2.1	35
57	A longitudinal examination of plasma neurofilament light and total tau for the clinical detection and monitoring of Alzheimer's disease. Neurobiology of Aging, 2020, 94, 60-70.	3.1	35
58	Incidence of and Mortality From Amyotrophic Lateral Sclerosis in National Football League Athletes. JAMA Network Open, 2021, 4, e2138801.	5.9	35
59	The independent association of hypertension with cognitive function among older adults with heart failure. Journal of the Neurological Sciences, 2012, 323, 216-220.	0.6	34
60	Minnesota Multiphasic Personality Inventory-2-Restructured Form (MMPI-2-RF) Scores Generated From the MMPI-2 and MMPI-2-RF Test Booklets. Assessment, 2015, 22, 188-197.	3.1	34
61	Screening Utility of the King-Devick Test in Mild Cognitive Impairment and Alzheimer Disease Dementia. Alzheimer Disease and Associated Disorders, 2017, 31, 152-158.	1.3	34
62	Concussion Care Practices and Utilization of Evidence-Based Guidelines in the Evaluation and Management of Concussion: A Survey of New England Emergency Departments. Journal of Neurotrauma, 2017, 34, 861-868.	3.4	32
63	Cognitive Reserve as a Modifier of Clinical Expression in Chronic Traumatic Encephalopathy: A Preliminary Examination. Journal of Neuropsychiatry and Clinical Neurosciences, 2017, 29, 6-12.	1.8	32
64	Psychiatric phenotypes in chronic traumatic encephalopathy. Neuroscience and Biobehavioral Reviews, 2017, 83, 622-630.	6.1	30
65	Developing methods to detect and diagnose chronic traumatic encephalopathy during life: rationale, design, and methodology for the DIAGNOSE CTE Research Project. Alzheimer's Research and Therapy, 2021, 13, 136.	6.2	30
66	Relationship between cognition and awareness of deficit in mild cognitive impairment. International Journal of Geriatric Psychiatry, 2011, 26, 299-306.	2.7	29
67	Poorer physical fitness is associated with reduced structural brain integrity in heart failure. Journal of the Neurological Sciences, 2013, 328, 51-57.	0.6	29
68	The 2-minute step test is independently associated with cognitive function in older adults with heart failure. Aging Clinical and Experimental Research, 2012, 24, 468-74.	2.9	28
69	Cognitive profiles in heart failure: A cluster analytic approach. Journal of Clinical and Experimental Neuropsychology, 2012, 34, 509-520.	1.3	27
70	Independent and interactive effects of blood pressure and cardiac function on brain volume and white matter hyperintensities in heart failure. Journal of the American Society of Hypertension, 2013, 7, 336-343.	2.3	27
71	The Interactive Effects of Cerebral Perfusion and Depression on Cognitive Function in Older Adults With Heart Failure. Psychosomatic Medicine, 2013, 75, 632-639.	2.0	27
72	Glucose regulation and cognitive function after bariatric surgery. Journal of Clinical and Experimental Neuropsychology, 2015, 37, 402-413.	1.3	27

#	Article	IF	CITATIONS
73	Association of <i>APOE</i> Genotypes and Chronic Traumatic Encephalopathy. JAMA Neurology, 2022, 79, 787.	9.0	27
74	Poor sleep quality and reduced cognitive function in persons with heart failure. International Journal of Cardiology, 2012, 156, 248-249.	1.7	26
75	Obesity as a risk factor for poor neurocognitive outcomes in older adults with heart failure. Heart Failure Reviews, 2014, 19, 403-411.	3.9	26
76	The Association Between Reduced Inflammation and Cognitive Gains After Bariatric Surgery. Psychosomatic Medicine, 2015, 77, 688-696.	2.0	26
77	Contact sport participation and chronic traumatic encephalopathy are associated with altered severity and distribution of cerebral amyloid angiopathy. Acta Neuropathologica, 2019, 138, 401-413.	7.7	26
78	Invalid Performance and the ImPACT in National Collegiate Athletic Association Division I Football Players. Journal of Athletic Training, 2013, 48, 851-855.	1.8	24
79	Association between binge eating disorder and changes in cognitive functioning following bariatric surgery. Journal of Psychiatric Research, 2014, 59, 148-154.	3.1	24
80	Cognitive reserve preserves cognitive function in obese individuals. Aging, Neuropsychology, and Cognition, 2013, 20, 684-699.	1.3	23
81	Decreases in Daily Physical Activity Predict Acute Decline in Attention and Executive Function in Heart Failure. Journal of Cardiac Failure, 2015, 21, 339-346.	1.7	23
82	Late-Life Vascular Risk Factors and Alzheimer Disease Neuropathology in Individuals with Normal Cognition. Journal of Neuropathology and Experimental Neurology, 2016, 75, 955-962.	1.7	23
83	The Effect of Traumatic Brain Injury History with Loss of Consciousness on Rate of Cognitive Decline Among Older Adults with Normal Cognition and Alzheimer's Disease Dementia. Journal of Alzheimer's Disease, 2017, 59, 251-263.	2.6	23
84	Impact of C-Reactive Protein on Cognition and Alzheimer Disease Biomarkers in Homozygous <i>APOE</i> É>4 Carriers. Neurology, 2021, 97, .	1.1	22
85	Tau phosphorylation sites serine202 and serine396 are differently altered in chronic traumatic encephalopathy and Alzheimer's disease. Alzheimer's and Dementia, 2022, 18, 1511-1522.	0.8	22
86	Structural MRI profiles and tau correlates of atrophy in autopsy-confirmed CTE. Alzheimer's Research and Therapy, 2021, 13, 193.	6.2	22
87	Utility of providing a concussion definition in the assessment of concussion history in former NFL players. Brain Injury, 2017, 31, 1116-1123.	1.2	21
88	Clinical Utility of Select Neuropsychological Assessment Battery Tests in Predicting Functional Abilities in Dementia. Archives of Clinical Neuropsychology, 2018, 33, 530-540.	0.5	21
89	Youth Exposure to Repetitive Head Impacts From Tackle Football and Long-term Neurologic Outcomes: A Review of the Literature, Knowledge Gaps and Future Directions, and Societal and Clinical Implications. Seminars in Pediatric Neurology, 2019, 30, 107-116.	2.0	21
90	Obesity and cognitive dysfunction in heart failure: The role of hypertension, type 2 diabetes, and physical fitness. European Journal of Cardiovascular Nursing, 2015, 14, 334-341.	0.9	20

#	Article	IF	CITATIONS
91	Modeling the Relationships Among Late-Life Body Mass Index, Cerebrovascular Disease, and Alzheimer's Disease Neuropathology in an Autopsy Sample of 1,421 Subjects from the National Alzheimer's Coordinating Center Data Set. Journal of Alzheimer's Disease, 2017, 57, 953-968.	2.6	20
92	Cognitive reserve moderates the association between heart failure and cognitive impairment. Journal of Clinical and Experimental Neuropsychology, 2012, 34, 1-10.	1.3	19
93	Daily Physical Activity Is Associated with Subcortical Brain Volume and Cognition in Heart Failure. Journal of the International Neuropsychological Society, 2015, 21, 851-860.	1.8	19
94	Consistency of Recall for Deployment-Related Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2016, 31, 360-368.	1.7	19
95	Neuro-Metabolite Changes in a Single Season of University Ice Hockey Using Magnetic Resonance Spectroscopy. Frontiers in Neurology, 2018, 9, 616.	2.4	19
96	Association of probable REM sleep behavior disorder with pathology and years of contact sports play in chronic traumatic encephalopathy. Acta Neuropathologica, 2020, 140, 851-862.	7.7	19
97	Relationship Between Level of American Football Playing and Diagnosis of Chronic Traumatic Encephalopathy in a Selection Bias Analysis. American Journal of Epidemiology, 2022, 191, 1429-1443.	3.4	19
98	Plasma pâ€ŧau ₁₈₁ shows stronger network association to Alzheimer's disease dementia than neurofilament light and total tau. Alzheimer's and Dementia, 2022, 18, 1523-1536.	0.8	18
99	Greater physical activity is associated with better cognitive function in heart failure Health Psychology, 2014, 33, 1337-1343.	1.6	17
100	COPD is associated with cognitive dysfunction and poor physical fitness in heart failure. Heart and Lung: Journal of Acute and Critical Care, 2015, 44, 21-26.	1.6	17
101	Cognitive performance in older adults with stable heart failure: Longitudinal evidence for stability and improvement. Aging, Neuropsychology, and Cognition, 2014, 21, 239-256.	1.3	16
102	Reduced cognitive function predicts functional decline in patients with heart failure over 12 months. European Journal of Cardiovascular Nursing, 2014, 13, 304-310.	0.9	16
103	Older age does not limit postbariatric surgery cognitive benefits: a preliminary investigation. Surgery for Obesity and Related Diseases, 2014, 10, 1196-1201.	1.2	16
104	The long-term consequences of repetitive head impacts: Chronic traumatic encephalopathy. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2019, 167, 337-355.	1.8	16
105	A comparison between tau and amyloid-β cerebrospinal fluid biomarkers in chronic traumatic encephalopathy and Alzheimer disease. Alzheimer's Research and Therapy, 2022, 14, 28.	6.2	16
106	The adverse impact of type 2 diabetes on brain volume in heart failure. Journal of Clinical and Experimental Neuropsychology, 2013, 35, 309-318.	1.3	15
107	The effects of cystatin C and alkaline phosphatase changes on cognitive function 12-months after bariatric surgery. Journal of the Neurological Sciences, 2014, 345, 176-180.	0.6	15
108	Family history of Alzheimer's disease limits improvement in cognitive function after bariatric surgery. SAGE Open Medicine, 2014, 2, 205031211453947.	1.8	15

#	Article	IF	CITATIONS
109	Cognitive dysfunction mediates the effects of poor physical fitness on decreased functional independence in heart failure. Geriatrics and Gerontology International, 2015, 15, 174-181.	1.5	15
110	Cardiac rehabilitation is associated with lasting improvements in cognitive function in older adults with heart failure. Acta Cardiologica, 2014, 69, 407-14.	0.9	15
111	Ante-mortem plasma phosphorylated tau (181) predicts Alzheimer's disease neuropathology and regional tau at autopsy. Brain, 2022, 145, 3546-3557.	7.6	15
112	Interactive Effects of Racial Identity and Repetitive Head Impacts on Cognitive Function, Structural MRI-Derived Volumetric Measures, and Cerebrospinal Fluid Tau and Aβ. Frontiers in Human Neuroscience, 2019, 13, 440.	2.0	14
113	Association Between Antemortem FLAIR White Matter Hyperintensities and Neuropathology in Brain Donors Exposed to Repetitive Head Impacts. Neurology, 2022, 98, .	1.1	14
114	Association of Playing College American Football With Long-term Health Outcomes and Mortality. JAMA Network Open, 2022, 5, e228775.	5.9	14
115	Depressive Symptomatology, Exercise Adherence, and Fitness Are Associated With Reduced Cognitive Performance in Heart Failure. Journal of Aging and Health, 2013, 25, 459-477.	1.7	13
116	Better adherence to treatment recommendations in heart failure predicts improved cognitive function at a one-year follow-up. Journal of Clinical and Experimental Neuropsychology, 2014, 36, 956-966.	1.3	13
117	The Synergistic Effects of Anxiety and Cerebral Hypoperfusion on Cognitive Dysfunction in Older Adults With Cardiovascular Disease. Journal of Geriatric Psychiatry and Neurology, 2015, 28, 57-66.	2.3	13
118	Pre-operative history of depression and cognitive changes in bariatric surgery patients. Psychology, Health and Medicine, 2015, 20, 802-813.	2.4	13
119	Reduced Gray Matter Volume Is Associated With Poorer Instrumental Activities of Daily Living Performance in Heart Failure. Journal of Cardiovascular Nursing, 2016, 31, 31-41.	1.1	13
120	Office-Based Assessment of At-Risk Driving in Older Adults With and Without Cognitive Impairment. Journal of Geriatric Psychiatry and Neurology, 2016, 29, 352-360.	2.3	13
121	Neuroimaging Biomarkers of Chronic Traumatic Encephalopathy: Targets for the Academic Memory Disorders Clinic. Neurotherapeutics, 2021, 18, 772-791.	4.4	13
122	Differentiating Between Healthy Control Participants and Those with Mild Cognitive Impairment Using Volumetric MRI Data. Journal of the International Neuropsychological Society, 2019, 25, 800-810.	1.8	12
123	Clinical Presentation of Chronic Traumatic Encephalopathy. Seminars in Neurology, 2020, 40, 370-383.	1.4	12
124	Age at First Exposure to Tackle Football is Associated with Cortical Thickness in Former Professional American Football Players. Cerebral Cortex, 2021, 31, 3426-3434.	2.9	11
125	Magnetic Resonance Spectroscopy as a Biomarker for Chronic Traumatic Encephalopathy. Seminars in Neurology, 2017, 37, 503-509.	1.4	10
126	Trajectories of Cognitive Decline in Brain Donors With Autopsy-Confirmed Alzheimer Disease and Cerebrovascular Disease. Neurology, 2022, 98, .	1.1	10

#	Article	IF	CITATIONS
127	History of Concussion and Exertional Heat Illness Symptoms among College Athletes. International Journal of Athletic Therapy and Training, 2012, 17, 22-27.	0.2	9
128	Reduced memory in fat mass and obesityâ€associated allele carriers among older adults with cardiovascular disease. Psychogeriatrics, 2013, 13, 35-40.	1.2	9
129	Adolescent weight history and adult cognition: before and after bariatric surgery. Surgery for Obesity and Related Diseases, 2016, 12, 1057-1064.	1.2	9
130	Nailfold Capillary Morphology in Alzheimer's Disease Dementia. Journal of Alzheimer's Disease, 2018, 66, 601-611.	2.6	9
131	Hippocampal Resting-State Functional Connectivity Patterns are More Closely Associated with Severity of Subjective Memory Decline than Whole Hippocampal and Subfield Volumes. Cerebral Cortex Communications, 2020, 1, tgaa019.	1.6	9
132	Decreases in Body Mass Index After Cardiac Rehabilitation Predict Improved Cognitive Function in Older Adults with Heart Failure. Journal of the American Geriatrics Society, 2014, 62, 2215-2216.	2.6	8
133	Association Between Leptin, Cognition, and Structural Brain Measures Among "Early―Middle-Aged Adults: Results from the Framingham Heart Study Third Generation Cohort. Journal of Alzheimer's Disease, 2020, 77, 1279-1289.	2.6	8
134	Surgical and Nonsurgical Interventions for Obesity in Service of Preserving Cognitive Function. Psychosomatic Medicine, 2015, 77, 679-687.	2.0	7
135	Exposure to Repetitive Head Impacts Is Associated With Corpus Callosum Microstructure and Plasma Total Tau in Former Professional American Football Players. Journal of Magnetic Resonance Imaging, 2021, 54, 1819-1829.	3.4	7
136	Reduced Physical Fitness in Patients With Heart Failure as a Possible Risk Factor for Impaired Driving Performance. American Journal of Occupational Therapy, 2015, 69, 6902260010p1-6902260010p8.	0.3	7
137	Brainâ€derived neurotrophic factor <scp>Val66Met</scp> polymorphism and cognitive function in persons with cardiovascular disease. Psychogeriatrics, 2013, 13, 206-212.	1.2	6
138	Chronic traumatic encephalopathy: clinical presentation and in vivo diagnosis. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2018, 158, 281-296.	1.8	5
139	Assessing Subconcussive Head Impacts in Athletes Playing Contact Sports—The Eyes Have It. JAMA Ophthalmology, 2019, 137, 270.	2.5	5
140	Using Machine Learning techniques for identification of Chronic Traumatic Encephalopathy related Spectroscopic Biomarkers. , 2017, , .		4
141	Revised Framingham Stroke Risk Profile: Association with Cognitive Status and MRI-Derived Volumetric Measures. Journal of Alzheimer's Disease, 2020, 78, 1393-1408.	2.6	4
142	Risk Factors for Chronic Traumatic Encephalopathy: A Proposed Framework. Seminars in Neurology, 2020, 40, 439-449.	1.4	4
143	Impaired Knowledge of Driving Laws Is Associated with Recommended Driving Cessation in Cognitively Impaired Older Adults. Dementia and Geriatric Cognitive Disorders Extra, 2011, 1, 358-365.	1.3	3
144	Neurocognitive response to dairy milk versus fruit juice in obese and lean individuals Translational Issues in Psychological Science, 2015, 1, 250-261.	1.0	3

#	Article	IF	CITATIONS
145	Reply to "Chronic Traumatic Encephalopathy and Primary Ageâ€Related Tauopathy― Annals of Neurology, 2020, 88, 1052-1053.	5.3	2
146	Quantitative susceptibility mapping MRI reveals a relationship between iron accumulation, CDR score and cognition across the spectrum from healthy aging to Alzheimer's disease. Alzheimer's and Dementia, 2020, 16, e044019.	0.8	1
147	Association of blood cell parameters of peripheral inflammation with cognitive function. Alzheimer's and Dementia, 2021, 17, .	0.8	1
148	Cross-Sectional Association Between Blood Cell Phenotypes, Cognitive Function, and Brain Imaging Measures in the Community-Based Framingham Heart Study. Journal of Alzheimer's Disease, 2022, 87, 1291-1305.	2.6	1
149	P1â€026: CEREBROSPINAL FLUID TAU, Aβ, AND STREM2 IN FORMER NATIONAL FOOTBALL LEAGUE PLAYERS: MODELING THE RELATIONSHIP BETWEEN REPETITIVE HEAD IMPACTS, MICROGLIAL ACTIVATION, AND NEURODEGENERATION. Alzheimer's and Dementia, 2018, 14, P275.	0.8	0
150	O1â€06â€01: INCREASED ACCUMULATION OF HYPERPHOSPHORYLATED TAU IS STRONGLY CORRELATED WITH CCL2 DURING ALZHEIMER'S DISEASE AND CHRONIC TRAUMATIC ENCEPHALOPATHY INDEPENDENTLY OF AÎ ² . Alzheimer's and Dementia, 2018, 14, P230.	0.8	0
151	P2â€240: NAILFOLD CAPILLARY MORPHOLOGY IN ALZHEIMER'S DISEASE DEMENTIA. Alzheimer's and Dementia, 2018, 14, P763.	0.8	0
152	P3â€357: HIPPOCAMPAL VOLUME AND FUNCTIONAL CONNECTIVITY DIFFERENTIATE BETWEEN COGNITIVELY NORMAL INDIVIDUALS WITH AND WITHOUT SUBJECTIVE MEMORY COMPLAINTS. Alzheimer's and Dementia, 2018, 14, P1223.	0.8	0
153	ICâ€Pâ€174: HIPPOCAMPAL VOLUME AND FUNCTIONAL CONNECTIVITY DIFFERENTIATE BETWEEN COGNITIVELY NORMAL INDIVIDUALS WITH AND WITHOUT SUBJECTIVE MEMORY COMPLAINTS. Alzheimer's and Dementia, 2018, 14, P148.	0.8	0
154	S4â€01â€01: IDENTIFYING ELDERS AT RISK FOR COGNITIVE DECLINE USING THE BRAIN HEALTH REGISTRY (BHR). Alzheimer's and Dementia, 2019, 15, P1215.	0.8	0
155	Quantifying and Examining Reserve in Symptomatic Former National Football League Players. Journal of Alzheimer's Disease, 2021, , 1-15.	2.6	0
156	In search of cost-effective and non-invasive biomarkers of traumatic brain injury. EBioMedicine, 2022, 76, 103823.	6.1	0
157	Sleep disruption and disorders in former college and professional American football players. Alzheimer's and Dementia, 2021, 17, .	0.8	0
158	The relationship between first-degree family history of dementia, tau pathology and functional impairment among brain donors at risk for chronic traumatic encephalopathy Alzheimer's and Dementia, 2021, 17 Suppl 3, e056349.	0.8	0