

# Yongsheng Hu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6279447/publications.pdf>

Version: 2024-02-01

34  
papers

1,042  
citations

471509

17  
h-index

414414

32  
g-index

34  
all docs

34  
docs citations

34  
times ranked

1633  
citing authors

#	ARTICLE	IF	CITATIONS
1	Blue Quantum Dot Light-Emitting Diodes with High Electroluminescent Efficiency. ACS Applied Materials & Interfaces, 2017, 9, 38755-38760.	8.0	204
2	Efficient Inorganic Perovskite Light-Emitting Diodes with Polyethylene Glycol Passivated Ultrathin CsPbBr <sub>3</sub> Films. Journal of Physical Chemistry Letters, 2017, 8, 4148-4154.	4.6	145
3	Solid-State Red Laser with a Single Longitudinal Mode from Carbon Dots. Angewandte Chemie - International Edition, 2021, 60, 25514-25521.	13.8	59
4	High Brightness and Enhanced Stability of CsPbBr <sub>3</sub> -Based Perovskite Light-Emitting Diodes by Morphology and Interface Engineering. Advanced Optical Materials, 2018, 6, 1801245.	7.3	57
5	A Large Detection-Range Plasmonic Sensor Based on An H-Shaped Photonic Crystal Fiber. Sensors, 2020, 20, 1009.	3.8	55
6	Harvesting Triplet Excitons with Exciplex Thermally Activated Delayed Fluorescence Emitters toward High Performance Heterostructured Organic Light-Emitting Field Effect Transistors. ACS Applied Materials & Interfaces, 2017, 9, 2711-2719.	8.0	48
7	WO <sub>3</sub> -Based Electrochromic Distributed Bragg Reflector: Toward Electrically Tunable Microcavity Luminescent Device. Advanced Optical Materials, 2018, 6, 1700791.	7.3	45
8	Transparent organic thin film transistors with WO <sub>3</sub> /Ag/WO <sub>3</sub> source-drain electrodes fabricated by thermal evaporation. Applied Physics Letters, 2013, 103, 033301.	3.3	35
9	Improved Performance of Organic Light-Emitting Field-Effect Transistors by Interfacial Modification of Hole-Transport Layer/Emission Layer: Incorporating Organic Heterojunctions. ACS Applied Materials & Interfaces, 2016, 8, 14063-14070.	8.0	30
10	Improved performance of CsPbBr <sub>3</sub> perovskite light-emitting devices by both boundary and interface defects passivation. Nanoscale, 2018, 10, 18315-18322.	5.6	29
11	A Temperature Plasmonic Sensor Based on a Side Opening Hollow Fiber Filled with High Refractive Index Sensing Medium. Sensors, 2019, 19, 3730.	3.8	28
12	Near-Infrared to Visible Organic Upconversion Devices Based on Organic Light-Emitting Field Effect Transistors. ACS Applied Materials & Interfaces, 2017, 9, 36103-36110.	8.0	26
13	Surface Plasmon Resonance Sensor Based on Dual-Side Polished Microstructured Optical Fiber with Dual-Core. Sensors, 2020, 20, 3911.	3.8	26
14	Enhanced Performance and Flexibility of Perovskite Solar Cells Based on Microstructured Multilayer Transparent Electrodes. ACS Applied Materials & Interfaces, 2018, 10, 18141-18148.	8.0	23
15	Improved Performance for Thermally Evaporated Perovskite Light-Emitting Devices via Defect Passivation and Carrier Regulation. ACS Applied Materials & Interfaces, 2020, 12, 15928-15933.	8.0	23
16	Light gain amplification in microcavity organic semiconductor laser diodes under electrical pumping. Science Bulletin, 2017, 62, 1637-1638.	9.0	22
17	High performance, top-emitting, quantum dot light-emitting diodes with all solution-processed functional layers. Journal of Materials Chemistry C, 2017, 5, 9138-9145.	5.5	18
18	Ultrathin Metal Fluoride Interfacial Layers for Use in Organic Photovoltaic Cells. Advanced Functional Materials, 2015, 25, 6906-6912.	14.9	16

#	ARTICLE	IF	CITATIONS
19	Vertical Microcavity Organic Light-emitting Field-effect Transistors. <i>Scientific Reports</i> , 2016, 6, 23210.	3.3	15
20	Pixeled Electroluminescence from Multilayer Heterostructure Organic Light-Emitting Transistors. <i>Journal of Physical Chemistry C</i> , 2015, 119, 20237-20243.	3.1	14
21	Eu and F co-doped ZnO-based transparent electrodes for organic and quantum dot light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2018, 6, 5542-5551.	5.5	14
22	Boosting the Efficiency and Stability of Perovskite Light-Emitting Devices by a 3-Amino-1-propanol-Tailored PEDOT:PSS Hole Transport Layer. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 43331-43338.	8.0	14
23	High performance planar microcavity organic semiconductor lasers based on thermally evaporated top distributed Bragg reflector. <i>Applied Physics Letters</i> , 2020, 117, 153301.	3.3	13
24	Microcavity-Enhanced Blue Organic Light-Emitting Diode for High-Quality Monochromatic Light Source with Nonquarterwave Structural Design. <i>Advanced Optical Materials</i> , 2020, 8, 1901421.	7.3	13
25	Efficient Thermally Evaporated Perovskite Light-Emitting Devices via a Bilateral Interface Engineering Strategy. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 6165-6173.	4.6	12
26	Efficient and Stable Blue Perovskite Light-Emitting Devices Based on Inorganic Cs <sub>4</sub> PbBr <sub>6</sub> Spaced Low-Dimensional CsPbBr <sub>3</sub> through Synergistic Control of Amino Alcohols and Polymer Additives. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 33199-33208.	8.0	12
27	Improving the Efficiency of Multilayer Organic Light-Emitting Transistors by Exploring the Hole Blocking Effect. <i>Advanced Materials Interfaces</i> , 2020, 7, 2000657.	3.7	11
28	Synergistic morphology control and non-radiative defect passivation using a crown ether for efficient perovskite light-emitting devices. <i>Journal of Materials Chemistry C</i> , 2020, 8, 9986-9992.	5.5	9
29	Solid-State Red Laser with a Single Longitudinal Mode from Carbon Dots. <i>Angewandte Chemie</i> , 2021, 133, 25718-25725.	2.0	9
30	Investigation of the effective aperture: towards high-resolution Fresnel incoherent correlation holography. <i>Optics Express</i> , 2021, 29, 31549.	3.4	7
31	Transparent perovskite light-emitting diodes by employing organic-inorganic multilayer transparent top electrodes. <i>Applied Physics Letters</i> , 2017, 111, 213301.	3.3	6
32	Microcavity OLEDs: Microcavity-Enhanced Blue Organic Light-Emitting Diode for High-Quality Monochromatic Light Source with Nonquarterwave Structural Design ( <i>Advanced Optical Materials</i> ) Tj ETQq0 0 0 rg35 /Overlock 10 Tf 5	7.3	13
33	Efficient inverted polymer solar cells employing an aqueous processing RbF cathode interfacial layer. <i>RSC Advances</i> , 2016, 6, 47454-47458.	3.6	1
34	Study on the Photoresponse Characteristics of Organic Light-Emitting Field-Effect Transistors. <i>Journal of Physical Chemistry C</i> , 2018, 122, 15190-15197.	3.1	1