Gernot Zollner

List of Publications by Citations

Source: https://exaly.com/author-pdf/6280004/gernot-zollner-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

24 1,261 12 35 g-index

46 1,425 5.6 4.09 ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|----|---|-------------------|-----------|
| 24 | Ursodeoxycholic acid aggravates bile infarcts in bile duct-ligated and Mdr2 knockout mice via disruption of cholangioles. <i>Gastroenterology</i> , 2002 , 123, 1238-51 | 13.3 | 249 |
| 23 | Role of nuclear receptors in the adaptive response to bile acids and cholestasis: pathogenetic and therapeutic considerations. <i>Molecular Pharmaceutics</i> , 2006 , 3, 231-51 | 5.6 | 242 |
| 22 | Coordinated induction of bile acid detoxification and alternative elimination in mice: role of FXR-regulated organic solute transporter-alpha/beta in the adaptive response to bile acids. <i>American Journal of Physiology - Renal Physiology</i> , 2006 , 290, G923-32 | 5.1 | 141 |
| 21 | Mechanisms of cholestasis. <i>Clinics in Liver Disease</i> , 2008 , 12, 1-26, vii | 4.6 | 130 |
| 20 | Nuclear receptors as therapeutic targets in cholestatic liver diseases. <i>British Journal of Pharmacology</i> , 2009 , 156, 7-27 | 8.6 | 115 |
| 19 | Expression of bile acid synthesis and detoxification enzymes and the alternative bile acid efflux pump MRP4 in patients with primary biliary cirrhosis. <i>Liver International</i> , 2007 , 27, 920-9 | 7.9 | 91 |
| 18 | Nuclear receptors as drug targets in cholestasis and drug-induced hepatotoxicity. <i>Pharmacology & Therapeutics</i> , 2010 , 126, 228-43 | 13.9 | 70 |
| 17 | Role of nuclear receptors and hepatocyte-enriched transcription factors for Ntcp repression in biliary obstruction in mouse liver. <i>American Journal of Physiology - Renal Physiology</i> , 2005 , 289, G798-8 | 05 ^{5.1} | 53 |
| 16 | Molecular mechanisms of cholestasis. Wiener Medizinische Wochenschrift, 2006 , 156, 380-5 | 2.9 | 52 |
| 15 | The chronic kidney disease epidemiology collaboration equation combining creatinine and cystatin C accurately assesses renal function in patients with cirrhosis. <i>BMC Nephrology</i> , 2015 , 16, 196 | 2.7 | 22 |
| 14 | Lysyl oxidase-like protein 2 (LOXL2) modulates barrier function in cholangiocytes in cholestasis. <i>Journal of Hepatology</i> , 2018 , 69, 368-377 | 13.4 | 16 |
| 13 | Alterations of canalicular ATP-binding cassette transporter expression in drug-induced liver injury. <i>Digestion</i> , 2014 , 90, 81-8 | 3.6 | 15 |
| 12 | Changes in the Intestinal Microbiome during a Multispecies Probiotic Intervention in Compensated Cirrhosis. <i>Nutrients</i> , 2020 , 12, | 6.7 | 10 |
| 11 | To salt or not to salt?-That is the question in cirrhosis. <i>Liver International</i> , 2018 , 38, 1148-1159 | 7.9 | 10 |
| 10 | Hepatobiliary transporter expression in intercellular adhesion molecule 1 knockout and Fas receptor-deficient mice after common bile duct ligation is independent of the degree of inflammation and oxidative stress. <i>Drug Metabolism and Disposition</i> , 2007 , 35, 1694-9 | 4 | 10 |
| 9 | Bile acids and glucocorticoid metabolism in health and disease. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2019 , 1865, 243-251 | 6.9 | 9 |
| 8 | Ultrasound verified inflammation and structural damage in patients with hereditary haemochromatosis-related arthropathy. <i>Arthritis Research and Therapy</i> , 2017 , 19, 243 | 5.7 | 8 |

LIST OF PUBLICATIONS

| 7 | Genetic loss of the muscarinic M receptor markedly alters bile formation and cholestatic liver injury in mice. <i>Hepatology Research</i> , 2018 , 48, E68-E77 | 5.1 | 7 |
|---|---|-------|---|
| 6 | Bile acids increase steroidogenesis in cholemic mice and induce cortisol secretion in adrenocortical H295R cells via S1PR2, ERK and SF-1. <i>Liver International</i> , 2019 , 39, 2112-2123 | 7.9 | 6 |
| 5 | Recent advances on FXR-targeting therapeutics. <i>Molecular and Cellular Endocrinology</i> , 2022 , 552, 1116 | 784.4 | 3 |
| 4 | Clinical-Pathological Conference Series from the Medical University of Graz: Case No 154: 32-year-old computer software engineer with nodular mass in the liver. <i>Wiener Klinische Wochenschrift</i> , 2016 , 128, 277-86 | 2.3 | 1 |
| 3 | Clinical-Pathological Conference Series from the Medical University of Graz: Case Noll 64: All 6-year-old man with abdominal pain, dyspnea and rapidly progressing multiorgan failure. <i>Wiener Klinische Wochenschrift</i> , 2021 , 133, 731-740 | 2.3 | 1 |
| 2 | Hypercortisolism in patients with cholestasis is associated with disease severity. <i>BMC Gastroenterology</i> , 2021 , 21, 460 | 3 | |

Beyond PXR and CAR, Regulation of Xenobiotic Metabolism by other Nuclear Receptors275-300