

# Nele Devoogdt

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6280055/nele-devoogdt-publications-by-year.pdf>

**Version:** 2024-04-18

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

999

citations

17

h-index

30

g-index

74

ext. papers

1,349

ext. citations

2.7

avg, IF

4.12

L-index

#	Paper	IF	Citations
66	Biopsychosocial risk factors for pain and pain-related disability 1 year after surgery for breast cancer.. <i>Supportive Care in Cancer</i> , <b>2022</b> , 30, 4465	3.9	0
65	The Dutch language version of the Pain Disability Index (PDI-DLV): psychometric properties in breast cancer patients.. <i>Physiotherapy Theory and Practice</i> , <b>2022</b> , 1-15	1.5	0
64	Absolute and relative reliability of a comprehensive quantitative sensory testing protocol in women treated for breast cancer.. <i>Pain Medicine</i> , <b>2021</b> ,	2.8	1
63	Cross-cultural validation of the French version of the Lymphedema Functioning, Disability and Health Questionnaire for Upper Limb Lymphedema (Lymph-ICF-UL). <i>Disability and Rehabilitation</i> , <b>2021</b> , 43, 2797-2804	2.4	5
62	Self-reported signs and symptoms of secondary upper limb lymphoedema related to breast cancer treatment: Systematic review. <i>European Journal of Cancer Care</i> , <b>2021</b> , 30, e13440	2.4	3
61	Quantitative Sensory Testing in Women After Surgery for Breast Cancer: A Systematic Review and Narrative Synthesis. <i>Clinical Journal of Pain</i> , <b>2021</b> , 37, 538-564	3.5	2
60	Effectiveness of perioperative pain science education on pain, psychological factors and physical functioning: A systematic review. <i>Clinical Rehabilitation</i> , <b>2021</b> , 35, 1364-1382	3.3	0
59	Reply to letter from Dan Riddle. <i>Clinical Rehabilitation</i> , <b>2021</b> , 35, 1642-1643	3.3	
58	Cognitions and physical impairments in relation to upper limb function in women with pain and myofascial dysfunctions in the late stage after breast cancer surgery: an exploratory cross-sectional study. <i>Disability and Rehabilitation</i> , <b>2021</b> , 1-8	2.4	0
57	The Interrater Reliability of the Scoring of the Lymphatic Architecture and Transport Through Near-Infrared Fluorescence Lymphatic Imaging in Patients with Breast Cancer-Related Lymphedema. <i>Lymphatic Research and Biology</i> , <b>2021</b> ,	2.3	1
56	Breast cancer-related lymphedema and its treatment: how big is the financial impact?. <i>Supportive Care in Cancer</i> , <b>2021</b> , 29, 3801-3813	3.9	1
55	Randomised controlled trial to assess efficacy of pelvic floor muscle training on bowel symptoms after low anterior resection for rectal cancer: study protocol. <i>BMJ Open</i> , <b>2021</b> , 11, e041797	3	2
54	Sensory signs and symptoms in women with self-reported breast cancer-related lymphedema: a case-control study close up. <i>Journal of Cancer Survivorship</i> , <b>2021</b> , 1	5.1	0
53	Pain Prevalence During Cancer Treatment: A Systematic Review and Meta-Analysis. <i>Journal of Pain and Symptom Management</i> , <b>2021</b> ,	4.8	5
52	Physical activity levels after low anterior resection for rectal cancer: one-year follow-up.. <i>BMC Public Health</i> , <b>2021</b> , 21, 2270	4.1	0
51	Reliability and validity of a Dutch Lymphoedema Questionnaire: Cross-cultural validation of the Norman Questionnaire. <i>European Journal of Cancer Care</i> , <b>2020</b> , 29, e13242	2.4	1
50	Physical activity level and age contribute to functioning problems in patients with breast cancer-related lymphedema: a multicentre cross-sectional study. <i>Supportive Care in Cancer</i> , <b>2020</b> , 28, 5717-5731	3.9	7

49	Correlation Between Clinical Assessment and Lymphofluoroscopy in Patients with Breast Cancer-Related Lymphedema: A Study of Concurrent Validity. <i>Lymphatic Research and Biology</i> , <b>2020</b> , 18, 539-548	2.3	9
48	Responsiveness of the Lymphedema Functioning, Disability, and Health Questionnaire for Upper Limb Lymphedema in Patients with Breast Cancer-Related Lymphedema. <i>Lymphatic Research and Biology</i> , <b>2020</b> , 18, 365-373	2.3	5
47	Kinesiophobia contributes to pain-related disability in breast cancer survivors: a cross-sectional study. <i>Supportive Care in Cancer</i> , <b>2020</b> , 28, 4501-4508	3.9	5
46	The effectiveness of Botulinum Toxin A for treatment of upper limb impairments and dysfunctions in breast cancer survivors: A randomised controlled trial. <i>European Journal of Cancer Care</i> , <b>2020</b> , 29, e13175	2.4	3
45	What are the economic burden and costs associated with the treatment of breast cancer-related lymphoedema? A systematic review. <i>Supportive Care in Cancer</i> , <b>2020</b> , 28, 439-449	3.9	13
44	Reliability of the MoistureMeterD Compact Device and the Pitting Test to Evaluate Local Tissue Water in Subjects with Breast Cancer-Related Lymphedema. <i>Lymphatic Research and Biology</i> , <b>2020</b> , 18, 116-128	2.3	6
43	Impact of a compression garment, on top of the usual care, in patients with breast cancer with early disturbance of the lymphatic transport: protocol of a randomised controlled trial. <i>BMJ Open</i> , <b>2020</b> , 10, e042018	3	1
42	Interkulturelle Adaptation des Lymph-ICF-Fragebogens für Patienten mit Lymphödem der unteren Gliedmaßen in Deutschland. <i>Physioscience</i> , <b>2019</b> , 15, 5-16	0.3	2
41	What is the best method to determine excessive arm volume in patients with breast cancer-related lymphoedema in clinical practice? Reliability, time efficiency and clinical feasibility of five different methods. <i>Clinical Rehabilitation</i> , <b>2019</b> , 33, 1221-1232	3.3	9
40	Screening of physical distress in breast cancer survivors: Concurrent validity of the Distress Thermometer and Problem List. <i>European Journal of Cancer Care</i> , <b>2019</b> , 28, e12880	2.4	9
39	Revision of the Lymphedema Functioning, Disability and Health Questionnaire for Upper Limb Lymphedema (Lymph-ICF-UL): Reliability and Validity. <i>Lymphatic Research and Biology</i> , <b>2019</b> , 17, 347-355	2.3	17
38	Reliability, Validity, and Feasibility of Water Displacement Method, Figure-of-Eight Method, and Circumference Measurements in Determination of Ankle and Foot Edema. <i>Lymphatic Research and Biology</i> , <b>2019</b> , 17, 531-536	2.3	6
37	EduCan trial: study protocol for a randomised controlled trial on the effectiveness of pain neuroscience education after breast cancer surgery on pain, physical, emotional and work-related functioning. <i>BMJ Open</i> , <b>2019</b> , 9, e025742	3	12
36	The Danish version of Lymphoedema Functioning, Disability and Health Questionnaire (Lymph-ICF) for breast cancer survivors: Translation and cultural adaptation followed by validity and reliability testing. <i>Physiotherapy Theory and Practice</i> , <b>2019</b> , 35, 327-340	1.5	8
35	Effectiveness of Botulinum Toxin A for Persistent Upper Limb Pain After Breast Cancer Treatment: A Double-Blinded Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2018</b> , 99, 1342-1351	2.8	7
34	Physical activity levels after treatment for breast cancer: Two-year follow-up. <i>Breast</i> , <b>2018</b> , 40, 23-28	3.6	36
33	Identification of Myofascial Trigger Points in Breast Cancer Survivors with Upper Limb Pain: Interrater Reliability. <i>Pain Medicine</i> , <b>2018</b> , 19, 1650-1656	2.8	3
32	Prediction formulas to determine breast cancer treatment related lymphedema do have a clinical relevance. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2018</b> , 225, 256-257	2.4	

31	Protocol of a randomised controlled trial regarding the effectiveness of fluoroscopy-guided manual lymph drainage for the treatment of breast cancer-related lymphoedema (EForT-BCRL trial). <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2018</b> , 221, 177-188	2.4	18
30	Effect of myofascial techniques for treatment of persistent arm pain after breast cancer treatment: randomized controlled trial. <i>Clinical Rehabilitation</i> , <b>2018</b> , 32, 451-461	3.3	18
29	Letter to the editor. <i>British Journal of Community Nursing</i> , <b>2018</b> , 23, S34	0.6	
28	Can manual lymph drainage be improved or not: That's the question! A response letter. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2018</b> , 229, 200-202	2.4	
27	Concerning Quality of Life Questionnaires in Breast Cancer-Related Lymphedema Patients: Review of the Literature by Cornelissen et al. <i>Lymphatic Research and Biology</i> , <b>2018</b> , 16, 421-422	2.3	1
26	An evaluation tool for Myofascial Adhesions in Patients after Breast Cancer (MAP-BC evaluation tool): Concurrent, face and content validity. <i>PLoS ONE</i> , <b>2018</b> , 13, e0193915	3.7	4
25	Manual lymph drainage may not have a preventive effect on the development of breast cancer-related lymphoedema in the long term: a randomised trial. <i>Journal of Physiotherapy</i> , <b>2018</b> , 64, 245-254	2.9	9
24	Unraveling Self-Reported Signs of Central Sensitization in Breast Cancer Survivors with Upper Limb Pain: Prevalence Rate and Contributing Factors. <i>Pain Physician</i> , <b>2018</b> , 21, E247-E256	1.8	4
23	Effect of myofascial techniques for treatment of upper limb dysfunctions in breast cancer survivors: randomized controlled trial. <i>Supportive Care in Cancer</i> , <b>2017</b> , 25, 2119-2127	3.9	16
22	Myofascial techniques have no additional beneficial effects to a standard physical therapy programme for upper limb pain after breast cancer surgery: a randomized controlled trial. <i>Clinical Rehabilitation</i> , <b>2017</b> , 31, 1625-1635	3.3	14
21	Pain characteristics as important contributing factors to upper limb dysfunctions in breast cancer survivors at long term. <i>Musculoskeletal Science and Practice</i> , <b>2017</b> , 29, 52-59	2.4	24
20	An evaluation tool for myofascial adhesions in patients after breast cancer (MAP-BC evaluation tool): Development and interrater reliability. <i>PLoS ONE</i> , <b>2017</b> , 12, e0179116	3.7	4
19	Arm lymphoedema and upper limb impairments in sentinel node-negative breast cancer patients: A one year follow-up study. <i>Breast</i> , <b>2016</b> , 29, 102-8	3.6	31
18	Cross-cultural Psychometric Evaluation of the Dutch McGill-QoL Questionnaire for Breast Cancer Patients. <i>Facts, Views &amp; Vision in ObGyn</i> , <b>2016</b> , 8, 205-209	1.4	2
17	Pain following cancer treatment: Guidelines for the clinical classification of predominant neuropathic, nociceptive and central sensitization pain. <i>Acta Oncologica</i> , <b>2016</b> , 55, 659-63	3.2	58
16	Effectiveness of postoperative physical therapy for upper-limb impairments after breast cancer treatment: a systematic review. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>2015</b> , 96, 1140-53	2.8	113
15	The efficacy of physiotherapy for the prevention and treatment of prenatal symptoms: a systematic review. <i>International Urogynecology Journal</i> , <b>2015</b> , 26, 1575-86	2	10
14	Lymphoedema Functioning, Disability and Health Questionnaire for Lower Limb Lymphoedema (Lymph-ICF-LL): reliability and validity. <i>Physical Therapy</i> , <b>2014</b> , 94, 705-21	3.3	31

13	Progression and predictors of physical activity levels after radical prostatectomy. <i>BJU International</i> , <b>2014</b> , 114, 185-92	5.6	9
12	Postoperative evolution of thickness and echogenicity of cutis and subcutis of patients with and without breast cancer-related lymphedema. <i>Lymphatic Research and Biology</i> , <b>2014</b> , 12, 23-31	2.3	13
11	Reproducibility of lymphoscintigraphic evaluation of the upper limb. <i>Lymphatic Research and Biology</i> , <b>2014</b> , 12, 175-84	2.3	15
10	Incidence and management of edema associated with trebananib (AMG 386). <i>Gynecologic Oncology</i> , <b>2013</b> , 130, 636-41	4.9	22
9	Influence of preoperative and postoperative pelvic floor muscle training (PFMT) compared with postoperative PFMT on urinary incontinence after radical prostatectomy: a randomized controlled trial. <i>European Urology</i> , <b>2013</b> , 64, 766-72	10.2	65
8	Prospective evaluation of urinary incontinence, voiding symptoms and quality of life after open and robot-assisted radical prostatectomy. <i>BJU International</i> , <b>2013</b> , 112, 936-43	5.6	46
7	Schouderproblematiek bij borstkankerpatiënten en de rol daarvan in de kankerrevalidatie <b>2013</b> , 122-133		
6	Effect of manual lymph drainage in addition to guidelines and exercise therapy on arm lymphoedema related to breast cancer: randomised controlled trial. <i>BMJ, The</i> , <b>2011</b> , 343, d5326	5.9	54
5	Lymphoedema Functioning, Disability and Health questionnaire (Lymph-ICF): reliability and validity. <i>Physical Therapy</i> , <b>2011</b> , 91, 944-57	3.3	78
4	Different physical treatment modalities for lymphoedema developing after axillary lymph node dissection for breast cancer: a review. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>2010</b> , 149, 3-9	2.4	54
3	Physical activity levels after treatment for breast cancer: one-year follow-up. <i>Breast Cancer Research and Treatment</i> , <b>2010</b> , 123, 417-25	4.4	61
2	Overweight in adolescents: differences per type of education. Does one size fit all?. <i>Journal of Nutrition Education and Behavior</i> , <b>2008</b> , 40, 65-71	2	16
1	Questionnaire-based somatosensory profiling in breast cancer survivors: are we there yet? Associations between questionnaires and quantitative sensory testing. <i>Disability and Rehabilitation</i> , 1-12 <sup>2.4</sup>		0