

Ching-Yao Yang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/628041/ching-yao-yang-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers

3,470
citations

33
h-index

55
g-index

133
ext. papers

4,055
ext. citations

4.7
avg, IF

5.12
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 124 | The VEGF-C/Flt-4 axis promotes invasion and metastasis of cancer cells. <i>Cancer Cell</i> , 2006 , 9, 209-23 | 24.3 | 273 |
| 123 | Programmed cell death-ligand 1 expression in surgically resected stage I pulmonary adenocarcinoma and its correlation with driver mutations and clinical outcomes. <i>European Journal of Cancer</i> , 2014 , 50, 1361-9 | 7.5 | 241 |
| 122 | Arsenic induces pancreatic cell apoptosis via the oxidative stress-regulated mitochondria-dependent and endoplasmic reticulum stress-triggered signaling pathways. <i>Toxicology Letters</i> , 2011 , 201, 15-26 | 4.4 | 143 |
| 121 | Arsenic induces reactive oxygen species-caused neuronal cell apoptosis through JNK/ERK-mediated mitochondria-dependent and GRP 78/CHOP-regulated pathways. <i>Toxicology Letters</i> , 2014 , 224, 130-40 | 4.4 | 128 |
| 120 | Gene expression profile predicts patient survival of gastric cancer after surgical resection. <i>Journal of Clinical Oncology</i> , 2005 , 23, 7286-95 | 2.2 | 111 |
| 119 | Connective tissue growth factor inhibits metastasis and acts as an independent prognostic marker in colorectal cancer. <i>Gastroenterology</i> , 2005 , 128, 9-23 | 13.3 | 108 |
| 118 | Management of hepatic angiomyolipoma. <i>Journal of Gastrointestinal Surgery</i> , 2007 , 11, 452-7 | 3.3 | 105 |
| 117 | Effect of a Modified Hospital Elder Life Program on Delirium and Length of Hospital Stay in Patients Undergoing Abdominal Surgery: A Cluster Randomized Clinical Trial. <i>JAMA Surgery</i> , 2017 , 152, 827-834 | 5.4 | 104 |
| 116 | Risk factors of massive bleeding related to pancreatic leak after pancreaticoduodenectomy. <i>Journal of the American College of Surgeons</i> , 2005 , 201, 554-9 | 4.4 | 101 |
| 115 | Programmed cell death-ligand 1 expression is associated with a favourable immune microenvironment and better overall survival in stage I pulmonary squamous cell carcinoma. <i>European Journal of Cancer</i> , 2016 , 57, 91-103 | 7.5 | 95 |
| 114 | Forkhead proteins are critical for bone morphogenetic protein-2 regulation and anti-tumor activity of resveratrol. <i>Journal of Biological Chemistry</i> , 2007 , 282, 19385-98 | 5.4 | 86 |
| 113 | The morphology of diaphragmatic defects in hepatic hydrothorax: thoracoscopic finding. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005 , 130, 141-5 | 1.5 | 75 |
| 112 | High co-expression of PD-L1 and HIF-1 α correlates with tumour necrosis in pulmonary pleomorphic carcinoma. <i>European Journal of Cancer</i> , 2016 , 60, 125-35 | 7.5 | 71 |
| 111 | Clinical Significance of Circulating Tumor Microemboli as a Prognostic Marker in Patients with Pancreatic Ductal Adenocarcinoma. <i>Clinical Chemistry</i> , 2016 , 62, 505-13 | 5.5 | 69 |
| 110 | A novel peptide specifically binding to interleukin-6 receptor (gp80) inhibits angiogenesis and tumor growth. <i>Cancer Research</i> , 2005 , 65, 4827-35 | 10.1 | 68 |
| 109 | Angiopoietin-like protein 1 antagonizes MET receptor activity to repress sorafenib resistance and cancer stemness in hepatocellular carcinoma. <i>Hepatology</i> , 2016 , 64, 1637-1651 | 11.2 | 65 |
| 108 | Leiomyosarcoma with alternative lengthening of telomeres is associated with aggressive histologic features, loss of ATRX expression, and poor clinical outcome. <i>American Journal of Surgical Pathology</i> , 2015 , 39, 236-44 | 6.7 | 64 |

| | | | |
|-----|--|------|----|
| 107 | Knockdown of contactin-1 expression suppresses invasion and metastasis of lung adenocarcinoma. <i>Cancer Research</i> , 2006 , 66, 2553-61 | 10.1 | 57 |
| 106 | PD-L1 is highly expressed in lung lymphoepithelioma-like carcinoma: A potential rationale for immunotherapy. <i>Lung Cancer</i> , 2015 , 88, 254-9 | 5.9 | 55 |
| 105 | A gene expression profile for vascular invasion can predict the recurrence after resection of hepatocellular carcinoma: a microarray approach. <i>Annals of Surgical Oncology</i> , 2006 , 13, 1474-84 | 3.1 | 54 |
| 104 | CNS infections caused by Mycobacterium abscessus complex: clinical features and antimicrobial susceptibilities of isolates. <i>Journal of Antimicrobial Chemotherapy</i> , 2012 , 67, 222-5 | 5.1 | 48 |
| 103 | Arsenic Exposure and Glucose Intolerance/Insulin Resistance in Estrogen-Deficient Female Mice. <i>Environmental Health Perspectives</i> , 2015 , 123, 1138-44 | 8.4 | 47 |
| 102 | Comprehensive screening of alternative lengthening of telomeres phenotype and loss of ATRX expression in sarcomas. <i>Modern Pathology</i> , 2015 , 28, 1545-54 | 9.8 | 45 |
| 101 | Robot-assisted renal transplantation in the retroperitoneum. <i>Transplant International</i> , 2014 , 27, 452-7 | 3 | 42 |
| 100 | Targeted next-generation sequencing of cancer genes identified frequent TP53 and ATRX mutations in leiomyosarcoma. <i>American Journal of Translational Research (discontinued)</i> , 2015 , 7, 2072-81 | | 40 |
| 99 | Alternative lengthening of telomeres phenotype in malignant vascular tumors is highly associated with loss of ATRX expression and is frequently observed in hepatic angiosarcomas. <i>Human Pathology</i> , 2015 , 46, 1360-6 | 3.7 | 37 |
| 98 | 3WTR polymorphisms of carbonic anhydrase IX determine the miR-34a targeting efficiency and prognosis of hepatocellular carcinoma. <i>Scientific Reports</i> , 2017 , 7, 4466 | 4.9 | 37 |
| 97 | Resolution of diabetes after pancreaticoduodenectomy in patients with and without pancreatic ductal cell adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2013 , 20, 242-9 | 3.1 | 37 |
| 96 | Opposite roles of human pancreatitis-associated protein and REG1A expression in hepatocellular carcinoma: association of pancreatitis-associated protein expression with low-stage hepatocellular carcinoma, beta-catenin mutation, and favorable prognosis. <i>Clinical Cancer Research</i> , 2005 , 11, 2568-75 | 12.9 | 37 |
| 95 | High PD-L1 expression is associated with stage IV disease and poorer overall survival in 186 cases of small cell lung cancers. <i>Oncotarget</i> , 2017 , 8, 18021-18030 | 3.3 | 36 |
| 94 | Alternative lengthening of telomeres and loss of ATRX are frequent events in pleomorphic and dedifferentiated liposarcomas. <i>Modern Pathology</i> , 2015 , 28, 1064-73 | 9.8 | 36 |
| 93 | Leukocyte cell-derived chemotaxin 2 antagonizes MET receptor activation to suppress hepatocellular carcinoma vascular invasion by protein tyrosine phosphatase 1B recruitment. <i>Hepatology</i> , 2014 , 59, 974-85 | 11.2 | 36 |
| 92 | A phase II trial of regorafenib in patients with metastatic and/or a unresectable gastrointestinal stromal tumor harboring secondary mutations of exon 17. <i>Oncotarget</i> , 2017 , 8, 44121-44130 | 3.3 | 35 |
| 91 | Multi-gene analyses from waste brushing specimens for patients with peripheral lung cancer receiving EBUS-assisted bronchoscopy. <i>Lung Cancer</i> , 2013 , 82, 420-5 | 5.9 | 32 |
| 90 | Clinical outcomes and secondary epidermal growth factor receptor (EGFR) T790M mutation among first-line gefitinib, erlotinib and afatinib-treated non-small cell lung cancer patients with activating EGFR mutations. <i>International Journal of Cancer</i> , 2019 , 144, 2887-2896 | 7.5 | 32 |

| | | | |
|----|---|------|----|
| 89 | Laparoscopic resection for large gastric gastrointestinal stromal tumor (GIST): intermediate follow-up results. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015 , 29, 868-73 | 5.2 | 29 |
| 88 | De novo malignancy is associated with renal transplant tourism. <i>Kidney International</i> , 2011 , 79, 908-13 | 9.9 | 28 |
| 87 | Association between programmed death-ligand 1 expression, immune microenvironments, and clinical outcomes in epidermal growth factor receptor mutant lung adenocarcinoma patients treated with tyrosine kinase inhibitors. <i>European Journal of Cancer</i> , 2020 , 124, 110-122 | 7.5 | 28 |
| 86 | Increase diagnostic accuracy in differentiating focal type autoimmune pancreatitis from pancreatic cancer with combined serum IgG4 and CA19-9 levels. <i>Pancreatology</i> , 2014 , 14, 366-72 | 3.8 | 27 |
| 85 | miR326 maturation is crucial for VEGF-C-driven cortactin expression and esophageal cancer progression. <i>Cancer Research</i> , 2014 , 74, 6280-90 | 10.1 | 26 |
| 84 | Change of Both Endocrine and Exocrine Insufficiencies After Acute Pancreatitis in Non-Diabetic Patients: A Nationwide Population-Based Study. <i>Medicine (United States)</i> , 2015 , 94, e1123 | 1.8 | 23 |
| 83 | Engineering Chimeric Antigen Receptor T Cells against Immune Checkpoint Inhibitors PD-1/PD-L1 for Treating Pancreatic Cancer. <i>Molecular Therapy - Oncolytics</i> , 2020 , 17, 571-585 | 6.4 | 22 |
| 82 | The Diagnostic Utility of PAX8 for Neuroendocrine Tumors: An Immunohistochemical Reappraisal. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2016 , 24, 57-63 | 1.9 | 22 |
| 81 | Human cationic trypsinogen but not serine peptidase inhibitor, Kazal type 1 variants increase the risk of type 1 autoimmune pancreatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 2038-42 | 4 | 21 |
| 80 | Factors associated with lung function decline in patients with non-tuberculous mycobacterial pulmonary disease. <i>PLoS ONE</i> , 2013 , 8, e58214 | 3.7 | 20 |
| 79 | Low-dose tributyltin exposure induces an oxidative stress-triggered JNK-related pancreatic β cell apoptosis and a reversible hypoinsulinemic hyperglycemia in mice. <i>Scientific Reports</i> , 2018 , 8, 5734 | 4.9 | 19 |
| 78 | Gender differences in renal transplant graft survival. <i>Journal of the Formosan Medical Association</i> , 2013 , 112, 783-8 | 3.2 | 19 |
| 77 | Integrating bioinformatics and clinicopathological research of gastrointestinal stromal tumors: identification of aurora kinase A as a poor risk marker. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3491-9 | 3.1 | 19 |
| 76 | Nickel(II) induced JNK activation-regulated mitochondria-dependent apoptotic pathway leading to cultured rat pancreatic β cell death. <i>Toxicology</i> , 2011 , 289, 103-11 | 4.4 | 19 |
| 75 | Tributyltin exposure at noncytotoxic doses dysregulates pancreatic β cell function in vitro and in vivo. <i>Archives of Toxicology</i> , 2017 , 91, 3135-3144 | 5.8 | 18 |
| 74 | Targeted next-generation sequencing identifies distinct clinicopathologic and molecular entities of intraductal papillary neoplasms of the bile duct. <i>Modern Pathology</i> , 2019 , 32, 1637-1645 | 9.8 | 18 |
| 73 | Utility of the 2006 Sendai and 2012 Fukuoka guidelines for the management of intraductal papillary mucinous neoplasm of the pancreas: A single-center experience with 138 surgically treated patients. <i>Medicine (United States)</i> , 2016 , 95, e4922 | 1.8 | 18 |
| 72 | NKX6-1 Is a Novel Immunohistochemical Marker for Pancreatic and Duodenal Neuroendocrine Tumors. <i>American Journal of Surgical Pathology</i> , 2015 , 39, 850-7 | 6.7 | 18 |

| | | | |
|----|--|-----|----|
| 71 | Cr(VI) induces ROS-mediated mitochondrial-dependent apoptosis in neuronal cells via the activation of Akt/ERK/AMPK signaling pathway. <i>Toxicology in Vitro</i> , 2020 , 65, 104795 | 3.6 | 17 |
| 70 | Cadmium exposure induces pancreatic βcell death via a Ca-triggered JNK/CHOP-related apoptotic signaling pathway. <i>Toxicology</i> , 2019 , 425, 152252 | 4.4 | 17 |
| 69 | Enteral nutrition and biliopancreatic diversion effectively minimize impacts of gastroparesis after pancreaticoduodenectomy. <i>Journal of Gastrointestinal Surgery</i> , 2009 , 13, 929-37 | 3.3 | 17 |
| 68 | Glycemic Change After Pancreaticoduodenectomy: A Population-Based Study. <i>Medicine (United States)</i> , 2015 , 94, e1109 | 1.8 | 16 |
| 67 | Gasless laparoscopy-assisted subtotal gastrectomy for early gastric cancer: a novel minimally invasive surgery. <i>Journal of Gastrointestinal Surgery</i> , 2008 , 12, 695-700 | 3.3 | 15 |
| 66 | Silica nanoparticles induce caspase-dependent apoptosis through reactive oxygen species-activated endoplasmic reticulum stress pathway in neuronal cells. <i>Toxicology in Vitro</i> , 2020 , 63, 104739 | 3.6 | 15 |
| 65 | Molybdenum induces pancreatic βcell dysfunction and apoptosis via interdependent of JNK and AMPK activation-regulated mitochondria-dependent and ER stress-triggered pathways. <i>Toxicology and Applied Pharmacology</i> , 2016 , 294, 54-64 | 4.6 | 13 |
| 64 | Outcomes of cancer therapy administered to treatment-naïve lung cancer patients in the intensive care unit. <i>Journal of Cancer</i> , 2017 , 8, 1995-2003 | 4.5 | 13 |
| 63 | Mercuric compounds induce pancreatic islets dysfunction and apoptosis in vivo. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 12349-66 | 6.3 | 13 |
| 62 | Hand-assisted versus total laparoscopic live donor nephrectomy: comparison and technique evolution at a single center in Taiwan. <i>Clinical Transplantation</i> , 2010 , 24, E182-7 | 3.8 | 12 |
| 61 | Gastrointestinal stromal tumor of the small intestine: a clinicopathologic study of 70 cases in the postimatinib era. <i>World Journal of Surgery</i> , 2009 , 33, 828-34 | 3.3 | 12 |
| 60 | Changes in glucose metabolism after distal pancreatectomy: a nationwide database study. <i>Oncotarget</i> , 2018 , 9, 11100-11108 | 3.3 | 12 |
| 59 | Endoscopic Retrograde Biliary Drainage Causes Intra-Abdominal Abscess in Pancreaticoduodenectomy Patients: An Important But Neglected Risk Factor. <i>Annals of Surgical Oncology</i> , 2019 , 26, 1086-1092 | 3.1 | 11 |
| 58 | Association of Programmed Death-Ligand 1 Expression with Fusion Variants and Clinical Outcomes in Patients with Anaplastic Lymphoma Kinase-Positive Lung Adenocarcinoma Receiving Crizotinib. <i>Oncologist</i> , 2020 , 25, 702-711 | 5.7 | 11 |
| 57 | Total gastrectomy improves glucose metabolism on gastric cancer patients: a nationwide population-based study. <i>Surgery for Obesity and Related Diseases</i> , 2016 , 12, 635-641 | 3 | 10 |
| 56 | A gasless laparoscopic technique of wide excision for gastric gastrointestinal stromal tumor versus open method. <i>World Journal of Surgical Oncology</i> , 2013 , 11, 44 | 3.4 | 10 |
| 55 | Peripancreatic schwannoma. <i>Surgery</i> , 2013 , 153, 542-8 | 3.6 | 10 |
| 54 | Validation of Indications for Surgery of European Evidence-Based Guidelines for Patients with Pancreatic Intraductal Papillary Mucinous Neoplasms. <i>Journal of Gastrointestinal Surgery</i> , 2020 , 24, 2536-2543 | 3.3 | 10 |

| | | | |
|----|---|-----|---|
| 53 | Effects of acute critical illnesses on the performance of interferon-gamma release assay. <i>Scientific Reports</i> , 2016 , 6, 19972 | 4.9 | 9 |
| 52 | Repeated cycles of high-dose intravenous immunoglobulin and plasmapheresis for treatment of late antibody-mediated rejection of renal transplants. <i>Journal of the Formosan Medical Association</i> , 2016 , 115, 845-852 | 3.2 | 8 |
| 51 | Gasless laparoscopy-assisted versus open resection of small bowel lesions. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2010 , 20, 699-703 | 2.1 | 8 |
| 50 | Surgical treatment of pancreatic serous cystadenoma: aggressive for operations but limited resections. <i>Pancreas</i> , 2007 , 35, 358-60 | 2.6 | 8 |
| 49 | Territrems B and C metabolism in human liver microsomes: major role of CYP3A4 and CYP3A5. <i>Toxicology</i> , 2006 , 218, 172-85 | 4.4 | 8 |
| 48 | Correlation of molecular and morphological features of appendiceal epithelial neoplasms. <i>Histopathology</i> , 2019 , 75, 468-477 | 7.3 | 7 |
| 47 | Obstructive jaundice as a complication of a right hepatic artery pseudoaneurysm after laparoscopic cholecystectomy. <i>Journal of Minimal Access Surgery</i> , 2015 , 11, 163-4 | 1.2 | 7 |
| 46 | Overweight increases the risk of malignancy in patients with pancreatic mucinous cystic neoplasms. <i>Medicine (United States)</i> , 2015 , 94, e797 | 1.8 | 7 |
| 45 | Priming PD-L1 expression by chemotherapeutic agents in non-small cell lung cancers.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e20087-e20087 | 2.2 | 7 |
| 44 | Claudin-18 as a Marker for Identifying the Stomach and Pancreatobiliary Tract as the Primary Sites of Metastatic Adenocarcinoma. <i>American Journal of Surgical Pathology</i> , 2020 , 44, 1643-1648 | 6.7 | 7 |
| 43 | Roles of ERK/Akt signals in mitochondria-dependent and endoplasmic reticulum stress-triggered neuronal cell apoptosis induced by 4-methyl-2,4-bis(4-hydroxyphenyl)pent-1-ene, a major active metabolite of bisphenol A. <i>Toxicology</i> , 2021 , 455, 152764 | 4.4 | 7 |
| 42 | Current advances of endobronchial ultrasonography in the diagnosis and staging of lung cancer. <i>Journal of Thoracic Disease</i> , 2016 , 8, S690-S696 | 2.6 | 7 |
| 41 | Cystic fibrosis transmembrane conductance regulator gene variants are associated with autoimmune pancreatitis and slow response to steroid treatment. <i>Journal of Cystic Fibrosis</i> , 2015 , 14, 661-7 | 4.1 | 6 |
| 40 | B cells and immunoglobulin in ABO-incompatible renal transplant patients receiving rituximab and double filtration plasmapheresis. <i>Journal of the Formosan Medical Association</i> , 2015 , 114, 353-8 | 3.2 | 6 |
| 39 | Cautious application of pleural N-terminal pro-B-type natriuretic peptide in diagnosis of congestive heart failure pleural effusions among critically ill patients. <i>PLoS ONE</i> , 2014 , 9, e115301 | 3.7 | 6 |
| 38 | Gasless laparoscopy-assisted distal gastrectomy for early gastric cancer: analysis of initial results. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2011 , 21, 215-20 | 2.1 | 6 |
| 37 | Renal transplantation across the donor-specific antibody barrier: Graft outcome and cancer risk after desensitization therapy. <i>Journal of the Formosan Medical Association</i> , 2016 , 115, 426-33 | 3.2 | 6 |
| 36 | Risk prediction for malignant intraductal papillary mucinous neoplasm of the pancreas: logistic regression versus machine learning. <i>Scientific Reports</i> , 2020 , 10, 20140 | 4.9 | 5 |

| | | | |
|----|---|-----|---|
| 35 | Population-Based Cohort Study Reveals Distinct Associations Between Female Lung Cancer and Breast Cancer in Taiwan. <i>JCO Clinical Cancer Informatics</i> , 2018 , 2, 1-14 | 5.2 | 5 |
| 34 | De novo cancer avoidance after renal transplantation: A case-control study on low-dose sirolimus combined with a calcineurin inhibitor. <i>Journal of the Formosan Medical Association</i> , 2015 , 114, 526-31 | 3.2 | 4 |
| 33 | Deletion of cadherin-17 enhances intestinal permeability and susceptibility to intestinal tumour formation. <i>Journal of Pathology</i> , 2018 , 246, 289-299 | 9.4 | 4 |
| 32 | Preoperative biliary drainage associated with biliary stricture after pancreaticoduodenectomy: a population-based study. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2018 , 25, 308-318 | 2.8 | 4 |
| 31 | Comparison and validation of International Consensus Diagnostic Criteria for diagnosis of autoimmune pancreatitis from pancreatic cancer in a Taiwanese cohort. <i>BMJ Open</i> , 2014 , 4, e005900 | 3 | 4 |
| 30 | Histone Methyltransferase G9a-Promoted Progression of Hepatocellular Carcinoma Is Targeted by Liver-Specific Hsa-miR-122. <i>Cancers</i> , 2021 , 13, | 6.6 | 4 |
| 29 | The Prognostic Significance of pSTAT1 and CD163 Expressions in Surgically Resected Stage 1 Pulmonary Squamous Cell Carcinomas. <i>Annals of Surgical Oncology</i> , 2016 , 23, 3071-81 | 3.1 | 4 |
| 28 | Etoposide induces pancreatic β-cells cytotoxicity via the JNK/ERK/GSK-3 signaling-mediated mitochondria-dependent apoptosis pathway. <i>Toxicology in Vitro</i> , 2016 , 36, 142-152 | 3.6 | 4 |
| 27 | Three Nurse-administered Protocols Reduce Nutritional Decline and Frailty in Older Gastrointestinal Surgery Patients: A Cluster Randomized Trial. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 524-529.e3 | 5.9 | 4 |
| 26 | Late acute pancreatitis after pancreaticoduodenectomy: incidence, outcome, and risk factors. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2019 , 26, 109-116 | 2.8 | 4 |
| 25 | The Differences in Clinicopathologic and Prognostic Characteristics Between Surgically Resected Peripheral and Central Lung Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2019 , 26, 217-229 | 3.1 | 4 |
| 24 | Inflammatory response attenuation in patients undergoing gasless laparoscopic gastrectomy. <i>Hepato-Gastroenterology</i> , 2013 , 60, 439-42 | | 3 |
| 23 | Globo H expression is associated with driver mutations and PD-L1 expressions in stage I non-small cell lung cancer. <i>Cancer Biomarkers</i> , 2017 , 21, 211-220 | 3.8 | 2 |
| 22 | Successful rescue of transplant ureteral obstruction by Boari flap. <i>Transplantation</i> , 2014 , 98, e75-6 | 1.8 | 2 |
| 21 | Pediatric renal transplantation: results and prognostic factors. <i>Asian Journal of Surgery</i> , 2013 , 36, 53-7 | 1.6 | 2 |
| 20 | Prognostic factors for renal transplant graft survival in a retrospective cohort of 1000 cases: The role of desensitization therapy. <i>Journal of the Formosan Medical Association</i> , 2020 , 119, 829-837 | 3.2 | 2 |
| 19 | Distal Enteral Feeding Helps Blood Sugar Control in Pancreatectomized Patients. <i>World Journal of Surgery</i> , 2015 , 39, 2771-5 | 3.3 | 1 |
| 18 | An interactive method for achieving ergonomically optimum conditions during laparoscopic surgery. <i>Journal of Robotic Surgery</i> , 2013 , 7, 125-30 | 2.9 | 1 |

| | | | |
|----|--|------|---|
| 17 | Application of rituximab to hepatitis C-positive, ABO-incompatible renal transplantation. <i>International Journal of Artificial Organs</i> , 2009 , 32, 308-9 | 1.9 | 1 |
| 16 | The effect of performing two pancreatoduodenectomies by a single surgical team in one day on surgeons and patient outcomes. <i>Hpb</i> , 2020 , 22, 1185-1190 | 3.8 | 1 |
| 15 | Successful Management of a -Rearranged Pulmonary Pleomorphic Carcinoma Using Serial Tyrosine Kinase Inhibitors. <i>OncoTargets and Therapy</i> , 2020 , 13, 10123-10127 | 4.4 | 1 |
| 14 | Advanced glycation end products activated endothelial-to-mesenchymal transition in pancreatic islet endothelial cells and triggered islet fibrosis in diabetic mice. <i>Chemico-Biological Interactions</i> , 2021 , 345, 109562 | 5 | 1 |
| 13 | Treatment Options of First-Line Tyrosine Kinase Inhibitors and Subsequent Systemic Chemotherapy Agents for Advanced EGFR Mutant Lung Adenocarcinoma Patients: Implications From Taiwan Cancer Registry Cohort. <i>Frontiers in Oncology</i> , 2020 , 10, 590356 | 5.3 | 1 |
| 12 | A novel surgical technique: gasless laparoscopy-assisted gastrojejunostomy. <i>Hepato-Gastroenterology</i> , 2008 , 55, 1948-50 | | 1 |
| 11 | Severe immune thrombocytopenia following COVID-19 vaccination (Moderna) and immune checkpoint inhibitor: A case report.. <i>American Journal of Emergency Medicine</i> , 2022 , | 2.9 | 1 |
| 10 | Telbivudine for renal transplant recipients with chronic hepatitis B infection: a randomized controlled trial with early termination. <i>Clinical and Experimental Nephrology</i> , 2020 , 24, 474-482 | 2.5 | 0 |
| 9 | Two-year protocol biopsy after kidney transplantation in clinically stable recipients - a retrospective study. <i>Transplant International</i> , 2021 , 34, 185-193 | 3 | 0 |
| 8 | Loss of SFRP1 expression is a key progression event in gastrointestinal stromal tumor pathogenesis. <i>Human Pathology</i> , 2021 , 107, 69-79 | 3.7 | 0 |
| 7 | Pancreatic neck transection using a harmonic scalpel increases risk of biochemical leak but not postoperative pancreatic fistula after pancreaticoduodenectomy. <i>Hpb</i> , 2021 , 23, 301-308 | 3.8 | 0 |
| 6 | Specific Bile Microorganisms Caused by Intra-Abdominal Abscess on Pancreaticoduodenectomy Patients: A Retrospective Cohort Study.. <i>Current Oncology</i> , 2021 , 29, 111-121 | 2.8 | 0 |
| 5 | A rarely considered diagnosis of unknown fever, disseminated lymphadenopathy and chronic peritonitis in Taiwan: Whipple's disease. <i>Journal of Microbiology, Immunology and Infection</i> , 2017 , 50, 401-402 | 8.5 | |
| 4 | Miliary Pulmonary Nodules: An Unusual Presentation of Leptospirosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 198, 1334-1335 | 10.2 | |
| 3 | The study of clinicopathologic correlation with the expression level of 5-hydroxymethylcytosine in GIST.. <i>Journal of Clinical Oncology</i> , 2018 , 36, e23520-e23520 | 2.2 | |
| 2 | Retraction: Knockdown of Contactin-1 Expression Suppresses Invasion and Metastasis of Lung Adenocarcinoma. <i>Cancer Research</i> , 2019 , 79, 3793 | 10.1 | |
| 1 | Serial Plasma Cell-Free Circulating Tumor DNA Tests Identify Genomic Alterations for Early Prediction of Osimertinib Treatment Outcome in T790M-Positive NSCLC. <i>JTO Clinical and Research Reports</i> , 2021 , 2, 100099 | 1.4 | |