

Ching-Yao Yang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/628041/ching-yao-yang-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers

3,470
citations

33
h-index

55
g-index

133
ext. papers

4,055
ext. citations

4.7
avg, IF

5.12
L-index

#	Paper	IF	Citations
124	Severe immune thrombocytopenia following COVID-19 vaccination (Moderna) and immune checkpoint inhibitor: A case report.. <i>American Journal of Emergency Medicine</i> , 2022 ,	2.9	1
123	Histone Methyltransferase G9a-Promoted Progression of Hepatocellular Carcinoma Is Targeted by Liver-Specific Hsa-miR-122. <i>Cancers</i> , 2021 , 13,	6.6	4
122	Roles of ERK/Akt signals in mitochondria-dependent and endoplasmic reticulum stress-triggered neuronal cell apoptosis induced by 4-methyl-2,4-bis(4-hydroxyphenyl)pent-1-ene, a major active metabolite of bisphenol A. <i>Toxicology</i> , 2021 , 455, 152764	4.4	7
121	Two-year protocol biopsy after kidney transplantation in clinically stable recipients - a retrospective study. <i>Transplant International</i> , 2021 , 34, 185-193	3	0
120	Loss of SFRP1 expression is a key progression event in gastrointestinal stromal tumor pathogenesis. <i>Human Pathology</i> , 2021 , 107, 69-79	3.7	0
119	Pancreatic neck transection using a harmonic scalpel increases risk of biochemical leak but not postoperative pancreatic fistula after pancreaticoduodenectomy. <i>Hpb</i> , 2021 , 23, 301-308	3.8	0
118	Advanced glycation end products activated endothelial-to-mesenchymal transition in pancreatic islet endothelial cells and triggered islet fibrosis in diabetic mice. <i>Chemico-Biological Interactions</i> , 2021 , 345, 109562	5	1
117	Serial Plasma Cell-Free Circulating Tumor DNA Tests Identify Genomic Alterations for Early Prediction of Osimertinib Treatment Outcome in T790M-Positive NSCLC. <i>JTO Clinical and Research Reports</i> , 2021 , 2, 100099	1.4	
116	Specific Bile Microorganisms Caused by Intra-Abdominal Abscess on Pancreaticoduodenectomy Patients: A Retrospective Cohort Study.. <i>Current Oncology</i> , 2021 , 29, 111-121	2.8	0
115	Association of Programmed Death-Ligand 1 Expression with Fusion Variants and Clinical Outcomes in Patients with Anaplastic Lymphoma Kinase-Positive Lung Adenocarcinoma Receiving Crizotinib. <i>Oncologist</i> , 2020 , 25, 702-711	5.7	11
114	Engineering Chimeric Antigen Receptor T Cells against Immune Checkpoint Inhibitors PD-1/PD-L1 for Treating Pancreatic Cancer. <i>Molecular Therapy - Oncolytics</i> , 2020 , 17, 571-585	6.4	22
113	Cr(VI) induces ROS-mediated mitochondrial-dependent apoptosis in neuronal cells via the activation of Akt/ERK/AMPK signaling pathway. <i>Toxicology in Vitro</i> , 2020 , 65, 104795	3.6	17
112	Telbivudine for renal transplant recipients with chronic hepatitis B infection: a randomized controlled trial with early termination. <i>Clinical and Experimental Nephrology</i> , 2020 , 24, 474-482	2.5	0
111	Claudin-18 as a Marker for Identifying the Stomach and Pancreatobiliary Tract as the Primary Sites of Metastatic Adenocarcinoma. <i>American Journal of Surgical Pathology</i> , 2020 , 44, 1643-1648	6.7	7
110	Validation of Indications for Surgery of European Evidence-Based Guidelines for Patients with Pancreatic Intraductal Papillary Mucinous Neoplasms. <i>Journal of Gastrointestinal Surgery</i> , 2020 , 24, 2536-2543	3.3	10
109	Silica nanoparticles induce caspase-dependent apoptosis through reactive oxygen species-activated endoplasmic reticulum stress pathway in neuronal cells. <i>Toxicology in Vitro</i> , 2020 , 63, 104739	3.6	15
108	The effect of performing two pancreatoduodenectomies by a single surgical team in one day on surgeons and patient outcomes. <i>Hpb</i> , 2020 , 22, 1185-1190	3.8	1

107	Prognostic factors for renal transplant graft survival in a retrospective cohort of 1000 cases: The role of desensitization therapy. <i>Journal of the Formosan Medical Association</i> , 2020 , 119, 829-837	3.2	2
106	Association between programmed death-ligand 1 expression, immune microenvironments, and clinical outcomes in epidermal growth factor receptor mutant lung adenocarcinoma patients treated with tyrosine kinase inhibitors. <i>European Journal of Cancer</i> , 2020 , 124, 110-122	7.5	28
105	Risk prediction for malignant intraductal papillary mucinous neoplasm of the pancreas: logistic regression versus machine learning. <i>Scientific Reports</i> , 2020 , 10, 20140	4.9	5
104	Successful Management of a -Rearranged Pulmonary Pleomorphic Carcinoma Using Serial Tyrosine Kinase Inhibitors. <i>OncoTargets and Therapy</i> , 2020 , 13, 10123-10127	4.4	1
103	Treatment Options of First-Line Tyrosine Kinase Inhibitors and Subsequent Systemic Chemotherapy Agents for Advanced EGFR Mutant Lung Adenocarcinoma Patients: Implications From Taiwan Cancer Registry Cohort. <i>Frontiers in Oncology</i> , 2020 , 10, 590356	5.3	1
102	Endoscopic Retrograde Biliary Drainage Causes Intra-Abdominal Abscess in Pancreaticoduodenectomy Patients: An Important But Neglected Risk Factor. <i>Annals of Surgical Oncology</i> , 2019 , 26, 1086-1092	3.1	11
101	Targeted next-generation sequencing identifies distinct clinicopathologic and molecular entities of intraductal papillary neoplasms of the bile duct. <i>Modern Pathology</i> , 2019 , 32, 1637-1645	9.8	18
100	Correlation of molecular and morphological features of appendiceal epithelial neoplasms. <i>Histopathology</i> , 2019 , 75, 468-477	7.3	7
99	Cadmium exposure induces pancreatic β cell death via a Ca-triggered JNK/CHOP-related apoptotic signaling pathway. <i>Toxicology</i> , 2019 , 425, 152252	4.4	17
98	Retraction: Knockdown of Contactin-1 Expression Suppresses Invasion and Metastasis of Lung Adenocarcinoma. <i>Cancer Research</i> , 2019 , 79, 3793	10.1	
97	Three Nurse-administered Protocols Reduce Nutritional Decline and Frailty in Older Gastrointestinal Surgery Patients: A Cluster Randomized Trial. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 524-529.e3	5.9	4
96	Late acute pancreatitis after pancreaticoduodenectomy: incidence, outcome, and risk factors. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2019 , 26, 109-116	2.8	4
95	The Differences in Clinicopathologic and Prognostic Characteristics Between Surgically Resected Peripheral and Central Lung Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2019 , 26, 217-229	3.1	4
94	Clinical outcomes and secondary epidermal growth factor receptor (EGFR) T790M mutation among first-line gefitinib, erlotinib and afatinib-treated non-small cell lung cancer patients with activating EGFR mutations. <i>International Journal of Cancer</i> , 2019 , 144, 2887-2896	7.5	32
93	Low-dose tributyltin exposure induces an oxidative stress-triggered JNK-related pancreatic β cell apoptosis and a reversible hypoinsulinemic hyperglycemia in mice. <i>Scientific Reports</i> , 2018 , 8, 5734	4.9	19
92	Miliary Pulmonary Nodules: An Unusual Presentation of Leptospirosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2018 , 198, 1334-1335	10.2	
91	Deletion of cadherin-17 enhances intestinal permeability and susceptibility to intestinal tumour formation. <i>Journal of Pathology</i> , 2018 , 246, 289-299	9.4	4
90	Preoperative biliary drainage associated with biliary stricture after pancreaticoduodenectomy: a population-based study. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2018 , 25, 308-318	2.8	4

89	The study of clinicopathologic correlation with the expression level of 5-hydroxymethylcytosine in GIST.. <i>Journal of Clinical Oncology</i> , 2018 , 36, e23520-e23520	2.2	
88	Population-Based Cohort Study Reveals Distinct Associations Between Female Lung Cancer and Breast Cancer in Taiwan. <i>JCO Clinical Cancer Informatics</i> , 2018 , 2, 1-14	5.2	5
87	Changes in glucose metabolism after distal pancreatectomy: a nationwide database study. <i>Oncotarget</i> , 2018 , 9, 11100-11108	3.3	12
86	Tributyltin exposure at noncytotoxic doses dysregulates pancreatic β cell function in vitro and in vivo. <i>Archives of Toxicology</i> , 2017 , 91, 3135-3144	5.8	18
85	A rarely considered diagnosis of unknown fever, disseminated lymphadenopathy and chronic peritonitis in Taiwan: Whipple's disease. <i>Journal of Microbiology, Immunology and Infection</i> , 2017 , 50, 401-402	8.5	
84	Effect of a Modified Hospital Elder Life Program on Delirium and Length of Hospital Stay in Patients Undergoing Abdominal Surgery: A Cluster Randomized Clinical Trial. <i>JAMA Surgery</i> , 2017 , 152, 827-834	5.4	104
83	Globo H expression is associated with driver mutations and PD-L1 expressions in stage I non-small cell lung cancer. <i>Cancer Biomarkers</i> , 2017 , 21, 211-220	3.8	2
82	High PD-L1 expression is associated with stage IV disease and poorer overall survival in 186 cases of small cell lung cancers. <i>Oncotarget</i> , 2017 , 8, 18021-18030	3.3	36
81	3WTR polymorphisms of carbonic anhydrase IX determine the miR-34a targeting efficiency and prognosis of hepatocellular carcinoma. <i>Scientific Reports</i> , 2017 , 7, 4466	4.9	37
80	A phase II trial of regorafenib in patients with metastatic and/or a unresectable gastrointestinal stromal tumor harboring secondary mutations of exon 17. <i>Oncotarget</i> , 2017 , 8, 44121-44130	3.3	35
79	Outcomes of cancer therapy administered to treatment-naïve lung cancer patients in the intensive care unit. <i>Journal of Cancer</i> , 2017 , 8, 1995-2003	4.5	13
78	Priming PD-L1 expression by chemotherapeutic agents in non-small cell lung cancers.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e20087-e20087	2.2	7
77	Repeated cycles of high-dose intravenous immunoglobulin and plasmapheresis for treatment of late antibody-mediated rejection of renal transplants. <i>Journal of the Formosan Medical Association</i> , 2016 , 115, 845-852	3.2	8
76	Angiotensin-like protein 1 antagonizes MET receptor activity to repress sorafenib resistance and cancer stemness in hepatocellular carcinoma. <i>Hepatology</i> , 2016 , 64, 1637-1651	11.2	65
75	Effects of acute critical illnesses on the performance of interferon-gamma release assay. <i>Scientific Reports</i> , 2016 , 6, 19972	4.9	9
74	Utility of the 2006 Sendai and 2012 Fukuoka guidelines for the management of intraductal papillary mucinous neoplasm of the pancreas: A single-center experience with 138 surgically treated patients. <i>Medicine (United States)</i> , 2016 , 95, e4922	1.8	18
73	Molybdenum induces pancreatic β cell dysfunction and apoptosis via interdependent of JNK and AMPK activation-regulated mitochondria-dependent and ER stress-triggered pathways. <i>Toxicology and Applied Pharmacology</i> , 2016 , 294, 54-64	4.6	13
72	Total gastrectomy improves glucose metabolism on gastric cancer patients: a nationwide population-based study. <i>Surgery for Obesity and Related Diseases</i> , 2016 , 12, 635-641	3	10

71	Programmed cell death-ligand 1 expression is associated with a favourable immune microenvironment and better overall survival in stage I pulmonary squamous cell carcinoma. <i>European Journal of Cancer</i> , 2016 , 57, 91-103	7.5	95
70	Clinical Significance of Circulating Tumor Microemboli as a Prognostic Marker in Patients with Pancreatic Ductal Adenocarcinoma. <i>Clinical Chemistry</i> , 2016 , 62, 505-13	5.5	69
69	Current advances of endobronchial ultrasonography in the diagnosis and staging of lung cancer. <i>Journal of Thoracic Disease</i> , 2016 , 8, S690-S696	2.6	7
68	The Diagnostic Utility of PAX8 for Neuroendocrine Tumors: An Immunohistochemical Reappraisal. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2016 , 24, 57-63	1.9	22
67	Renal transplantation across the donor-specific antibody barrier: Graft outcome and cancer risk after desensitization therapy. <i>Journal of the Formosan Medical Association</i> , 2016 , 115, 426-33	3.2	6
66	The Prognostic Significance of pSTAT1 and CD163 Expressions in Surgically Resected Stage 1 Pulmonary Squamous Cell Carcinomas. <i>Annals of Surgical Oncology</i> , 2016 , 23, 3071-81	3.1	4
65	High co-expression of PD-L1 and HIF-1 α correlates with tumour necrosis in pulmonary pleomorphic carcinoma. <i>European Journal of Cancer</i> , 2016 , 60, 125-35	7.5	71
64	Etoposide induces pancreatic β cells cytotoxicity via the JNK/ERK/GSK-3 signaling-mediated mitochondria-dependent apoptosis pathway. <i>Toxicology in Vitro</i> , 2016 , 36, 142-152	3.6	4
63	Obstructive jaundice as a complication of a right hepatic artery pseudoaneurysm after laparoscopic cholecystectomy. <i>Journal of Minimal Access Surgery</i> , 2015 , 11, 163-4	1.2	7
62	Alternative lengthening of telomeres phenotype in malignant vascular tumors is highly associated with loss of ATRX expression and is frequently observed in hepatic angiosarcomas. <i>Human Pathology</i> , 2015 , 46, 1360-6	3.7	37
61	Cystic fibrosis transmembrane conductance regulator gene variants are associated with autoimmune pancreatitis and slow response to steroid treatment. <i>Journal of Cystic Fibrosis</i> , 2015 , 14, 661-7	4.1	6
60	PD-L1 is highly expressed in lung lymphoepithelioma-like carcinoma: A potential rationale for immunotherapy. <i>Lung Cancer</i> , 2015 , 88, 254-9	5.9	55
59	De novo cancer avoidance after renal transplantation: A case-control study on low-dose sirolimus combined with a calcineurin inhibitor. <i>Journal of the Formosan Medical Association</i> , 2015 , 114, 526-31	3.2	4
58	Comprehensive screening of alternative lengthening of telomeres phenotype and loss of ATRX expression in sarcomas. <i>Modern Pathology</i> , 2015 , 28, 1545-54	9.8	45
57	Distal Enteral Feeding Helps Blood Sugar Control in Pancreatectomized Patients. <i>World Journal of Surgery</i> , 2015 , 39, 2771-5	3.3	1
56	B cells and immunoglobulin in ABO-incompatible renal transplant patients receiving rituximab and double filtration plasmapheresis. <i>Journal of the Formosan Medical Association</i> , 2015 , 114, 353-8	3.2	6
55	Laparoscopic resection for large gastric gastrointestinal stromal tumor (GIST): intermediate follow-up results. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2015 , 29, 868-73	5.2	29
54	Overweight increases the risk of malignancy in patients with pancreatic mucinous cystic neoplasms. <i>Medicine (United States)</i> , 2015 , 94, e797	1.8	7

53	NKX6-1 Is a Novel Immunohistochemical Marker for Pancreatic and Duodenal Neuroendocrine Tumors. <i>American Journal of Surgical Pathology</i> , 2015 , 39, 850-7	6.7	18
52	Change of Both Endocrine and Exocrine Insufficiencies After Acute Pancreatitis in Non-Diabetic Patients: A Nationwide Population-Based Study. <i>Medicine (United States)</i> , 2015 , 94, e1123	1.8	23
51	Arsenic Exposure and Glucose Intolerance/Insulin Resistance in Estrogen-Deficient Female Mice. <i>Environmental Health Perspectives</i> , 2015 , 123, 1138-44	8.4	47
50	Leiomyosarcoma with alternative lengthening of telomeres is associated with aggressive histologic features, loss of ATRX expression, and poor clinical outcome. <i>American Journal of Surgical Pathology</i> , 2015 , 39, 236-44	6.7	64
49	Alternative lengthening of telomeres and loss of ATRX are frequent events in pleomorphic and dedifferentiated liposarcomas. <i>Modern Pathology</i> , 2015 , 28, 1064-73	9.8	36
48	Glycemic Change After Pancreaticoduodenectomy: A Population-Based Study. <i>Medicine (United States)</i> , 2015 , 94, e1109	1.8	16
47	Targeted next-generation sequencing of cancer genes identified frequent TP53 and ATRX mutations in leiomyosarcoma. <i>American Journal of Translational Research (discontinued)</i> , 2015 , 7, 2072-83		40
46	Arsenic induces reactive oxygen species-caused neuronal cell apoptosis through JNK/ERK-mediated mitochondria-dependent and GRP 78/CHOP-regulated pathways. <i>Toxicology Letters</i> , 2014 , 224, 130-40	4.4	128
45	Increase diagnostic accuracy in differentiating focal type autoimmune pancreatitis from pancreatic cancer with combined serum IgG4 and CA19-9 levels. <i>Pancreatology</i> , 2014 , 14, 366-72	3.8	27
44	Comparison and validation of International Consensus Diagnostic Criteria for diagnosis of autoimmune pancreatitis from pancreatic cancer in a Taiwanese cohort. <i>BMJ Open</i> , 2014 , 4, e005900	3	4
43	Successful rescue of transplant ureteral obstruction by Boari flap. <i>Transplantation</i> , 2014 , 98, e75-6	1.8	2
42	Cautious application of pleural N-terminal pro-B-type natriuretic peptide in diagnosis of congestive heart failure pleural effusions among critically ill patients. <i>PLoS ONE</i> , 2014 , 9, e115301	3.7	6
41	Leukocyte cell-derived chemotaxin 2 antagonizes MET receptor activation to suppress hepatocellular carcinoma vascular invasion by protein tyrosine phosphatase 1B recruitment. <i>Hepatology</i> , 2014 , 59, 974-85	11.2	36
40	Robot-assisted renal transplantation in the retroperitoneum. <i>Transplant International</i> , 2014 , 27, 452-7	3	42
39	miR326 maturation is crucial for VEGF-C-driven cortactin expression and esophageal cancer progression. <i>Cancer Research</i> , 2014 , 74, 6280-90	10.1	26
38	Human cationic trypsinogen but not serine peptidase inhibitor, Kazal type 1 variants increase the risk of type 1 autoimmune pancreatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 2038-42	4	21
37	Programmed cell death-ligand 1 expression in surgically resected stage I pulmonary adenocarcinoma and its correlation with driver mutations and clinical outcomes. <i>European Journal of Cancer</i> , 2014 , 50, 1361-9	7.5	241
36	A gasless laparoscopic technique of wide excision for gastric gastrointestinal stromal tumor versus open method. <i>World Journal of Surgical Oncology</i> , 2013 , 11, 44	3.4	10

35	An interactive method for achieving ergonomically optimum conditions during laparoscopic surgery. <i>Journal of Robotic Surgery</i> , 2013 , 7, 125-30	2.9	1
34	Gender differences in renal transplant graft survival. <i>Journal of the Formosan Medical Association</i> , 2013 , 112, 783-8	3.2	19
33	Multi-gene analyses from waste brushing specimens for patients with peripheral lung cancer receiving EBUS-assisted bronchoscopy. <i>Lung Cancer</i> , 2013 , 82, 420-5	5.9	32
32	Peripancreatic schwannoma. <i>Surgery</i> , 2013 , 153, 542-8	3.6	10
31	Pediatric renal transplantation: results and prognostic factors. <i>Asian Journal of Surgery</i> , 2013 , 36, 53-7	1.6	2
30	Resolution of diabetes after pancreaticoduodenectomy in patients with and without pancreatic ductal cell adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2013 , 20, 242-9	3.1	37
29	Factors associated with lung function decline in patients with non-tuberculous mycobacterial pulmonary disease. <i>PLoS ONE</i> , 2013 , 8, e58214	3.7	20
28	Inflammatory response attenuation in patients undergoing gasless laparoscopic gastrectomy. <i>Hepato-Gastroenterology</i> , 2013 , 60, 439-42		3
27	Integrating bioinformatics and clinicopathological research of gastrointestinal stromal tumors: identification of aurora kinase A as a poor risk marker. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3491-9	3.1	19
26	Mercuric compounds induce pancreatic islets dysfunction and apoptosis in vivo. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 12349-66	6.3	13
25	CNS infections caused by Mycobacterium abscessus complex: clinical features and antimicrobial susceptibilities of isolates. <i>Journal of Antimicrobial Chemotherapy</i> , 2012 , 67, 222-5	5.1	48
24	Arsenic induces pancreatic cell apoptosis via the oxidative stress-regulated mitochondria-dependent and endoplasmic reticulum stress-triggered signaling pathways. <i>Toxicology Letters</i> , 2011 , 201, 15-26	4.4	143
23	Nickel(II) induced JNK activation-regulated mitochondria-dependent apoptotic pathway leading to cultured rat pancreatic cell death. <i>Toxicology</i> , 2011 , 289, 103-11	4.4	19
22	De novo malignancy is associated with renal transplant tourism. <i>Kidney International</i> , 2011 , 79, 908-13	9.9	28
21	Gasless laparoscopy-assisted distal gastrectomy for early gastric cancer: analysis of initial results. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2011 , 21, 215-20	2.1	6
20	Hand-assisted versus total laparoscopic live donor nephrectomy: comparison and technique evolution at a single center in Taiwan. <i>Clinical Transplantation</i> , 2010 , 24, E182-7	3.8	12
19	Gasless laparoscopy-assisted versus open resection of small bowel lesions. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2010 , 20, 699-703	2.1	8
18	Application of rituximab to hepatitis C-positive, ABO-incompatible renal transplantation. <i>International Journal of Artificial Organs</i> , 2009 , 32, 308-9	1.9	1

17	Enteral nutrition and biliopancreatic diversion effectively minimize impacts of gastroparesis after pancreaticoduodenectomy. <i>Journal of Gastrointestinal Surgery</i> , 2009 , 13, 929-37	3.3	17
16	Gastrointestinal stromal tumor of the small intestine: a clinicopathologic study of 70 cases in the postimatinib era. <i>World Journal of Surgery</i> , 2009 , 33, 828-34	3.3	12
15	Gasless laparoscopy-assisted subtotal gastrectomy for early gastric cancer: a novel minimally invasive surgery. <i>Journal of Gastrointestinal Surgery</i> , 2008 , 12, 695-700	3.3	15
14	A novel surgical technique: gasless laparoscopy-assisted gastrojejunostomy. <i>Hepato-Gastroenterology</i> , 2008 , 55, 1948-50		1
13	Management of hepatic angiomyolipoma. <i>Journal of Gastrointestinal Surgery</i> , 2007 , 11, 452-7	3.3	105
12	Forkhead proteins are critical for bone morphogenetic protein-2 regulation and anti-tumor activity of resveratrol. <i>Journal of Biological Chemistry</i> , 2007 , 282, 19385-98	5.4	86
11	Surgical treatment of pancreatic serous cystadenoma: aggressive for operations but limited resections. <i>Pancreas</i> , 2007 , 35, 358-60	2.6	8
10	The VEGF-C/Flt-4 axis promotes invasion and metastasis of cancer cells. <i>Cancer Cell</i> , 2006 , 9, 209-23	24.3	273
9	Knockdown of contactin-1 expression suppresses invasion and metastasis of lung adenocarcinoma. <i>Cancer Research</i> , 2006 , 66, 2553-61	10.1	57
8	Territrems B and C metabolism in human liver microsomes: major role of CYP3A4 and CYP3A5. <i>Toxicology</i> , 2006 , 218, 172-85	4.4	8
7	A gene expression profile for vascular invasion can predict the recurrence after resection of hepatocellular carcinoma: a microarray approach. <i>Annals of Surgical Oncology</i> , 2006 , 13, 1474-84	3.1	54
6	Connective tissue growth factor inhibits metastasis and acts as an independent prognostic marker in colorectal cancer. <i>Gastroenterology</i> , 2005 , 128, 9-23	13.3	108
5	Risk factors of massive bleeding related to pancreatic leak after pancreaticoduodenectomy. <i>Journal of the American College of Surgeons</i> , 2005 , 201, 554-9	4.4	101
4	The morphology of diaphragmatic defects in hepatic hydrothorax: thoracoscopic finding. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005 , 130, 141-5	1.5	75
3	Gene expression profile predicts patient survival of gastric cancer after surgical resection. <i>Journal of Clinical Oncology</i> , 2005 , 23, 7286-95	2.2	111
2	A novel peptide specifically binding to interleukin-6 receptor (gp80) inhibits angiogenesis and tumor growth. <i>Cancer Research</i> , 2005 , 65, 4827-35	10.1	68
1	Opposite roles of human pancreatitis-associated protein and REG1A expression in hepatocellular carcinoma: association of pancreatitis-associated protein expression with low-stage hepatocellular carcinoma, beta-catenin mutation, and favorable prognosis. <i>Clinical Cancer Research</i> , 2005 , 11, 2568-75	12.9	37