

# Ekaterina S Jordanova

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6281700/publications.pdf>

Version: 2024-02-01

150  
papers

8,643  
citations

41258

49  
h-index

54797

84  
g-index

152  
all docs

152  
docs citations

152  
times ranked

12954  
citing authors

#	ARTICLE	IF	CITATIONS
1	Targetable genetic features of primary testicular and primary central nervous system lymphomas. <i>Blood</i> , 2016, 127, 869-881.	0.6	429
2	EMSY Links the BRCA2 Pathway to Sporadic Breast and Ovarian Cancer. <i>Cell</i> , 2003, 115, 523-535.	13.5	389
3	High Number of Intraepithelial CD8+ Tumor-Infiltrating Lymphocytes Is Associated with the Absence of Lymph Node Metastases in Patients with Large Early-Stage Cervical Cancer. <i>Cancer Research</i> , 2007, 67, 354-361.	0.4	369
4	Tumor-Expressed B7-H1 and B7-DC in Relation to PD-1+ T-Cell Infiltration and Survival of Patients with Cervical Carcinoma. <i>Clinical Cancer Research</i> , 2009, 15, 6341-6347.	3.2	230
5	Prognostic effect of different PD-L1 expression patterns in squamous cell carcinoma and adenocarcinoma of the cervix. <i>Modern Pathology</i> , 2016, 29, 753-763.	2.9	230
6	Human Leukocyte Antigen Class I, MHC Class I Chain-Related Molecule A, and CD8+/Regulatory T-Cell Ratio: Which Variable Determines Survival of Cervical Cancer Patients?. <i>Clinical Cancer Research</i> , 2008, 14, 2028-2035.	3.2	210
7	Detection of M2-Macrophages in Uveal Melanoma and Relation with Survival. , 2011, 52, 643.		185
8	Extensive genetic alterations of the HLA region, including homozygous deletions of HLA class II genes in B-cell lymphomas arising in immune-privileged sites. <i>Blood</i> , 2000, 96, 3569-3577.	0.6	180
9	HLA-E expression by gynecological cancers restrains tumor-infiltrating CD8 <sup>+</sup> T lymphocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 10656-10661.	3.3	175
10	Prognostic Significance of <i>MYC</i> Rearrangement and Translocation Partner in Diffuse Large B-Cell Lymphoma: A Study by the Lunenburg Lymphoma Biomarker Consortium. <i>Journal of Clinical Oncology</i> , 2019, 37, 3359-3368.	0.8	161
11	Association of antigen processing machinery and HLA class I defects with clinicopathological outcome in cervical carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2008, 57, 197-206.	2.0	160
12	Blocking Tumor-Educated MSC Paracrine Activity Halts Osteosarcoma Progression. <i>Clinical Cancer Research</i> , 2017, 23, 3721-3733.	3.2	150
13	Somatic loss of maternal chromosome 11 causes parent-of-origin-dependent inheritance in SDHD-linked paraganglioma and pheochromocytoma families. <i>Oncogene</i> , 2004, 23, 4076-4083.	2.6	146
14	Alternatively spliced tissue factor induces angiogenesis through integrin ligation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 19497-19502.	3.3	139
15	Sensing of latent EBV infection through exosomal transfer of 5â€²pppRNA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E587-96.	3.3	136
16	Monosomy of Chromosome 3 and an Inflammatory Phenotype Occur Together in Uveal Melanoma. , 2008, 49, 505.		132
17	Intratumoral HPV16-Specific T Cells Constitute a Type Iâ€œOriented Tumor Microenvironment to Improve Survival in HPV16-Driven Oropharyngeal Cancer. <i>Clinical Cancer Research</i> , 2018, 24, 634-647.	3.2	128
18	Array-Based Comparative Genomic Hybridization Analysis Reveals Recurrent Chromosomal Alterations and Prognostic Parameters in Primary Cutaneous Large B-Cell Lymphoma. <i>Journal of Clinical Oncology</i> , 2006, 24, 296-305.	0.8	125

#	ARTICLE	IF	CITATIONS
19	Different Subsets of Tumor-Infiltrating Lymphocytes Correlate with Macrophage Influx and Monosomy 3 in Uveal Melanoma. , 2012, 53, 5370.		114
20	Targeting the MAPK and PI3K pathways in combination with PD1 blockade in melanoma. <i>Oncolmmunology</i> , 2016, 5, e1238557.	2.1	113
21	Tumorâ€infiltrating CD14â€positive myeloid cells and CD8â€positive Tâ€cells prolong survival in patients with cervical carcinoma. <i>International Journal of Cancer</i> , 2013, 133, 2884-2894.	2.3	106
22	Human Papillomavirus Prevalence in Invasive Penile Cancer and Association with Clinical Outcome. <i>Journal of Urology</i> , 2015, 193, 526-531.	0.2	102
23	Immunological profiling of molecularly classified high-risk endometrial cancers identifies <i>POLE</i>-mutant and microsatellite unstable carcinomas as candidates for checkpoint inhibition. <i>Oncolmmunology</i> , 2017, 6, e1264565.	2.1	102
24	The correlations between IL-17â€Vs. Th17 cells and cancer patient survival: a systematic review. <i>Oncolmmunology</i> , 2015, 4, e984547.	2.1	99
25	Sunitinib pretreatment improves tumor-infiltrating lymphocyte expansion by reduction in intratumoral content of myeloid-derived suppressor cells in human renal cell carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2015, 64, 1241-1250.	2.0	98
26	High and Interrelated Rates of PD-L1+CD14+ Antigen-Presenting Cells and Regulatory T Cells Mark the Microenvironment of Metastatic Lymph Nodes from Patients with Cervical Cancer. <i>Cancer Immunology Research</i> , 2015, 3, 48-58.	1.6	95
27	Angels and demons: Th17 cells represent a beneficial response, while neutrophil IL-17 is associated with poor prognosis in squamous cervical cancer. <i>Oncolmmunology</i> , 2015, 4, e984539.	2.1	95
28	Antiâ€inflammatory M2 type macrophages characterize metastasized and tyrosine kinase inhibitorâ€treated gastrointestinal stromal tumors. <i>International Journal of Cancer</i> , 2010, 127, 899-909.	2.3	92
29	Activation of Tumor-Promoting Type 2 Macrophages by EGFR-Targeting Antibody Cetuximab. <i>Clinical Cancer Research</i> , 2011, 17, 5668-5673.	3.2	91
30	Reduced human leukocyte antigen expression in advancedâ€stage Ewing sarcoma: implications for immune recognition. <i>Journal of Pathology</i> , 2009, 218, 222-231.	2.1	87
31	PRAME as a Potential Target for Immunotherapy in Metastatic Uveal Melanoma. <i>JAMA Ophthalmology</i> , 2017, 135, 541.	1.4	87
32	Genetic variation of antigen processing machinery components and association with cervical carcinoma. <i>Genes Chromosomes and Cancer</i> , 2007, 46, 577-586.	1.5	82
33	In Aged Mice, Outgrowth of Intraocular Melanoma Depends on Proangiogenic M2-Type Macrophages. <i>Journal of Immunology</i> , 2010, 185, 3481-3488.	0.4	82
34	Vaccine-Induced Tumor Necrosis Factorâ€Producing T Cells Synergize with Cisplatin to Promote Tumor Cell Death. <i>Clinical Cancer Research</i> , 2015, 21, 781-794.	3.2	81
35	Expression of Programmed Death Ligand 1 in Penile Cancer is of Prognostic Value and Associated with HPV Status. <i>Journal of Urology</i> , 2017, 197, 690-697.	0.2	81
36	Single nucleotide polymorphisms in antigen processing machinery component ERAP1 significantly associate with clinical outcome in cervical carcinoma. <i>Genes Chromosomes and Cancer</i> , 2009, 48, 410-418.	1.5	79

#	ARTICLE	IF	CITATIONS
37	HLA class II upregulation during viral infection leads to HLA-DP $\alpha$ -directed graft-versus-host disease after CD4+ donor lymphocyte infusion. <i>Blood</i> , 2013, 122, 1963-1973.	0.6	78
38	Indoleamine-2,3-dioxygenase (IDO) metabolic activity is detrimental for cervical cancer patient survival. <i>Oncology</i> , 2015, 4, e981457.	2.1	78
39	A beneficial tumor microenvironment in oropharyngeal squamous cell carcinoma is characterized by a high T cell and low IL-17+ cell frequency. <i>Cancer Immunology, Immunotherapy</i> , 2016, 65, 393-403.	2.0	77
40	High Human Papillomavirus Oncogene mRNA Expression and Not Viral DNA Load Is Associated with Poor Prognosis in Cervical Cancer Patients. <i>Clinical Cancer Research</i> , 2007, 13, 132-138.	3.2	74
41	Mechanisms and Effects of Loss of Human Leukocyte Antigen Class II Expression in Immune-Privileged Site-Associated B-Cell Lymphoma. <i>Clinical Cancer Research</i> , 2006, 12, 2698-2705.	3.2	71
42	The Heterogeneous Distribution of Monosomy 3 in Uveal Melanomas: Implications for Prognostication Based on Fine-Needle Aspiration Biopsies. <i>Archives of Pathology and Laboratory Medicine</i> , 2007, 131, 91-96.	1.2	69
43	T-Cell Regulation in Lepromatous Leprosy. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2773.	1.3	67
44	Combined array-comparative genomic hybridization and single-nucleotide polymorphism-loss of heterozygosity analysis reveals complex genetic alterations in cervical cancer. <i>BMC Genomics</i> , 2007, 8, 53.	1.2	66
45	Human papillomavirus type 16 E6, E7, and L1 variants in cervical cancer in Indonesia, Suriname, and The Netherlands. <i>Gynecologic Oncology</i> , 2004, 94, 488-494.	0.6	64
46	The interferon-related developmental regulator 1 is used by human papillomavirus to suppress NF $\kappa$ B activation. <i>Nature Communications</i> , 2015, 6, 6537.	5.8	64
47	Genome Haploidisation with Chromosome 7 Retention in Oncocytic Follicular Thyroid Carcinoma. <i>PLoS ONE</i> , 2012, 7, e38287.	1.1	63
48	Hemizygous deletions in the HLA region account for loss of heterozygosity in the majority of diffuse large B-cell lymphomas of the testis and the central nervous system. <i>Genes Chromosomes and Cancer</i> , 2002, 35, 38-48.	1.5	61
49	The Prognostic Value of Immune Factors in the Tumor Microenvironment of Penile Squamous Cell Carcinoma. <i>Frontiers in Immunology</i> , 2018, 9, 1253.	2.2	61
50	Classical and non-classical HLA class I aberrations in primary cervical squamous- and adenocarcinomas and paired lymph node metastases. , 2016, 4, 78.		56
51	Unlocking the therapeutic potential of primary tumor-draining lymph nodes. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 1681-1688.	2.0	56
52	CXCR7 expression is associated with disease-free and disease-specific survival in cervical cancer patients. <i>British Journal of Cancer</i> , 2012, 106, 1520-1525.	2.9	55
53	FoxP3+ and IL-17+ cells are correlated with improved prognosis in cervical adenocarcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2015, 64, 745-753.	2.0	53
54	PD-L1 and PD-L2 Expression in Cervical Cancer: Regulation and Biomarker Potential. <i>Frontiers in Immunology</i> , 2020, 11, 596825.	2.2	53

#	ARTICLE	IF	CITATIONS
55	High-resolution multi-parameter DNA flow cytometry enables detection of tumour and stromal cell subpopulations in paraffin-embedded tissues. <i>Journal of Pathology</i> , 2005, 206, 233-241.	2.1	52
56	Colorectal carcinomas in MUTYH-associated polyposis display histopathological similarities to microsatellite unstable carcinomas. <i>BMC Cancer</i> , 2009, 9, 184.	1.1	52
57	Galectin-1, -3 and -9 Expression and Clinical Significance in Squamous Cervical Cancer. <i>PLoS ONE</i> , 2015, 10, e0129119.	1.1	52
58	Precise Classification of Cervical Carcinomas Combined with Somatic Mutation Profiling Contributes to Predicting Disease Outcome. <i>PLoS ONE</i> , 2015, 10, e0133670.	1.1	48
59	Nodal metastasis in cervical cancer occurs in clearly delineated fields of immune suppression in the pelvic lymph catchment area. <i>Oncotarget</i> , 2015, 6, 32484-32493.	0.8	48
60	Heterogeneity revealed by integrated genomic analysis uncovers a molecular switch in malignant uveal melanoma. <i>Oncotarget</i> , 2015, 6, 37824-37835.	0.8	46
61	Human papillomavirus type 18 variants: Histopathology and E6/E7 polymorphisms in three countries. <i>International Journal of Cancer</i> , 2005, 114, 422-425.	2.3	44
62	Human papilloma virus (HPV) integration signature in Cervical Cancer: identification of MACROD2 gene as HPV hot spot integration site. <i>British Journal of Cancer</i> , 2021, 124, 777-785.	2.9	44
63	Versican expression is associated with tumor-infiltrating CD8-positive T cells and infiltration depth in cervical cancer. <i>Modern Pathology</i> , 2010, 23, 1605-1615.	2.9	43
64	HLA-E expression in cervical adenocarcinomas: association with improved long-term survival. <i>Journal of Translational Medicine</i> , 2012, 10, 184.	1.8	42
65	Molecular mechanisms of epidermal growth factor receptor overexpression in patients with cervical cancer. <i>Modern Pathology</i> , 2011, 24, 720-728.	2.9	39
66	Human papillomavirus status in young patients with head and neck squamous cell carcinoma. <i>International Journal of Cancer</i> , 2012, 130, 1806-1812.	2.3	39
67	Correlations between immune response and vascularization qRT-PCR gene expression clusters in squamous cervical cancer. <i>Molecular Cancer</i> , 2015, 14, 71.	7.9	39
68	Digital PCR-Based T-cell Quantification Assisted Deconvolution of the Microenvironment Reveals that Activated Macrophages Drive Tumor Inflammation in Uveal Melanoma. <i>Molecular Cancer Research</i> , 2018, 16, 1902-1911.	1.5	39
69	PD-L1/PD-1 expression and tumor-infiltrating lymphocytes in conjunctival melanoma. <i>Oncotarget</i> , 2017, 8, 54722-54734.	0.8	39
70	Frequent HLA Class I Loss is an Early Event in Cervical Carcinogenesis. <i>Human Immunology</i> , 2005, 66, 1167-1173.	1.2	38
71	Expression of Smad2 and Smad4 in cervical cancer: absent nuclear Smad4 expression correlates with poor survival. <i>Modern Pathology</i> , 2008, 21, 866-875.	2.9	38
72	Alterations in classical and nonclassical HLA expression in recurrent and progressive HPV-induced usual vulvar intraepithelial neoplasia and implications for immunotherapy. <i>International Journal of Cancer</i> , 2014, 135, 830-842.	2.3	38

#	ARTICLE	IF	CITATIONS
73	Neoadjuvant cisplatin and paclitaxel modulate tumor-infiltrating T cells in patients with cervical cancer. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 1759-1767.	2.0	38
74	Mutations in the HLA class II genes leading to loss of expression of HLA-DR and HLA-DQ in diffuse large B-cell lymphoma. <i>Immunogenetics</i> , 2003, 55, 203-209.	1.2	37
75	Chromosomal profiles of high-grade cervical intraepithelial neoplasia relate to duration of preceding high-risk human papillomavirus infection. <i>International Journal of Cancer</i> , 2012, 131, E579-85.	2.3	37
76	Intraepithelial macrophage infiltration is related to a high number of regulatory T cells and promotes a progressive course of HPV-induced vulvar neoplasia. <i>International Journal of Cancer</i> , 2015, 136, E85-94.	2.3	37
77	Clinical and genetic landscape of treatment naive cervical cancer: Alterations in PIK3CA and in epigenetic modulators associated with sub-optimal outcome. <i>EBioMedicine</i> , 2019, 43, 253-260.	2.7	37
78	$\lambda$ 2-microglobulin aberrations in diffuse large B-cell lymphoma of the testis and the central nervous system. <i>International Journal of Cancer</i> , 2003, 103, 393-398.	2.3	36
79	Effect of Heterogeneous Distribution of Monosomy 3 on Prognosis in Uveal Melanoma. <i>Archives of Pathology and Laboratory Medicine</i> , 2011, 135, 1042-1047.	1.2	36
80	Circulating HPV DNA as a Marker for Early Detection of Relapse in Patients with Cervical Cancer. <i>Clinical Cancer Research</i> , 2021, 27, 5869-5877.	3.2	36
81	Infiltration of Lynch Colorectal Cancers by Activated Immune Cells Associates with Early Staging of the Primary Tumor and Absence of Lymph Node Metastases. <i>Clinical Cancer Research</i> , 2012, 18, 1237-1245.	3.2	34
82	Gene-specific fluorescence in-situ hybridization analysis on tissue microarray to refine the region of chromosome 20q amplification in melanoma. <i>Melanoma Research</i> , 2007, 17, 37-41.	0.6	33
83	Cancer immunophenotyping by seven-colour multispectral imaging without tyramide signal amplification. <i>Journal of Pathology: Clinical Research</i> , 2019, 5, 3-11.	1.3	33
84	Cervical Carcinogenesis and Immune Response Gene Polymorphisms: A Review. <i>Journal of Immunology Research</i> , 2017, 2017, 1-12.	0.9	31
85	Indoleamine 2,3-Dioxygenase Expression Pattern in the Tumor Microenvironment Predicts Clinical Outcome in Early Stage Cervical Cancer. <i>Frontiers in Immunology</i> , 2018, 9, 1598.	2.2	31
86	Chromosome 5q Loss in Colorectal Flat Adenomas. <i>Clinical Cancer Research</i> , 2012, 18, 4560-4569.	3.2	30
87	Immune Cell Infiltrate in Chronic-Active Antibody-Mediated Rejection. <i>Frontiers in Immunology</i> , 2019, 10, 3106.	2.2	30
88	Genome-wide Allelic State Analysis on Flow-Sorted Tumor Fractions Provides an Accurate Measure of Chromosomal Aberrations. <i>Cancer Research</i> , 2008, 68, 10333-10340.	0.4	28
89	High-efficiency lysis of cervical cancer by allogeneic NK cells derived from umbilical cord progenitors is independent of HLA status. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 51-61.	2.0	28
90	PRAME and HLA Class I expression patterns make synovial sarcoma a suitable target for PRAME specific T-cell receptor gene therapy. <i>Oncot Immunology</i> , 2018, 7, e1507600.	2.1	28

#	ARTICLE	IF	CITATIONS
91	Interleukin-6 receptor and its ligand interleukin-6 are opposite markers for survival and infiltration with mature myeloid cells in ovarian cancer. <i>Oncolmmunology</i> , 2014, 3, e962397.	2.1	27
92	Classic and Nonclassic HLA Class I Expression in Penile Cancer and Relation to HPV Status and Clinical Outcome. <i>Journal of Urology</i> , 2015, 193, 1245-1251.	0.2	27
93	Differences in genetic variation in antigen-processing machinery components and association with cervical carcinoma risk in two Indonesian populations. <i>Immunogenetics</i> , 2015, 67, 267-275.	1.2	26
94	Expression of coinhibitory receptors on T cells in the microenvironment of usual vulvar intraepithelial neoplasia is related to proinflammatory effector T cells and an increased recurrence-free survival. <i>International Journal of Cancer</i> , 2015, 136, E95-106.	2.3	25
95	HLA class II expression on tumor cells and low numbers of tumor-associated macrophages predict clinical outcome in oropharyngeal cancer. <i>Head and Neck</i> , 2019, 41, 463-478.	0.9	23
96	Epigenetic Modification of the von Willebrand Factor Promoter Drives Platelet Aggregation on the Pulmonary Endothelium in Chronic Thromboembolic Pulmonary Hypertension. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2022, 205, 806-818.	2.5	23
97	CD14 <sup>+</sup> macrophage-like cells as the linchpin of cervical cancer perpetrated immune suppression and early metastatic spread: A new therapeutic lead?. <i>Oncolmmunology</i> , 2015, 4, e1009296.	2.1	21
98	Independent validation of the prognostic significance of invasion patterns in endocervical adenocarcinoma: Pattern A predicts excellent survival. <i>Gynecologic Oncology</i> , 2018, 151, 196-201.	0.6	21
99	MGL Ligand Expression Is Correlated to Lower Survival and Distant Metastasis in Cervical Squamous Cell and Adenosquamous Carcinoma. <i>Frontiers in Oncology</i> , 2019, 9, 29.	1.3	21
100	Loss of maternal chromosome 11 is a signature event in SDHAF2, SDHD, and VHL-related paragangliomas, but less significant in SDHB-related paragangliomas. <i>Oncotarget</i> , 2017, 8, 14525-14536.	0.8	21
101	Presence of human papillomavirus in semen of healthy men is firmly associated with HPV infections of the penile epithelium. <i>Fertility and Sterility</i> , 2015, 104, 838-844.e8.	0.5	20
102	Micro-environmental cross-talk in an organotypic human melanoma-in-skin model directs M2-like monocyte differentiation via IL-10. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 2319-2331.	2.0	20
103	A Murine Model for Metastatic Conjunctival Melanoma. , 2015, 56, 2325.		19
104	Defining the Tumor Microenvironment of Penile Cancer by Means of the Cancer Immunogram. <i>European Urology Focus</i> , 2019, 5, 718-721.	1.6	19
105	Flow Cytometric Sorting of Paraffin-Embedded Tumor Tissues Considerably Improves Molecular Genetic Analysis. <i>American Journal of Clinical Pathology</i> , 2003, 120, 327-334.	0.4	18
106	Alloreactive Effector T Cells Require the Local Formation of a Proinflammatory Environment to Allow Crosstalk and High Avidity Interaction with Nonhematopoietic Tissues to Induce GVHD Reactivity. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 1353-1367.	2.0	18
107	High levels of soluble MICA are significantly related to increased disease-free and disease-specific survival in patients with cervical adenocarcinoma. <i>Tissue Antigens</i> , 2015, 85, 476-483.	1.0	17
108	HPV16 E7 DNA tattooing: safety, immunogenicity, and clinical response in patients with HPV-positive vulvar intraepithelial neoplasia. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 1163-1173.	2.0	17



#	ARTICLE	IF	CITATIONS
109	Pre-treatment tumor-infiltrating T cells influence response to neoadjuvant chemoradiotherapy in esophageal adenocarcinoma. <i>OncImmunity</i> , 2021, 10, 1954807.	2.1	17
110	Expression and genetic analysis of transporter associated with antigen processing in cervical carcinoma. <i>Gynecologic Oncology</i> , 2007, 105, 593-599.	0.6	16
111	Proper genomic profiling of (BRCA1 mutated) basal-like breast carcinomas requires prior removal of tumor infiltrating lymphocytes. <i>Molecular Oncology</i> , 2015, 9, 877-888.	2.1	16
112	Autocrine expression of the epidermal growth factor receptor ligand heparin-binding EGF-like growth factor in cervical cancer. <i>International Journal of Oncology</i> , 2017, 50, 1947-1954.	1.4	16
113	Overexpression of EZH2 in conjunctival melanoma offers a new therapeutic target. <i>Journal of Pathology</i> , 2018, 245, 433-444.	2.1	16
114	Delta-Like Ligand Notch1 Signaling Is Selectively Modulated by HPV16 E6 to Promote Squamous Cell Proliferation and Correlates with Cervical Cancer Prognosis. <i>Cancer Research</i> , 2021, 81, 1909-1921.	0.4	16
115	Circulating human papillomavirus type 16 specific T-cells are associated with HLA Class I expression on tumor cells, but not related to the amount of viral oncogene transcripts. <i>International Journal of Cancer</i> , 2007, 121, 2711-2715.	2.3	15
116	Whole-transcriptome analysis of flow-sorted cervical cancer samples reveals that B cell expressed TCL1A is correlated with improved survival. <i>Oncotarget</i> , 2015, 6, 38681-38694.	0.8	15
117	Physical status of multiple human papillomavirus genotypes in flow-sorted cervical cancer cells. <i>Cancer Genetics and Cytogenetics</i> , 2007, 175, 132-137.	1.0	14
118	Paired distribution of molecular subtypes in bilateral breast carcinomas. <i>Cancer Genetics</i> , 2011, 204, 96-102.	0.2	14
119	Treatment failure in patients with HPV 16-induced vulvar intraepithelial neoplasia: understanding different clinical responses to immunotherapy. <i>Expert Review of Vaccines</i> , 2012, 11, 821-840.	2.0	13
120	Precision medicine in cancer: challenges and recommendations from an EU-funded cervical cancer biobanking study. <i>British Journal of Cancer</i> , 2016, 115, 1575-1583.	2.9	13
121	Human Leukocyte Antigen-DR Expression is Significantly Related to an Increased Disease-Free and Disease-Specific Survival in Patients With Cervical Adenocarcinoma. <i>International Journal of Gynecological Cancer</i> , 2016, 26, 1503-1509.	1.2	13
122	Adenocarcinoma of the Uterine Cervix Shows Impaired Recruitment of cDC1 and CD8+ T Cells and Elevated $\beta$ -Catenin Activation Compared with Squamous Cell Carcinoma. <i>Clinical Cancer Research</i> , 2020, 26, 3791-3802.	3.2	13
123	HLA Class I Antigen Expression in Conjunctival Melanoma Is Not Associated With PD-L1/PD-1 Status. , 2018, 59, 1005.		12
124	HPV-16 E6/E7 DNA tattoo vaccination using genetically optimized vaccines elicit clinical and immunological responses in patients with usual vulvar intraepithelial neoplasia (uVIN): a phase I/II clinical trial. , 2021, 9, e002547.		11
125	Molecular Backgrounds of ERAP1 Downregulation in Cervical Carcinoma. <i>Analytical Cellular Pathology</i> , 2015, 2015, 1-5.	0.7	10
126	Increased C-MYC copy numbers on the background of CDKN2A loss is associated with improved survival in nodular melanoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2007, 133, 117-123.	1.2	9



#	ARTICLE	IF	CITATIONS
127	The landscape of somatic mutations in Indonesian cervical cancer is predominated by the PI3K pathway. <i>Gynecologic Oncology</i> , 2018, 148, 189-196.	0.6	9
128	L1 cell adhesion molecule (L1CAM) is a strong predictor for locoregional recurrences in cervical cancer. <i>Oncotarget</i> , 2017, 8, 87568-87581.	0.8	9
129	Immunotherapeutic Approaches for the Treatment of HPV-Associated (Pre-)Cancer of the Cervix, Vulva and Penis. <i>Journal of Clinical Medicine</i> , 2022, 11, 1101.	1.0	9
130	Lack of TNF $\alpha$ mRNA expression in cervical cancer is not associated with loss of heterozygosity at 6p21.3, inactivating mutations or promoter methylation. <i>Molecular Immunology</i> , 2008, 45, 152-159.	1.0	8
131	Decidual infiltration of FoxP3+ regulatory T $\alpha$ 1/2 cells, CD3+ T $\alpha$ 1/2 cells, CD56+ decidual natural killer cells and Ki-67 trophoblast cells in hydatidiform mole compared to normal and ectopic pregnancies. <i>Molecular Medicine Reports</i> , 2011, 5, 275-81.	1.1	8
132	Sponge-supported cultures of primary head and neck tumors for an optimized preclinical model. <i>Oncotarget</i> , 2018, 9, 25034-25047.	0.8	8
133	The effect of the peritoneal tumor microenvironment on invasion of peritoneal metastases of high-grade serous ovarian cancer and the impact of NEOADJUVANT chemotherapy. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 535-544.	1.4	7
134	Cytomorphological Analysis of Uterine Cervical Pap Smears in Relation to Human Papillomavirus Infection in Indonesian Women. <i>Acta Cytologica</i> , 2012, 56, 171-176.	0.7	6
135	Flow Cytometric Sorting of Paraffin-Embedded Tumor Tissues Considerably Improves Molecular Genetic Analysis. <i>American Journal of Clinical Pathology</i> , 2003, 120, 327-334.	0.4	5
136	The Relationship Between HLA Class II Polymorphisms and Somatic Deletions in Testicular B Cell Lymphomas of Dutch Patients. <i>Human Immunology</i> , 2006, 67, 303-310.	1.2	5
137	Tissue Damage Caused by Myeloablative, but Not Non-Myeloablative, Conditioning before Allogeneic Stem Cell Transplantation Results in Dermal Macrophage Recruitment without Active T-Cell Interaction. <i>Frontiers in Immunology</i> , 2018, 9, 331.	2.2	5
138	A Review of the Effects of Cervical Cancer Standard Treatment on Immune Parameters in Peripheral Blood, Tumor Draining Lymph Nodes, and Local Tumor Microenvironment. <i>Journal of Clinical Medicine</i> , 2022, 11, 2277.	1.0	5
139	Topical imiquimod as first-line treatment for vulvar intraepithelial neoplasia. <i>Lancet, The</i> , 2022, 399, 1755-1757.	6.3	5
140	High myeloid-derived suppressor cell frequencies in the duodenum are associated with enteropathy associated T $\alpha$ cell lymphoma and its precursor lesions. <i>British Journal of Haematology</i> , 2017, 178, 988-991.	1.2	4
141	Distinct Patterns of Myeloid Cell Infiltration in Patients With hrHPV-Positive and hrHPV-Negative Penile Squamous Cell Carcinoma: The Importance of Assessing Myeloid Cell Densities Within the Spatial Context of the Tumor. <i>Frontiers in Immunology</i> , 2021, 12, 682030.	2.2	4
142	Low Transforming Growth Factor- $\beta$ 2 Pathway Activity in Cervical Adenocarcinomas. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	3
143	Actionable Genetic Features of Primary Testicular and Primary Central Nervous System Lymphomas. <i>Blood</i> , 2014, 124, 74-74.	0.6	2
144	HPV Pathway Profiling: HPV Related Cervical Dysplasia and Carcinoma Studies. <i>Current Pharmaceutical Design</i> , 2013, 19, 1379-1394.	0.9	1

#	ARTICLE	IF	CITATIONS
145	HPV Pathway Profiling: HPV Related Cervical Dysplasia and Carcinoma Studies. Current Pharmaceutical Design, 2013, 19, 1379-1394.	0.9	1
146	Four-color Fluorescence Immunohistochemistry of T-cell Subpopulations in Archival Formalin-fixed, Paraffin-embedded Human Oropharyngeal Squamous Cell Carcinoma Samples. Journal of Visualized Experiments, 2017, , .	0.2	0
147	Tumour escape in the microenvironment of penile squamous cell carcinoma; immune factors and clinicopathological predictors of lymph node metastasis and disease specific survival. European Urology Supplements, 2018, 17, e42.	0.1	0
148	Allogeneic NK cells generated from cord blood as universal treatment for cervical cancer enabled by HLA independent killing mechanisms.. Journal of Clinical Oncology, 2016, 34, e14526-e14526.	0.8	0
149	Abstract 1746: Rational molecular assessment and innovative drug selection (RAIDs): Paving the way to personalized medicine in cervical cancer. , 2017, , .		0
150	Possible different genotypes for human papillomavirus vaccination in lower middle-income countries towards cervical cancer elimination in 2030: a cross-sectional study. Clinical and Experimental Vaccine Research, 2022, 11, 141.	1.1	0