

# Ekaterina S Jordanova

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6281700/publications.pdf>

Version: 2024-02-01

150  
papers

8,643  
citations

41258

49  
h-index

54797

84  
g-index

152  
all docs

152  
docs citations

152  
times ranked

12954  
citing authors

#	ARTICLE	IF	CITATIONS
1	Epigenetic Modification of the von Willebrand Factor Promoter Drives Platelet Aggregation on the Pulmonary Endothelium in Chronic Thromboembolic Pulmonary Hypertension. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2022, 205, 806-818.	2.5	23
2	Immunotherapeutic Approaches for the Treatment of HPV-Associated (Pre-)Cancer of the Cervix, Vulva and Penis. <i>Journal of Clinical Medicine</i> , 2022, 11, 1101.	1.0	9
3	A Review of the Effects of Cervical Cancer Standard Treatment on Immune Parameters in Peripheral Blood, Tumor Draining Lymph Nodes, and Local Tumor Microenvironment. <i>Journal of Clinical Medicine</i> , 2022, 11, 2277.	1.0	5
4	Topical imiquimod as first-line treatment for vulvar intraepithelial neoplasia. <i>Lancet, The</i> , 2022, 399, 1755-1757.	6.3	5
5	Possible different genotypes for human papillomavirus vaccination in lower middle-income countries towards cervical cancer elimination in 2030: a cross-sectional study. <i>Clinical and Experimental Vaccine Research</i> , 2022, 11, 141.	1.1	0
6	Human papilloma virus (HPV) integration signature in Cervical Cancer: identification of MACROD2 gene as HPV hot spot integration site. <i>British Journal of Cancer</i> , 2021, 124, 777-785.	2.9	44
7	Delta-Like Ligand-Notch1 Signaling Is Selectively Modulated by HPV16 E6 to Promote Squamous Cell Proliferation and Correlates with Cervical Cancer Prognosis. <i>Cancer Research</i> , 2021, 81, 1909-1921.	0.4	16
8	Distinct Patterns of Myeloid Cell Infiltration in Patients With hrHPV-Positive and hrHPV-Negative Penile Squamous Cell Carcinoma: The Importance of Assessing Myeloid Cell Densities Within the Spatial Context of the Tumor. <i>Frontiers in Immunology</i> , 2021, 12, 682030.	2.2	4
9	Circulating HPV DNA as a Marker for Early Detection of Relapse in Patients with Cervical Cancer. <i>Clinical Cancer Research</i> , 2021, 27, 5869-5877.	3.2	36
10	HPV-16 E6/E7 DNA tattoo vaccination using genetically optimized vaccines elicit clinical and immunological responses in patients with usual vulvar intraepithelial neoplasia (uVIN): a phase I/II clinical trial. , 2021, 9, e002547.		11
11	Pre-treatment tumor-infiltrating T cells influence response to neoadjuvant chemoradiotherapy in esophageal adenocarcinoma. <i>Oncot Immunology</i> , 2021, 10, 1954807.	2.1	17
12	The effect of the peritoneal tumor microenvironment on invasion of peritoneal metastases of high-grade serous ovarian cancer and the impact of NEOADJUVANT chemotherapy. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 535-544.	1.4	7
13	Adenocarcinoma of the Uterine Cervix Shows Impaired Recruitment of cDC1 and CD8+ T Cells and Elevated $\beta$ -Catenin Activation Compared with Squamous Cell Carcinoma. <i>Clinical Cancer Research</i> , 2020, 26, 3791-3802.	3.2	13
14	Micro-environmental cross-talk in an organotypic human melanoma-in-skin model directs M2-like monocyte differentiation via IL-10. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 2319-2331.	2.0	20
15	PD-L1 and PD-L2 Expression in Cervical Cancer: Regulation and Biomarker Potential. <i>Frontiers in Immunology</i> , 2020, 11, 596825.	2.2	53
16	HLA class II expression on tumor cells and low numbers of tumor-associated macrophages predict clinical outcome in oropharyngeal cancer. <i>Head and Neck</i> , 2019, 41, 463-478.	0.9	23
17	Neoadjuvant cisplatin and paclitaxel modulate tumor-infiltrating T cells in patients with cervical cancer. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 1759-1767.	2.0	38
18	Prognostic Significance of <i>MYC</i> Rearrangement and Translocation Partner in Diffuse Large B-Cell Lymphoma: A Study by the Lunenburg Lymphoma Biomarker Consortium. <i>Journal of Clinical Oncology</i> , 2019, 37, 3359-3368.	0.8	161

#	ARTICLE	IF	CITATIONS
19	Defining the Tumor Microenvironment of Penile Cancer by Means of the Cancer Immunogram. <i>European Urology Focus</i> , 2019, 5, 718-721.	1.6	19
20	Unlocking the therapeutic potential of primary tumor-draining lymph nodes. <i>Cancer Immunology, Immunotherapy</i> , 2019, 68, 1681-1688.	2.0	56
21	Clinical and genetic landscape of treatment naive cervical cancer: Alterations in PIK3CA and in epigenetic modulators associated with sub-optimal outcome. <i>EBioMedicine</i> , 2019, 43, 253-260.	2.7	37
22	MGL Ligand Expression Is Correlated to Lower Survival and Distant Metastasis in Cervical Squamous Cell and Adenosquamous Carcinoma. <i>Frontiers in Oncology</i> , 2019, 9, 29.	1.3	21
23	Cancer immunophenotyping by seven-colour multispectral imaging without tyramide signal amplification. <i>Journal of Pathology: Clinical Research</i> , 2019, 5, 3-11.	1.3	33
24	Immune Cell Infiltrate in Chronic-Active Antibody-Mediated Rejection. <i>Frontiers in Immunology</i> , 2019, 10, 3106.	2.2	30
25	Tumour escape in the microenvironment of penile squamous cell carcinoma; immune factors and clinicopathological predictors of lymph node metastasis and disease specific survival. <i>European Urology Supplements</i> , 2018, 17, e42.	0.1	0
26	Intratumoral HPV16-Specific T Cells Constitute a Type I <sup>h</sup> -Oriented Tumor Microenvironment to Improve Survival in HPV16-Driven Oropharyngeal Cancer. <i>Clinical Cancer Research</i> , 2018, 24, 634-647.	3.2	128
27	The landscape of somatic mutations in Indonesian cervical cancer is predominated by the PI3K pathway. <i>Gynecologic Oncology</i> , 2018, 148, 189-196.	0.6	9
28	Independent validation of the prognostic significance of invasion patterns in endocervical adenocarcinoma: Pattern A predicts excellent survival. <i>Gynecologic Oncology</i> , 2018, 151, 196-201.	0.6	21
29	PRAME and HLA Class I expression patterns make synovial sarcoma a suitable target for PRAME specific T-cell receptor gene therapy. <i>Oncolmmunology</i> , 2018, 7, e1507600.	2.1	28
30	Indoleamine 2,3-Dioxygenase Expression Pattern in the Tumor Microenvironment Predicts Clinical Outcome in Early Stage Cervical Cancer. <i>Frontiers in Immunology</i> , 2018, 9, 1598.	2.2	31
31	Tissue Damage Caused by Myeloablative, but Not Non-Myeloablative, Conditioning before Allogeneic Stem Cell Transplantation Results in Dermal Macrophage Recruitment without Active T-Cell Interaction. <i>Frontiers in Immunology</i> , 2018, 9, 331.	2.2	5
32	The Prognostic Value of Immune Factors in the Tumor Microenvironment of Penile Squamous Cell Carcinoma. <i>Frontiers in Immunology</i> , 2018, 9, 1253.	2.2	61
33	Overexpression of EZH2 in conjunctival melanoma offers a new therapeutic target. <i>Journal of Pathology</i> , 2018, 245, 433-444.	2.1	16
34	Digital PCR-Based T-cell Quantification <sup>h</sup> -Assisted Deconvolution of the Microenvironment Reveals that Activated Macrophages Drive Tumor Inflammation in Uveal Melanoma. <i>Molecular Cancer Research</i> , 2018, 16, 1902-1911.	1.5	39
35	HLA Class I Antigen Expression in Conjunctival Melanoma Is Not Associated With PD-L1/PD-1 Status. , 2018, 59, 1005.		12
36	Sponge-supported cultures of primary head and neck tumors for an optimized preclinical model. <i>Oncotarget</i> , 2018, 9, 25034-25047.	0.8	8

#	ARTICLE	IF	CITATIONS
37	Blocking Tumor-Educated MSC Paracrine Activity Halts Osteosarcoma Progression. <i>Clinical Cancer Research</i> , 2017, 23, 3721-3733.	3.2	150
38	Autocrine expression of the epidermal growth factor receptor ligand heparin-binding EGF-like growth factor in cervical cancer. <i>International Journal of Oncology</i> , 2017, 50, 1947-1954.	1.4	16
39	PRAME as a Potential Target for Immunotherapy in Metastatic Uveal Melanoma. <i>JAMA Ophthalmology</i> , 2017, 135, 541.	1.4	87
40	HPV16 E7 DNA tattooing: safety, immunogenicity, and clinical response in patients with HPV-positive vulvar intraepithelial neoplasia. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 1163-1173.	2.0	17
41	Immunological profiling of molecularly classified high-risk endometrial cancers identifies <i>POLE</i> -mutant and microsatellite unstable carcinomas as candidates for checkpoint inhibition. <i>Oncotarget</i> , 2017, 8, 1264565.	2.1	102
42	Four-color Fluorescence Immunohistochemistry of T-cell Subpopulations in Archival Formalin-fixed, Paraffin-embedded Human Oropharyngeal Squamous Cell Carcinoma Samples. <i>Journal of Visualized Experiments</i> , 2017, . .	0.2	0
43	High myeloid-derived suppressor cell frequencies in the duodenum are associated with enteropathy associated T-cell lymphoma and its precursor lesions. <i>British Journal of Haematology</i> , 2017, 178, 988-991.	1.2	4
44	High-efficiency lysis of cervical cancer by allogeneic NK cells derived from umbilical cord progenitors is independent of HLA status. <i>Cancer Immunology, Immunotherapy</i> , 2017, 66, 51-61.	2.0	28
45	Expression of Programmed Death Ligand 1 in Penile Cancer is of Prognostic Value and Associated with HPV Status. <i>Journal of Urology</i> , 2017, 197, 690-697.	0.2	81
46	Cervical Carcinogenesis and Immune Response Gene Polymorphisms: A Review. <i>Journal of Immunology Research</i> , 2017, 2017, 1-12.	0.9	31
47	Loss of maternal chromosome 11 is a signature event in SDHAF2, SDHD, and VHL-related paragangliomas, but less significant in SDHB-related paragangliomas. <i>Oncotarget</i> , 2017, 8, 14525-14536.	0.8	21
48	PD-L1/PD-1 expression and tumor-infiltrating lymphocytes in conjunctival melanoma. <i>Oncotarget</i> , 2017, 8, 54722-54734.	0.8	39
49	L1 cell adhesion molecule (L1CAM) is a strong predictor for locoregional recurrences in cervical cancer. <i>Oncotarget</i> , 2017, 8, 87568-87581.	0.8	9
50	Abstract 1746: Rational molecular assessment and innovative drug selection (RAIDs): Paving the way to personalized medicine in cervical cancer. , 2017, , .		0
51	Prognostic effect of different PD-L1 expression patterns in squamous cell carcinoma and adenocarcinoma of the cervix. <i>Modern Pathology</i> , 2016, 29, 753-763.	2.9	230
52	Targetable genetic features of primary testicular and primary central nervous system lymphomas. <i>Blood</i> , 2016, 127, 869-881.	0.6	429
53	Precision medicine in cancer: challenges and recommendations from an EU-funded cervical cancer biobanking study. <i>British Journal of Cancer</i> , 2016, 115, 1575-1583.	2.9	13
54	Targeting the MAPK and PI3K pathways in combination with PD1 blockade in melanoma. <i>Oncotarget</i> , 2016, 7, 1238557.	2.1	113

#	ARTICLE	IF	CITATIONS
55	Classical and non-classical HLA class I aberrations in primary cervical squamous- and adenocarcinomas and paired lymph node metastases. , 2016, 4, 78.		56
56	Human Leukocyte Antigen-DR Expression is Significantly Related to an Increased Disease-Free and Disease-Specific Survival in Patients With Cervical Adenocarcinoma. International Journal of Gynecological Cancer, 2016, 26, 1503-1509.	1.2	13
57	Sensing of latent EBV infection through exosomal transfer of 5â€²pppRNA. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, E587-96.	3.3	136
58	A beneficial tumor microenvironment in oropharyngeal squamous cell carcinoma is characterized by a high T cell and low IL-17+ cell frequency. Cancer Immunology, Immunotherapy, 2016, 65, 393-403.	2.0	77
59	Allogeneic NK cells generated from cord blood as universal treatment for cervical cancer enabled by HLA independent killing mechanisms.. Journal of Clinical Oncology, 2016, 34, e14526-e14526.	0.8	0
60	A Murine Model for Metastatic Conjunctival Melanoma. , 2015, 56, 2325.		19
61	Precise Classification of Cervical Carcinomas Combined with Somatic Mutation Profiling Contributes to Predicting Disease Outcome. PLoS ONE, 2015, 10, e0133670.	1.1	48
62	Molecular Backgrounds of ERAP1 Downregulation in Cervical Carcinoma. Analytical Cellular Pathology, 2015, 2015, 1-5.	0.7	10
63	Whole-transcriptome analysis of flow-sorted cervical cancer samples reveals that B cell expressed TCL1A is correlated with improved survival. Oncotarget, 2015, 6, 38681-38694.	0.8	15
64	Intraepithelial macrophage infiltration is related to a high number of regulatory T cells and promotes a progressive course of HPVâ€”induced vulvar neoplasia. International Journal of Cancer, 2015, 136, E85-94.	2.3	37
65	High and Interrelated Rates of PD-L1+CD14+ Antigen-Presenting Cells and Regulatory T Cells Mark the Microenvironment of Metastatic Lymph Nodes from Patients with Cervical Cancer. Cancer Immunology Research, 2015, 3, 48-58.	1.6	95
66	Expression of coinhibitory receptors on T cells in the microenvironment of usual vulvar intraepithelial neoplasia is related to proinflammatory effector T cells and an increased recurrenceâ€”free survival. International Journal of Cancer, 2015, 136, E95-106.	2.3	25
67	Presence of human papillomavirus inâ€”semen of healthy men isâ€”firmly associated with HPV infections ofâ€”theâ€”penile epithelium. Fertility and Sterility, 2015, 104, 838-844.e8.	0.5	20
68	Sunitinib pretreatment improves tumor-infiltrating lymphocyte expansion by reduction in intratumoral content of myeloid-derived suppressor cells in human renal cell carcinoma. Cancer Immunology, Immunotherapy, 2015, 64, 1241-1250.	2.0	98
69	Proper genomic profiling of (<i>BRCA1</i>â€”mutated) basalâ€”like breast carcinomas requires prior removal of tumor infiltrating lymphocytes. Molecular Oncology, 2015, 9, 877-888.	2.1	16
70	Differences in genetic variation in antigen-processing machinery components and association with cervical carcinoma risk in two Indonesian populations. Immunogenetics, 2015, 67, 267-275.	1.2	26
71	FoxP3+ and IL-17+ cells are correlated with improved prognosis in cervical adenocarcinoma. Cancer Immunology, Immunotherapy, 2015, 64, 745-753.	2.0	53
72	Correlations between immune response and vascularization qRT-PCR gene expression clusters in squamous cervical cancer. Molecular Cancer, 2015, 14, 71.	7.9	39

#	ARTICLE	IF	CITATIONS
73	Vaccine-Induced Tumor Necrosis Factor-Producing T Cells Synergize with Cisplatin to Promote Tumor Cell Death. <i>Clinical Cancer Research</i> , 2015, 21, 781-794.	3.2	81
74	The correlations between IL-17 <sup>+</sup> Th17 cells and cancer patient survival: a systematic review. <i>Oncolmmunology</i> , 2015, 4, e984547.	2.1	99
75	Angels and demons: Th17 cells represent a beneficial response, while neutrophil IL-17 is associated with poor prognosis in squamous cervical cancer. <i>Oncolmmunology</i> , 2015, 4, e984539.	2.1	95
76	The interferon-related developmental regulator 1 is used by human papillomavirus to suppress NF $\kappa$ B activation. <i>Nature Communications</i> , 2015, 6, 6537.	5.8	64
77	High levels of soluble MICA are significantly related to increased disease-free and disease-specific survival in patients with cervical adenocarcinoma. <i>Tissue Antigens</i> , 2015, 85, 476-483.	1.0	17
78	CD14 <sup>+</sup> macrophage-like cells as the linchpin of cervical cancer perpetrated immune suppression and early metastatic spread: A new therapeutic lead?. <i>Oncolmmunology</i> , 2015, 4, e1009296.	2.1	21
79	Indoleamine-2,3-dioxygenase (IDO) metabolic activity is detrimental for cervical cancer patient survival. <i>Oncolmmunology</i> , 2015, 4, e981457.	2.1	78
80	Classic and Nonclassic HLA Class I Expression in Penile Cancer and Relation to HPV Status and Clinical Outcome. <i>Journal of Urology</i> , 2015, 193, 1245-1251.	0.2	27
81	Human Papillomavirus Prevalence in Invasive Penile Cancer and Association with Clinical Outcome. <i>Journal of Urology</i> , 2015, 193, 526-531.	0.2	102
82	Galectin-1, -3 and -9 Expression and Clinical Significance in Squamous Cervical Cancer. <i>PLoS ONE</i> , 2015, 10, e0129119.	1.1	52
83	Nodal metastasis in cervical cancer occurs in clearly delineated fields of immune suppression in the pelvic lymph catchment area. <i>Oncotarget</i> , 2015, 6, 32484-32493.	0.8	48
84	Heterogeneity revealed by integrated genomic analysis uncovers a molecular switch in malignant uveal melanoma. <i>Oncotarget</i> , 2015, 6, 37824-37835.	0.8	46
85	T-Cell Regulation in Lepromatous Leprosy. <i>PLoS Neglected Tropical Diseases</i> , 2014, 8, e2773.	1.3	67
86	Interleukin-6 receptor and its ligand interleukin-6 are opposite markers for survival and infiltration with mature myeloid cells in ovarian cancer. <i>Oncolmmunology</i> , 2014, 3, e962397.	2.1	27
87	Alterations in classical and nonclassical HLA expression in recurrent and progressive HPV-induced usual vulvar intraepithelial neoplasia and implications for immunotherapy. <i>International Journal of Cancer</i> , 2014, 135, 830-842.	2.3	38
88	Actionable Genetic Features of Primary Testicular and Primary Central Nervous System Lymphomas. <i>Blood</i> , 2014, 124, 74-74.	0.6	2
89	Tumor-infiltrating CD14 <sup>+</sup> myeloid cells and CD8 <sup>+</sup> T cells prolong survival in patients with cervical carcinoma. <i>International Journal of Cancer</i> , 2013, 133, 2884-2894.	2.3	106
90	HLA class II upregulation during viral infection leads to HLA-DP <sup>+</sup> directed graft-versus-host disease after CD4 <sup>+</sup> donor lymphocyte infusion. <i>Blood</i> , 2013, 122, 1963-1973.	0.6	78

#	ARTICLE	IF	CITATIONS
91	HPV Pathway Profiling: HPV Related Cervical Dysplasia and Carcinoma Studies. Current Pharmaceutical Design, 2013, 19, 1379-1394.	0.9	1
92	HPV Pathway Profiling: HPV Related Cervical Dysplasia and Carcinoma Studies. Current Pharmaceutical Design, 2013, 19, 1379-1394.	0.9	1
93	Chromosome 5q Loss in Colorectal Flat Adenomas. Clinical Cancer Research, 2012, 18, 4560-4569.	3.2	30
94	CXCR7 expression is associated with disease-free and disease-specific survival in cervical cancer patients. British Journal of Cancer, 2012, 106, 1520-1525.	2.9	55
95	Treatment failure in patients with HPV 16-induced vulvar intraepithelial neoplasia: understanding different clinical responses to immunotherapy. Expert Review of Vaccines, 2012, 11, 821-840.	2.0	13
96	Different Subsets of Tumor-Infiltrating Lymphocytes Correlate with Macrophage Influx and Monosomy 3 in Uveal Melanoma. , 2012, 53, 5370.		114
97	Infiltration of Lynch Colorectal Cancers by Activated Immune Cells Associates with Early Staging of the Primary Tumor and Absence of Lymph Node Metastases. Clinical Cancer Research, 2012, 18, 1237-1245.	3.2	34
98	Cytomorphological Analysis of Uterine Cervical Pap Smears in Relation to Human Papillomavirus Infection in Indonesian Women. Acta Cytologica, 2012, 56, 171-176.	0.7	6
99	HLA-E expression in cervical adenocarcinomas: association with improved long-term survival. Journal of Translational Medicine, 2012, 10, 184.	1.8	42
100	Alloreactive Effector T Cells Require the Local Formation of a Proinflammatory Environment to Allow Crosstalk and High Avidity Interaction with Nonhematopoietic Tissues to Induce GVHD Reactivity. Biology of Blood and Marrow Transplantation, 2012, 18, 1353-1367.	2.0	18
101	Chromosomal profiles of high-grade cervical intraepithelial neoplasia relate to duration of preceding high-risk human papillomavirus infection. International Journal of Cancer, 2012, 131, E579-85.	2.3	37
102	Human papillomavirus status in young patients with head and neck squamous cell carcinoma. International Journal of Cancer, 2012, 130, 1806-1812.	2.3	39
103	Genome Haploidisation with Chromosome 7 Retention in Oncocytic Follicular Thyroid Carcinoma. PLoS ONE, 2012, 7, e38287.	1.1	63
104	HLA-E expression by gynecological cancers restrains tumor-infiltrating CD8 <sup>+</sup> lymphocytes. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 10656-10661.	3.3	175
105	Paired distribution of molecular subtypes in bilateral breast carcinomas. Cancer Genetics, 2011, 204, 96-102.	0.2	14
106	Detection of M2-Macrophages in Uveal Melanoma and Relation with Survival. , 2011, 52, 643.		185
107	Decidual infiltration of FoxP3 <sup>+</sup> regulatory T <sub>H</sub> 1/2 cells, CD3 <sup>+</sup> T <sub>H</sub> 1/2 cells, CD56 <sup>+</sup> decidual natural killer cells and Ki-67 trophoblast cells in hydatidiform mole compared to normal and ectopic pregnancies. Molecular Medicine Reports, 2011, 5, 275-81.	1.1	8
108	Molecular mechanisms of epidermal growth factor receptor overexpression in patients with cervical cancer. Modern Pathology, 2011, 24, 720-728.	2.9	39

#	ARTICLE	IF	CITATIONS
109	Effect of Heterogeneous Distribution of Monosomy 3 on Prognosis in Uveal Melanoma. Archives of Pathology and Laboratory Medicine, 2011, 135, 1042-1047.	1.2	36
110	Activation of Tumor-Promoting Type 2 Macrophages by EGFR-Targeting Antibody Cetuximab. Clinical Cancer Research, 2011, 17, 5668-5673.	3.2	91
111	Anti-inflammatory M2 type macrophages characterize metastasized and tyrosine kinase inhibitor-treated gastrointestinal stromal tumors. International Journal of Cancer, 2010, 127, 899-909.	2.3	92
112	In Aged Mice, Outgrowth of Intraocular Melanoma Depends on Proangiogenic M2-Type Macrophages. Journal of Immunology, 2010, 185, 3481-3488.	0.4	82
113	Versican expression is associated with tumor-infiltrating CD8-positive T cells and infiltration depth in cervical cancer. Modern Pathology, 2010, 23, 1605-1615.	2.9	43
114	Alternatively spliced tissue factor induces angiogenesis through integrin ligation. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 19497-19502.	3.3	139
115	Tumor-Expressed B7-H1 and B7-DC in Relation to PD-1+ T-Cell Infiltration and Survival of Patients with Cervical Carcinoma. Clinical Cancer Research, 2009, 15, 6341-6347.	3.2	230
116	Colorectal carcinomas in MUTYH-associated polyposis display histopathological similarities to microsatellite unstable carcinomas. BMC Cancer, 2009, 9, 184.	1.1	52
117	Single nucleotide polymorphisms in antigen processing machinery component ERAP1 significantly associate with clinical outcome in cervical carcinoma. Genes Chromosomes and Cancer, 2009, 48, 410-418.	1.5	79
118	Reduced human leukocyte antigen expression in advanced-stage Ewing sarcoma: implications for immune recognition. Journal of Pathology, 2009, 218, 222-231.	2.1	87
119	Association of antigen processing machinery and HLA class I defects with clinicopathological outcome in cervical carcinoma. Cancer Immunology, Immunotherapy, 2008, 57, 197-206.	2.0	160
120	Expression of Smad2 and Smad4 in cervical cancer: absent nuclear Smad4 expression correlates with poor survival. Modern Pathology, 2008, 21, 866-875.	2.9	38
121	Lack of TNF $\alpha$ mRNA expression in cervical cancer is not associated with loss of heterozygosity at 6p21.3, inactivating mutations or promoter methylation. Molecular Immunology, 2008, 45, 152-159.	1.0	8
122	Human Leukocyte Antigen Class I, MHC Class I Chain-Related Molecule A, and CD8+/Regulatory T-Cell Ratio: Which Variable Determines Survival of Cervical Cancer Patients?. Clinical Cancer Research, 2008, 14, 2028-2035.	3.2	210
123	Genome-wide Allelic State Analysis on Flow-Sorted Tumor Fractions Provides an Accurate Measure of Chromosomal Aberrations. Cancer Research, 2008, 68, 10333-10340.	0.4	28
124	Monosomy of Chromosome 3 and an Inflammatory Phenotype Occur Together in Uveal Melanoma. , 2008, 49, 505.		132
125	High Number of Intraepithelial CD8+ Tumor-Infiltrating Lymphocytes Is Associated with the Absence of Lymph Node Metastases in Patients with Large Early-Stage Cervical Cancer. Cancer Research, 2007, 67, 354-361.	0.4	369
126	High Human Papillomavirus Oncogene mRNA Expression and Not Viral DNA Load Is Associated with Poor Prognosis in Cervical Cancer Patients. Clinical Cancer Research, 2007, 13, 132-138.	3.2	74



#	ARTICLE	IF	CITATIONS
127	Gene-specific fluorescence in-situ hybridization analysis on tissue microarray to refine the region of chromosome 20q amplification in melanoma. <i>Melanoma Research</i> , 2007, 17, 37-41.	0.6	33
128	Circulating human papillomavirus type 16 specific T-cells are associated with HLA Class I expression on tumor cells, but not related to the amount of viral oncogene transcripts. <i>International Journal of Cancer</i> , 2007, 121, 2711-2715.	2.3	15
129	Genetic variation of antigen processing machinery components and association with cervical carcinoma. <i>Genes Chromosomes and Cancer</i> , 2007, 46, 577-586.	1.5	82
130	Combined array-comparative genomic hybridization and single-nucleotide polymorphism-loss of heterozygosity analysis reveals complex genetic alterations in cervical cancer. <i>BMC Genomics</i> , 2007, 8, 53.	1.2	66
131	Physical status of multiple human papillomavirus genotypes in flow-sorted cervical cancer cells. <i>Cancer Genetics and Cytogenetics</i> , 2007, 175, 132-137.	1.0	14
132	Expression and genetic analysis of transporter associated with antigen processing in cervical carcinoma. <i>Gynecologic Oncology</i> , 2007, 105, 593-599.	0.6	16
133	Increased C-MYC copy numbers on the background of CDKN2A loss is associated with improved survival in nodular melanoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2007, 133, 117-123.	1.2	9
134	The Heterogeneous Distribution of Monosomy 3 in Uveal Melanomas: Implications for Prognostication Based on Fine-Needle Aspiration Biopsies. <i>Archives of Pathology and Laboratory Medicine</i> , 2007, 131, 91-96.	1.2	69
135	Array-Based Comparative Genomic Hybridization Analysis Reveals Recurrent Chromosomal Alterations and Prognostic Parameters in Primary Cutaneous Large B-Cell Lymphoma. <i>Journal of Clinical Oncology</i> , 2006, 24, 296-305.	0.8	125
136	The Relationship Between HLA Class II Polymorphisms and Somatic Deletions in Testicular B Cell Lymphomas of Dutch Patients. <i>Human Immunology</i> , 2006, 67, 303-310.	1.2	5
137	Mechanisms and Effects of Loss of Human Leukocyte Antigen Class II Expression in Immune-Privileged Site-Associated B-Cell Lymphoma. <i>Clinical Cancer Research</i> , 2006, 12, 2698-2705.	3.2	71
138	Human papillomavirus type 18 variants: Histopathology and E6/E7 polymorphisms in three countries. <i>International Journal of Cancer</i> , 2005, 114, 422-425.	2.3	44
139	High-resolution multi-parameter DNA flow cytometry enables detection of tumour and stromal cell subpopulations in paraffin-embedded tissues. <i>Journal of Pathology</i> , 2005, 206, 233-241.	2.1	52
140	Frequent HLA Class I Loss is an Early Event in Cervical Carcinogenesis. <i>Human Immunology</i> , 2005, 66, 1167-1173.	1.2	38
141	Somatic loss of maternal chromosome 11 causes parent-of-origin-dependent inheritance in SDHD-linked paraganglioma and pheochromocytoma families. <i>Oncogene</i> , 2004, 23, 4076-4083.	2.6	146
142	Human papillomavirus type 16 E6, E7, and L1 variants in cervical cancer in Indonesia, Suriname, and The Netherlands. <i>Gynecologic Oncology</i> , 2004, 94, 488-494.	0.6	64
143	Mutations in the HLA class II genes leading to loss of expression of HLA-DR and HLA-DQ in diffuse large B-cell lymphoma. <i>Immunogenetics</i> , 2003, 55, 203-209.	1.2	37
144	2-microglobulin aberrations in diffuse large B-cell lymphoma of the testis and the central nervous system. <i>International Journal of Cancer</i> , 2003, 103, 393-398.	2.3	36

#	ARTICLE	IF	CITATIONS
145	EMSY Links the BRCA2 Pathway to Sporadic Breast and Ovarian Cancer. <i>Cell</i> , 2003, 115, 523-535.	13.5	389
146	Flow Cytometric Sorting of Paraffin-Embedded Tumor Tissues Considerably Improves Molecular Genetic Analysis. <i>American Journal of Clinical Pathology</i> , 2003, 120, 327-334.	0.4	18
147	Flow Cytometric Sorting of Paraffin-Embedded Tumor Tissues Considerably Improves Molecular Genetic Analysis. <i>American Journal of Clinical Pathology</i> , 2003, 120, 327-334.	0.4	5
148	Hemizygous deletions in the HLA region account for loss of heterozygosity in the majority of diffuse large B-cell lymphomas of the testis and the central nervous system. <i>Genes Chromosomes and Cancer</i> , 2002, 35, 38-48.	1.5	61
149	Extensive genetic alterations of the HLA region, including homozygous deletions of HLA class II genes in B-cell lymphomas arising in immune-privileged sites. <i>Blood</i> , 2000, 96, 3569-3577.	0.6	180
150	Low Transforming Growth Factor- $\beta$ Pathway Activity in Cervical Adenocarcinomas. <i>Frontiers in Oncology</i> , 0, 12, .	1.3	3