

# Milan Chytr $\tilde{A}$ <sup>1/2</sup>

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6282269/publications.pdf>

Version: 2024-02-01

282  
papers

14,955  
citations

25423

59  
h-index

31191

106  
g-index

292  
all docs

292  
docs citations

292  
times ranked

13205  
citing authors

#	ARTICLE	IF	CITATIONS
1	Climate warming and extended droughts drive establishment and growth dynamics in temperate grassland plants. <i>Agricultural and Forest Meteorology</i> , 2022, 313, 108762.	1.9	9
2	Distribution maps of vegetation alliances in Europe. <i>Applied Vegetation Science</i> , 2022, 25, .	0.9	23
3	Restoration and management of plant communities in <i>Applied Vegetation Science</i> . <i>Applied Vegetation Science</i> , 2022, 25, .	0.9	2
4	Collaboration networks and hot topics in the <i>Journal of Vegetation Science</i> . <i>Journal of Vegetation Science</i> , 2022, 33, .	1.1	2
5	Two sides of one medal: Arable weed vegetation of Europe in phytosociological data compared to agronomical weed surveys. <i>Applied Vegetation Science</i> , 2022, 25, .	0.9	8
6	Classification of European bog vegetation of the <i>Oxycocco-Sphagnetum</i> class. <i>Applied Vegetation Science</i> , 2022, 25, .	0.9	5
7	Insularity promotes plant persistence strategies in edaphic island systems. <i>Global Ecology and Biogeography</i> , 2022, 31, 753-764.	2.7	10
8	Pladias platform: Technical description of the database structure. <i>Biodiversity Data Journal</i> , 2022, 10, e80167.	0.4	1
9	Central European forest "steppe": An ecosystem shaped by climate, topography and disturbances. <i>Journal of Biogeography</i> , 2022, 49, 1006-1020.	1.4	16
10	Niche and geographical expansions of North American trees and tall shrubs in Europe. <i>Journal of Biogeography</i> , 2022, 49, 1151-1161.	1.4	3
11	The European Forest Plant Species List (EuForPlant): Concept and applications. <i>Journal of Vegetation Science</i> , 2022, 33, .	1.1	23
12	Sticking around: Plant persistence strategies on edaphic islands. <i>Diversity and Distributions</i> , 2022, 28, 1850-1862.	1.9	7
13	AgriWeedClim database: A repository of vegetation plot data from Central European arable habitats over 100 years. <i>Applied Vegetation Science</i> , 2022, 25, .	0.9	4
14	Classification of the Mediterranean lowland to submontane pine forest vegetation. <i>Applied Vegetation Science</i> , 2021, 24, .	0.9	35
15	Vegetation science during hectic times. <i>Journal of Vegetation Science</i> , 2021, 32, e12965.	1.1	0
16	Plant taxonomic and phylogenetic turnover increases toward climatic extremes and depends on historical factors in European beech forests. <i>Journal of Vegetation Science</i> , 2021, 32, .	1.1	7
17	<i>Applied Vegetation Science</i> : Editorial 2021. <i>Applied Vegetation Science</i> , 2021, 24, e12540.	0.9	0
18	Vegetation of the European mountain river gravel bars: A formalized classification. <i>Applied Vegetation Science</i> , 2021, 24, .	0.9	17

#	ARTICLE	IF	CITATIONS
19	Macroevolutionary patterns in European vegetation. <i>Journal of Vegetation Science</i> , 2021, 32, .	1.1	14
20	Phylogenetic structure of European forest vegetation. <i>Journal of Biogeography</i> , 2021, 48, 903-916.	1.4	8
21	The relationship between niche breadth and range size of beech ( <i>Fagus</i> ) species worldwide. <i>Journal of Biogeography</i> , 2021, 48, 1240-1253.	1.4	25
22	Different sets of traits explain abundance and distribution patterns of European plants at different spatial scales. <i>Journal of Vegetation Science</i> , 2021, 32, e13016.	1.1	15
23	The biogeography of alien plant invasions in the Mediterranean Basin. <i>Journal of Vegetation Science</i> , 2021, 32, e12980.	1.1	24
24	Neophyte invasions in European grasslands. <i>Journal of Vegetation Science</i> , 2021, 32, e12994.	1.1	25
25	Alien plant invasion hotspots and invasion debt in European woodlands. <i>Journal of Vegetation Science</i> , 2021, 32, e13014.	1.1	19
26	Global patterns and drivers of alpine plant species richness. <i>Global Ecology and Biogeography</i> , 2021, 30, 1218-1231.	2.7	59
27	Classification of forest and shrubland vegetation in Mediterranean Turkey. <i>Applied Vegetation Science</i> , 2021, 24, e12589.	0.9	6
28	Climate and socio-economic factors explain differences between observed and expected naturalization patterns of European plants around the world. <i>Global Ecology and Biogeography</i> , 2021, 30, 1514-1531.	2.7	8
29	Plant functional and taxonomic diversity in European grasslands along climatic gradients. <i>Journal of Vegetation Science</i> , 2021, 32, e13027.	1.1	15
30	Dimensions of invasiveness: Links between local abundance, geographic range size, and habitat breadth in Europe's alien and native floras. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	47
31	Alien plant invasions in Mediterranean habitats: an assessment for Sicily. <i>Biological Invasions</i> , 2021, 23, 3091-3107.	1.2	25
32	Mapping species richness of plant families in European vegetation. <i>Journal of Vegetation Science</i> , 2021, 32, e13035.	1.1	18
33	Facebook groups as citizen science tools for plant species monitoring. <i>Journal of Applied Ecology</i> , 2021, 58, 2018-2028.	1.9	22
34	sPlotOpen – An environmentally balanced, open-access, global dataset of vegetation plots. <i>Global Ecology and Biogeography</i> , 2021, 30, 1740-1764.	2.7	49
35	What defines insularity for plants in edaphic islands?. <i>Ecography</i> , 2021, 44, 1249-1258.	2.1	17
36	The leaf economic and plant size spectra of European forest understory vegetation. <i>Ecography</i> , 2021, 44, 1311-1324.	2.1	20

#	ARTICLE	IF	CITATIONS
37	Potential alien ranges of European plants will shrink in the future, but less so for already naturalized than for not yet naturalized species. <i>Diversity and Distributions</i> , 2021, 27, 2063-2076.	1.9	7
38	Plant hunting: exploring the behaviour of amateur botanists in the field. <i>Biodiversity and Conservation</i> , 2021, 30, 3265-3278.	1.2	4
39	Benchmarking plant diversity of Palaearctic grasslands and other open habitats. <i>Journal of Vegetation Science</i> , 2021, 32, e13050.	1.1	34
40	Phylogenetic structure of alien plant species pools from European donor habitats. <i>Global Ecology and Biogeography</i> , 2021, 30, 2354-2367.	2.7	7
41	Life-form diversity across temperate deciduous forests of Western Eurasia: A different story in the understory. <i>Journal of Biogeography</i> , 2021, 48, 2932-2945.	1.4	11
42	Plant trait filtering is stronger in the herb layer than in the tree layer in Greek mountain forests. <i>Ecological Indicators</i> , 2021, 131, 108229.	2.6	1
43	Implementing the formal language of the vegetation classification expert systems (ESy) in the statistical computing environment R. <i>Applied Vegetation Science</i> , 2021, 24, e12562.	0.9	9
44	Pladias Database of the Czech flora and vegetation. <i>Preslia</i> , 2021, 93, 1-87.	1.1	86
45	Thirty years of the <i>Journal of Vegetation Science</i> . <i>Journal of Vegetation Science</i> , 2020, 31, 1-2.	1.1	1
46	TRY plant trait database – enhanced coverage and open access. <i>Global Change Biology</i> , 2020, 26, 119-188.	4.2	1,038
47	Classification of the Hyrcanian forest vegetation, Northern Iran. <i>Applied Vegetation Science</i> , 2020, 23, 107-126.	0.9	32
48	Similar factors underlie tree abundance in forests in native and alien ranges. <i>Global Ecology and Biogeography</i> , 2020, 29, 281-294.	2.7	21
49	Natural forests of <i>Pinus pinea</i> in western Turkey: a priority for conservation. <i>Biodiversity and Conservation</i> , 2020, 29, 3877-3898.	1.2	6
50	EUNIS Habitat Classification: Expert system, characteristic species combinations and distribution maps of European habitats. <i>Applied Vegetation Science</i> , 2020, 23, 648-675.	0.9	186
51	Natural habitat and vegetation types of river gravel bars in the Caucasus Mountains, Georgia. <i>Folia Geobotanica</i> , 2020, 55, 41-62.	0.4	4
52	Optimal transformation of species cover for vegetation classification. <i>Applied Vegetation Science</i> , 2020, 23, 710-717.	0.9	19
53	Alien flora across European coastal dunes. <i>Applied Vegetation Science</i> , 2020, 23, 317-327.	0.9	43
54	Testing macroecological abundance patterns: The relationship between local abundance and range size, range position and climatic suitability among European vascular plants. <i>Journal of Biogeography</i> , 2020, 47, 2210-2222.	1.4	35

#	ARTICLE	IF	CITATIONS
55	Applied Vegetation Science in 2020: Editorial. <i>Applied Vegetation Science</i> , 2020, 23, 1-2.	0.9	1
56	Linking Plant Functional Ecology to Island Biogeography. <i>Trends in Plant Science</i> , 2020, 25, 329-339.	4.3	70
57	Classification of the European marsh vegetation ( <i>Phragmito-Magnocaricetea</i> ) to the association level. <i>Applied Vegetation Science</i> , 2020, 23, 297-316.	0.9	38
58	Habitats of Pleistocene megaherbivores reconstructed from the frozen fauna remains. <i>Ecography</i> , 2020, 43, 703-713.	2.1	5
59	Weather fluctuations drive short-term dynamics and long-term stability in plant communities: A 25-year study in a Central European dry grassland. <i>Journal of Vegetation Science</i> , 2020, 31, 711-721.	1.1	34
60	European Weed Vegetation Database – a gap-focused vegetation-plot database. <i>Phytocoenologia</i> , 2020, 50, 93-100.	1.2	11
61	Oak-hornbeam forests of central Europe. <i>Preslia</i> , 2020, 92, 1-34.	1.1	17
62	European Boreal Forest Vegetation Database. <i>Phytocoenologia</i> , 2020, 50, 79-92.	1.2	2
63	Calicolous rock-outcrop lime forests of east-central Europe. <i>Preslia</i> , 2020, 92, 191-211.	1.1	2
64	Diversity of fungi and bacteria in species-rich grasslands increases with plant diversity in shoots but not in roots and soil. <i>FEMS Microbiology Ecology</i> , 2019, 95, .	1.3	24
65	A modern analogue of the Pleistocene steppe-tundra ecosystem in southern Siberia. <i>Boreas</i> , 2019, 48, 36-56.	1.2	44
66	Making them visible and usable – vegetation plot observations from Fennoscandia based on historical species-quantity scales. <i>Applied Vegetation Science</i> , 2019, 22, 465-473.	0.9	5
67	Probabilistic key for identifying vegetation types in the field: A new method and Android application. <i>Journal of Vegetation Science</i> , 2019, 30, 1035-1038.	1.1	5
68	Diversity loss in grasslands due to the increasing dominance of alien and native competitive herbs. <i>Biodiversity and Conservation</i> , 2019, 28, 2781-2796.	1.2	24
69	Hyrceanian Forest Vegetation Database. <i>Phytocoenologia</i> , 2019, 49, 209-210.	1.2	5
70	<sc>GRIMP</sc>: A machine-learning method for improving groups of discriminating species in expert systems for vegetation classification. <i>Journal of Vegetation Science</i> , 2019, 30, 5-17.	1.1	19
71	sPlot – A new tool for global vegetation analyses. <i>Journal of Vegetation Science</i> , 2019, 30, 161-186.	1.1	185
72	Red List of Habitats of the Czech Republic. <i>Ecological Indicators</i> , 2019, 106, 105446.	2.6	33

#	ARTICLE	IF	CITATIONS
73	Alpha diversity of vascular plants in European forests. <i>Journal of Biogeography</i> , 2019, 46, 1919-1935.	1.4	52
74	Phylogenetic diversity patterns in forests of a putative refugial area in Greece: A community level analysis. <i>Forest Ecology and Management</i> , 2019, 446, 226-237.	1.4	19
75	Assessing sampling coverage of species distribution in biodiversity databases. <i>Journal of Vegetation Science</i> , 2019, 30, 620-632.	1.1	11
76	Similar responses of native and alien floras in European cities to climate. <i>Journal of Biogeography</i> , 2019, 46, 1406-1418.	1.4	10
77	Conservation of the Mediterranean coastal pine woodlands: How can management support biodiversity?. <i>Forest Ecology and Management</i> , 2019, 443, 28-35.	1.4	13
78	Applied vegetation science addresses emerging global issues. <i>Applied Vegetation Science</i> , 2019, 22, 1-2.	0.9	1
79	CircumMed Pine Forest Database: an electronic archive for Mediterranean and Submediterranean pine forest vegetation data. <i>Phytocoenologia</i> , 2019, 49, 311-318.	1.2	9
80	Progress in vegetation science: Trends over the past three decades and new horizons. <i>Journal of Vegetation Science</i> , 2019, 30, 1-4.	1.1	19
81	The type of nutrient limitation affects the plant species richnessâ€“productivity relationship: Evidence from dry grasslands across Eurasia. <i>Journal of Ecology</i> , 2019, 107, 1038-1050.	1.9	23
82	Plant distribution data for the Czech Republic integrated in the Pladias database. <i>Preslia</i> , 2019, 91, 1-24.	1.1	42
83	Formalized classification of semi-dry grasslands in central and eastern Europe. <i>Preslia</i> , 2019, 91, 25-49.	1.1	47
84	Ecological specialization indices for species of the Czech flora. <i>Preslia</i> , 2019, 91, 93-116.	1.1	16
85	Linking biodiversity to ecosystems: A task for plant community ecologists. <i>Journal of Vegetation Science</i> , 2018, 29, 1-3.	1.1	3
86	Projecting potential future shifts in species composition of European urban plant communities. <i>Diversity and Distributions</i> , 2018, 24, 765-775.	1.9	16
87	Classification of European and Mediterranean coastal dune vegetation. <i>Applied Vegetation Science</i> , 2018, 21, 533-559.	0.9	52
88	Invaders among locals: Alien species decrease phylogenetic and functional diversity while increasing dissimilarity among native community members. <i>Journal of Ecology</i> , 2018, 106, 2230-2241.	1.9	65
89	Longâ€“term investigations and experimental manipulations: Useful perspectives for applied vegetation studies. <i>Applied Vegetation Science</i> , 2018, 21, 1-2.	0.9	0
90	History and environment shape species pools and community diversity in European beech forests. <i>Nature Ecology and Evolution</i> , 2018, 2, 483-490.	3.4	78

#	ARTICLE	IF	CITATIONS
91	Philip Grime's fourth corner: are there plant species adapted to high disturbance and low productivity?. <i>Oikos</i> , 2018, 127, 1125-1131.	1.2	14
92	High-resolution and large-extent mapping of plant species richness using vegetation-plot databases. <i>Ecological Indicators</i> , 2018, 89, 840-851.	2.6	32
93	Modelling the distribution and compositional variation of plant communities at the continental scale. <i>Diversity and Distributions</i> , 2018, 24, 978-990.	1.9	37
94	Environmental correlates of the Late Quaternary regional extinctions of large and small Palaearctic mammals. <i>Ecography</i> , 2018, 41, 516-527.	2.1	10
95	Beta-diversity of central European forests decreases along an elevational gradient due to the variation in local community assembly processes. <i>Ecography</i> , 2018, 41, 1038-1048.	2.1	34
96	Glacial refugia and mid-Holocene expansion delineate the current distribution of <i>Castanea sativa</i> in Europe. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 491, 152-160.	1.0	42
97	Effects of disturbance frequency and severity on plant traits: An assessment across a temperate flora. <i>Functional Ecology</i> , 2018, 32, 799-808.	1.7	76
98	Global trait-environment relationships of plant communities. <i>Nature Ecology and Evolution</i> , 2018, 2, 1906-1917.	3.4	397
99	Similarity of introduced plant species to native ones facilitates naturalization, but differences enhance invasion success. <i>Nature Communications</i> , 2018, 9, 4631.	5.8	139
100	National vegetation classification of the Czech Republic: a summary of the approach. <i>Phytocoenologia</i> , 2018, 48, 121-131.	1.2	17
101	Early vegetation succession on gravel bars of Czech Carpathian streams. <i>Folia Geobotanica</i> , 2018, 53, 317-332.	0.4	15
102	Forest snail diversity and its environmental predictors along a sharp climatic gradient in southern Siberia. <i>Acta Oecologica</i> , 2018, 88, 1-8.	0.5	5
103	Genetic diversity and demographic history of the Siberian lime ( <i>Tilia sibirica</i> ). <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2018, 33, 9-17.	1.1	8
104	Plant dispersal strategies. <i>Preslia</i> , 2018, 90, 1-22.	1.1	46
105	Ellenberg-type indicator values for the Czech flora. <i>Preslia</i> , 2018, 90, 83-103.	1.1	107
106	Classification of European beech forests: a Gordian Knot?. <i>Applied Vegetation Science</i> , 2017, 20, 494-512.	0.9	65
107	Palaeodistribution modelling of European vegetation types at the Last Glacial Maximum using modern analogues from Siberia: Prospects and limitations. <i>Quaternary Science Reviews</i> , 2017, 159, 103-115.	1.4	66
108	Refugial ecosystems in central Asia as indicators of biodiversity change during the Pleistocene-Holocene transition. <i>Ecological Indicators</i> , 2017, 77, 357-367.	2.6	22

#	ARTICLE	IF	CITATIONS
109	Alien plant invasions in European woodlands. <i>Diversity and Distributions</i> , 2017, 23, 969-981.	1.9	98
110	Diversity of lowland hay meadows and pastures in Western and Central Europe. <i>Applied Vegetation Science</i> , 2017, 20, 702-719.	0.9	21
111	Naturalization of European plants on other continents: The role of donor habitats. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 13756-13761.	3.3	57
112	History of Botanical Research in the Czech Republic. <i>Plant and Vegetation</i> , 2017, , 25-87.	0.6	2
113	Plant Invasions in the Czech Republic. <i>Plant and Vegetation</i> , 2017, , 339-399.	0.6	7
114	Management of semi-natural grasslands benefiting both plant and insect diversity: The importance of heterogeneity and tradition. <i>Agriculture, Ecosystems and Environment</i> , 2017, 246, 243-252.	2.5	86
115	<i>Applied Vegetation Science</i> enters its 20th year. <i>Applied Vegetation Science</i> , 2017, 20, 1-4.	0.9	2
116	Formalized classification of European fen vegetation at the alliance level. <i>Applied Vegetation Science</i> , 2017, 20, 124-142.	0.9	73
117	No evidence for larger leaf trait plasticity in ecological generalists compared to specialists. <i>Journal of Biogeography</i> , 2017, 44, 511-521.	1.4	11
118	Mapping plant community ecology. <i>Journal of Vegetation Science</i> , 2017, 28, 1-3.	1.1	9
119	Root hemiparasitic plants are associated with high diversity in temperate grasslands. <i>Journal of Vegetation Science</i> , 2017, 28, 184-191.	1.1	19
120	A higher-level classification of the Pannonian and western Pontic steppe grasslands (Central and western Europe). <i>Journal of Vegetation Science</i> , 2017, 28, 1036-1046.	0.9	46
121	The relationship between plant species richness and soil pH vanishes with increasing aridity across Eurasian dry grasslands. <i>Global Ecology and Biogeography</i> , 2017, 26, 425-434.	2.7	57
122	Regional differences in soil pH niche among dry grassland plants in Eurasia. <i>Oikos</i> , 2017, 126, 660-670.	1.2	17
123	Current Vegetation of the Czech Republic. <i>Plant and Vegetation</i> , 2017, , 229-337.	0.6	8
124	Is phylogenetic diversity a good proxy for functional diversity of plant communities? A case study from urban habitats. <i>Journal of Vegetation Science</i> , 2016, 27, 1036-1046.	1.1	39
125	Biotic homogenization of urban floras by alien species: the role of species turnover and richness differences. <i>Journal of Vegetation Science</i> , 2016, 27, 452-459.	1.1	42
126	A quest for species-level indicator values for disturbance. <i>Journal of Vegetation Science</i> , 2016, 27, 628-636.	1.1	58



#	ARTICLE	IF	CITATIONS
127	Vegetation of Europe: hierarchical floristic classification system of vascular plant, bryophyte, lichen, and algal communities. <i>Applied Vegetation Science</i> , 2016, 19, 3-264.	0.9	905
128	Disentangling vegetation diversity from climateâ€“energy and habitat heterogeneity for explaining animal geographic patterns. <i>Ecology and Evolution</i> , 2016, 6, 1515-1526.	0.8	28
129	Exposure-related forest-steppe: A diverse landscape type determined by topography and climate. <i>Journal of Arid Environments</i> , 2016, 135, 75-84.	1.2	35
130	Vegetation classification and biogeography of European floodplain forests and alder carrs. <i>Applied Vegetation Science</i> , 2016, 19, 147-163.	0.9	89
131	How to publish a good journal in plant community ecology?. <i>Journal of Vegetation Science</i> , 2016, 27, 1-3.	1.1	3
132	European Vegetation Archive (EVA): an integrated database of European vegetation plots. <i>Applied Vegetation Science</i> , 2016, 19, 173-180.	0.9	247
133	Current European policies are unlikely to jointly foster carbon sequestration and protect biodiversity. <i>Biological Conservation</i> , 2016, 201, 370-376.	1.9	65
134	Measuring size and composition of species pools: a comparison of dark diversity estimates. <i>Ecology and Evolution</i> , 2016, 6, 4088-4101.	0.8	31
135	<i>Applied Vegetation Science</i> in 2016: the leading journal promoting the application of vegetation science. <i>Applied Vegetation Science</i> , 2016, 19, 1-2.	0.9	6
136	Nomenclature Adjustments and New Syntaxa of the Arctic, Alpine and Oro-Mediterranean Vegetation. <i>Hacquetia</i> , 2015, 14, 277-288.	0.2	7
137	WetVegEurope: a database of aquatic and wetland vegetation of Europe. <i>Phytocoenologia</i> , 2015, 45, 187-194.	1.2	18
138	Formalized classification of speciesâ€“poor vegetation: a proposal of a consistent protocol for aquatic vegetation. <i>Journal of Vegetation Science</i> , 2015, 26, 791-803.	1.1	55
139	Phylogenetic structure of plant species pools reflects habitat age on the geological time scale. <i>Journal of Vegetation Science</i> , 2015, 26, 1080-1089.	1.1	43
140	European glacial relict snails and plants: environmental context of their modern refugial occurrence in southern Siberia. <i>Boreas</i> , 2015, 44, 638-657.	1.2	51
141	A comparative framework for broadâ€“scale plotâ€“based vegetation classification. <i>Applied Vegetation Science</i> , 2015, 18, 543-560.	0.9	126
142	Intercontinental comparison of habitat levels of invasion between temperate North America and Europe. <i>Ecology</i> , 2015, 96, 3363-3373.	1.5	23
143	Challenging the view that invasive non-native plants are not a significant threat to the floristic diversity of Great Britain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E2988-9.	3.3	32
144	Nativeâ€“range habitats of invasive plants: are they similar to invadedâ€“range habitats and do they differ according to the geographical direction of invasion?. <i>Diversity and Distributions</i> , 2015, 21, 312-321.	1.9	43

#	ARTICLE	IF	CITATIONS
145	Plant communities: their conservation assessment and surveys across continents and in the tropics. <i>Applied Vegetation Science</i> , 2015, 18, 1-2.	0.9	1
146	Regional metacommunities in two coastal systems: spatial structure and drivers of plant assemblages. <i>Journal of Biogeography</i> , 2015, 42, 452-462.	1.4	19
147	From arable land to species-rich semi-natural grasslands: Succession in abandoned fields in a dry region of central Europe. <i>Ecological Engineering</i> , 2015, 77, 373-381.	1.6	67
148	Patterns of fine-scale plant species richness in dry grasslands across the eastern Balkan Peninsula. <i>Acta Oecologica</i> , 2015, 63, 36-46.	0.5	17
149	Mid-Holocene bottleneck for central European dry grasslands: Did steppe survive the forest optimum in northern Bohemia, Czech Republic?. <i>Holocene</i> , 2015, 25, 716-726.	0.9	97
150	<i>Journal of Vegetation Science</i> in 2015: journal growth, celebrations and awards. <i>Journal of Vegetation Science</i> , 2015, 26, 1-3.	1.1	1
151	Modelling the Last Glacial Maximum environments for a refugium of Pleistocene biota in the Russian Altai Mountains, Siberia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 438, 135-145.	1.0	33
152	Alien plants invade more phylogenetically clustered community types and cause even stronger clustering. <i>Global Ecology and Biogeography</i> , 2015, 24, 786-794.	2.7	66
153	Temperate forests in continental <sc>E</sc>ast <sc>A</sc>sia. <i>Applied Vegetation Science</i> , 2015, 18, 3-4.	0.9	4
154	<i>Chamaecyparis</i> montane cloud forest in Taiwan: ecology and vegetation classification. <i>Ecological Research</i> , 2015, 30, 771-791.	0.7	25
155	Naturalization of central European plants in North America: species traits, habitats, propagule pressure, residence time. <i>Ecology</i> , 2015, 96, 762-774.	1.5	166
156	Unimodal Latitudinal Pattern of Land-Snail Species Richness across Northern Eurasian Lowlands. <i>PLoS ONE</i> , 2014, 9, e104035.	1.1	11
157	The number of vegetation types in <sc>E</sc>uropean countries: major determinants and extrapolation to other regions. <i>Journal of Vegetation Science</i> , 2014, 25, 863-872.	1.1	18
158	Transfer of scientific knowledge to practitioners: Do we need a reform of the journal policy?. <i>Applied Vegetation Science</i> , 2014, 17, 609-610.	0.9	1
159	Vegetation diversity of mesic grasslands (<i>Arrhenatheretalia</i>) in the Iberian Peninsula. <i>Applied Vegetation Science</i> , 2014, 17, 780-796.	0.9	21
160	<sc>S</sc>ilver <sc>J</sc>ubilee of the journal and complexity of global change. <i>Journal of Vegetation Science</i> , 2014, 25, 1-3.	1.1	3
161	Spatial models and plant traits for conservation and restoration. <i>Applied Vegetation Science</i> , 2014, 17, 1-3.	0.9	3
162	Ecology of <i>Tilia sibirica</i> in a continental hemiboreal forest, southern Siberia: An analogue of a glacial refugium of broad-leaved temperate trees?. <i>Holocene</i> , 2014, 24, 908-918.	0.9	16

#	ARTICLE	IF	CITATIONS
163	Alien species pool influences the level of habitat invasion in intercontinental exchange of alien plants. <i>Global Ecology and Biogeography</i> , 2014, 23, 1366-1375.	2.7	23
164	Diversity of the Western Carpathian flysch grasslands: Do extremely species-rich plant communities coincide with a high diversity of snails?. <i>Biologia (Poland)</i> , 2014, 69, 202-213.	0.8	2
165	Semi-supervised classification of vegetation: preserving the good old units and searching for new ones. <i>Journal of Vegetation Science</i> , 2014, 25, 1504-1512.	1.1	41
166	Temperate trees and shrubs as global invaders: the relationship between invasiveness and native distribution depends on biological traits. <i>Biological Invasions</i> , 2014, 16, 577-589.	1.2	43
167	Habitat invasion research: where vegetation science and invasion ecology meet. <i>Journal of Vegetation Science</i> , 2014, 25, 1181-1187.	1.1	29
168	High Plant Diversity of Grasslands in a Landscape Context: A Comparison of Contrasting Regions in Central Europe. <i>Folia Geobotanica</i> , 2014, 49, 117-135.	0.4	27
169	Late Pleniglacial vegetation in eastern-central Europe: are there modern analogues in Siberia?. <i>Quaternary Science Reviews</i> , 2014, 95, 60-79.	1.4	88
170	Assessing vegetation change using vegetation plot databases: a risky business. <i>Applied Vegetation Science</i> , 2014, 17, 32-41.	0.9	74
171	Plant species richness-productivity relationships in a low-productive boreal region. <i>Plant Ecology</i> , 2013, 214, 207-219.	0.7	11
172	Exceptionally poor land snail fauna of central Yakutia (NE Russia): climatic and habitat determinants of species richness. <i>Polar Biology</i> , 2013, 36, 185-191.	0.5	20
173	Where do they come from and where do they go? European natural habitats as donors of invasive alien plants globally. <i>Diversity and Distributions</i> , 2013, 19, 199-214.	1.9	52
174	Organic farming, vegetation restoration and survey. <i>Applied Vegetation Science</i> , 2013, 16, 1-4.	0.9	1
175	Functional types, climatic change and species richness. <i>Journal of Vegetation Science</i> , 2013, 24, 1-3.	1.1	3
176	Classification of Taiwan forest vegetation. <i>Applied Vegetation Science</i> , 2013, 16, 698-719.	0.9	106
177	Towards a consistent classification of European grasslands. <i>Applied Vegetation Science</i> , 2013, 16, 518-520.	0.9	30
178	Wetland vegetation of the class Phragmito-Magno-Caricetea in central Italy. <i>Phytocoenologia</i> , 2013, 43, 67-102.	1.2	56
179	Diversity and Biotic Homogenization of Urban Land-Snail Faunas in Relation to Habitat Types and Macroclimate in 32 Central European Cities. <i>PLoS ONE</i> , 2013, 8, e71783.	1.1	34
180	Biotic homogenization of Central European urban floras depends on residence time of alien species and habitat types. <i>Biological Conservation</i> , 2012, 145, 179-184.	1.9	87

#	ARTICLE	IF	CITATIONS
181	Classification of the High-Mountain Coniferous Forests in Taiwan. <i>Folia Geobotanica</i> , 2012, 47, 373-401.	0.4	8
182	Environmental control of species richness and composition in upland grasslands of the southern Czech Republic. <i>Plant Ecology</i> , 2012, 213, 591-602.	0.7	55
183	Projecting trends in plant invasions in Europe under different scenarios of future land-use change. <i>Global Ecology and Biogeography</i> , 2012, 21, 75-87.	2.7	89
184	Editors'™ Award, vegetation survey, remote sensing and restoration. <i>Applied Vegetation Science</i> , 2012, 15, 1-3.	0.9	0
185	Editors'™ Award, experimental approaches, functional traits and ecoinformatics. <i>Journal of Vegetation Science</i> , 2012, 23, 1-3.	1.1	1
186	Dispersal limitation is stronger in communities of microorganisms than macroorganisms across Central European cities. <i>Journal of Biogeography</i> , 2012, 39, 1101-1111.	1.4	25
187	High species richness in hemiboreal forests of the northern Russian Altai, southern Siberia. <i>Journal of Vegetation Science</i> , 2012, 23, 605-616.	1.1	37
188	Native and alien floras in urban habitats: a comparison across 32 cities of central Europe. <i>Global Ecology and Biogeography</i> , 2012, 21, 545-555.	2.7	96
189	The species richness-™ productivity relationship in the herb layer of European deciduous forests. <i>Global Ecology and Biogeography</i> , 2012, 21, 657-667.	2.7	46
190	The need for and the requirements of EuroSL, an electronic taxonomic reference list of all Euro-pean plants. <i>Biodiversity and Ecology = Biodiversitat Und Okologie</i> , 2012, 4, 15-24.	0.2	9
191	News from the Global Index of Vegetation-Plot Databases (GIVD): the metadata platform, available data, and their properties. <i>Biodiversity and Ecology = Biodiversitat Und Okologie</i> , 2012, 4, 77-82.	0.2	10
192	Database of Masaryk University's Vegetation Research in Siberia. <i>Biodiversity and Ecology = Biodiversitat Und Okologie</i> , 2012, 4, 290-290.	0.2	7
193	Czech National Phytosociological Database. <i>Biodiversity and Ecology = Biodiversitat Und Okologie</i> , 2012, 4, 345-345.	0.2	10
194	Diversity of Central European urban biota: effects of human-made habitat types on plants and land snails. <i>Journal of Biogeography</i> , 2011, 38, 1152-1163.	1.4	88
195	Evaluating the stability of the classification of community data. <i>Ecography</i> , 2011, 34, 807-813.	2.1	18
196	Vegetation change in Southeast Greenland? Tasiilaq revisited after 40 years. <i>Applied Vegetation Science</i> , 2011, 14, 230-241.	0.9	49
197	Journal development, vegetation survey and the restoration of invaded ecosystems. <i>Applied Vegetation Science</i> , 2011, 14, 1-5.	0.9	1
198	Vegetation survey: a new focus for <i>Applied Vegetation Science</i>. <i>Applied Vegetation Science</i> , 2011, 14, 435-439.	0.9	48

#	ARTICLE	IF	CITATIONS
199	Heterogeneity-constrained random resampling of phytosociological databases. <i>Journal of Vegetation Science</i> , 2011, 22, 175-183.	1.1	57
200	Competition, invasion effects versus invasiveness and fuzzy classification. <i>Journal of Vegetation Science</i> , 2011, 22, 1-5.	1.1	3
201	Bias in vegetation databases? A comparison of stratified-random and preferential sampling. <i>Journal of Vegetation Science</i> , 2011, 22, 281-291.	1.1	83
202	The Global Index of Vegetation-Plot Databases (GIVD): a new resource for vegetation science. <i>Journal of Vegetation Science</i> , 2011, 22, 582-597.	1.1	251
203	Floristic diversity patterns in the White Carpathians biosphere reserve, Czech Republic. <i>Biologia (Poland)</i> , 2011, 66, 266-274.	0.8	22
204	Environmental factors influencing herb layer productivity in Central European oak forests: insights from soil and biomass analyses and a phytometer experiment. <i>Plant and Soil</i> , 2011, 342, 183-194.	1.8	32
205	Successful invaders co-opt pollinators of native flora and accumulate insect pollinators with increasing residence time. <i>Ecological Monographs</i> , 2011, 81, 277-293.	2.4	83
206	OptimClass: Using species-to-cluster fidelity to determine the optimal partition in classification of ecological communities. <i>Journal of Vegetation Science</i> , 2010, 21, 287-299.	1.1	88
207	Floristic diversity of an eastern Mediterranean dwarf shrubland: the importance of soil pH. <i>Journal of Vegetation Science</i> , 2010, 21, 1125-1137.	1.1	31
208	Pattern of local plant species richness along a gradient of landscape topographical heterogeneity: result of spatial mass effect or environmental shift?. <i>Ecography</i> , 2010, 33, 578-589.	2.1	21
209	Modern analogues from the Southern Urals provide insights into biodiversity change in the early Holocene forests of Central Europe. <i>Journal of Biogeography</i> , 2010, 37, 767-780.	1.4	36
210	Habitats of relict terrestrial snails in southern Siberia: lessons for the reconstruction of palaeoenvironments of full-glacial Europe. <i>Journal of Biogeography</i> , 2010, 37, 1450-1462.	1.4	65
211	Contrasting patterns in the invasions of European terrestrial and freshwater habitats by alien plants, insects and vertebrates. <i>Global Ecology and Biogeography</i> , 2010, 19, 317-331.	2.7	154
212	Snail faunas in the Southern Ural forests and their relations to vegetation: an analogue of the Early Holocene assemblages of Central Europe?. <i>Journal of Molluscan Studies</i> , 2010, 76, 1-10.	0.4	30
213	Classification of inland Bolboschoenus-dominated vegetation in Central Europe. <i>Phytocoenologia</i> , 2009, 39, 205-215.	1.2	24
214	Surface pollen-vegetation relationships in the forest-steppe, taiga and tundra landscapes of the Russian Altai Mountains. <i>Review of Palaeobotany and Palynology</i> , 2009, 157, 253-265.	0.8	29
215	Weed vegetation and its conservation value in three management systems of Hungarian winter cereals on base-rich soils. <i>Weed Research</i> , 2009, 49, 544-551.	0.8	24
216	Changes in vegetation types and Ellenberg indicator values after 65 years of fertilizer application in the Rengen Grassland Experiment, Germany. <i>Applied Vegetation Science</i> , 2009, 12, 167-176.	0.9	70

#	ARTICLE	IF	CITATIONS
217	Modified TWINSPLAN classification in which the hierarchy respects cluster heterogeneity. <i>Journal of Vegetation Science</i> , 2009, 20, 596-602.	1.1	233
218	Effects of different fidelity measures and contexts on the determination of diagnostic species. <i>Journal of Vegetation Science</i> , 2009, 20, 130-137.	1.1	49
219	Invasion success of alien plants: do habitat affinities in the native distribution range matter?. <i>Global Ecology and Biogeography</i> , 2009, 18, 372-382.	2.7	60
220	European map of alien plant invasions based on the quantitative assessment across habitats. <i>Diversity and Distributions</i> , 2009, 15, 98-107.	1.9	205
221	The global invasion success of Central European plants is related to distribution characteristics in their native range and species traits. <i>Diversity and Distributions</i> , 2009, 15, 891-903.	1.9	246
222	Chapter 6 Habitats and Land Use as Determinants of Plant Invasions in the Temperate Zone of Europe. , 2009, , 66-80.		7
223	Plant attributes determining the regional abundance of weeds on central European arable land. <i>Journal of Biogeography</i> , 2008, 35, 177-187.	1.4	37
224	Diversity of forest vegetation across a strong gradient of climatic continentality: Western Sayan Mountains, southern Siberia. <i>Plant Ecology</i> , 2008, 196, 61-83.	0.7	72
225	Habitat invasions by alien plants: a quantitative comparison among Mediterranean, subcontinental and oceanic regions of Europe. <i>Journal of Applied Ecology</i> , 2008, 45, 448-458.	1.9	450
226	Interpretation of the lastâ€glacial vegetation of easternâ€central Europe using modern analogues from southern Siberia. <i>Journal of Biogeography</i> , 2008, 35, 2223-2236.	1.4	99
227	SEPARATING HABITAT INVASIBILITY BY ALIEN PLANTS FROM THE ACTUAL LEVEL OF INVASION. <i>Ecology</i> , 2008, 89, 1541-1553.	1.5	330
228	The relationships of modern pollen spectra to vegetation and climate along a steppeâ€forestâ€tundra transition in southern Siberia, explored by decision trees. <i>Holocene</i> , 2008, 18, 1259-1271.	0.9	36
229	Plant species richness in continental southern Siberia: effects of pH and climate in the context of the species pool hypothesis. <i>Global Ecology and Biogeography</i> , 2007, 16, 668-678.	2.7	95
230	Semiâ€dry grasslands along a climatic gradient across Central Europe: Vegetation classification with validation. <i>Journal of Vegetation Science</i> , 2007, 18, 835-846.	1.1	36
231	Sampling design in large-scale vegetation studies: Do not sacrifice ecological thinking to statistical purism!. <i>Folia Geobotanica</i> , 2007, 42, 199-208.	0.4	69
232	Semi-dry grasslands along a climatic gradient across Central Europe: Vegetation classification with validation. <i>Journal of Vegetation Science</i> , 2007, 18, 835.	1.1	7
233	Patterns of plant traits in annual vegetation of man-made habitats in central Europe. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2006, 8, 69-81.	1.1	170
234	Beech forest communities in Bulgaria. <i>Phytocoenologia</i> , 2006, 36, 247-279.	1.2	32

#	ARTICLE	IF	CITATIONS
235	Effects of plot size on the ordination of vegetation samples. <i>Journal of Vegetation Science</i> , 2006, 17, 465-472.	1.1	105
236	Statistical determination of diagnostic species for site groups of unequal size. <i>Journal of Vegetation Science</i> , 2006, 17, 809-818.	1.1	324
237	Local ranges of phytosociological associations: are they reflected in numerical classification?. <i>Biologia (Poland)</i> , 2006, 61, 71-77.	0.8	10
238	Classification of weed vegetation of arable land in the Czech Republic and Slovakia. <i>Folia Geobotanica</i> , 2006, 41, 259-273.	0.4	28
239	Vegetation of the rock outcrops and screes in the forest-steppe and steppe belts of the Altai and Western Sayan Mts., southern Siberia. <i>Phytocoenologia</i> , 2006, 36, 509-545.	1.2	20
240	Statistical determination of diagnostic species for site groups of unequal size. <i>Journal of Vegetation Science</i> , 2006, 17, 809.	1.1	86
241	Effects of plot size on the ordination of vegetation samples. , 2006, 17, 465.		8
242	Effects of abiotic factors on species richness and cover in Central European weed communities. <i>Agriculture, Ecosystems and Environment</i> , 2005, 109, 1-8.	2.5	61
243	Supervised classification of plant communities with artificial neural networks. <i>Journal of Vegetation Science</i> , 2005, 16, 407-414.	1.1	42
244	Stratified resampling of phytosociological databases: some strategies for obtaining more representative data sets for classification studies. <i>Journal of Vegetation Science</i> , 2005, 16, 479-486.	1.1	97
245	A breakthrough?. <i>Folia Geobotanica</i> , 2005, 40, 105-111.	0.4	0
246	Diversity of bryophytes on treeless cliffs and talus slopes in a forested central European landscape. <i>Journal of Bryology</i> , 2005, 27, 35-46.	0.4	13
247	ALIEN PLANTS IN TEMPERATE WEED COMMUNITIES: PREHISTORIC AND RECENT INVADERS OCCUPY DIFFERENT HABITATS. <i>Ecology</i> , 2005, 86, 772-785.	1.5	128
248	Supervised classification of plant communities with artificial neural networks. , 2005, 16, 407.		8
249	Stratified resampling of phytosociological databases: some strategies for obtaining more representative data sets for classification studies. , 2005, 16, 479.		21
250	Weed vegetation of arable land in Central Europe: Gradients of diversity and species composition. <i>Journal of Vegetation Science</i> , 2004, 15, 415-422.	1.1	180
251	Trends in species diversity and composition of urban vegetation over three decades. <i>Journal of Vegetation Science</i> , 2004, 15, 781-788.	1.1	107
252	Interspecific associations in phytosociological data sets: how do they change between local and regional scale?. <i>Plant Ecology</i> , 2004, 173, 247-257.	0.7	14

#	ARTICLE	IF	CITATIONS
253	Diversity of hay meadows in the Czech Republic: major types and environmental gradients. <i>Phytocoenologia</i> , 2004, 34, 551-567.	1.2	38
254	Trends in species diversity and composition of urban vegetation over three decades. <i>Journal of Vegetation Science</i> , 2004, 15, 781.	1.1	38
255	Weed vegetation of arable land in Central Europe: Gradients of diversity and species composition. , 2004, 15, 415.		27
256	Local and regional patterns of species richness in Central European vegetation types along the pH/calcium gradient. <i>Folia Geobotanica</i> , 2003, 38, 429-442.	0.4	128
257	Plot sizes used for phytosociological sampling of European vegetation. <i>Journal of Vegetation Science</i> , 2003, 14, 563-570.	1.1	260
258	Formalized reproduction of an expert-based phytosociological classification: A case study of subalpine tall-forb vegetation. <i>Journal of Vegetation Science</i> , 2003, 14, 601-610.	1.1	79
259	Plot sizes used for phytosociological sampling of European vegetation. , 2003, 14, 563.		40
260	Formalized reproduction of an expert-based phytosociological classification: A case study of subalpine tall-forb vegetation. , 2003, 14, 601.		10
261	Vegetation surveys in the circumboreal coniferous forests: A review. <i>Folia Geobotanica</i> , 2002, 37, 365-382.	0.4	14
262	Context-dependence of diagnostic species: A case study of the central european spruce forests. <i>Folia Geobotanica</i> , 2002, 37, 403-417.	0.4	37
263	Determination of diagnostic species with statistical fidelity measures. <i>Journal of Vegetation Science</i> , 2002, 13, 79-90.	1.1	589
264	Determination of diagnostic species with statistical fidelity measures. , 2002, 13, 79.		27
265	Phytosociological Data Give Biased Estimates of Species Richness. <i>Journal of Vegetation Science</i> , 2001, 12, 439.	1.1	66
266	Species richness and species turnover in a successional heathland. <i>Applied Vegetation Science</i> , 2001, 4, 89-96.	0.9	35
267	Phytosociological data give biased estimates of species richness. <i>Journal of Vegetation Science</i> , 2001, 12, 441-444.	1.1	28
268	Towards unification of national vegetation classifications: A comparison of two methods for analysis of large data sets. <i>Journal of Vegetation Science</i> , 2000, 11, 295-306.	1.1	65
269	Title is missing!. , 1999, 143, 77-87.		64
270	Potential replacement vegetation: an approach to vegetation mapping of cultural landscapes. <i>Applied Vegetation Science</i> , 1998, 1, 177-188.	0.9	37



#	ARTICLE	IF	CITATIONS
271	Phenological mapping in a topographically complex landscape by combining field survey with an irradiation model. <i>Applied Vegetation Science</i> , 1998, 1, 225-232.	0.9	15
272	Syntaxonomy of vegetation of the Svyatoi Nos peninsula, Lake Baikal 2. Forests and krummholz in comparison with other regions of northern Buryatia. <i>Folia Geobotanica</i> , 1998, 33, 31-75.	0.4	12
273	European vegetation survey: The context of the case studies. <i>Folia Geobotanica Et Phytotaxonomica</i> , 1997, 32, 113-115.	0.4	11
274	Thermophilous oak forests in the Czech Republic: Syntaxonomical revision of the <i>Quercetalia pubescenti-petraeae</i> . <i>Folia Geobotanica Et Phytotaxonomica</i> , 1997, 32, 221-258.	0.4	32
275	Plant communities of the Bol'shoye Iyrykuj River Valley, Barguzinskij Range, East Siberia. <i>Phytocoenologia</i> , 1995, 25, 399-434.	1.2	12
276	Syntaxonomy of vegetation of Svjatoj Nos Peninsula, Lake Baikal 1. Non forest communities. <i>Folia Geobotanica Et Phytotaxonomica</i> , 1993, 28, 337-383.	0.4	21
277	Long-term changes in the field layer of oak and oak-hornbeam forests under the impact of deer and mouflon. <i>Folia Geobotanica Et Phytotaxonomica</i> , 1993, 28, 225-245.	0.4	30
278	Correlations between global and regional measures of invasiveness vary with region size. <i>NeoBiota</i> , 0, 16, 59-80.	1.0	9
279	Open minded and open access: introducing <i>NeoBiota</i> , a new peer-reviewed journal of biological invasions. <i>NeoBiota</i> , 0, 9, 1-12.	1.0	9
280	Open minded and open access: introducing <i>NeoBiota</i> , a new peer-reviewed journal of biological invasions. <i>NeoBiota</i> , 0, 9, 1-12.	1.0	1
281	The effect of niche filtering on plant species abundance in temperate grassland communities. <i>Functional Ecology</i> , 0, , .	1.7	2
282	Alien plants tend to occur in species-poor communities. <i>NeoBiota</i> , 0, 73, 39-56.	1.0	7