

Glenn Gardener

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6282629/glenn-gardener-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69

papers

1,628

citations

20

h-index

39

g-index

84

ext. papers

2,046

ext. citations

3.7

avg, IF

3.97

L-index

#	Paper	IF	Citations
69	The randomized TOTAL-trials on fetal surgery for congenital diaphragmatic hernia: re-analysis using pooled data. <i>American Journal of Obstetrics and Gynecology</i> , 2021 ,	6.4	2
68	Prospective cohort study: Causes of stillbirth in Australia 2013-2018. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2021 , 61, 667-674	1.7	0
67	Spontaneous twin anemia polycythemia sequence: diagnosis, management, and outcome in an international cohort of 249 cases. <i>American Journal of Obstetrics and Gynecology</i> , 2021 , 224, 213.e1-213.e11	6.4	5
66	Planned Cesarean or planned vaginal delivery for twins: secondary analysis of randomized controlled trial. <i>Ultrasound in Obstetrics and Gynecology</i> , 2021 , 57, 582-591	5.8	2
65	Randomized Trial of Fetal Surgery for Moderate Left Diaphragmatic Hernia. <i>New England Journal of Medicine</i> , 2021 , 385, 119-129	59.2	15
64	Post-Laser Twin Anemia Polycythemia Sequence: Diagnosis, Management, and Outcome in an International Cohort of 164 Cases. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	5
63	Non-invasive prenatal testing (NIPT) for fetal Kell, Duffy and Rh blood group antigen prediction in alloimmunised pregnant women: power of droplet digital PCR. <i>British Journal of Haematology</i> , 2020 , 189, e90-e94	4.5	8
62	Non-invasive prenatal testing for management of haemolytic disease of the fetus and newborn induced by maternal alloimmunisation. <i>Transfusion and Apheresis Science</i> , 2020 , 59, 102947	2.4	2
61	Decreased fetal movements (DFM) - finding the balance. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2019 , 59, E14	1.7	
60	STRIDER NZAus: a multicentre randomised controlled trial of sildenafil therapy in early-onset fetal growth restriction. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 997-1006	3.7	25
59	Maternal intramuscular dexamethasone versus betamethasone before preterm birth (ASTEROID): a multicentre, double-blind, randomised controlled trial. <i>The Lancet Child and Adolescent Health</i> , 2019 , 3, 769-780	14.5	29
58	My Baby's Movements: a stepped wedge cluster randomised controlled trial to raise maternal awareness of fetal movements during pregnancy study protocol. <i>BMC Pregnancy and Childbirth</i> , 2019 , 19, 430	3.2	10
57	Care of pregnant women with decreased fetal movements: Update of a clinical practice guideline for Australia and New Zealand. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018 , 58, 463-468	1.7	20
56	Making stillbirths visible: a systematic review of globally reported causes of stillbirth. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 212-224	3.7	80
55	Interventions for investigating and identifying the causes of stillbirth. <i>The Cochrane Library</i> , 2018 , 4, CD0125048		
54	Application of Whole Genome Sequencing Technology in the Investigation of Genetic Causes of Fetal, Perinatal, and Early Infant Death. <i>Pediatric and Developmental Pathology</i> , 2018 , 21, 54-67	2.2	13
53	Fetal middle cerebral artery Doppler to time intrauterine transfusion in red-cell alloimmunization: a randomized trial. <i>Ultrasound in Obstetrics and Gynecology</i> , 2018 , 51, 306-312	5.8	20

52	Fetoscopic endoluminal tracheal occlusion and reestablishment of fetal airways for congenital diaphragmatic hernia. <i>Gynecological Surgery</i> , 2018 , 15, 9	1.7	42
51	Classification of causes and associated conditions for stillbirths and neonatal deaths. <i>Seminars in Fetal and Neonatal Medicine</i> , 2017 , 22, 176-185	3.7	32
50	Noninvasive fetal RHD genotyping of RhD negative pregnant women for targeted anti-D therapy in Australia: A cost-effectiveness analysis. <i>Prenatal Diagnosis</i> , 2017 , 37, 1245-1253	3.2	11
49	STRIDER (Sildenafil TheRapy in dismal prognosis early onset fetal growth restriction): an international consortium of randomised placebo-controlled trials. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 440	3.2	32
48	Non-invasive fetal RHD genotyping for RhD negative women stratified into RHD gene deletion or variant groups: comparative accuracy using two blood collection tube types. <i>Pathology</i> , 2017 , 49, 757-764	1.6	14
47	Interventions for investigating and identifying the causes of stillbirth. <i>The Cochrane Library</i> , 2017 ,	5.2	1
46	Tracheal Atresia with Segmental Esophageal Duplication: An Unusual Anatomic Arrangement. <i>Pediatric and Developmental Pathology</i> , 2016 , 19, 154-8	2.2	1
45	The Impact of Entry Technique and Access Diameter on Prelabour Rupture of Membranes Following Primary Fetoscopic Laser Treatment for Twin-Twin Transfusion Syndrome. <i>Fetal Diagnosis and Therapy</i> , 2016 , 40, 100-9	2.4	30
44	Evaluation of an international educational programme for health care professionals on best practice in the management of a perinatal death: IMproving Perinatal mortality Review and Outcomes Via Education (IMPROVE). <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 376	3.2	19
43	Iatrogenic Congenital Diaphragmatic Hernia following Prenatal Pleuroamniotic Shunting. <i>Fetal Diagnosis and Therapy</i> , 2016 , 40, 310-312	2.4	
42	Stillbirths: recall to action in high-income countries. <i>Lancet, The</i> , 2016 , 387, 691-702	4.0	351
41	Impact of mode of delivery after 32 weeks gestation on neonatal outcome in dichorionic diamniotic twins. <i>Journal of Obstetrics and Gynaecology Research</i> , 2016 , 42, 392-8	1.9	4
40	Is the third trimester repeat ultrasound scan for placental localisation needed if the placenta is low lying but clear of the os at the mid-trimester morphology scan?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2016 , 56, 215	1.7	
39	Neonatal outcomes after prelabour rupture of membranes before 24 weeks gestation. <i>Journal of Paediatrics and Child Health</i> , 2016 , 52, 722-7	1.3	2
38	Complete penoscrotal transposition: case report and review of the literature. <i>Fetal Diagnosis and Therapy</i> , 2015 , 37, 70-4	2.4	9
37	Prenatal extra-abdominal bowel dilatation is a risk factor for intrapartum fetal compromise for fetuses with gastroschisis. <i>Prenatal Diagnosis</i> , 2015 , 35, 529-33	3.2	10
36	Re: Kapoor S, Thomas JT, Petersen SG, Gardener GJ. Is the third trimester repeat ultrasound scan for placental localisation needed if the placenta is low lying but clear of the os at the mid-trimester morphology scan? Aust N Z J Obstet Gynaecol 2014; 54(5): 428-32. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2015 , 55, 193	1.7	
35	Re: Is the third trimester repeat ultrasound scan for placental localisation needed if the placenta is low lying but clear of the os at the mid-trimester morphology scan?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2015 , 55, 193-4	1.7	

34	Surgical management of abnormally invasive placenta: a retrospective cohort study demonstrating the benefits of a standardized operative approach. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2015 , 94, 1380-6	3.8	23
33	Fetoscopic endoluminal tracheal occlusion (FETO) for congenital diaphragmatic hernia in Australia and New Zealand: are we willing, able, both or neither?. <i>Journal of Paediatrics and Child Health</i> , 2014 , 50, 226-33	1.3	4
32	Strategy for managing maternal variant RHD alleles in Rhesus D negative obstetric populations during fetal RHD genotyping. <i>Prenatal Diagnosis</i> , 2014 , 34, 56-62	3.2	7
31	Predictors of successful external cephalic version in an Australian maternity hospital. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2014 , 54, 59-63	1.7	13
30	Prenatal management of the fetus with isolated congenital diaphragmatic hernia in the era of the TOTAL trial. <i>Seminars in Fetal and Neonatal Medicine</i> , 2014 , 19, 338-48	3.7	100
29	Is the third trimester repeat ultrasound scan for placental localisation needed if the placenta is low lying but clear of the os at the mid-trimester morphology scan?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2014 , 54, 428-32	1.7	7
28	Prominent cervical mucous and its impact on cervical length measurement: findings of a national survey. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2014 , 54, 108-16	1.7	2
27	The outcome of isolated primary fetal hydrothorax: a 10-year review from a tertiary center. <i>Fetal Diagnosis and Therapy</i> , 2013 , 34, 69-76	2.4	15
26	Noninvasive fetal RHD genotyping by microfluidics digital PCR using maternal plasma from two alloimmunized women with the variant RHD(IVS3+1G>A) allele. <i>Prenatal Diagnosis</i> , 2013 , 33, 1214-6	3.2	18
25	Hospital versus outpatient care for preterm pre-labour rupture of membranes. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2013 , 53, 119-24	1.7	10
24	A test of agreement of customised birthweight models. <i>Paediatric and Perinatal Epidemiology</i> , 2013 , 27, 131-7	2.7	4
23	Customised birthweight models: do they increase identification of at-risk infants?. <i>Journal of Paediatrics and Child Health</i> , 2013 , 49, 380-7	1.3	9
22	Anti-D in pregnant women with the RHD(IVS3+1G>A)-associated DEL phenotype. <i>Transfusion</i> , 2012 , 52, 2016-9	2.9	26
21	Trial of instrumental delivery in theatre versus immediate caesarean section for anticipated difficult assisted births. <i>The Cochrane Library</i> , 2012 , 10, CD005545	5.2	8
20	Absent ductus venosus--outcomes and implications from a tertiary centre. <i>Prenatal Diagnosis</i> , 2012 , 32, 686-91	3.2	17
19	A survey of policies for the monitoring of fetal growth in Australian and New Zealand hospitals. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2011 , 51, 493-8	1.7	7
18	Neurodevelopmental outcome and risk factors for disability for twin-twin transfusion syndrome treated with laser surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 204, 159.e1-6	6.4	38
17	An Acardiac twin with a documented heart beat at 6 + 5 weeks and TRAP diagnosed at 8 + 5 weeks--insights into possible pathophysiology. <i>Prenatal Diagnosis</i> , 2011 , 31, 413-4	3.2	2

16	Large umbilical artery aneurysm with a live healthy baby delivered at 31 weeks. <i>Fetal Diagnosis and Therapy</i> , 2011 , 29, 331-3	2.4	4
15	Validation and refinement of an Australian customised birthweight model using routinely collected data. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2010 , 50, 506-11	1.7	11
14	Influence of polyhydramnios on perinatal outcome in pregestational diabetic pregnancies. <i>Ultrasound in Obstetrics and Gynecology</i> , 2010 , 36, 338-43	5.8	22
13	What gestation cut-off should be used for magnesium sulfate treatment of women threatening to deliver preterm?. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 202, e9; author reply e9-10	6.4	3
12	Evaluation of non-invasive prenatal RHD genotyping of the fetus. <i>Medical Journal of Australia</i> , 2009 , 191, 21-5	4	46
11	Causes of death and associated conditions (Codac): a utilitarian approach to the classification of perinatal deaths. <i>BMC Pregnancy and Childbirth</i> , 2009 , 9, 22	3.2	79
10	Early onset, severe fetal growth restriction with absent or reversed end-diastolic flow velocity waveform in the umbilical artery: perinatal and long-term outcomes. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2009 , 49, 45-51	1.7	17
9	Selective fetoscopic laser ablation in 100 consecutive pregnancies with severe twin-twin transfusion syndrome. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2009 , 49, 22-7 ^{1.7}	1.7	36
8	Detection and management of decreased fetal movements in Australia and New Zealand: a survey of obstetric practice. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2009 , 49, 358-63 ^{1.7}	1.7	42
7	An evaluation of classification systems for stillbirth. <i>BMC Pregnancy and Childbirth</i> , 2009 , 9, 24	3.2	110
6	Trial of instrumental delivery in theatre versus immediate caesarean section for anticipated difficult assisted births. <i>Cochrane Database of Systematic Reviews</i> , 2008 , CD005545		11
5	Prenatal and postnatal presentation of severe achondroplasia with developmental delay and acanthosis nigricans (SADDAN) due to the FGFR3 Lys650Met mutation. <i>American Journal of Medical Genetics, Part A</i> , 2008 , 146A, 212-8	2.5	15
4	Reduction in diagnostic and therapeutic interventions by non-invasive determination of fetal sex in early pregnancy. <i>Prenatal Diagnosis</i> , 2005 , 25, 1111-6	3.2	98
3	Edematous polydactyly in Smith-Lemli-Opitz syndrome Type II. <i>Ultrasound in Obstetrics and Gynecology</i> , 2004 , 23, 629-30	5.8	5
2	Abnormal fetal head shape: diagnosis and management. <i>Journal of Obstetrics and Gynaecology</i> , 2003 , 23, S39-S39	1.3	
1	Prenatal Diagnosis of Cystic Lung Lesions. <i>BMUS Bulletin</i> , 2001 , 9, 8-13		