

# Alexandre Podtelejnikov

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6283384/alexandre-podtelejnikov-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

41  
papers

9,891  
citations

33  
h-index

41  
g-index

41  
ext. papers

10,463  
ext. citations

11  
avg, IF

5  
L-index

#	Paper	IF	Citations
41	Improved Reversed Phase Chromatography of Hydrophilic Peptides from Spatial and Temporal Changes in Column Temperature. <i>Journal of Proteome Research</i> , <b>2017</b> , 16, 2307-2317	5.6	6
40	Integrated analysis of the cerebrospinal fluid peptidome and proteome. <i>Journal of Proteome Research</i> , <b>2008</b> , 7, 386-99	5.6	148
39	Analysis of the mouse liver proteome using advanced mass spectrometry. <i>Journal of Proteome Research</i> , <b>2007</b> , 6, 2963-72	5.6	75
38	Proteomic mapping of brain plasma membrane proteins. <i>Molecular and Cellular Proteomics</i> , <b>2005</b> , 4, 402-86	4.8	141
37	Comparison of different search engines using validated MS/MS test datasets. <i>Analytica Chimica Acta</i> , <b>2005</b> , 534, 11-20	6.6	35
36	Yeast poly(A)-binding protein Pab1 shuttles between the nucleus and the cytoplasm and functions in mRNA export. <i>Rna</i> , <b>2005</b> , 11, 517-31	5.8	91
35	Experimental Peptide Identification Repository (EPIR): an integrated peptide-centric platform for validation and mining of tandem mass spectrometry data. <i>Molecular and Cellular Proteomics</i> , <b>2004</b> , 3, 1023-38	7.6	37
34	Screening for N-glycosylated proteins by liquid chromatography mass spectrometry. <i>Proteomics</i> , <b>2004</b> , 4, 454-65	4.8	175
33	Experiences and perspectives of MALDI MS and MS/MS in proteomic research. <i>International Journal of Mass Spectrometry</i> , <b>2003</b> , 226, 223-237	1.9	50
32	Rrp47p is an exosome-associated protein required for the 3' processing of stable RNAs. <i>Molecular and Cellular Biology</i> , <b>2003</b> , 23, 6982-92	4.8	134
31	Multi-Protein Complexes Studied by Mass Spectrometry. <i>Scientific World Journal, The</i> , <b>2002</b> , 2, 91-92	2.2	1
30	Phosphopeptide detection and sequencing by matrix-assisted laser desorption/ionization quadrupole time-of-flight tandem mass spectrometry. <i>Journal of Mass Spectrometry</i> , <b>2002</b> , 37, 179-90	2.2	92
29	Cloning of a novel phosphotyrosine binding domain containing molecule, Odin, involved in signaling by receptor tyrosine kinases. <i>Oncogene</i> , <b>2002</b> , 21, 8029-36	9.2	43
28	Mechanism of regulation of WAVE1-induced actin nucleation by Rac1 and Nck. <i>Nature</i> , <b>2002</b> , 418, 790-3	50.4	668
27	Systematic identification of protein complexes in <i>Saccharomyces cerevisiae</i> by mass spectrometry. <i>Nature</i> , <b>2002</b> , 415, 180-3	50.4	3069
26	Regulation of G(2)/M events by Cdc25A through phosphorylation-dependent modulation of its stability. <i>EMBO Journal</i> , <b>2002</b> , 21, 5911-20	13	235
25	Ssdp proteins interact with the LIM-domain-binding protein Ldb1 to regulate development. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 14320-5	11.5	57

24	A proteomic approach for identification of secreted proteins during the differentiation of 3T3-L1 preadipocytes to adipocytes. <i>Molecular and Cellular Proteomics</i> , <b>2002</b> , 1, 213-22	7.6	202
23	Identification of yeast proteins by mass spectrometry. <i>Methods in Enzymology</i> , <b>2002</b> , 351, 296-321	1.7	3
22	The RING-H2 finger protein APC11 and the E2 enzyme UBC4 are sufficient to ubiquitinate substrates of the anaphase-promoting complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2000</b> , 97, 8973-8	11.5	159
21	Purification of protein A-tagged yeast ran reveals association with a novel karyopherin beta family member, Pdr6p. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 467-71	5.4	13
20	Analysis of receptor signaling pathways by mass spectrometry: identification of vav-2 as a substrate of the epidermal and platelet-derived growth factor receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2000</b> , 97, 179-84	11.5	380
19	Association of yeast RNA polymerase I with a nucleolar substructure active in rRNA synthesis and processing. <i>Journal of Cell Biology</i> , <b>2000</b> , 149, 575-90	7.3	44
18	Mlp2p, a component of nuclear pore attached intranuclear filaments, associates with nic96p. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 343-50	5.4	72
17	Nup116p associates with the Nup82p-Nsp1p-Nup159p nucleoporin complex. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 23540-8	5.4	49
16	Endophilin I mediates synaptic vesicle formation by transfer of arachidonate to lysophosphatidic acid. <i>Nature</i> , <b>1999</b> , 401, 133-41	50.4	472
15	Identification of MINUS, a small polypeptide that functions as a microtubule nucleation suppressor. <i>EMBO Journal</i> , <b>1999</b> , 18, 565-77	13	18
14	The Mex67p-mediated nuclear mRNA export pathway is conserved from yeast to human. <i>EMBO Journal</i> , <b>1999</b> , 18, 2593-609	13	356
13	Control of the terminal step of intracellular membrane fusion by protein phosphatase 1. <i>Science</i> , <b>1999</b> , 285, 1084-7	33.3	147
12	The yeast exosome and human PM-Scl are related complexes of 3W-5W exonucleases. <i>Genes and Development</i> , <b>1999</b> , 13, 2148-58	12.6	370
11	Nup116p and nup100p are interchangeable through a conserved motif which constitutes a docking site for the mRNA transport factor gle2p. <i>EMBO Journal</i> , <b>1998</b> , 17, 1107-19	13	113
10	Correlation of acidic and basic carrier ampholyte and immobilized pH gradient two-dimensional gel electrophoresis patterns based on mass spectrometric protein identification. <i>Electrophoresis</i> , <b>1998</b> , 19, 1024-35	3.6	50
9	Mtr10p functions as a nuclear import receptor for the mRNA-binding protein Npl3p. <i>EMBO Journal</i> , <b>1998</b> , 17, 2196-207	13	162
8	Identification of the components of simple protein mixtures by high-accuracy peptide mass mapping and database searching. <i>Analytical Chemistry</i> , <b>1997</b> , 69, 4741-50	7.8	230
7	The complex containing actin-related proteins Arp2 and Arp3 is required for the motility and integrity of yeast actin patches. <i>Current Biology</i> , <b>1997</b> , 7, 519-29	6.3	216

6	The application of robotics and mass spectrometry to the characterisation of the <i>Drosophila melanogaster</i> indirect flight muscle proteome. <i>International Journal of Peptide Research and Therapeutics</i> , <b>1997</b> , 4, 57-65		2
5	The application of robotics and mass spectrometry to the characterisation of the <i>Drosophila melanogaster</i> indirect flight muscle proteome. <i>International Journal of Peptide Research and Therapeutics</i> , <b>1997</b> , 4, 57-65		7
4	Linking genome and proteome by mass spectrometry: large-scale identification of yeast proteins from two dimensional gels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1996</b> , 93, 14440-5	11.5	1292
3	Delayed extraction improves specificity in database searches by matrix-assisted laser desorption/ionization peptide maps. <i>Rapid Communications in Mass Spectrometry</i> , <b>1996</b> , 10, 1371-8	2.2	279
2	A strategy for identifying gel-separated proteins in sequence databases by MS alone. <i>Biochemical Society Transactions</i> , <b>1996</b> , 24, 893-6	5.1	192
1	Delayed Extraction Improves Specificity in Database Searches by Matrix-assisted Laser Desorption/Ionization Peptide Maps <b>1996</b> , 10, 1371		6