

Laurent Papazian

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6283987/laurent-papazian-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

219
papers

15,470
citations

60
h-index

121
g-index

250
ext. papers

18,873
ext. citations

9
avg, IF

6.26
L-index

#	Paper	IF	Citations
219	Effect of prone positioning on survival in adult patients receiving venovenous extracorporeal membrane oxygenation for acute respiratory distress syndrome: a systematic review and meta-analysis.. <i>Intensive Care Medicine</i> , 2022 , 48, 270	14.5	3
218	Undocumented migrants in French intensive care units in 2011-2018: retrospective nationwide study.. <i>Intensive Care Medicine</i> , 2022 , 48, 290	14.5	0
217	Sanitary safety of the 2021 French Intensive Care Society medical conference: a case/control study.. <i>Annals of Intensive Care</i> , 2022 , 12, 11	8.9	1
216	Herpesviruses in Critically Ill Patients With ARDS 2022 , 373-385		1
215	Long-term exposure to ambient air pollution is associated with an increased incidence and mortality of acute respiratory distress syndrome in a large French region.. <i>Environmental Research</i> , 2022 , 113383	7.9	0
214	High Mortality of HLH in ICU Regardless Etiology or Treatment. <i>Frontiers in Medicine</i> , 2021 , 8, 735796	4.9	0
213	Impact of dexamethasone on the incidence of ventilator-associated pneumonia and blood stream infections in COVID-19 patients requiring invasive mechanical ventilation: a multicenter retrospective study. <i>Annals of Intensive Care</i> , 2021 , 11, 87	8.9	14
212	Effect of Prone Positioning on the Respiratory Support of Nonintubated Patients With COVID-19 and Acute Hypoxemic Respiratory Failure: A Retrospective Matching Cohort Study. <i>Chest</i> , 2021 , 160, 85-88	5.3	8
211	Management of lung transplantation in the COVID-19 era-An international survey. <i>American Journal of Transplantation</i> , 2021 , 21, 1586-1596	8.7	5
210	Migrants in the intensive care unit: time to show we care. <i>Intensive Care Medicine</i> , 2021 , 47, 473-475	14.5	2
209	Combined Anakinra and Ruxolitinib treatment to rescue extremely ill COVID-19 patients: A pilot study. <i>Autoimmunity Reviews</i> , 2021 , 20, 102726	13.6	11
208	Dissemination of extreme levels of extracellular vesicles: tissue factor activity in patients with severe COVID-19. <i>Blood Advances</i> , 2021 , 5, 628-634	7.8	34
207	Preemptive ganciclovir for mechanically ventilated patients with cytomegalovirus reactivation. <i>Annals of Intensive Care</i> , 2021 , 11, 33	8.9	8
206	Precision medicine in acute respiratory distress syndrome: workshop report and recommendations for future research. <i>European Respiratory Review</i> , 2021 , 30,	9.8	16
205	National incidence rate and related mortality for acute respiratory distress syndrome in France. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2021 , 40, 100795	3	2
204	COVID-19: a heavy toll on health-care workers. <i>Lancet Respiratory Medicine</i> , 2021 , 9, 226-228	35.1	108
203	Symptoms of Mental Health Disorders in Critical Care Physicians Facing the Second COVID-19 Wave: A Cross-Sectional Study. <i>Chest</i> , 2021 , 160, 944-955	5.3	11

202	Efficacy of Acyclovir to Suppress Herpes Simplex Virus Oropharyngeal Reactivation in Patients Who Are Mechanically Ventilated: An Ancillary Study of the Preemptive Treatment for Herpesviridae (PTH) Trial.. <i>JAMA Network Open</i> , 2021 , 4, e2139825	10.4	0
201	Myorelaxants in ARDS patients. <i>Intensive Care Medicine</i> , 2020 , 46, 2357-2372	14.5	10
200	Prone position in ARDS patients: why, when, how and for whom. <i>Intensive Care Medicine</i> , 2020 , 46, 2385-2396	14.5	85
199	Use of Prone Positioning in Nonintubated Patients With COVID-19 and Hypoxemic Acute Respiratory Failure. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 2336-2338	27.4	211
198	Ventilator-associated pneumonia in adults: a narrative review. <i>Intensive Care Medicine</i> , 2020 , 46, 888-906	14.5	114
197	Response to Huang et al. "Herpesviridae reactivation for poor outcome in ARDS patients with ECMO: criminal or witness?". <i>Annals of Intensive Care</i> , 2020 , 10, 8	8.9	
196	Ventilator-associated pneumonia due to <i>Stenotrophomonas maltophilia</i> : Risk factors and outcome. <i>Journal of Infection</i> , 2020 , 80, 279-285	18.9	14
195	Screening and topical decolonization of preoperative nasal <i>Staphylococcus aureus</i> carriers to reduce the incidence of postoperative infections after lung cancer surgery: a propensity matched study. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2020 , 30, 552-558	1.8	0
194	Acyclovir for Mechanically Ventilated Patients With Herpes Simplex Virus Oropharyngeal Reactivation: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2020 , 180, 263-272	11.5	25
193	Venous-to-Arterial Carbon Dioxide Partial Pressure Difference: Predictor of Septic Patient Prognosis Depending on Central Venous Oxygen Saturation. <i>Shock</i> , 2020 , 53, 710-716	3.4	2
192	Heparin-Induced Thrombocytopenia in Severe COVID-19. <i>Circulation</i> , 2020 , 142, 1875-1877	16.7	41
191	High Respiratory Drive and Excessive Respiratory Efforts Predict Relapse of Respiratory Failure in Critically Ill Patients with COVID-19. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 202, 1173-1178	10.2	39
190	Mathematical modeling of peripheral blood neutrophil kinetics to predict CLAD after lung transplantation. <i>Transplant Immunology</i> , 2020 , 62, 101321	1.7	1
189	Symptoms of Anxiety, Depression, and Peritraumatic Dissociation in Critical Care Clinicians Managing Patients with COVID-19. A Cross-Sectional Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020 , 202, 1388-1398	10.2	104
188	Long-term neurocognitive outcome is not worsened by of the use of venovenous ECMO in severe ARDS patients. <i>Annals of Intensive Care</i> , 2019 , 9, 82	8.9	21
187	Non-invasive ventilation versus high-flow nasal cannula oxygen therapy with apnoeic oxygenation for preoxygenation before intubation of patients with acute hypoxaemic respiratory failure: a randomised, multicentre, open-label trial. <i>Lancet Respiratory Medicine</i> , 2019 , 7, 303-312	35.1	58
186	Prone positioning and extracorporeal membrane oxygenation for severe acute respiratory distress syndrome: time for a randomized trial?. <i>Intensive Care Medicine</i> , 2019 , 45, 1040-1042	14.5	34
185	Diagnostic and therapeutic approach to infectious diseases in solid organ transplant recipients. <i>Intensive Care Medicine</i> , 2019 , 45, 573-591	14.5	25

184	Impact of macrolide therapy in critically ill patients with acute respiratory failure: a desirability of outcome ranking analysis to investigate the OUTCOMEREA database. <i>Intensive Care Medicine</i> , 2019 , 45, 1043-1045	14.5	4
183	Multidrug-resistant <i>Pseudomonas aeruginosa</i> and mortality in mechanically ventilated ICU patients. <i>American Journal of Infection Control</i> , 2019 , 47, 1059-1064	3.8	8
182	Multifaceted Program to Reduce Job Strain in ICU Nurses-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 1411-1412	27.4	
181	Elaboration of Consensus Clinical Endpoints to Evaluate Antimicrobial Treatment Efficacy in Future Hospital-acquired/Ventilator-associated Bacterial Pneumonia Clinical Trials. <i>Clinical Infectious Diseases</i> , 2019 , 69, 1912-1918	11.6	9
180	Formal guidelines: management of acute respiratory distress syndrome. <i>Annals of Intensive Care</i> , 2019 , 9, 69	8.9	245
179	In memoriam, Claude Martin 1949-2019. <i>Anesthésie & Réanimation</i> , 2019 , 5, 443-444	0.1	
178	Herpes simplex virus and Cytomegalovirus reactivation among severe ARDS patients under veno-venous ECMO. <i>Annals of Intensive Care</i> , 2019 , 9, 142	8.9	12
177	Variability of reverse triggering in deeply sedated ARDS patients. <i>Intensive Care Medicine</i> , 2019 , 45, 725-726	14.5	14
176	What's new in the prevention of healthcare-associated infections using chlorhexidine gluconate-impregnated washcloths. <i>Intensive Care Medicine</i> , 2019 , 45, 249-251	14.5	2
175	Tracheostomy tube through a silicone Y-stent for mechanical ventilation after an extensive tracheal lesion. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019 , 157, e63-e65	1.5	
174	Evaluation of Almitrine Infusion During Veno-Venous Extracorporeal Membrane Oxygenation for Severe Acute Respiratory Distress Syndrome in Adults. <i>Anesthesia and Analgesia</i> , 2019 , 129, e48-e51	3.9	7
173	Infection-related ventilator-associated complications in ICU patients colonised with extended-spectrum β -lactamase-producing Enterobacteriaceae. <i>Intensive Care Medicine</i> , 2018 , 44, 616-626	14.5	13
172	Oropharyngeal and nasopharyngeal decontamination with chlorhexidine gluconate in lung cancer surgery: a randomized clinical trial. <i>Intensive Care Medicine</i> , 2018 , 44, 578-587	14.5	11
171	Research in Extracorporeal Life Support: A Call to Action. <i>Chest</i> , 2018 , 153, 788-791	5.3	21
170	Sepsis is associated with lack of monocyte HLA-DR expression recovery without modulating T-cell reconstitution after lung transplantation. <i>Transplant Immunology</i> , 2018 , 51, 6-11	1.7	4
169	Management and outcomes of acute respiratory distress syndrome patients with and without comorbid conditions. <i>Intensive Care Medicine</i> , 2018 , 44, 1050-1060	14.5	22
168	Sodium bicarbonate therapy for patients with severe metabolic acidaemia in the intensive care unit (BICAR-ICU): a multicentre, open-label, randomised controlled, phase 3 trial. <i>Lancet, The</i> , 2018 , 392, 31-40	14.0	134
167	Effect of Immunosuppression on Target Blood Immune Cells Within 1 Year After Lung Transplantation: Influence of Age on T Lymphocytes. <i>Annals of Transplantation</i> , 2018 , 23, 11-24	1.4	2

166	Are tracheal surveillance cultures useful in the intensive care unit?. <i>Annals of Translational Medicine</i> , 2018 , 6, 421	3.2	5
165	Influence of Shift Duration on Cognitive Performance of Emergency Physicians: A Prospective Cross-Sectional Study. <i>Annals of Emergency Medicine</i> , 2018 , 72, 171-180	2.1	16
164	Oxygenation/non-invasive ventilation strategy and risk for intubation in immunocompromised patients with hypoxemic acute respiratory failure. <i>Oncotarget</i> , 2018 , 9, 33682-33693	3.3	11
163	Transforming Growth Factor- β in predicting early lung fibroproliferation in patients with acute respiratory distress syndrome. <i>PLoS ONE</i> , 2018 , 13, e0206105	3.7	6
162	Effect of High-Flow Nasal Oxygen vs Standard Oxygen on 28-Day Mortality in Immunocompromised Patients With Acute Respiratory Failure: The HIGH Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 2099-2107	27.4	120
161	Effects of a Multimodal Program Including Simulation on Job Strain Among Nurses Working in Intensive Care Units: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 1988-1997	27.4	37
160	Non-ventilatory therapies for acute respiratory distress syndrome. <i>Minerva Anestesiologica</i> , 2018 , 84, 1093-1101	1.9	3
159	Questions to improve family-staff communication in the ICU: a randomized controlled trial. <i>Intensive Care Medicine</i> , 2018 , 44, 1879-1887	14.5	9
158	Effects of neuromuscular blockers on transpulmonary pressures in moderate to severe acute respiratory distress syndrome. <i>Intensive Care Medicine</i> , 2017 , 43, 600-601	14.5	2
157	High-Flow Nasal Cannula Oxygenation in Immunocompromised Patients With Acute Hypoxemic Respiratory Failure: A Groupe de Recherche Respiratoire en Réanimation Onco-Hématologique Study. <i>Critical Care Medicine</i> , 2017 , 45, e274-e280	1.4	63
156	Pharmacological Interventions: Neuromuscular Blocking Agents 2017 , 189-200		
155	The ICM research agenda on extracorporeal life support. <i>Intensive Care Medicine</i> , 2017 , 43, 1306-1318	14.5	61
154	Effects of neuromuscular blockers on transpulmonary pressures in moderate to severe acute respiratory distress syndrome. <i>Intensive Care Medicine</i> , 2017 , 43, 408-418	14.5	53
153	Statin therapy for acute respiratory distress syndrome: an individual patient data meta-analysis of randomised clinical trials. <i>Intensive Care Medicine</i> , 2017 , 43, 663-671	14.5	23
152	Respective impact of implementation of prevention strategies, colonization with multiresistant bacteria and antimicrobial use on the risk of early- and late-onset VAP: An analysis of the OUTCOMEREA network. <i>PLoS ONE</i> , 2017 , 12, e0187791	3.7	16
151	Respiratory support in patients with acute respiratory distress syndrome: an expert opinion. <i>Critical Care</i> , 2017 , 21, 240	10.8	62
150	Sedation and neuromuscular blocking agents in acute respiratory distress syndrome. <i>Annals of Translational Medicine</i> , 2017 , 5, 291	3.2	37
149	Fatal Septic Shock Triggered by Donor Transmitted Varicella Zoster Virus Reinfection 3 Days After Lung Transplantation. <i>Transplantation</i> , 2017 , 101, e351-e352	1.8	3

148	Hospital-Acquired, Healthcare-Associated and Ventilator-Associated Pneumonia 2017 , 258-262.e1		3
147	How to reduce cisatracurium consumption in ARDS patients: the TOF-ARDS study. <i>Annals of Intensive Care</i> , 2017 , 7, 79	8.9	19
146	Lung ultrasonography for assessment of oxygenation response to prone position ventilation in ARDS. <i>Intensive Care Medicine</i> , 2016 , 42, 1546-1556	14.5	67
145	Night shift and cognitive performance: response to comments by Zijlstra. <i>Intensive Care Medicine</i> , 2016 , 42, 484	14.5	
144	Colonization and infection with extended-spectrum β -lactamase-producing Enterobacteriaceae in ICU patients: what impact on outcomes and carbapenem exposure?. <i>Journal of Antimicrobial Chemotherapy</i> , 2016 , 71, 1088-97	5.1	51
143	Venovenous extracorporeal membrane oxygenation for acute respiratory failure : A clinical review from an international group of experts. <i>Intensive Care Medicine</i> , 2016 , 42, 712-724	14.5	91
142	Diagnostic workup for ARDS patients. <i>Intensive Care Medicine</i> , 2016 , 42, 674-685	14.5	66
141	The Presence of Diffuse Alveolar Damage on Open Lung Biopsy Is Associated With Mortality in Patients With Acute Respiratory Distress Syndrome: A Systematic Review and Meta-Analysis. <i>Chest</i> , 2016 , 149, 1155-64	5.3	63
140	Emerging role of Raoultella ornithinolytica in human infections: a series of cases and review of the literature. <i>International Journal of Infectious Diseases</i> , 2016 , 45, 65-71	10.5	77
139	Use of high-flow nasal cannula oxygenation in ICU adults: a narrative review. <i>Intensive Care Medicine</i> , 2016 , 42, 1336-49	14.5	165
138	CAESAR: a new tool to assess relatives' experience of dying and death in the ICU. <i>Intensive Care Medicine</i> , 2016 , 42, 995-1002	14.5	44
137	Night shift decreases cognitive performance of ICU physicians. <i>Intensive Care Medicine</i> , 2016 , 42, 393-400	4.5	45
136	Cytomegalovirus reactivation in ICU patients. <i>Intensive Care Medicine</i> , 2016 , 42, 28-37	14.5	61
135	The leukocyte-stiffening property of plasma in early acute respiratory distress syndrome (ARDS) revealed by a microfluidic single-cell study: the role of cytokines and protection with antibodies. <i>Critical Care</i> , 2016 , 20, 8	10.8	18
134	Cytomegalovirus Reactivation in Intensive Care Unit Patients. <i>Clinical Pulmonary Medicine</i> , 2016 , 23, 11-15	15.3	1
133	Failure to Improve the Oxygenation Index Is a Useful Predictor of Therapy Failure in Acute Respiratory Distress Syndrome Clinical Trials. <i>Critical Care Medicine</i> , 2016 , 44, e40-4	1.4	11
132	Effect of driving pressure on mortality in ARDS patients during lung protective mechanical ventilation in two randomized controlled trials. <i>Critical Care</i> , 2016 , 20, 384	10.8	94
131	Effect of high-frequency oscillatory ventilation on esophageal and transpulmonary pressures in moderate-to-severe acute respiratory distress syndrome. <i>Annals of Intensive Care</i> , 2016 , 6, 84	8.9	5

130	Diagnostic yield and safety of CT scans in ICU. <i>Intensive Care Medicine</i> , 2015 , 41, 436-43	14.5	20
129	Chlorhexidine daily bathing: impact on health care-associated infections caused by gram-negative bacteria. <i>American Journal of Infection Control</i> , 2015 , 43, 640-3	3.8	41
128	Year in review in <i>Intensive Care Medicine</i> 2014: III. Severe infections, septic shock, healthcare-associated infections, highly resistant bacteria, invasive fungal infections, severe viral infections, Ebola virus disease and paediatrics. <i>Intensive Care Medicine</i> , 2015 , 41, 575-88	14.5	19
127	Rescue therapy for refractory ARDS should be offered early: we are not sure. <i>Intensive Care Medicine</i> , 2015 , 41, 930-2	14.5	2
126	Balancing neuromuscular blockade versus preserved muscle activity. <i>Current Opinion in Critical Care</i> , 2015 , 21, 26-33	3.5	26
125	Year in review in <i>Intensive Care Medicine</i> 2014: II. ARDS, airway management, ventilation, adjuvants in sepsis, hepatic failure, symptoms assessment and management, palliative care and support for families, prognostication, organ donation, outcome, organisation and research methodology.	14.5	6
124	Effect of Noninvasive Ventilation vs Oxygen Therapy on Mortality Among Immunocompromised Patients With Acute Respiratory Failure: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 314, 1711-9	27.4	214
123	Role of chlorhexidine bathing in infection control: reply. <i>American Journal of Infection Control</i> , 2015 , 43, 1145-6	3.8	
122	Type III procollagen is a reliable marker of ARDS-associated lung fibroproliferation. <i>Intensive Care Medicine</i> , 2015 , 41, 1-11	14.5	49
121	Animal models of polymicrobial pneumonia. <i>Drug Design, Development and Therapy</i> , 2015 , 9, 3279-92	4.4	11
120	Training in trains: an educational program to teach bystander CPR : A LIFE-PRIORITY Foundation initiative. <i>Intensive Care Medicine</i> , 2015 , 41, 1361-2	14.5	1
119	Year in review in <i>Intensive Care Medicine</i> 2014: I. Cardiac dysfunction and cardiac arrest, ultrasound, neurocritical care, ICU-acquired weakness, nutrition, acute kidney injury, and miscellaneous. <i>Intensive Care Medicine</i> , 2015 , 41, 179-191	14.5	5
118	Early Hepatic Dysfunction Is Associated with a Worse Outcome in Patients Presenting with Acute Respiratory Distress Syndrome: A Post-Hoc Analysis of the ACURASYS and PROSEVA Studies. <i>PLoS ONE</i> , 2015 , 10, e0144278	3.7	26
117	Year in review in <i>Intensive Care Medicine</i> 2013: II. Sedation, invasive and noninvasive ventilation, airways, ARDS, ECMO, family satisfaction, end-of-life care, organ donation, informed consent, safety, hematological issues in critically ill patients. <i>Intensive Care Medicine</i> , 2014 , 40, 305-19	14.5	15
116	Year in review in <i>Intensive Care Medicine</i> 2013: III. Sepsis, infections, respiratory diseases, pediatrics. <i>Intensive Care Medicine</i> , 2014 , 40, 471-83	14.5	6
115	Year in review in <i>Intensive Care Medicine</i> 2013: I. Acute kidney injury, ultrasound, hemodynamics, cardiac arrest, transfusion, neurocritical care, and nutrition. <i>Intensive Care Medicine</i> , 2014 , 40, 147-59	14.5	22
114	Outcome of acute respiratory distress syndrome patients treated with extracorporeal membrane oxygenation and brought to a referral center. <i>Intensive Care Medicine</i> , 2014 , 40, 74-83	14.5	126
113	The use of paralytics in patients with acute respiratory distress syndrome. <i>Clinics in Chest Medicine</i> , 2014 , 35, 753-63	5.3	7

112	De-escalation versus continuation of empirical antimicrobial treatment in severe sepsis: a multicenter non-blinded randomized noninferiority trial. <i>Intensive Care Medicine</i> , 2014 , 40, 1399-408	14.5	141
111	Culturomics and pyrosequencing evidence of the reduction in gut microbiota diversity in patients with broad-spectrum antibiotics. <i>International Journal of Antimicrobial Agents</i> , 2014 , 44, 117-24	14.3	53
110	Impact of prior statin therapy on the outcome of patients with suspected ventilator-associated pneumonia: an observational study. <i>Critical Care</i> , 2014 , 18, R83	10.8	17
109	Non contiguous-finished genome sequence and description of <i>Enorma timonensis</i> sp. nov. <i>Standards in Genomic Sciences</i> , 2014 , 9, 970-86		4
108	Inhaled lactonase reduces <i>Pseudomonas aeruginosa</i> quorum sensing and mortality in rat pneumonia. <i>PLoS ONE</i> , 2014 , 9, e107125	3.7	65
107	Comparison of femorofemoral and femorojugular configurations during venovenous extracorporeal membrane oxygenation for severe ARDS. <i>Intensive Care Medicine</i> , 2014 , 40, 1598-9	14.5	12
106	Acquiring procedural skills in ICUs: a prospective multicenter study*. <i>Critical Care Medicine</i> , 2014 , 42, 886-95	1.4	24
105	Effectiveness of SAPS III to predict hospital mortality for post-cardiac arrest patients. <i>Resuscitation</i> , 2014 , 85, 939-44	4	22
104	Noninvasive mechanical ventilation in patients having declined tracheal intubation. <i>Intensive Care Medicine</i> , 2013 , 39, 292-301	14.5	97
103	Pharmacological interventions in acute respiratory distress syndrome. <i>Annals of Intensive Care</i> , 2013 , 3, 20	8.9	12
102	Evaluation of the diagnostic value of fluorescent in situ hybridization in a rat model of bacterial pneumonia. <i>Diagnostic Microbiology and Infectious Disease</i> , 2013 , 76, 425-31	2.9	6
101	High-level colonisation of the human gut by Verrucomicrobia following broad-spectrum antibiotic treatment. <i>International Journal of Antimicrobial Agents</i> , 2013 , 41, 149-55	14.3	131
100	Effect of statin therapy on mortality in patients with ventilator-associated pneumonia: a randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 1692-700	27.4	127
99	Impaired virulence and fitness of a colistin-resistant clinical isolate of <i>Acinetobacter baumannii</i> in a rat model of pneumonia. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 5120-1	5.9	31
98	Neuromuscular blocking agents in acute respiratory distress syndrome: a systematic review and meta-analysis of randomized controlled trials. <i>Critical Care</i> , 2013 , 17, R43	10.8	157
97	Investigation of <i>Acinetobacter baumannii</i> resistance to carbapenems in Marseille hospitals, south of France: a transition from an epidemic to an endemic situation. <i>Apmis</i> , 2013 , 121, 64-71	3.4	26
96	Non-invasive ventilation for end-of-life oncology patients. <i>Lancet Oncology, The</i> , 2013 , 14, e200-1	21.7	12
95	Early identification of patients at risk for difficult intubation in the intensive care unit: development and validation of the MACOCHA score in a multicenter cohort study. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2013 , 187, 832-9	10.2	193

94	Pneumonies associées à la ventilation mécanique : faut-il suivre les recommandations ?. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , 2013 , 22, 219-220		
93	Haemophilus parahaemolyticus septic shock after aspiration pneumonia, France. <i>Emerging Infectious Diseases</i> , 2013 , 19, 1694-5	10.2	5
92	Molecular studies neglect apparently gram-negative populations in the human gut microbiota. <i>Journal of Clinical Microbiology</i> , 2013 , 51, 3286-93	9.7	45
91	Serologic prevalence of amoeba-associated microorganisms in intensive care unit pneumonia patients. <i>PLoS ONE</i> , 2013 , 8, e58111	3.7	27
90	Time to intubation is associated with outcome in patients with community-acquired pneumonia. <i>PLoS ONE</i> , 2013 , 8, e74937	3.7	14
89	Molecular detection of microorganisms in distal airways of patients undergoing lung cancer surgery. <i>Annals of Thoracic Surgery</i> , 2012 , 93, 413-22	2.7	10
88	Ventilator-associated pneumonia and ICU mortality in severe ARDS patients ventilated according to a lung-protective strategy. <i>Critical Care</i> , 2012 , 16, R65	10.8	78
87	The role of neuromuscular blockers in ARDS: benefits and risks. <i>Current Opinion in Critical Care</i> , 2012 , 18, 495-502	3.5	21
86	A strategy based on galactomannan antigen detection and PCR for invasive pulmonary aspergillosis following influenza A (H1N1) pneumonia. <i>Journal of Infection</i> , 2012 , 65, 470-3	18.9	16
85	Symptoms of depression in ICU physicians. <i>Annals of Intensive Care</i> , 2012 , 2, 34	8.9	43
84	Repertoire of intensive care unit pneumonia microbiota. <i>PLoS ONE</i> , 2012 , 7, e32486	3.7	80
83	Cytomegalovirus and herpes simplex virus effect on the prognosis of mechanically ventilated patients suspected to have ventilator-associated pneumonia. <i>PLoS ONE</i> , 2012 , 7, e51340	3.7	59
82	Phenotype and functions of natural killer cells in critically-ill septic patients. <i>PLoS ONE</i> , 2012 , 7, e50446	3.7	48
81	Antibacterial efficacy of inhaled squalamine in a rat model of chronic Pseudomonas aeruginosa pneumonia. <i>Journal of Antimicrobial Chemotherapy</i> , 2012 , 67, 2452-8	5.1	27
80	The Role of Neuromuscular Blockers in Early ARDS. <i>Clinical Pulmonary Medicine</i> , 2012 , 19, 215-220	0.3	1
79	Microfluidic tools to investigate pathologies in the blood microcirculation. <i>International Journal of Nanotechnology</i> , 2012 , 9, 529	1.5	6
78	Interferon- γ production by natural killer cells and cytomegalovirus in critically ill patients. <i>Critical Care Medicine</i> , 2012 , 40, 3162-9	1.4	37
77	Does admission during morning rounds increase the mortality of patients in the medical ICU?. <i>Chest</i> , 2012 , 142, 1179-1184	5.3	7

76	Right ventricular function during high-frequency oscillatory ventilation in adults with acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2012 , 40, 1539-45	1.4	71
75	<i>Acinetobacter baumannii</i> resistant to colistin with impaired virulence: a case report from France. <i>Journal of Infectious Diseases</i> , 2011 , 204, 1146-7	7	60
74	High levels of circulating leukocyte microparticles are associated with better outcome in acute respiratory distress syndrome. <i>Critical Care</i> , 2011 , 15, R31	10.8	55
73	The role of viruses in nosocomial pneumonia. <i>Current Opinion in Infectious Diseases</i> , 2011 , 24, 152-6	5.4	28
72	Palliative noninvasive ventilation in patients with acute respiratory failure. <i>Intensive Care Medicine</i> , 2011 , 37, 1250-7	14.5	60
71	The role of natural killer cells in sepsis. <i>Journal of Biomedicine and Biotechnology</i> , 2011 , 2011, 986491		56
70	Detection of plant DNA in the bronchoalveolar lavage of patients with ventilator-associated pneumonia. <i>PLoS ONE</i> , 2010 , 5, e11298	3.7	11
69	<i>Tropheryma whippelii</i> in patients with pneumonia. <i>Emerging Infectious Diseases</i> , 2010 , 16, 258-63	10.2	68
68	Advances in Mimivirus pathogenicity. <i>Intervirology</i> , 2010 , 53, 304-9	2.5	19
67	Neuromuscular blockers in early acute respiratory distress syndrome. <i>New England Journal of Medicine</i> , 2010 , 363, 1107-16	59.2	1485
66	An Official ATS/ERS/ESICM/SCCM/SRLF Statement: Prevention and Management of Acute Renal Failure in the ICU Patient: an international consensus conference in intensive care medicine. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010 , 181, 1128-55	10.2	211
65	Microbiological data, but not procalcitonin improve the accuracy of the clinical pulmonary infection score. <i>Intensive Care Medicine</i> , 2010 , 36, 790-8	14.5	48
64	Extracorporeal membrane oxygenation for severe influenza A (H1N1) acute respiratory distress syndrome: a prospective observational comparative study. <i>Intensive Care Medicine</i> , 2010 , 36, 1899-905	14.5	99
63	Significance of high levels of procalcitonin in patients with influenza A (H1N1) pneumonia. <i>Journal of Infection</i> , 2010 , 61, 355-8	18.9	15
62	Diagnosis and management of ventilator-associated pneumonia 2010 , 353-355		
61	Bacterial ventilator-associated pneumonia: bronchoalveolar lavage results are not influenced by dilution. <i>Intensive Care Medicine</i> , 2009 , 35, 1210-5	14.5	7
60	FIO ₂ and acute respiratory distress syndrome definition during lung protective ventilation. <i>Critical Care Medicine</i> , 2009 , 37, 202-7, e4-6	1.4	28
59	Clinical significance of a positive serology for mimivirus in patients presenting a suspicion of ventilator-associated pneumonia. <i>Critical Care Medicine</i> , 2009 , 37, 111-8	1.4	45

58	Active cytomegalovirus infection is common in mechanically ventilated medical intensive care unit patients. <i>Critical Care Medicine</i> , 2009 , 37, 1850-7	1.4	114
57	Paralytics in critical care: not always the bad guy. <i>Current Opinion in Critical Care</i> , 2009 , 15, 59-66	3.5	13
56	Effect of hypertonic saline pre-treatment on ischemia-reperfusion lung injury in pig. <i>Journal of Heart and Lung Transplantation</i> , 2008 , 27, 1023-30	5.8	12
55	Airway colonisation and postoperative pulmonary complications after neoadjuvant therapy for oesophageal cancer. <i>European Journal of Cardio-thoracic Surgery</i> , 2008 , 33, 444-50	3	12
54	Role of proinflammatory activity contained in gastric juice from intensive care unit patients to induce lung injury in a rabbit aspiration model. <i>Critical Care Medicine</i> , 2008 , 36, 3205-12	1.4	15
53	How can earlier antibiotic efficacy be provided for ventilator-associated pneumonia without promoting bacterial resistance? Is initial monotherapy or a combination of antibiotics the right answer?. <i>Critical Care Medicine</i> , 2008 , 36, 994-5	1.4	4
52	Role of open-lung biopsy in acute respiratory distress syndrome. <i>Current Opinion in Critical Care</i> , 2008 , 14, 75-9	3.5	10
51	High-frequency percussive ventilation attenuates lung injury in a rabbit model of gastric juice aspiration. <i>Intensive Care Medicine</i> , 2008 , 34, 91-100	14.5	23
50	Burnout syndrome in critical care nursing staff. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007 , 175, 698-704	10.2	436
49	Hemodynamics in experimental gastric juice induced aspiration pneumonitis. <i>Intensive Care Medicine</i> , 2007 , 33, 300-7	14.5	9
48	Ability of family members to predict patient's consent to critical care research. <i>Intensive Care Medicine</i> , 2007 , 33, 807-813	14.5	58
47	Comparison of lung injury after normal or small volume optimized resuscitation in a model of hemorrhagic shock. <i>Intensive Care Medicine</i> , 2007 , 33, 1645-54	14.5	19
46	Low-tidal-volume ventilation. <i>New England Journal of Medicine</i> , 2007 , 357, 2518-9; author reply 2519-20	59.2	
45	High level of burnout in intensivists: prevalence and associated factors. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007 , 175, 686-92	10.2	1528
44	High-frequency oscillatory ventilation following prone positioning prevents a further impairment in oxygenation. <i>Critical Care Medicine</i> , 2007 , 35, 106-11	1.4	114
43	A contributive result of open-lung biopsy improves survival in acute respiratory distress syndrome patients. <i>Critical Care Medicine</i> , 2007 , 35, 755-62	1.4	178
42	Burnout syndrome among critical care healthcare workers. <i>Current Opinion in Critical Care</i> , 2007 , 13, 482-85	3.5	308
41	Norepinephrine plus dobutamine versus epinephrine alone for management of septic shock: a randomised trial. <i>Lancet, The</i> , 2007 , 370, 676-84	40	397

40	Ameba-associated microorganisms and diagnosis of nosocomial pneumonia. <i>Emerging Infectious Diseases</i> , 2006 , 12, 248-55	10.2	121
39	High-Frequency Oscillation and Prone Position. <i>Critical Care Medicine</i> , 2006 , 34, 1578-1579	1.4	
38	Neuromuscular blocking agents decrease inflammatory response in patients presenting with acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2006 , 34, 2749-57	1.4	250
37	Are clinical isolates of <i>Pseudomonas aeruginosa</i> more virulent than hospital environmental isolates in amebal co-culture test?. <i>Critical Care Medicine</i> , 2006 , 34, 823-8	1.4	31
36	The Effects of Neuromuscular-Blocking Agents on Gas Exchange in Patients With Acute Respiratory Distress Syndrome. <i>Clinical Pulmonary Medicine</i> , 2006 , 13, 246-250	0.3	
35	Adrenal axis function does not appear to be associated with hemodynamic improvement in septic shock patients systematically receiving glucocorticoid therapy. <i>Intensive Care Medicine</i> , 2006 , 32, 1184-90	14.5	29
34	Influence of support on intra-abdominal pressure, hepatic kinetics of indocyanine green and extravascular lung water during prone positioning in patients with ARDS: a randomized crossover study. <i>Critical Care</i> , 2005 , 9, R251-7	10.8	47
33	Perioperative risk factors for anastomotic leakage after esophagectomy: influence of thoracic epidural analgesia. <i>Chest</i> , 2005 , 128, 3461-6	5.3	98
32	Comparison of prone positioning and high-frequency oscillatory ventilation in patients with acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2005 , 33, 2162-71	1.4	107
31	NH2 terminal pro-brain natriuretic peptide plasma level as an early marker of prognosis and cardiac dysfunction in septic shock patients. <i>Critical Care Medicine</i> , 2005 , 33, 1001-7	1.4	112
30	Effects of helium-oxygen mixtures on endotracheal tubes: an in vitro study. <i>Journal of Biomechanics</i> , 2005 , 38, 33-7	2.9	1
29	Risk of post-traumatic stress symptoms in family members of intensive care unit patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005 , 171, 987-94	10.2	1527
28	Usefulness of ultrasonography in predicting pleural effusions > 500 mL in patients receiving mechanical ventilation. <i>Chest</i> , 2005 , 127, 224-32	5.3	158
27	Early antibiotic treatment for BAL-confirmed ventilator-associated pneumonia: a role for routine endotracheal aspirate cultures. <i>Chest</i> , 2005 , 127, 589-97	5.3	146
26	Junior versus senior physicians for informing families of intensive care unit patients. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2004 , 169, 512-7	10.2	43
25	Effect of neuromuscular blocking agents on gas exchange in patients presenting with acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2004 , 32, 113-9	1.4	238
24	Accuracy of the double indicator method for measurement of extravascular lung water depends on the type of acute lung injury. <i>Critical Care Medicine</i> , 2004 , 32, 811-7	1.4	66
23	Prone position and positive end-expiratory pressure in acute respiratory distress syndrome. <i>Critical Care Medicine</i> , 2003 , 31, 2719-26	1.4	69

22	Long-term outcome in intensive care unit survivors after mechanical ventilation for intracerebral hemorrhage. <i>Critical Care Medicine</i> , 2003 , 31, 2651-6	1.4	45
21	Cardiopulmonary effects of lipid emulsions in patients with ARDS. <i>Chest</i> , 2003 , 124, 285-91	5.3	27
20	Parachlamydiaceae as rare agents of pneumonia. <i>Emerging Infectious Diseases</i> , 2003 , 9, 755-6	10.2	57
19	Helium-oxygen reduces work of breathing in mechanically ventilated patients with chronic obstructive pulmonary disease. <i>Intensive Care Medicine</i> , 2003 , 29, 1666-70	14.5	18
18	Is a short trial of prone positioning sufficient to predict the improvement in oxygenation in patients with acute respiratory distress syndrome?. <i>Intensive Care Medicine</i> , 2001 , 27, 1044-9	14.5	24
17	Long-term arterial cannulation in ICU patients using the radial artery or dorsalis pedis artery. <i>Chest</i> , 2001 , 119, 901-6	5.3	61
16	Is ventilator-associated pneumonia an independent risk factor for death?. <i>Anesthesiology</i> , 2001 , 94, 554-60	4.3	68
15	Inhaled nitric oxide and vasoconstrictors in acute respiratory distress syndrome. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1999 , 160, 473-9	10.2	38
14	Respective and combined effects of prone position and inhaled nitric oxide in patients with acute respiratory distress syndrome. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1998 , 157, 580-5	10.2	85
13	Open-lung biopsy in patients with acute respiratory distress syndrome. <i>Anesthesiology</i> , 1998 , 88, 935-44	4.3	148
12	Diagnosis of ventilator-associated pneumonia: an evaluation of direct examination and presence of intracellular organisms. <i>Anesthesiology</i> , 1997 , 87, 268-76	4.3	57
11	Study of some phagocyte membrane receptors in patients receiving intravenous polyvalent immunoglobulins as adjunct treatment for nosocomial pneumonia. <i>Journal of Critical Care</i> , 1997 , 12, 193-9	4	4
10	Cytomegalovirus. An unexpected cause of ventilator-associated pneumonia. <i>Anesthesiology</i> , 1996 , 84, 280-7	4.3	136
9	Pulmonary fibrosis correlates with outcome in adult respiratory distress syndrome. A study in mechanically ventilated patients. <i>Chest</i> , 1995 , 107, 196-200	5.3	211
8	Infections pulmonaires, opportunistes multiples compliquant l'évolution d'une histiocytose X. <i>Reanimation Urgences</i> , 1994 , 3, 46		
7	Norepinephrine or dopamine for the treatment of hyperdynamic septic shock?. <i>Chest</i> , 1993 , 103, 1826-31	5.3	367
6	A reappraisal of blind bronchial sampling in the microbiologic diagnosis of nosocomial bronchopneumonia. A comparative study in ventilated patients. <i>Chest</i> , 1993 , 103, 236-42	5.3	43
5	Effects of consecutive protected specimen brushing and bronchoalveolar lavage on gas exchange and hemodynamics in ventilated patients. <i>Chest</i> , 1993 , 104, 1548-52	5.3	51

4	Performance evaluation of three vaporizing humidifiers and two heat and moisture exchangers in patients with minute ventilation > 10 L/min. <i>Chest</i> , 1992 , 102, 1347-50	53	56
3	Management of anaphylactic and anaphylactoid reactions during anesthesia. <i>Clinical Reviews in Allergy</i> , 1991 , 9, 415-29		4
2	Comparison of two methods of bacteriologic sampling of the lower respiratory tract: a study in ventilated patients with nosocomial bronchopneumonia. <i>Critical Care Medicine</i> , 1989 , 17, 461-4	14	41
1	Acyclovir for Mechanically Ventilated Patients with Herpes Simplex Virus Oropharyngeal Reactivation. <i>SSRN Electronic Journal</i> ,	1	3