

Alicja Rydzewska-Rosolowska

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6284174/alicja-rydzewska-rosolowska-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

41
papers

202
citations

8
h-index

12
g-index

49
ext. papers

255
ext. citations

3.1
avg, IF

2.98
L-index

#	Paper	IF	Citations
41	The Impact of Cardiovascular Risk Factors on the Course of COVID-19.. <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	1
40	Water - A life-giving toxin - A nephrological oxymoron. Health consequences of water and sodium balance disorders. A review article.. <i>Advances in Medical Sciences</i> , 2021 , 67, 55-65	2.8	
39	TRAIL and Cardiovascular Disease-A Risk Factor or Risk Marker: A Systematic Review. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	2
38	Sirtuin 1 and Skin: Implications in Intrinsic and Extrinsic Aging-A Systematic Review. <i>Cells</i> , 2021 , 10,	7.9	6
37	Mid-Regional Proadrenomedullin as a New Biomarker of Kidney and Cardiovascular Diseases-Is It the Future?. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
36	An unexpected giant problem - Giant condyloma (Buschke-Lowenstein tumor). <i>International Journal of Infectious Diseases</i> , 2021 , 103, 280-281	10.5	1
35	Serum sirtuin 1 is independently associated with intact PTH among patients with chronic kidney disease. <i>Clinical Interventions in Aging</i> , 2021 , 16, 525-536	4	0
34	The Serum Concentration of Anti-Aging Proteins, Sirtuin1 and Klotho in Patients with End-Stage Kidney Disease on Maintenance Hemodialysis. <i>Clinical Interventions in Aging</i> , 2020 , 15, 387-393	4	4
33	Medical Students' Attitude Toward Organ Donation in a Single Medical University. <i>Transplantation Proceedings</i> , 2020 , 52, 695-699	1.1	4
32	The clinical course and short-term outcomes of coronavirus disease 2019 in a cohort of hemodialysis patients. <i>Polish Archives of Internal Medicine</i> , 2020 , 130, 809-812	1.9	2
31	CRP single nucleotide polymorphism (rs1800947) and nutritional status in hemodialysis patients. <i>Archives of Medical Science - Civilization Diseases</i> , 2020 , 5, 35-40	0.3	
30	The Links between Microbiome and Uremic Toxins in Acute Kidney Injury: Beyond Gut Feeling-A Systematic Review. <i>Toxins</i> , 2020 , 12,	4.9	7
29	Comparison of Different Methods of Urinary Protein Excretion Measurement: Is the King Really Dead?. <i>Kidney and Blood Pressure Research</i> , 2019 , 44, 993-1001	3.1	3
28	Laparoscopic adrenalectomy: lateral transperitoneal versus posterior retroperitoneal approach - prospective randomized trial. <i>Wideochirurgia i Inne Techniki Maloinwazyjne</i> , 2019 , 14, 160-169	1.4	9
27	How to get rid of the bug in the heart-An infected catheter-associated thrombus treated successfully with antibiotics only. <i>Hemodialysis International</i> , 2019 , 23, E125-E126	1.7	
26	Prognostic value of midregional proadrenomedullin in critically ill patients. <i>Polish Archives of Internal Medicine</i> , 2019 , 129, 673-678	1.9	3
25	The impact of laparoscopic adrenalectomy on renal function. Results of a prospective randomised clinical trial. <i>Endokrynologia Polska</i> , 2019 , 70, 409-416	1.1	1

24	C-terminal and intact FGF23 in critical illness and their associations with acute kidney injury and in-hospital mortality. <i>Cytokine</i> , 2018 , 103, 15-19	4	10
23	UTILITY OF C-TERMINAL AND INTACT FGF23 IN PROGNOSTICATION OF ACUTE KIDNEY INJURY AND DEATH AMONG INTENSIVE CARE UNIT PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i115-i116	4.3	
22	The effect of nephrectomy on Klotho, FGF-23 and bone metabolism. <i>International Urology and Nephrology</i> , 2017 , 49, 681-688	2.3	6
21	Soluble urokinase-type plasminogen activator receptor (suPAR) in patients with acute pancreatitis (AP) - Progress in prediction of AP severity. <i>Pancreatology</i> , 2017 , 17, 24-29	3.8	10
20	Unexpected and striking effect of heparin-free dialysis on cytokine release. <i>International Urology and Nephrology</i> , 2017 , 49, 1447-1452	2.3	2
19	Renal Handling of Sclerostin in Response to Acute Glomerular Filtration Decline. <i>Hormone and Metabolic Research</i> , 2016 , 48, 457-61	3.1	2
18	Urinary neutrophil gelatinase-associated lipocalin as an early predictor of disease severity and mortality in acute pancreatitis. <i>Pancreas</i> , 2015 , 44, 448-52	2.6	16
17	Fluid resuscitation in acute pancreatitis: Normal saline or lactated Ringer's solution?. <i>World Journal of Gastroenterology</i> , 2015 , 21, 9367-72	5.6	24
16	Delayed recovery of kidney function in a multiple myeloma patient treated with high cut-off hemodialysis: A case report. <i>Acta Haematologica Polonica</i> , 2015 , 46, 61-64	0.4	
15	Low molecular weight iron dextran increases fibroblast growth factor-23 concentration, together with parathyroid hormone decrease in hemodialyzed patients. <i>Therapeutic Apheresis and Dialysis</i> , 2012 , 16, 146-51	1.9	21
14	Cinacalcet lowers FGF-23 level together with bone metabolism in hemodialyzed patients with secondary hyperparathyroidism. <i>International Urology and Nephrology</i> , 2012 , 44, 1479-86	2.3	12
13	Factors associated with early catheter-related complications in peritoneal dialysis. <i>Advances in Medical Sciences</i> , 2012 , 57, 84-7	2.8	5
12	Effect of secondary hyperparathyroidism treatment with cinacalcet on selected adipokines and markers of endothelial injury in hemodialysis patients: a preliminary report. <i>Polish Archives of Internal Medicine</i> , 2012 , 122, 148-53	1.9	4
11	Factors associated with irritable bowel syndrome symptoms in hemodialysis patients. <i>World Journal of Gastroenterology</i> , 2011 , 17, 1976-81	5.6	7
10	Different effects of enoxaparin, nadroparin, and dalteparin on plasma TFPI during hemodialysis: a prospective crossover randomized study. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2011 , 17, 480-6	3.3	6
9	Lack of effect of the CD14 promoter gene C-159T polymorphism on nutritional status parameters in hemodialysis patients. <i>Medical Science Monitor</i> , 2011 , 17, CR117-21	3.2	2
8	Abnormal serum protein electrophoresis in haemodialysis patients. <i>CKJ: Clinical Kidney Journal</i> , 2010 , 3, 201-201	4.5	1
7	Hepatocyte growth factor/activin A/follistatin system activation during hemodialysis with different low molecular weight heparins. <i>Renal Failure</i> , 2009 , 31, 791-7	2.9	6

6	Enoxaparin decreases serum MCP-1 concentration during haemodialysis-preliminary report. <i>CKJ: Clinical Kidney Journal</i> , 2009 , 2, 429-30	4.5	1
5	Intravenous and oral sulodexide versus coagulation activation markers in humans. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2009 , 15, 596-8	3.3	8
4	High plasma endostatin level unaffected by low-molecular weight heparin in hemodialysis patients--a preliminary report. <i>Advances in Medical Sciences</i> , 2009 , 54, 199-202	2.8	10
3	Staphylococcal scalded skin syndrome in the course of lupus nephritis. <i>Nephrology</i> , 2008 , 13, 265-6	2.2	2
2	Myeloperoxidase up-regulation during haemodialysis: is heparin the missing link?. <i>Nephrology Dialysis Transplantation</i> , 2006 , 21, 1128; author reply 1128-30	4.3	2
1	TGF-beta1 and endothelial/tissue injury with high-dose intravenous iron therapy in renal failure: evidence or perception?. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2006 , 12, 493-4	3.3	