

Philip M Hopkins

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6284581/publications.pdf>

Version: 2024-02-01

82
papers

3,559
citations

147786

31
h-index

144002

57
g-index

88
all docs

88
docs citations

88
times ranked

2565
citing authors

#	ARTICLE	IF	CITATIONS
1	Mutations in RYR1 in malignant hyperthermia and central core disease. <i>Human Mutation</i> , 2006, 27, 977-989.	2.5	444
2	Propofol infusion syndrome: a structured literature review and analysis of published case reports. <i>British Journal of Anaesthesia</i> , 2019, 122, 448-459.	3.4	180
3	Malignant hyperthermia: pharmacology of triggering. <i>British Journal of Anaesthesia</i> , 2011, 107, 48-56.	3.4	173
4	European Malignant Hyperthermia Group guidelines for investigation of malignant hyperthermia susceptibility. <i>British Journal of Anaesthesia</i> , 2015, 115, 531-539.	3.4	171
5	European Society of Anaesthesiology guidelines on peri-operative use of ultrasound-guided for vascular access (PERSEUS vascular access). <i>European Journal of Anaesthesiology</i> , 2020, 37, 344-376.	1.7	166
6	Core Myopathies and Risk of Malignant Hyperthermia. <i>Anesthesia and Analgesia</i> , 2009, 109, 1167-1173.	2.2	141
7	TNF- α and IL-1 β increase Ca ²⁺ leak from the sarcoplasmic reticulum and susceptibility to arrhythmia in rat ventricular myocytes. <i>Cell Calcium</i> , 2010, 47, 378-386.	2.4	132
8	Malignant Hyperthermia in the Post-Genomics Era. <i>Anesthesiology</i> , 2018, 128, 168-180.	2.5	120
9	Diagnosis and management of malignant hyperthermia. <i>BJA Education</i> , 2017, 17, 249-254.	1.4	119
10	Management of suspected immediate perioperative allergic reactions: an international overview and consensus recommendations. <i>British Journal of Anaesthesia</i> , 2019, 123, e50-e64.	3.4	117
11	The role of CACNA1S in predisposition to malignant hyperthermia. <i>BMC Medical Genetics</i> , 2009, 10, 104.	2.1	104
12	Malignant hyperthermia susceptibility arising from altered resting coupling between the skeletal muscle L-type Ca ²⁺ channel and the type 1 ryanodine receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 7923-7928.	7.1	88
13	RYR1 mutations causing central core disease are associated with more severe malignant hyperthermia in vitro contracture test phenotypes. <i>Human Mutation</i> , 2002, 20, 88-97.	2.5	76
14	Several interacting genes influence the malignant hyperthermia phenotype. <i>Human Genetics</i> , 2003, 112, 217-218.	3.8	74
15	Next-generation Sequencing of <i>RYR1</i> and <i>CACNA1S</i> in Malignant Hyperthermia and Exertional Heat Illness. <i>Anesthesiology</i> , 2015, 122, 1033-1046.	2.5	70
16	Genetic epidemiology of malignant hyperthermia in the UK. <i>British Journal of Anaesthesia</i> , 2018, 121, 944-952.	3.4	63
17	The use of drug provocation testing in the investigation of suspected immediate perioperative allergic reactions: current status. <i>British Journal of Anaesthesia</i> , 2019, 123, e126-e134.	3.4	62
18	Store-operated Ca ²⁺ Entry in Malignant Hyperthermia-susceptible Human Skeletal Muscle. <i>Journal of Biological Chemistry</i> , 2010, 285, 25645-25653.	3.4	60

#	ARTICLE	IF	CITATIONS
19	Congenital Myasthenic Syndrome Type 19 Is Caused by Mutations in COL13A1, Encoding the Atypical Non-fibrillar Collagen Type XIII $\alpha 1$ Chain. <i>American Journal of Human Genetics</i> , 2015, 97, 878-885.	6.2	57
20	Exome Sequencing Reveals Novel Rare Variants in the Ryanodine Receptor and Calcium Channel Genes in Malignant Hyperthermia Families. <i>Anesthesiology</i> , 2013, 119, 1054-1065.	2.5	56
21	Updated guide for the management of malignant hyperthermia. <i>Canadian Journal of Anaesthesia</i> , 2018, 65, 709-721.	1.6	54
22	Consensus clinical scoring for suspected perioperative immediate hypersensitivity reactions. <i>British Journal of Anaesthesia</i> , 2019, 123, e29-e37.	3.4	53
23	Mutation analysis of two patients with hypokalemic periodic paralysis and suspected malignant hyperthermia. <i>Muscle and Nerve</i> , 2004, 30, 114-117.	2.2	47
24	Does regional anaesthesia improve outcome?. <i>British Journal of Anaesthesia</i> , 2015, 115, ii26-ii33.	3.4	47
25	Variant curation expert panel recommendations for RYR1 pathogenicity classifications in malignant hyperthermia susceptibility. <i>Genetics in Medicine</i> , 2021, 23, 1288-1295.	2.4	46
26	Nitrous oxide: a unique drug of continuing importance for anaesthesia. <i>Bailliere's Best Practice and Research in Clinical Anaesthesiology</i> , 2005, 19, 381-389.	4.0	45
27	Consensus guidelines on perioperative management of malignant hyperthermia suspected or susceptible patients from the European Malignant Hyperthermia Group. <i>British Journal of Anaesthesia</i> , 2021, 126, 120-130.	3.4	44
28	Genetic mapping of the $\alpha 1$ - and $\alpha 3$ -subunits of the human skeletal muscle L-type voltage-dependent calcium channel on chromosome 17q and exclusion as candidate genes for malignant hyperthermia susceptibility. <i>Human Molecular Genetics</i> , 1993, 2, 863-868.	2.9	41
29	Skeletal muscle physiology. <i>Continuing Education in Anaesthesia, Critical Care & Pain</i> , 2006, 6, 1-6.	0.6	41
30	Availability of dantrolene for the management of malignant hyperthermia crises: European Malignant Hyperthermia Group guidelines. <i>British Journal of Anaesthesia</i> , 2020, 125, 133-140.	3.4	39
31	Incidence of suspected perioperative anaphylaxis: A multicenter snapshot study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2015, 3, 454-455.e1.	3.8	38
32	A Mechanism for Statin-Induced Susceptibility to Myopathy. <i>JACC Basic To Translational Science</i> , 2019, 4, 509-523.	4.1	31
33	Is there a link between malignant hyperthermia and exertional heat illness? * COMMENTARY. <i>British Journal of Sports Medicine</i> , 2007, 41, 283-284.	6.7	29
34	A Comparison of 1% Prilocaine with 0.5% Ropivacaine for Outpatient-Based Surgery Under Axillary Brachial Plexus Block. <i>Anesthesia and Analgesia</i> , 2001, 93, 187-191.	2.2	24
35	European Society of Anaesthesiology and Intensive Care Guidelines on peri-operative use of ultrasound for regional anaesthesia (PERSEUS regional anaesthesia). <i>European Journal of Anaesthesiology</i> , 2021, 38, 219-250.	1.7	24
36	Investigating the genetic susceptibility to exertional heat illness. <i>Journal of Medical Genetics</i> , 2020, 57, 531-541.	3.2	24

#	ARTICLE	IF	CITATIONS
37	Effects of halothane on the transient outward K ⁺ current in rat ventricular myocytes. <i>British Journal of Pharmacology</i> , 2000, 131, 223-230.	5.4	23
38	A <i>RYR1</i> mutation associated with recessive congenital myopathy and dominant malignant hyperthermia in Asian families. <i>Muscle and Nerve</i> , 2009, 40, 633-639.	2.2	23
39	An Analysis of the Predictive Probability of the In Vitro Contracture Test for Determining Susceptibility to Malignant Hyperthermia. <i>Anesthesia and Analgesia</i> , 1997, 84, 648-656.	2.2	22
40	Application of the Continual Reassessment Method to Dose-finding Studies in Regional Anesthesia. <i>Anesthesiology</i> , 2013, 119, 29-35.	2.5	22
41	RYR1-related malignant hyperthermia with marked cerebellar involvement – A paradigm of heat-induced CNS injury?. <i>Neuromuscular Disorders</i> , 2015, 25, 138-140.	0.6	21
42	The Concentration-Dependent Effects of Propofol on Rat Ventricular Myocytes. <i>Anesthesia and Analgesia</i> , 2000, 91, 276-282.	2.2	20
43	Ryanodine receptor leak triggers fiber Ca ²⁺ redistribution to preserve force and elevate basal metabolism in skeletal muscle. <i>Science Advances</i> , 2021, 7, eabi7166.	10.3	20
44	Mg ²⁺ -Dependence of Halothane-induced Ca ²⁺ Release from the Sarcoplasmic Reticulum in Skeletal Muscle from Humans Susceptible to Malignant Hyperthermia. <i>Anesthesiology</i> , 2004, 101, 1339-1346.	2.5	18
45	Genomic Screening for Malignant Hyperthermia Susceptibility. <i>Anesthesiology</i> , 2020, 133, 1277-1282.	2.5	18
46	Effects of Mg ²⁺ and SR luminal Ca ²⁺ on caffeine-induced Ca ²⁺ release in skeletal muscle from humans susceptible to malignant hyperthermia. <i>Journal of Physiology</i> , 2002, 544, 85-95.	2.9	17
47	Skeletal muscle microalterations in patients carrying Malignant Hyperthermia-related mutations of the e-c coupling machinery. <i>European Journal of Translational Myology</i> , 2016, 26, 6105.	1.7	17
48	Sugammadex: the sting in the tail?. <i>British Journal of Anaesthesia</i> , 2018, 121, 694-697.	3.4	17
49	DALES, Drug Allergy Labels in Elective Surgical patients: a prospective multicentre cross-sectional study of incidence, risks, and attitudes in penicillin de-labelling strategies. <i>British Journal of Anaesthesia</i> , 2020, 125, 962-969.	3.4	17
50	The Effects of Halothane, Isoflurane, and Sevoflurane on Ca ²⁺ Current and Transient Outward K ⁺ Current in Subendocardial and Subepicardial Myocytes from the Rat Left Ventricle. <i>Anesthesia and Analgesia</i> , 2004, 99, 1615-1622.	2.2	16
51	Anaphylaxis to sugammadex: should we be concerned by the Japanese experience?. <i>British Journal of Anaesthesia</i> , 2020, 124, 370-372.	3.4	16
52	The use of charcoal filters in malignant hyperthermia: have they found their place?. <i>Anaesthesia</i> , 2019, 74, 13-16.	3.8	14
53	Recrudescence of Malignant Hyperthermia. <i>Anesthesiology</i> , 2007, 106, 893-894.	2.5	13
54	Ageing Effects of <i>Caenorhabditis elegans</i> Ryanodine Receptor Variants Corresponding to Human Myopathic Mutations. <i>G3: Genes, Genomes, Genetics</i> , 2017, 7, 1451-1461.	1.8	13

#	ARTICLE	IF	CITATIONS
55	Malignant hyperthermia. Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn, 2018, 157, 645-661.	1.8	13
56	Mission Impossible or Mission Futile?. Anesthesiology, 2019, 131, 957-959.	2.5	13
57	Antagonistic Actions of Halothane and Sevoflurane on Spontaneous Ca ²⁺ Release in Rat Ventricular Myocytes. Anesthesiology, 2006, 105, 58-64.	2.5	11
58	Permeabilised skeletal muscle reveals mitochondrial deficiency in malignant hyperthermia-susceptible individuals. British Journal of Anaesthesia, 2019, 122, 613-621.	3.4	9
59	Mg ²⁺ dependence of halothane-induced Ca ²⁺ release from the sarcoplasmic reticulum in rat skeletal muscle. Journal of Physiology, 2003, 551, 447-454.	2.9	8
60	The Effects of Alfentanil on Cytosolic Ca ²⁺ and Contraction in Rat Ventricular Myocytes. Anesthesia and Analgesia, 2004, 98, 1013-1016.	2.2	7
61	Variants in ASPH cause exertional heat illness and are associated with malignant hyperthermia susceptibility. Nature Communications, 2022, 13, .	12.8	7
62	Thermoregulation and markers of muscle breakdown in malignant hyperthermia susceptible volunteers during an acute heat tolerance test. Journal of Science and Medicine in Sport, 2019, 22, 586-590.	1.3	6
63	Sevoflurane may not be a complete sigh of relief in COVID-19. British Journal of Anaesthesia, 2020, 125, e487-e488.	3.4	6
64	No C1840 to T mutation in RYR1 in malignant hyperthermia. Human Mutation, 1993, 2, 330-330.	2.5	5
65	Malignant hyperthermia in India. Anaesthesia, 2010, 65, 1063-1065.	3.8	5
66	Programmes, guidelines and protocols – the antithesis of precision medicine?. British Journal of Anaesthesia, 2015, 115, 485-487.	3.4	5
67	A multi-dimensional analysis of genotype-phenotype discordance in malignant hyperthermia susceptibility. British Journal of Anaesthesia, 2020, 125, 995-1001.	3.4	5
68	Bioenergetic defects in muscle fibers of RYR1 mutant knock-in mice associated with malignant hyperthermia. Journal of Biological Chemistry, 2020, 295, 15226-15235.	3.4	5
69	Special Issue on suspected perioperative allergic reactions. British Journal of Anaesthesia, 2019, 123, 1-3.	3.4	4
70	Succinylcholine and Dantrolene. Anesthesiology, 2019, 130, 6-8.	2.5	4
71	Molecular Modification of Transient Receptor Potential Canonical 6 Channels Modulates Calcium Dyshomeostasis in a Mouse Model Relevant to Malignant Hyperthermia. Anesthesiology, 2021, 134, 234-247.	2.5	4
72	A retrospective survey of brachial plexus blockade in pediatric hand trauma patients. Paediatric Anaesthesia, 2011, 21, 1166-1168.	1.1	2

#	ARTICLE	IF	CITATIONS
73	Mast cell activation tests: a new tool in the investigation of suspected perioperative allergic reactions?. British Journal of Anaesthesia, 2020, 125, 856-859.	3.4	2
74	Epidemiology of perioperative anaphylaxis in the United States: new insights but more to learn and do. British Journal of Anaesthesia, 2021, , .	3.4	1
75	Properties of Store Operated Ca ²⁺ Entry in Malignant Hyperthermia Susceptible Human Skeletal Muscle Fibres. Biophysical Journal, 2010, 98, 711a-712a.	0.5	0
76	Calcium Channel Dysfunction in a Mutant Mouse Model of Malignant Hyperthermia(CaV1.1 R174W). Biophysical Journal, 2015, 108, 504a.	0.5	0
77	Malignant Hyperthermia Susceptibility Mutation Cav1.1 R174W Dramatically Alters RyR1 Single Channel Function. Biophysical Journal, 2015, 108, 270a.	0.5	0
78	In Reply. Anesthesiology, 2016, 124, 511-511.	2.5	0
79	Anaesthetic workload in the UK " room for expansion?. British Journal of Anaesthesia, 2018, 121, 111-114.	3.4	0
80	Enhanced extracellular calcium entry in skeletal muscle of malignant hyperthermia susceptible mice and humans. British Journal of Anaesthesia, 2019, 123, e509.	3.4	0
81	Enhancement of Sarcolemmal Calcium Influx in a Novel Mouse Model of Malignant Hyperthermia. Biophysical Journal, 2019, 116, 520a.	0.5	0
82	Multiple Sites of Interaction May Be Involved in the Regulation of CaV1.1 by Stac3. Biophysical Journal, 2019, 116, 523a.	0.5	0