Sara Ceccarelli

List of Publications by Citations

Source: https://exaly.com/author-pdf/628497/sara-ceccarelli-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

22 771 17 22 g-index

22 897 5.8 3.44 ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 22 | LPS-induced TNF-Ifactor mediates pro-inflammatory and pro-fibrogenic pattern in non-alcoholic fatty liver disease. <i>Oncotarget</i> , 2015 , 6, 41434-52 | 3.3 | 78 |
| 21 | Association between Serum Atypical Fibroblast Growth Factors 21 and 19 and Pediatric Nonalcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2013 , 8, e67160 | 3.7 | 69 |
| 20 | Gut-liver axis and fibrosis in nonalcoholic fatty liver disease: an input for novel therapies. <i>Digestive and Liver Disease</i> , 2013 , 45, 543-51 | 3.3 | 60 |
| 19 | Plasma levels of homocysteine and cysteine increased in pediatric NAFLD and strongly correlated with severity of liver damage. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 21202-14 | 6.3 | 59 |
| 18 | TLR ligation triggers somatic hypermutation in transitional B cells inducing the generation of IgM memory B cells. <i>Journal of Immunology</i> , 2010 , 185, 7293-301 | 5.3 | 59 |
| 17 | Dual role of microRNAs in NAFLD. International Journal of Molecular Sciences, 2013, 14, 8437-55 | 6.3 | 51 |
| 16 | Markers of activated inflammatory cells correlate with severity of liver damage in children with nonalcoholic fatty liver disease. <i>International Journal of Molecular Medicine</i> , 2012 , 30, 49-56 | 4.4 | 46 |
| 15 | Targeted expression of RALT in mouse skin inhibits epidermal growth factor receptor signalling and generates a Waved-like phenotype. <i>EMBO Reports</i> , 2005 , 6, 755-61 | 6.5 | 42 |
| 14 | MicroRNAs as controlled systems and controllers in non-alcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2014 , 20, 15079-86 | 5.6 | 40 |
| 13 | Emodin prevents intrahepatic fat accumulation, inflammation and redox status imbalance during diet-induced hepatosteatosis in rats. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 2276-89 | 6.3 | 40 |
| 12 | EZH2 down-regulation exacerbates lipid accumulation and inflammation in in vitro and in vivo NAFLD. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 24154-68 | 6.3 | 39 |
| 11 | Focal adhesion kinase depletion reduces human hepatocellular carcinoma growth by repressing enhancer of zeste homolog 2. <i>Cell Death and Differentiation</i> , 2017 , 24, 889-902 | 12.7 | 36 |
| 10 | Causative role of gut microbiota in non-alcoholic fatty liver disease pathogenesis. <i>Frontiers in Cellular and Infection Microbiology</i> , 2012 , 2, 132 | 5.9 | 36 |
| 9 | Human B-cell memory is shaped by age- and tissue-specific T-independent and GC-dependent events. <i>European Journal of Immunology</i> , 2017 , 47, 327-344 | 6.1 | 34 |
| 8 | Serum Bile Acid Levels in Children With Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2015 , 61, 85-90 | 2.8 | 31 |
| 7 | Toll-like receptor-mediated signaling cascade as a regulator of the inflammation network during alcoholic liver disease. <i>World Journal of Gastroenterology</i> , 2014 , 20, 16443-51 | 5.6 | 24 |
| 6 | Plasma high mobility group box 1 protein reflects fibrosis in pediatric nonalcoholic fatty liver disease. <i>Expert Review of Molecular Diagnostics</i> , 2014 , 14, 763-71 | 3.8 | 19 |

LIST OF PUBLICATIONS

| 5 | Increased serum IgM, immunodeficiency, and autoimmunity: A clinical series. <i>International Journal of Immunopathology and Pharmacology</i> , 2015 , 28, 547-56 | 3 | 6 |
|---|---|------|---|
| 4 | Targeting FGF19 binding to its receptor system: a novel therapeutic approach for hepatocellular carcinoma. <i>Hepatology</i> , 2015 , 62, 1324 | 11.2 | 1 |
| 3 | Hepatic stellate cell proliferation: a potential role of protein kinase R. <i>Hepatology</i> , 2011 , 54, 1484-5; author reply 1485-6 | 11.2 | 1 |
| 2 | Retinoids counteract insulin resistance and liver steatosis: what the potential mechanism?. <i>Hepatology</i> , 2013 , 58, 1185 | 11.2 | Ο |
| 1 | T regulatory cell number and function: the autoimmune traits in liver diseases. <i>Journal of Hepatology</i> , 2012 , 57, 1398-9; author reply 1399-400 | 13.4 | |