Wioleta Pietrzak

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6285725/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A new look at edible and medicinal mushrooms as a source of ergosterol and ergosterol peroxide - UHPLC-MS/MS analysis. Food Chemistry, 2022, 369, 130927.	8.2	28
2	LC-ESI-MS/MS Identification of Biologically Active Phenolics in Different Extracts of Alchemilla acutiloba Opiz. Molecules, 2022, 27, 621.	3.8	5
3	Enhancing In Vitro Production of the Tree Fern Cyathea delgadii and Modifying Secondary Metabolite Profiles by LED Lighting. Cells, 2022, 11, 486.	4.1	8
4	LC-ESI-MS/MS Polyphenolic Profile and In Vitro Study of Cosmetic Potential of Aerva lanata (L.) Juss. Herb Extracts. Molecules, 2022, 27, 1259.	3.8	6
5	Antioxidant, Anti-Inflammatory, and Anti-Diabetic Activity of Phenolic Acids Fractions Obtained from Aerva lanata (L.) Juss Molecules, 2021, 26, 3486.	3.8	14
6	Flavonoid and Phenolic Acids Content and In Vitro Study of the Potential Anti-Aging Properties of Eutrema japonicum (Miq.) Koidz Cultivated in Wasabi Farm Poland. International Journal of Molecular Sciences, 2021, 22, 6219.	4.1	14
7	Impact of Harvest Conditions and Host Tree Species on Chemical Composition and Antioxidant Activity of Extracts from Viscum album L. Molecules, 2021, 26, 3741.	3.8	27
8	Phenolic Composition and Skin-related Properties of the Aerial Parts Extract of Different Hemerocallis Cultivars. Antioxidants, 2020, 9, 690.	5.1	10
9	Characterization of Free and Bound Phenolic Acids and Flavonoid Aglycones in Rosa rugosa Thunb. Leaves and Achenes Using LC–ESI–MS/MS–MRM Methods. Molecules, 2020, 25, 1804.	3.8	25
10	Polyphenol Composition of Extracts of the Fruits of Laserpitium Krapffii Crantz and Their Antioxidant and Cytotoxic Activity. Antioxidants, 2019, 8, 363.	5.1	11
11	Optimization of Extraction Conditions for Determination of Tiliroside in <1>Tilia 1 L. Flowers Using an LC-ESI-MS/MS Method. Journal of Analytical Methods in Chemistry, 2019, 2019, 1-9.	1.6	8
12	Polysaccharide-Rich Fractions from Rosa rugosa Thunb.—Composition and Chemopreventive Potential. Molecules, 2019, 24, 1354.	3.8	28
13	Effects of Supercritical Carbon Dioxide Extraction (SC-CO2) on the content of tiliroside in the extracts from Tilia L. flowers. Open Chemistry, 2019, 17, 302-312.	1.9	9
14	Synthesis and Antioxidant Activity of New Norcantharidin Analogs. Chemistry and Biodiversity, 2019, 16, e1800673.	2.1	6
15	<i>Eleutherococcus</i> Species Cultivated in Europe: A New Source of Compounds with Antiacetylcholinesterase, Antihyaluronidase, Anti-DPPH, and Cytotoxic Activities. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-10.	4.0	10
16	Phenolic Acid LC/MS Profile of Chenopodium rubrum and Evaluation of Cytotoxic Activity. Natural Product Communications, 2018, 13, 1934578X1801300.	0.5	0
17	Uncaria tomentosa Leaves Decoction Modulates Differently ROS Production in Cancer and Normal Cells, and Effects Cisplatin Cytotoxicity. Molecules, 2017, 22, 620.	3.8	16
18	LC-ESI-MS/MS Identification of Biologically Active Phenolic Compounds in Mistletoe Berry Extracts from Different Host Trees. Molecules, 2017, 22, 624.	3.8	36

#	Article	IF	CITATIONS
19	Effect of extraction method on phenolic content and antioxidant activity of mistletoe extracts from Viscum album subsp. abietis. Chemical Papers, 2014, 68, .	2.2	32