

Ai-shui Yu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6288584/ai-shui-yu-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128
papers

4,202
citations

38
h-index

60
g-index

132
ext. papers

4,862
ext. citations

6.8
avg. IF

5.99
L-index

#	Paper	IF	Citations
128	Enhancement in lithium storage performances of SiO ₂ /graphene-based nanocomposites prepared by low cost and facile approach. <i>Journal of Materials Science: Materials in Electronics</i> , 2022 , 33, 6536	2.1	2
127	Fast-Charging Anode Materials and Novel Nanocomposite Design of Rice Husk-Derived SiO and Sn Nanoparticles Self-Assembled on TiO(B) Nanorods for Lithium-Ion Storage Applications.. <i>ACS Omega</i> , 2022 , 7, 1357-1367	3.9	4
126	Rice husk-derived nano-SiO ₂ assembled on reduced graphene oxide distributed on conductive flexible polyaniline frameworks towards high-performance lithium-ion batteries. <i>RSC Advances</i> , 2022 , 12, 14621-14630	3.7	2
125	A Low-Temperature Coating Method with H ₃ BO ₃ for Enhanced Electrochemical Performance of Ni-rich LiNi _{0.82} Co _{0.12} Mn _{0.06} O ₂ Cathode. <i>Electrochimica Acta</i> , 2022 , 140564	6.7	0
124	Natural sesbania gum as an efficient biopolymer binder for high-performance Si-based anodes in lithium-ion batteries. <i>Journal of Power Sources</i> , 2022 , 539, 231604	8.9	3
123	Surface-Reinforced NCM811 with Enhanced Electrochemical Performance for Li-Ion Batteries. <i>Journal of Alloys and Compounds</i> , 2022 , 165488	5.7	0
122	In Situ Room-Temperature Cross-Linked Highly Branched Biopolymeric Binder Based on the Diels-Alder Reaction for High-Performance Silicon Anodes in Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 56095-56108	9.5	3
121	Enhancing the air stability of LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ cathode through WO ₃ /Li ₂ WO ₄ surface modification. <i>Journal of Power Sources</i> , 2021 , 514, 230605	8.9	1
120	Comparative performance of LiFePO ₄ and LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ cathode materials for lithium batteries with solid-liquid hybrid electrolytes. <i>Journal of Power Sources</i> , 2021 , 515, 230639	8.9	3
119	A carboxymethyl vegetable gum as a robust water soluble binder for silicon anodes in lithium-ion batteries. <i>Journal of Power Sources</i> , 2021 , 489, 229530	8.9	12
118	Detection of lithium plating in lithium-ion batteries by distribution of relaxation times. <i>Journal of Power Sources</i> , 2021 , 496, 229867	8.9	15
117	H ₃ BO ₃ washed LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ with enhanced electrochemical performance and storage characteristics. <i>Journal of Power Sources</i> , 2021 , 482, 228940	8.9	22
116	Pre-Lithiating SiO Anodes for Lithium-Ion Batteries by a Simple, Effective, and Controllable Strategy Using Stabilized Lithium Metal Powder. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 648-657	8.3	16
115	Porous calcium manganese oxide/carbon nanotube microspheres as efficient oxygen reduction catalysts for rechargeable zinc-air batteries. <i>Inorganic Chemistry Frontiers</i> , 2021 , 8, 2052-2060	6.8	1
114	Transformation of SnS Nanocomposites to Sn and S Nanoparticles during Lithiation. <i>Crystals</i> , 2021 , 11, 145	2.3	0
113	Application of In Situ Raman and Fourier Transform Infrared Spectroelectrochemical Methods on the Electrode-Electrolyte Interface for Lithium-Oxygen Batteries. <i>Batteries and Supercaps</i> , 2021 , 4, 850-859	5.6	2
112	Ultrathin Li-Si-O Coating Layer to Stabilize the Surface Structure and Prolong the Cycling Life of Single-Crystal LiNiCoMnO Cathode Materials at 4.5 V. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 10952-10963	9.5	10

111	Revealing the Role of W-Doping in Enhancing the Electrochemical Performance of the LiNiCoMnO Cathode at 4.5 V. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 7308-7316	9.5	5
110	Nitrogen-Doped Carbon-Coating Disproportionated SiO Materials as Long Cycling Stable Anode for Lithium Ion Batteries. <i>Molecules</i> , 2021 , 26,	4.8	2
109	Uniform Deposition and Effective Confinement of Lithium in Three-Dimensional Interconnected Microchannels for Stable Lithium Metal Anodes. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 39311-39321 ³	9.5	3
108	Comparative Studies of Polycrystal and Single-Crystal LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ in Terms of Physical and Electrochemical Performance. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 11748-11757	8.3	2
107	Dopamine-modified carboxymethyl cellulose as an improved aqueous binder for silicon anodes in lithium-ion batteries. <i>Electrochimica Acta</i> , 2021 , 389, 138806	6.7	6
106	Tetramethylpyrazine: an electrolyte additive for high capacity and energy efficiency lithium-oxygen batteries.. <i>RSC Advances</i> , 2021 , 11, 24320-24325	3.7	
105	Effect of Organic Electrolyte on the Performance of Solid Electrolyte for Solid-Liquid Hybrid Lithium Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 2685-2693	9.5	7
104	Facile Synthesis Sandwich-Structured Ge/NrGO Nanocomposite as Anodes for High-Performance Lithium-Ion Batteries. <i>Crystals</i> , 2021 , 11, 1582	2.3	2
103	Reducing interfacial resistance of a LiAlGe(PO) solid electrolyte/electrode interface by polymer interlayer protection.. <i>RSC Advances</i> , 2020 , 10, 10038-10045	3.7	16
102	Improved electrochemical performance of anode materials for high energy density lithium-ion batteries through Sn(SnO ₂) ₂ BiO ₂ /graphene-based nanocomposites prepared by a facile and low-cost approach. <i>Sustainable Energy and Fuels</i> , 2020 , 4, 4625-4636	5.8	15
101	Enhancing the Cycling Stability of Ni-Rich LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ Cathode at a High Cutoff Voltage with Ta Doping. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 3082-3090	8.3	35
100	Cost-effective production of SiO ₂ /C and Si/C composites derived from rice husk for advanced lithium-ion battery anodes. <i>Journal of Materials Science: Materials in Electronics</i> , 2020 , 31, 9126-9132	2.1	7
99	Ultrafast-charging and long cycle-life anode materials of TiO-bronze/nitrogen-doped graphene nanocomposites for high-performance lithium-ion batteries.. <i>RSC Advances</i> , 2020 , 10, 43811-43824	3.7	12
98	A conductive self-healing hydrogel binder for high-performance silicon anodes in lithium-ion batteries. <i>Journal of Power Sources</i> , 2020 , 449, 227472	8.9	41
97	LiFePO-coated LiNiCoMnO for lithium-ion batteries with enhanced cycling performance at elevated temperatures and high voltages.. <i>RSC Advances</i> , 2020 , 10, 37916-37922	3.7	4
96	Effect of fluoroethylene carbonate as an electrolyte solvent in the LiNi _{0.5} Mn _{1.5} O ₄ /Li ₄ Ti ₅ O ₁₂ cell. <i>Journal of Alloys and Compounds</i> , 2020 , 812, 152064	5.7	7
95	Revealing the Effect of Ti Doping on Significantly Enhancing Cyclic Performance at a High Cutoff Voltage for Ni-Rich LiNi _{0.8} Co _{0.15} Al _{0.05} O ₂ Cathode. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 10661-10669	8.3	46
94	Propelling Polysulfide Conversion by Defect-Rich MoS Nanosheets for High-Performance Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 20788-20795	9.5	63

93	Ultradispersed titanium dioxide nanoparticles embedded in a three-dimensional graphene aerogel for high performance sulfur cathodes.. <i>RSC Advances</i> , 2019 , 9, 6568-6575	3.7	4
92	Dithiothreitol as a promising electrolyte additive to suppress the Shuttle effect by slicing the disulfide bonds of polysulfides in lithium-sulfur batteries. <i>Journal of Power Sources</i> , 2019 , 424, 254-260	8.9	15
91	Dynamic evolution of Cathode/Electrolyte interface of LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ during the initial Charge/Discharge process. <i>Journal of Power Sources</i> , 2019 , 438, 226979	8.9	26
90	Rational design of a hierarchical N-doped graphene-supported catalyst for highly energy-efficient lithium-oxygen batteries. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 19745-19752	13	8
89	Ruthenium Oxide Modified alpha-Manganese Dioxide Nanotube as Efficient Bifunctional Cathode Catalysts for Lithium Oxygen Batteries. <i>ChemistrySelect</i> , 2019 , 4, 7455-7462	1.8	6
88	Self-Sacrificed Interface-Based on the Flexible Composite Electrolyte for High-Performance All-Solid-State Lithium Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 42715-42721	9.5	17
87	LiTFSI Concentration Optimization in TEGDME Solvent for Lithium-Oxygen Batteries. <i>ACS Omega</i> , 2019 , 4, 20708-20714	3.9	17
86	Building well-defined hierarchical nanostructures for sulfur and silicon electrodes. <i>Progress in Natural Science: Materials International</i> , 2019 , 29, 672-678	3.6	1
85	Well-defined carbon nanoframes containing bimetal-N-C active sites as efficient bi-functional electrocatalysts for Li-O ₂ batteries. <i>Nano Research</i> , 2019 , 12, 517-523	10	12
84	A Modified Natural Polysaccharide as a High-Performance Binder for Silicon Anodes in Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 4311-4317	9.5	40
83	Revealing the role of NHVO treatment in Ni-rich cathode materials with improved electrochemical performance for rechargeable lithium-ion batteries. <i>Nanoscale</i> , 2018 , 10, 8820-8831	7.7	50
82	Carbon-shell-constrained silicon cluster derived from Al-Si alloy as long-cycling life lithium ion batteries anode. <i>Journal of Power Sources</i> , 2018 , 381, 66-71	8.9	52
81	Significant Improvement on Electrochemical Performance of LiMn ₂ O ₄ at Elevated Temperature by Atomic Layer Deposition of TiO ₂ Nanocoating. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 7890-7901	8.3	33
80	A new type of cyclic silicone additive for improving the energy density and power density of LiO ₂ batteries. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 7221-7226	13	10
79	Pyridinic-N-dominated carbon frameworks with porous tungsten trioxide nano-lamellae as a promising bi-functional catalyst for Li-oxygen batteries. <i>Nanoscale</i> , 2018 , 10, 15763-15770	7.7	19
78	Enhanced Electrochemical Performance of LiNi _{0.8} Co _{0.1} Mn _{0.1} O ₂ Cathode for Lithium-Ion Batteries by Precursor Preoxidation. <i>ACS Applied Energy Materials</i> , 2018 , 1, 4374-4384	6.1	14
77	Structure and Catalyst Effects on the Electrochemical Performance of Air Electrodes in Lithium-Oxygen Batteries. <i>ChemElectroChem</i> , 2018 , 5, 2666-2671	4.3	5
76	Al ₂ O ₃ -doped ZnO coating of carbon nanotubes as cathode material for lithium-sulfur batteries. <i>Journal of Power Sources</i> , 2018 , 398, 75-82	8.9	29

75	A porous Co-Ru@C shell as a bifunctional catalyst for lithium-oxygen batteries.. <i>RSC Advances</i> , 2018 , 8, 23973-23980	3.7	0
74	Unraveling the capacity fading mechanisms of LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ at elevated temperatures. <i>Journal of Power Sources</i> , 2018 , 393, 92-98	8.9	41
73	Mesoporous Co ₃ O ₄ @NC Micro-Disk Derived from ZIF-9 as Bifunctional Catalyst for Lithium-Oxygen Batteries. <i>ChemistrySelect</i> , 2018 , 3, 9276-9283	1.8	6
72	Comparative studies of zirconium doping and coating on LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ cathode material at elevated temperatures. <i>Journal of Power Sources</i> , 2018 , 396, 288-296	8.9	78
71	Uncovering the role of Nb modification in improving the structure stability and electrochemical performance of LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ cathode charged at higher voltage of 4.5 V. <i>Journal of Power Sources</i> , 2018 , 374, 149-157	8.9	61
70	Ruthenium oxide modified hierarchically porous boron-doped graphene aerogels as oxygen electrodes for lithium-oxygen batteries.. <i>RSC Advances</i> , 2018 , 8, 39829-39836	3.7	5
69	Understanding the effects of surface modification on improving the high-voltage performance of Ni-rich cathode materials. <i>Materials Today Energy</i> , 2018 , 10, 40-47	7	12
68	Three-Dimensional Porous Si and SiO ₂ with In Situ Decorated Carbon Nanotubes As Anode Materials for Li-ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 17807-17813	9.5	45
67	ZnBeD@C hollow microspheres as a high performance anode material for lithium-ion batteries. <i>RSC Advances</i> , 2017 , 7, 5459-5465	3.7	5
66	Enhancing Electrochemical Performance of LiNi _{0.6} Co _{0.2} Mn _{0.2} O ₂ by Lithium-ion Conductor Surface Modification. <i>Electrochimica Acta</i> , 2017 , 224, 171-177	6.7	40
65	New electrochemical energy storage systems based on metallic lithium anode: the research status, problems and challenges of lithium-sulfur, lithium-oxygen and all solid state batteries. <i>Science China Chemistry</i> , 2017 , 60, 1402-1412	7.9	23
64	Enhancing Electrochemical Performance of LiMn ₂ O ₄ Cathode Material at Elevated Temperature by Uniform Nanosized TiO ₂ Coating. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 640-647	8.3	39
63	Electrochemical surface modification on CuPdAu/C with extraordinary behavior toward formic acid/formate oxidation. <i>International Journal of Hydrogen Energy</i> , 2016 , 41, 13190-13196	6.7	23
62	High power lithium-ion battery based on a LiMn ₂ O ₄ nanorod cathode and a carbon-coated Li ₄ Ti ₅ O ₁₂ nanowire anode. <i>RSC Advances</i> , 2016 , 6, 107355-107363	3.7	8
61	Building better lithium-sulfur batteries: from LiNO ₃ to solid oxide catalyst. <i>Scientific Reports</i> , 2016 , 6, 33154	4.9	71
60	Sulfur Encapsulated in Mo ₄ O ₁₁ -Anchored Ultralight Graphene for High-Energy Lithium Sulfur Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 3679-3687	8.3	22
59	Three-dimensional MoS _x (1 <i>Journal of Materials Chemistry A</i> , 2016 , 4, 10986-10991	13	27
58	Enhanced Electrochemical Performance of Li _{1.2} Mn _{0.54} Ni _{0.13} Co _{0.13} O ₂ Cathode with an Ionic Conductive LiVO ₃ Coating Layer. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 255-263	8.3	43

57	Synthesis and Electrochemical Performance of Nano-sized Li ₄ Ti ₅ O ₁₂ Coated with Boron-Doped Carbon. <i>Electrochimica Acta</i> , 2016 , 196, 300-308	6.7	28
56	Growth of 3D hierarchical porous NiO@carbon nanoflakes on graphene sheets for high-performance lithium-ion batteries. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 3893-9	3.6	38
55	Facile preparation of three-dimensional porous PdAu films and their electrocatalytic activity for methanol oxidation. <i>Catalysis Communications</i> , 2016 , 73, 22-26	3.2	19
54	Polyaniline-coated partially unzipped vapor-grown carbon fibers/sulfur microsphere composites for LiS cathodes. <i>Journal of Electroanalytical Chemistry</i> , 2016 , 761, 62-67	4.1	6
53	A polydopamine coating ultralight graphene matrix as a highly effective polysulfide absorbent for high-energy Li S batteries. <i>Renewable Energy</i> , 2016 , 96, 333-340	8.1	22
52	Surface noble metal modified PdM/C (M = Ru, Pt, Au) as anode catalysts for direct ethanol fuel cells. <i>Journal of Alloys and Compounds</i> , 2016 , 676, 390-396	5.7	21
51	Surface phase transformation and CaF ₂ coating for enhanced electrochemical performance of Li-rich Mn-based cathodes. <i>Electrochimica Acta</i> , 2015 , 163, 82-92	6.7	58
50	A new, high energy rechargeable lithium ion battery with a surface-treated Li _{1.2} Mn _{0.54} Ni _{0.13} Co _{0.13} O ₂ cathode and a nano-structured Li ₄ Ti ₅ O ₁₂ anode. <i>Journal of Alloys and Compounds</i> , 2015 , 648, 7-12	5.7	15
49	Carbon-coated Na ₃ V ₂ (PO ₄) ₃ nanocomposite as a novel high rate cathode material for aqueous sodium ion batteries. <i>Journal of Alloys and Compounds</i> , 2015 , 646, 522-527	5.7	61
48	Carbon-Coated Mesoporous TiO ₂ Nanocrystals Grown on Graphene for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 10395-400	9.5	48
47	Nanostructured transition metal oxides as advanced anodes for lithium-ion batteries. <i>Science Bulletin</i> , 2015 , 60, 823-838	10.6	160
46	Enhancing the performance of LiMnPO ₄ /C composites through Cr doping. <i>Journal of Alloys and Compounds</i> , 2015 , 620, 350-357	5.7	29
45	Synthesis and effect of electrode heat-treatment on the superior lithium storage performance of Co ₃ O ₄ nanoparticles. <i>Journal of Power Sources</i> , 2015 , 273, 894-903	8.9	19
44	Surface Palladium rich Cu _x Pd _y /carbon catalysts for methanol and ethanol oxidation in alkaline media. <i>Electrochimica Acta</i> , 2015 , 174, 1-7	6.7	18
43	Electrochemical performance and stability of LiMn _{0.6} Fe _{0.4} PO ₄ /C composite. <i>Journal of Alloys and Compounds</i> , 2014 , 587, 133-137	5.7	14
42	Nitrogen-doped porous carbon nanofiber webs/sulfur composites as cathode materials for lithium-sulfur batteries. <i>Electrochimica Acta</i> , 2014 , 116, 210-216	6.7	57
41	Synergistic effect of amorphous carbon coverage and enlarged voltage window on the superior lithium storage performance of nanostructured mesoporous anatase TiO ₂ : Emphasis on interfacial storage phenomena. <i>Journal of Alloys and Compounds</i> , 2014 , 606, 61-67	5.7	6
40	Facile synthesis of trimetallic Cu ₁ Au _{0.15} Pd _{1.5} /C catalyst for ethanol oxidation with superior activity and stability. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 16378-16380	13	11

39	Binder-free phenyl sulfonated graphene/sulfur electrodes with excellent cyclability for lithium sulfur batteries. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 5117	13	63
38	Three-Dimensional Flower-Shaped Activated Porous Carbon/Sulfur Composites as Cathode Materials for Lithium Sulfur Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2014 , 2, 2442-2447	8.3	31
37	Carbon-free (Co, Mn) ₃ O ₄ nanowires@Ni electrodes for lithium-oxygen batteries. <i>Nanoscale</i> , 2014 , 6, 9043-9	7.7	44
36	Surface platinum-rich CuPt bimetallic nanoparticles supported by partially unzipped vapor grown carbon fibers and their electrocatalytic activities. <i>RSC Advances</i> , 2014 , 4, 29429-29434	3.7	4
35	Fe doped Li _{1.2} Mn _{0.6-x} /2Ni _{0.2-x} /2FexO ₂ (x=0.1) as cathode materials for lithium-ion batteries. <i>Electrochimica Acta</i> , 2014 , 133, 555-563	6.7	37
34	Rapid synthesis of porous Pd and PdNi catalysts using hydrogen bubble dynamic template and their enhanced catalytic performance for methanol electrooxidation. <i>Journal of Power Sources</i> , 2013 , 241, 660-667	8.9	45
33	Mesoporous Fe ₂ O ₃ nanoparticles as high performance anode materials for lithium-ion batteries. <i>Electrochemistry Communications</i> , 2013 , 29, 17-20	5.1	109
32	Carbon coated TiO ₂ /BiO ₂ nanocomposites with high grain boundary density as anode materials for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 7360	13	33
31	Effect of heat treatment on the structure and electrochemical performance of FePO ₄ coated spinel LiMn ₂ O ₄ . <i>Electrochimica Acta</i> , 2013 , 113, 248-255	6.7	18
30	Synthesis of nano-sized LiMnPO ₄ and in situ carbon coating using a solvothermal method. <i>Journal of Power Sources</i> , 2013 , 229, 203-209	8.9	41
29	Facile synthesis of Sn/TiO ₂ nanowire array composites as superior lithium-ion battery anodes. <i>Journal of Power Sources</i> , 2013 , 223, 50-55	8.9	30
28	CaF ₂ -coated Li _{1.2} Mn _{0.54} Ni _{0.13} Co _{0.13} O ₂ as cathode materials for Li-ion batteries. <i>Electrochimica Acta</i> , 2013 , 109, 52-58	6.7	151
27	Fabrication and electrochemical properties of Si/TiO ₂ nanowire array composites as lithium ion battery anodes. <i>Journal of Power Sources</i> , 2013 , 238, 165-172	8.9	33
26	Binder-free nitrogen-doped carbon nanotubes electrodes for lithium-oxygen batteries. <i>Journal of Power Sources</i> , 2013 , 242, 855-859	8.9	59
25	Hierarchically porous honeycomb-like carbon as a lithium oxygen electrode. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 1239-1245	13	73
24	Hierarchical hollow Fe ₂ O ₃ micro-flowers composed of porous nanosheets as high performance anodes for lithium-ion batteries. <i>RSC Advances</i> , 2013 , 3, 20639	3.7	28
23	Electrodeposited Pd/MoO _x catalysts with enhanced catalytic activity for formic acid electrooxidation. <i>Electrochimica Acta</i> , 2012 , 76, 292-299	6.7	8
22	Synthesis of flower-like LiMnPO ₄ /C with precipitated NH ₄ MnPO ₄ ·H ₂ O as precursor. <i>Journal of Alloys and Compounds</i> , 2012 , 518, 58-62	5.7	27

21	Polyaniline membranes as waterproof barriers for lithium air batteries. <i>Electrochimica Acta</i> , 2012 , 78, 195-199	6.7	36
20	Nano-sized La _{0.8} Sr _{0.2} MnO ₃ as oxygen reduction catalyst in nonaqueous Li/O ₂ batteries. <i>Journal of Solid State Electrochemistry</i> , 2012 , 16, 1447-1452	2.6	54
19	Carbon-coated SiO ₂ nanoparticles as anode material for lithium ion batteries. <i>Journal of Power Sources</i> , 2011 , 196, 10240-10243	8.9	221
18	Fabrication of morphology controllable rutile TiO ₂ nanowire arrays by solvothermal route for dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2011 , 56, 7696-7702	6.7	21
17	A hierarchical porous MnO ₂ -based electrode for electrochemical capacitor. <i>Journal of Solid State Electrochemistry</i> , 2011 , 15, 485-491	2.6	13
16	Design and synthesis of Cu ₆ Sn ₅ -coated TiO ₂ nanotube arrays as anode material for lithium ion batteries. <i>Journal of Materials Chemistry</i> , 2011 , 21, 3216		31
15	Ultrasonic-assisted synthesis of PdNi alloy catalysts supported on multi-walled carbon nanotubes for formic acid electrooxidation. <i>Electrochimica Acta</i> , 2011 , 56, 6860-6865	6.7	99
14	Polarization of Oxygen Electrode in Rechargeable Lithium Oxygen Batteries. <i>Journal of the Electrochemical Society</i> , 2010 , 157, A362	3.9	69
13	De-doped polyaniline nanofibres with micropores for high-rate aqueous electrochemical capacitor. <i>Synthetic Metals</i> , 2010 , 160, 1579-1583	3.6	36
12	AC impedance investigation of plating potentials on the catalytic activities of Pt nanocatalysts for methanol electrooxidation. <i>Journal of Solid State Electrochemistry</i> , 2010 , 14, 101-107	2.6	18
11	TiO ₂ nanotube array film prepared by anodization as anode material for lithium ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2010 , 14, 1045-1050	2.6	42
10	Preparation of carbon supported PdBb hollow nanospheres and their electrocatalytic activities for formic acid oxidation. <i>Electrochemistry Communications</i> , 2010 , 12, 901-904	5.1	33
9	Three-dimensional porous SnCu alloy anode for lithium-ion batteries. <i>Electrochimica Acta</i> , 2010 , 55, 7310-7314	6.7	100
8	Electro-oxidation of methanol on co-deposited Pt-MoO _x prepared by cyclic voltammetry with different scanning potential ranges. <i>Journal of Applied Electrochemistry</i> , 2009 , 39, 1053-1058	2.6	12
7	Fibriform polyaniline/nano-TiO ₂ composite as an electrode material for aqueous redox supercapacitors. <i>Electrochemistry Communications</i> , 2009 , 11, 266-269	5.1	79
6	A novel route for preparation of PtRuMe (Me = Fe, Co, Ni) and their catalytic performance for methanol electrooxidation. <i>Electrochemistry Communications</i> , 2009 , 11, 643-646	5.1	44
5	A novel method to prepare nanostructured manganese dioxide and its electrochemical properties as a supercapacitor electrode. <i>Electrochimica Acta</i> , 2009 , 54, 3047-3052	6.7	148
4	Synthesis of well-dispersed PtRuSnO _x by ultrasonic-assisted chemical reduction and its property for methanol electrooxidation. <i>Electrochimica Acta</i> , 2009 , 54, 4436-4440	6.7	17

3	Factors influencing MnO ₂ /multi-walled carbon nanotubes composite's electrochemical performance as supercapacitor electrode. <i>Electrochimica Acta</i> , 2009 , 54, 7173-7179	6.7	83
2	Synthesis and characterization of LiNi _{1-x-y} CoxMnyO ₂ as the cathode materials of secondary lithium batteries. <i>Journal of Power Sources</i> , 1999 , 81-82, 416-419	8.9	299
1	PROPORTIONAL EFFECT IN SbSi/N-DOPED GRAPHENE NANOCOMPOSITE PREPARATION FOR HIGH-PERFORMANCE LITHIUM-ION BATTERIES. <i>Surface Review and Letters</i> , 2150105	1.1	1