Ofodike A Ezekoye

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6288678/ofodike-a-ezekoye-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120
papers1,818
citations24
h-index37
g-index155
ext. papers2,155
ext. citations3.8
avg, IF5.19
L-index

#	Paper	IF	Citations
120	Thermal runaway behavior of nickelthanganesetlobalt 18650 lithium-ion cells induced by internal and external heating failures. <i>Journal of Energy Storage</i> , 2022 , 45, 103640	7.8	1
119	Low-order modeling of Lithium Cobalt Oxide Lithium ion battery arrays with various states of charge. <i>Journal of Energy Storage</i> , 2022 , 49, 104053	7.8	1
118	Head-related transfer function measurements in a compartment fire Journal of the Acoustical Society of America, 2022 , 151, 1730	2.2	
117	Gas release rates and properties from Lithium Cobalt Oxide lithium ion battery arrays. <i>Journal of Power Sources</i> , 2021 , 487, 229388	8.9	8
116	Combining spatial and sociodemographic regression techniques to predict residential fire counts at the census tract level. <i>Computers, Environment and Urban Systems</i> , 2021 , 88, 101633	5.9	O
115	Towards Fire Forensic Characteristics of Failed Cylindrical Format LithiumIbn Cells and Batteries. <i>Fire Technology</i> , 2021 , 57, 1723-1752	3	3
114	Brain-STORM: A deep learning model for computationally fast transient high-rise fire simulations. <i>Fire Safety Journal</i> , 2021 , 125, 103443	3.3	2
113	The effect of fire location and the reverse stack on fire smoke transport in high-rise buildings. <i>Fire Safety Journal</i> , 2021 , 126, 103446	3.3	2
112	Bayesian Inference of Fire Evolution Within a Compartment Using Heat Flux Measurements. <i>Fire Technology</i> , 2020 , 1	3	1
111	Modeling of Thermal Runaway Propagation in a Pouch Cell Stack. Fire Technology, 2020, 56, 2441-2466	3	10
110	Characterization of Thermally Induced Runaway in Pouch Cells for Propagation. <i>Fire Technology</i> , 2020 , 56, 2467-2490	3	7
109	Inversion for Fire Heat-Release Rate Using Heat Flux Measurements. <i>Journal of Heat Transfer</i> , 2020 , 142,	1.8	1
108	Explosion hazards from lithium-ion battery vent gas. <i>Journal of Power Sources</i> , 2020 , 446, 227257	8.9	50
107	Change in acoustic impulse response of a room due to a fire. <i>Journal of the Acoustical Society of America</i> , 2020 , 147, EL546	2.2	4
106	Deep-Learning Emulators of Transient Compartment Fire Simulations for Inverse Problems and Room-Scale Calorimetry. <i>Fire Technology</i> , 2020 , 1	3	5
105	Experimental and numerical simulation of multi-component combustion of typical charring material. <i>Combustion and Flame</i> , 2020 , 211, 417-429	5.3	48
104	Model Considerations for Fire Scene Reconstruction Using a Bayesian Framework. <i>Fire Technology</i> , 2020 , 56, 445-467	3	3

(2015-2019)

103	Fire Smoke Transport and Opacity Reduced-Order Model (Fire-STORM): A New Computer Model for High-Rise Fire Smoke Simulations. <i>Fire Technology</i> , 2019 , 55, 981-1012	3	3
102	Experimental and Analytical Characterization of Firebrand Ignition of Home Insulation Materials. <i>Fire Technology</i> , 2019 , 55, 1027-1056	3	11
101	Statistical Analysis of Fire Department Response Times and Effects on Fire Outcomes in the United States. <i>Fire Technology</i> , 2019 , 55, 2369-2393	3	2
100	Orthogonal function extension to enclosure theory. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2019 , 224, 272-278	2.1	
99	Heat integration and operational optimization of an austenitization furnace using concentric-tube radiant recuperators. <i>AICHE Journal</i> , 2019 , 65, e16414	3.6	3
98	Quantifying Generalized Residential Fire Risk Using Ensemble Fire Models with Survey and Physical Data. <i>Fire Technology</i> , 2018 , 54, 715-747	3	4
97	Exploration of NFIRS protected populations using geocoded fire incidents. <i>Fire Safety Journal</i> , 2018 , 95, 122-134	3.3	3
96	Improving energy efficiency of an austenitization furnace by heat integration and real-time optimization 2018 ,		2
95	The effect of chemical reaction kinetic parameters on the bench-scale pyrolysis of lignocellulosic biomass. <i>Fuel</i> , 2018 , 232, 147-153	7.1	61
94	Development of kinetic parameters for polyurethane thermal degradation modeling featuring a bioinspired catecholic flame retardant. <i>Combustion and Flame</i> , 2017 , 177, 184-192	5.3	14
93	Energy-Oriented Modeling and Optimization of a Heat Treating Furnace. <i>Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME</i> , 2017 , 139,	1.6	13
92	Inversion for Fire Heat Release Rate Using Transient Heat Flux Data 2017 ,		1
91	Comparative pyrolysis behaviors and reaction mechanisms of hardwood and softwood. <i>Energy Conversion and Management</i> , 2017 , 132, 102-109	10.6	87
90	Computational Modeling and Validation of Aerosol Deposition in Ventilation Ducts. <i>Fire Technology</i> , 2016 , 52, 149-166	3	7
89	Why and How the Sustainable Building Community Should Embrace Fire Safety. <i>Current Sustainable/Renewable Energy Reports</i> , 2016 , 3, 121-137	2.8	3
88	Thermal degradation of beech wood with thermogravimetry/Fourier transform infrared analysis. <i>Energy Conversion and Management</i> , 2016 , 120, 370-377	10.6	83
87	Conduction of Heat in Solids 2016 , 25-52		5
86	Development of a multi-objective optimization tool for selecting thermal insulation materials in sustainable designs. <i>Energy and Buildings</i> , 2015 , 105, 358-367	7	26

85	Thermal Characterization of Electrical Wires and Insulation Operated in Variable Frequency Mode. <i>Fire Technology</i> , 2015 , 51, 1071-1092	3	3
84	Quantitative Testing of Fire Scenario Hypotheses: A Bayesian Inference Approach. <i>Fire Technology</i> , 2015 , 51, 335-367	3	15
83	CFD Simulation of Smoke Spread Through Elevator Shafts During Fires in High Rise Buildings 2015,		2
82	A Versatile In-Situ Ablation Recession and Thermal Sensor Adaptable for Different Types of Ablatives 2015 ,		3
81	Theoretical Range and Trajectory of a Water Jet 2015 ,		6
80	Ventilation limited extinction of fires in ceiling vented compartments. <i>International Journal of Heat and Mass Transfer</i> , 2015 , 91, 570-583	4.9	17
79	Smart Manufacturing Approach for Efficient Operation of Industrial Steam-Methane Reformers. <i>Industrial & Engineering Chemistry Research</i> , 2015 , 54, 4360-4370	3.9	41
78	Evaluation of gas radiation heat transfer in a 2D axisymmetric geometry using the line-by-line integration and WSGG models. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2015 , 156, 1-11	2.1	25
77	An in-situ ablation recession sensor for carbon/carbon ablatives based on commercial ultra-miniature thermocouples. <i>Sensors and Actuators B: Chemical</i> , 2014 , 196, 46-56	8.5	20
76	Application of the weighted-sum-of-gray-gases model for media composed of arbitrary concentrations of H 2 O, CO 2 and soot. <i>International Journal of Heat and Mass Transfer</i> , 2014 , 79, 796-80	Æ9	63
75	Fire behavior and heat fluxes for lab-scale burning of little bluestem grass. <i>Fire Safety Journal</i> , 2014 , 67, 70-81	3.3	9
74	Development of an Analytical Design Tool for Monolithic Emission Control Catalysts and Application to Nano-Textured Substrate System. <i>Journal of Thermal Science and Engineering Applications</i> , 2014 , 6,	1.9	1
73	Modeling differential scanning calorimetry of thermally degrading thermoplastics. <i>Journal of Analytical and Applied Pyrolysis</i> , 2014 , 105, 241-251	6	6
72	Characterization of Fuel Properties and Fire Spread Rates for Little Bluestem Grass. <i>Fire Technology</i> , 2014 , 50, 9-38	3	29
71	Thermo-mechanical modeling of firebrand breakage on a fractal tree. <i>Proceedings of the Combustion Institute</i> , 2013 , 34, 2649-2656	5.9	18
70	Thermal effects on polybrominated diphenyl ether mass transfer and emission from computer cases. <i>International Journal of Heat and Mass Transfer</i> , 2013 , 64, 343-351	4.9	6
69	Characterization of Mass Transfer Rates and Contamination Kinetics on Silicon Wafer Surface. <i>IEEE Transactions on Semiconductor Manufacturing</i> , 2013 , 26, 145-155	2.6	2
68	Recession Experiments and Modeling for Carbon Surface Oxidation Processes 2013 ,		2

(2009-2013)

67	In-situ Ablation Recession Sensor Based on Ultra-Miniature Thermocouples - Part A: 0.25mm Diameter Thermocouples 2013 ,		3
66	libMoM: a library for stochastic simulations in engineering using statistical moments. <i>Engineering With Computers</i> , 2012 , 28, 83-94	4.5	5
65	Development of a hybrid sectional quadrature-based moment method for solving population balance equations. <i>Journal of Aerosol Science</i> , 2012 , 54, 88-102	4.3	17
64	Chemical hood glass failure under thermal loading associated with fire. <i>Journal of Chemical Health and Safety</i> , 2012 , 19, 30-36	1.7	
63	Characterizing Heat Release Rates Using an Inverse Fire Modeling Technique. <i>Fire Technology</i> , 2012 , 48, 893-909	3	34
62	Mixing characteristics and emissions of strongly-forced non-premixed and partially-premixed jet flames in crossflow. <i>Combustion and Flame</i> , 2012 , 159, 707-721	5.3	13
61	Radiative Heat Transfer Modeling Using the CW and SLW Models in Gas Mixtures With Soot 2012,		1
60	Rubbertalay Nanocomposites based on Thermoplastic Elastomers 2011 , 489-521		6
59	Thermoplastic Polyurethane Elastomer Nanocomposite Ablatives: Characterization and Performance 2011 ,		7
58	Uncertainty quantification of a graphite nitridation experiment using a Bayesian approach. <i>Experimental Thermal and Fluid Science</i> , 2011 , 35, 1588-1599	3	14
57	Assessing the effect of molecular weight on the kinetics of backbone scission reactions in polyethylene using Reactive Molecular Dynamics. <i>Polymer</i> , 2011 , 52, 3104-3111	3.9	20
56	Thermoplastic Polyurethane Elastomer Nanocomposites: Morphology, Thermophysical, and Flammability Properties. <i>Journal of Nanomaterials</i> , 2010 , 2010, 1-11	3.2	28
55	Flammability Studies of a Novel Class of Thermoplastic Elastomer Nanocomposites. <i>Journal of Fire Sciences</i> , 2010 , 28, 49-85	1.5	22
54	Steady-State Ablation Model Coupling with Hypersonic Flow 2010 ,		13
53	Multiphysics Coupling for Reentry Flows 2010 ,		1
52	Heating Rate and Nanoparticle Loading Effects on Thermoplastic Polyurethane Elastomer Nanocomposite Kinetics 2009 ,		9
51	Simulation of the evolution of particle size distributions containing coarse particulate in the atmospheric surface layer with a simple convection-diffusion-sedimentation model. <i>Atmospheric Environment</i> , 2009 , 43, 4435-4443	5.3	3
50	Effects of Leakage in Simulations of Positive Pressure Ventilation. <i>Fire Technology</i> , 2009 , 45, 257-286	3	10

49	Population-based models of thermoplastic degradation: Using optimization to determine model parameters. <i>Polymer Degradation and Stability</i> , 2009 , 94, 1013-1022	4.7	27
48	Kinetics and Thermophysical Properties of Polymer Nanocomposites for Solid Rocket Motor Insulation. <i>Journal of Spacecraft and Rockets</i> , 2009 , 46, 526-544	1.5	26
47	Thermoplastic Polyurethane Elastomer Nanocomposites: Density and Hardness Correlations with Flammability Performance 2009 ,		5
46	Characterization of Wet Batch Cleaning Process in Advanced Semiconductor Manufacturing. <i>IEEE Transactions on Semiconductor Manufacturing</i> , 2009 , 22, 399-408	2.6	3
45	Thermophysical Properties Characterization of Thermoplastic Polyurethane Elastomer Nanocomposites 2008 ,		2
44	Treatment of design fire uncertainty using Quadrature Method of Moments. <i>Fire Safety Journal</i> , 2008 , 43, 127-139	3.3	20
43	Analysis of Fireground Standard Operating Guidelines/Procedures Compliance for Austin Fire Department. <i>Fire Technology</i> , 2008 , 44, 39-64	3	1
42	Validation of inverse boundary condition design in a thermometry test bed. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2008 , 109, 317-326	2.1	9
41	Monte Carlo Modeling of a Light-Pipe Radiation Thermometer. <i>IEEE Transactions on Semiconductor Manufacturing</i> , 2007 , 20, 39-50	2.6	6
40	Mixing characteristics in strongly forced non-premixed methane jet flames. <i>Proceedings of the Combustion Institute</i> , 2007 , 31, 1617-1624	5.9	20
39	Strongly-Pulsed Turbulent Non-Premixed Jet Flames in Cross-Flow 2007,		1
38	Experimental Characterization of Thermoplastic Polyurethane Nanocomposite under Extreme Conditions 2007 ,		1
37	A Review of Numerical and Experimental Characterization of Thermal Protection Materials: Part III - Material Testing 2007 ,		14
36	A Review of Numerical and Experimental Characterization of Thermal Protection Materials Part II: Properties Characterization 2007 ,		21
35	Errors Associated With Light-Pipe Radiation Thermometer Temperature Measurements. <i>IEEE Transactions on Semiconductor Manufacturing</i> , 2007 , 20, 26-38	2.6	6
34	A Review of Ablation Modeling for Thermal Protection Systems 2006,		4
33	Insertion Error in LPRT Temperature Measurements 2006,		1
32	Treatment of size-dependent aerosol transport processes using quadrature based moment methods. <i>Journal of Aerosol Science</i> , 2006 , 37, 799-819	4.3	24

(2001-2006)

31	A model for assessing ignition, flame spread, and burn hazard potential of a multilayered jacket. <i>Journal of Burn Care and Research</i> , 2006 , 27, 487-95	0.8	6
30	Characteristics of strongly-forced turbulent jets and non-premixed jet flames. <i>Experiments in Fluids</i> , 2006 , 41, 523-542	2.5	20
29	Smoke buildup and light scattering in a cylindrical cavity above a uniform flow. <i>Journal of Aerosol Science</i> , 2005 , 36, 471-493	4.3	5
28	Railplug Design Optimization to Improve Large-Bore Natural Gas Engine Performance 2005 , 15		1
27	Drawdown-Effect of Lightpipes in Silicon Wafer Surface Temperature Measurements 2005 , 193		2
26	Pulsed flow modulation of soot production in a laminar jet-diffusion flame. <i>Proceedings of the Combustion Institute</i> , 2005 , 30, 1485-1492	5.9	13
25	Effects of PPV Attack on Thermal Conditions in a Compartment Downstream of a Fire. <i>Fire Technology</i> , 2005 , 41, 193-208	3	6
24	Voltage, and Energy Deposition Characteristics of Spark Ignition Systems 2005,		16
23	Analysis of Factors that Affect the Performance of Railplugs 2005,		1
22	Boundary Condition Design to Heat a Moving Object at Uniform Transient Temperature Using Inverse Formulation. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2004 , 126, 619-626	3.3	9
21	Inverse design of thermal systems with dominant radiative transfer. <i>Advances in Heat Transfer</i> , 2003 , 36, 1-110	1.9	16
20	Stability analysis for three-dimensional Rayleigh B Bard convection with radiatively participating medium using spectral methods. <i>International Journal of Heat and Mass Transfer</i> , 2003 , 46, 1371-1383	4.9	19
19	Evaluation of the 1-point quadrature approximation in QMOM for combined aerosol growth laws. <i>Journal of Aerosol Science</i> , 2003 , 34, 1665-1683	4.3	38
18	Comparison of three regularized solution techniques in a three-dimensional inverse radiation problem. <i>Journal of Quantitative Spectroscopy and Radiative Transfer</i> , 2002 , 73, 307-316	2.1	48
17	Modeling of a Radiative RTP-Type Furnace Through an Inverse Design: Mathematical Model and Experimental Results 2002 , 237		2
16	The Application of an Inverse Formulation in the Design of Boundary Conditions for Transient Radiating Enclosures. <i>Journal of Heat Transfer</i> , 2002 , 124, 1095-1102	1.8	39
15	Design of a Rapid Thermal Processing Chamber Using an Inverse Formulation 2002,		2

13	Inverse Boundary Design Combining Radiation and Convection Heat Transfer. <i>Journal of Heat Transfer</i> , 2001 , 123, 884-891	1.8	52
12	Inverse Design Model for Radiative Heat Transfer. <i>Journal of Heat Transfer</i> , 2000 , 122, 492-502	1.8	50
11	Kinetic and fuel property effects on forward smoldering combustion. <i>Combustion and Flame</i> , 2000 , 120, 346-358	5.3	72
10	Combustion and heat transfer in model two-dimensional porous burners. <i>Combustion and Flame</i> , 1999 , 116, 177-191	5.3	58
9	Simulation of acoustic agglomeration processes using a sectional algorithm. <i>Journal of Aerosol Science</i> , 1999 , 30, 1117-1138	4.3	21
8	Band-integrated infrared absorptance of low-molecular-weight paraffin hydrocarbons at high temperatures. <i>Applied Optics</i> , 1999 , 38, 2895-904	1.7	7
7	Effects of thermal boundary conditions on flame shape and quenching in ducts. <i>Combustion and Flame</i> , 1998 , 112, 73-84	5.3	69
6	Heat transfer consequences of condensation during premixed flame quenching. <i>Combustion and Flame</i> , 1998 , 112, 266-269	5.3	7
5	Convection, pyrolysis, and DamkBler number effects on extinction of reverse smoldering combustion. <i>Proceedings of the Combustion Institute</i> , 1998 , 27, 2873-2880		11
4	Polymer weld strength predictions using a thermal and polymer chain diffusion analysis. <i>Polymer Engineering and Science</i> , 1998 , 38, 976-991	2.3	38
3	Condensation of Fuel on Combustion Chamber Surfaces as a Mechanism for Increased HC Emissions from SI Engines During Cold Start 1997 ,		8
2	Soot oxidation and agglomeration modeling in a microgravity diffusion flame. <i>Combustion and Flame</i> , 1997 , 110, 127-139	5.3	24
1	Polystyrene Soot Agglomeration Enhancement in an Ultrasonic Acoustic Field. <i>Hazardous Waste and Hazardous Materials</i> , 1996 , 13, 121-130		6