

# Ki Ho Park

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6289655/publications.pdf>

Version: 2024-02-01

270  
papers

6,225  
citations

108046

37  
h-index

162838

57  
g-index

273  
all docs

273  
docs citations

273  
times ranked

4539  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of progressive optic disc tilt with development of retinal nerve fibre layer defect in children with large cup-to-disc ratio. <i>British Journal of Ophthalmology</i> , 2023, 107, 869-875.	2.1	2
2	Ten-year-and-beyond longitudinal change of ÅŽ-zone parapapillary atrophy in glaucoma: association with retinal nerve fibre layer defect. <i>British Journal of Ophthalmology</i> , 2022, 106, 1393-1398.	2.1	2
3	Sovesudil (locally acting rho kinase inhibitor) for the treatment of normal-tension glaucoma: the randomized phase II study. <i>Acta Ophthalmologica</i> , 2022, 100, .	0.6	5
4	Decision Tree Algorithm-Based Prediction of Vulnerability to Depressive and Anxiety Symptoms in Caregivers of Children With Glaucoma. <i>American Journal of Ophthalmology</i> , 2022, 239, 90-97.	1.7	3
5	Analysis of Variation in Incidence of Optic Disc Hemorrhage According to Seasonal and Temperature Changes. <i>American Journal of Ophthalmology</i> , 2022, 239, 84-89.	1.7	2
6	Evaluation of University of North Carolina OCT Index for Diagnosis of Early Glaucoma. <i>Ophthalmology Glaucoma</i> , 2022, 5, 490-497.	0.9	1
7	Classification of Visual Field Abnormalities in Highly Myopic Eyes without Pathologic Change. <i>Ophthalmology</i> , 2022, 129, 803-812.	2.5	14
8	Iontophoretic ocular delivery of latanoprost-loaded nanoparticles via skin-attached electrodes. <i>Acta Biomaterialia</i> , 2022, 144, 32-41.	4.1	12
9	Comparison of Vision-related Quality of Life between Normal Tension Glaucoma and Primary Open Angle Glaucoma. <i>Journal of Glaucoma</i> , 2022, Publish Ahead of Print, 322-328.	0.8	0
10	Macular sector-wise decision tree model for the prediction of parafoveal scotoma not detected by 24-2 visual field test. <i>Clinical and Experimental Ophthalmology</i> , 2022, 50, 510-521.	1.3	3
11	Long-term Changes of Retinal Nerve Fiber Layer Thickness in Superior Segmental Optic Nerve Hypoplasia. <i>Journal of the Korean Glaucoma Society</i> , 2022, 11, 12.	0.0	0
12	Association between esodeviation and primary open-angle glaucoma: the 2010-2011 Korea National Health and Nutrition Examination Survey. <i>British Journal of Ophthalmology</i> , 2021, 105, 1672-1677.	2.1	3
13	Genetic analysis of primary open-angle glaucoma-related risk alleles in a Korean population: the GLAU-GENDISK study. <i>British Journal of Ophthalmology</i> , 2021, 105, 1307-1312.	2.1	3
14	Glaucoma conversion of the contralateral eye in unilateral normal-tension glaucoma patients: a 5-year follow-up study. <i>British Journal of Ophthalmology</i> , 2021, 105, 1383-1389.	2.1	0
15	Morphological characteristics of parapapillary atrophy and subsequent visual field progression in primary open-angle glaucoma. <i>British Journal of Ophthalmology</i> , 2021, 105, 361-366.	2.1	8
16	Deep optic nerve head morphology and glaucoma progression in eyes with and without laminar dot sign: a longitudinal comparative study. <i>Eye</i> , 2021, 35, 936-944.	1.1	0
17	Impact of myopia on the association of long-term intraocular pressure fluctuation with the rate of progression in normal-tension glaucoma. <i>British Journal of Ophthalmology</i> , 2021, 105, 653-660.	2.1	15
18	Explaining the Rationale of Deep Learning Glaucoma Decisions with Adversarial Examples. <i>Ophthalmology</i> , 2021, 128, 78-88.	2.5	23

#	ARTICLE	IF	CITATIONS
19	Efficacy and safety of fixed-combination brimonidine tartrate/timolol maleate in primary open-angle glaucoma, including normal-tension glaucoma. Japanese Journal of Ophthalmology, 2021, 65, 295-305.	0.9	2
20	Health screening program revealed risk factors associated with development and progression of papillomacular bundle defect. EPMA Journal, 2021, 12, 41-55.	3.3	12
21	Nationwide Glaucoma incidence in end stage renal disease patients and kidney transplant recipients. Scientific Reports, 2021, 11, 7418.	1.6	9
22	Longitudinal Observation of Border Tissue Configuration During Axial Elongation in Childhood. , 2021, 62, 10.		8
23	Effects of Beta-zone Peripapillary Atrophy and Focal Lamina Cribrosa Defects on Peripapillary Vessel Parameters in Young Myopic Eyes. Journal of Glaucoma, 2021, 30, 703-710.	0.8	1
24	Association of Optic Disc Tilt and Torsion with Open-Angle Glaucoma Progression Risk: Meta-Analysis and Meta-Regression Analysis. American Journal of Ophthalmology, 2021, 232, 30-39.	1.7	7
25	Novel glaucoma model in rats using photo-crosslinked azidobenzoic acid-modified chitosan. Materials Science and Engineering C, 2021, 125, 112112.	3.8	2
26	Visual outcomes and associated factors of primary congenital glaucoma in children. Graefe's Archive for Clinical and Experimental Ophthalmology, 2021, 259, 3445-3451.	1.0	3
27	Methodology and Rationale for Ophthalmic Examinations in the Seventh and Eighth Korea National Health and Nutrition Examination Surveys (2017-2021). Korean Journal of Ophthalmology: KJO, 2021, 35, 295-303.	0.5	7
28	Macular Imaging. , 2021, , 27-39.		0
29	Clinical Use of PanoMap for Glaucoma: Frequently Damaged Areas in Early Glaucoma. Journal of Glaucoma, 2021, 30, 10-16.	0.8	3
30	Baseline Diurnal Intraocular Pressure Can Predict Progression Rate of Visual Field Loss in Normal-tension Glaucoma. Journal of the Korean Glaucoma Society, 2021, 10, 47.	0.0	0
31	Risk factors for disease progression in low-teens normal-tension glaucoma. British Journal of Ophthalmology, 2020, 104, 81-86.	2.1	20
32	Topographic correlation between macular superficial microvessel density and ganglion cell-inner plexiform layer thickness in glaucoma-suspect and early normal-tension glaucoma. British Journal of Ophthalmology, 2020, 104, 104-109.	2.1	29
33	Changes in intraocular pressure during reading or writing on smartphones in patients with normal-tension glaucoma. British Journal of Ophthalmology, 2020, 104, 623-628.	2.1	5
34	Machine learning classifiers-based prediction of normal-tension glaucoma progression in young myopic patients. Japanese Journal of Ophthalmology, 2020, 64, 68-76.	0.9	18
35	Deep-learning-based enhanced optic-disc photography. PLoS ONE, 2020, 15, e0239913.	1.1	7
36	Dual-input convolutional neural network for glaucoma diagnosis using spectral-domain optical coherence tomography. British Journal of Ophthalmology, 2020, 105, bjophthalmol-2020-316274.	2.1	7

#	ARTICLE	IF	CITATIONS
37	Effects of consumption of coffee, tea, or soft drinks on open-angle glaucoma: Korea National Health and Nutrition Examination Survey 2010 to 2011. PLoS ONE, 2020, 15, e0236152.	1.1	8
38	Significant intraocular pressure associated with open-angle glaucoma: Korea National Health and Nutrition Examination Survey 2010-2011. PLoS ONE, 2020, 15, e0235701.	1.1	6
39	Temporal Raphe Sign in Elderly Patients With Large Optic Disc Cupping: Its Evaluation as a Predictive Factor for Glaucoma Conversion. American Journal of Ophthalmology, 2020, 219, 205-214.	1.7	4
40	Diagnostic Accuracy of Wide-Field Map from Swept-Source Optical Coherence Tomography for Primary Open-Angle Glaucoma in Myopic Eyes. American Journal of Ophthalmology, 2020, 218, 182-191.	1.7	17
41	Facial Port-Wine Stain Phenotypes Associated with Glaucoma Risk in Neonates. American Journal of Ophthalmology, 2020, 220, 183-190.	1.7	11
42	Alcohol consumption is associated with glaucoma severity regardless of ALDH2 polymorphism. Scientific Reports, 2020, 10, 17422.	1.6	9
43	Effects of Consumption of Alcohol on Intraocular Pressure: Korea National Health and Nutrition Examination Survey 2010 to 2011. Nutrients, 2020, 12, 2420.	1.7	12
44	Peripapillary vessel parameters and mean ocular perfusion pressure in young healthy eyes: OCT angiography study. British Journal of Ophthalmology, 2020, 105, bjophthalmol-2020-316222.	2.1	9
45	Vulnerability Zone of Glaucoma Progression in Combined Wide-field Optical Coherence Tomography Event-based Progression Analysis. , 2020, 61, 56.		9
46	Relationships between Obesity, Nutrient Supply and Primary Open Angle Glaucoma in Koreans. Nutrients, 2020, 12, 878.	1.7	7
47	Ocular Perfusion Pressure and the Risk of Open-Angle Glaucoma: Systematic Review and Meta-analysis. Scientific Reports, 2020, 10, 10056.	1.6	21
48	Macular Ganglion Cell-Inner Plexiform Layer Thickness Prediction from Red-free Fundus Photography using Hybrid Deep Learning Model. Scientific Reports, 2020, 10, 3280.	1.6	11
49	Quantitative analysis of retinal nerve fiber layer defect in early open-angle glaucoma with normal intraocular pressure. Japanese Journal of Ophthalmology, 2020, 64, 278-284.	0.9	3
50	Ten Years and Beyond Longitudinal Change of ÅŸ-Zone Parapapillary Atrophy. Ophthalmology, 2020, 127, 1054-1063.	2.5	15
51	Exploring the Novel Susceptibility Gene Variants for Primary Open-Angle Glaucoma in East Asian Cohorts: The GLAU-GENDISK Study. Scientific Reports, 2020, 10, 221.	1.6	6
52	Rate of three-dimensional neuroretinal rim thinning in glaucomatous eyes with optic disc haemorrhage. British Journal of Ophthalmology, 2020, 104, 648-654.	2.1	3
53	Pre-perimetric Open Angle Glaucoma with Young Age of Onset: Natural Clinical Course and Risk Factors for Progression. American Journal of Ophthalmology, 2020, 216, 121-131.	1.7	16
54	Association of Cardiovascular Mortality and Deep Learning-Funduscopy Atherosclerosis Score derived from Retinal Fundus Images. American Journal of Ophthalmology, 2020, 217, 121-130.	1.7	52

#	ARTICLE	IF	CITATIONS
55	Interdigitation Zone Change According to Glaucoma-Stage Advancement. , 2020, 61, 20.		2
56	Twenty-fourâ€“Hour Intraocular Pressureâ€“Related Patterns from Contact Lens Sensors in Normal-Tension Glaucoma and Healthy Eyes. <i>Ophthalmology</i> , 2020, 127, 1487-1497.	2.5	18
57	Discriminating glaucomatous and compressive optic neuropathy on spectral-domain optical coherence tomography with deep learning classifier. <i>British Journal of Ophthalmology</i> , 2020, 104, 1717-1723.	2.1	10
58	Normal-tension Glaucoma Management: A Survey of Glaucoma Sub-specialists in Korea. <i>Korean Journal of Ophthalmology: KJO</i> , 2020, 34, 425-431.	0.5	7
59	Macular Parameters for Glaucoma. , 2020, , 77-95.		0
60	Comparison of Two Combinations of Maximum Medical Therapy for Lowering Intraocular Pressure in Primary Open-angle Glaucoma. <i>Korean Journal of Ophthalmology: KJO</i> , 2020, 34, 19.	0.5	4
61	Macular Imaging by Optical Coherence Tomography for Glaucoma. <i>Essentials in Ophthalmology</i> , 2020, , 33-45.	0.0	1
62	Blue-filter Fundus Photography for Detection of Retinal Nerve Fiber Layer Defect in Myopic Eyes. <i>Ophthalmology</i> , 2019, 126, 1118.	2.5	1
63	Incidence and Risk Factors for Glaucoma Development After Bilateral Congenital Cataract Surgery in Microphthalmic Eyes. <i>American Journal of Ophthalmology</i> , 2019, 208, 265-272.	1.7	8
64	Ocular and systemic risk factors associated with recurrent disc hemorrhage in primary open-angle glaucoma. <i>PLoS ONE</i> , 2019, 14, e0222166.	1.1	3
65	Comparison of glaucoma patients referred by glaucoma screening versus referral from primary eye clinic. <i>PLoS ONE</i> , 2019, 14, e0210582.	1.1	10
66	Temporal Raphe Sign for Discrimination of Glaucoma from Optic Neuropathy in Eyes with Macular Ganglion Cellâ€“Inner Plexiform Layer Thinning. <i>Ophthalmology</i> , 2019, 126, 1131-1139.	2.5	27
67	Incidence of Open-angle Glaucoma in Newly Diagnosed Retinal Vein Occlusion: A Nationwide Population-based Study. <i>Journal of Glaucoma</i> , 2019, 28, 111-118.	0.8	11
68	Visionâ€“related quality of life according to location of visual field loss in patients with glaucoma. <i>Acta Ophthalmologica</i> , 2019, 97, e772-e779.	0.6	15
69	Age-Dependent Variation of Lamina Cribrosa Displacement During the Standardized Valsalva Maneuver. <i>Scientific Reports</i> , 2019, 9, 6645.	1.6	2
70	Optic Disc Tilt and Glaucoma Progression in Myopic Glaucoma: A Longitudinal Match-Pair Case-Control Study. , 2019, 60, 2127.		11
71	Diurnal change of retinal vessel density and mean ocular perfusion pressure in patients with open-angle glaucoma. <i>PLoS ONE</i> , 2019, 14, e0215684.	1.1	31
72	Imaging and Differentiation of Retinal Ganglion Cells in Ex Vivo Experimental Optic Nerve Degeneration by Differential Interference Contrast Microscopy. <i>Current Eye Research</i> , 2019, 44, 760-769.	0.7	0

#	ARTICLE	IF	CITATIONS
73	Exogenous influences on intraocular pressure. <i>British Journal of Ophthalmology</i> , 2019, 103, 1209-1216.	2.1	31
74	Re: Hou et al.: Integrating macular ganglion cell inner plexiform layer and parapapillary retinal nerve fiber layer measurements to detect glaucoma progression ( <i>Ophthalmology</i> . 2018;125:822-831). <i>Ophthalmology</i> , 2019, 126, e13.	2.5	1
75	Automated Quantification of Macular Ellipsoid Zone Intensity in Glaucoma Patients: the Method and its Comparison with Manual Quantification. <i>Scientific Reports</i> , 2019, 9, 19771.	1.6	3
76	Associations Among Pregnancy, Parturition, and Open-angle Glaucoma. <i>Journal of Glaucoma</i> , 2019, 28, 14-19.	0.8	5
77	A Path Analysis of Effects of Patients' Underlying Conditions, Treatment Satisfaction, and Adherence on Quality of Life Among Korea Glaucoma Patients. <i>Journal of Glaucoma</i> , 2019, 28, 785-789.	0.8	4
78	Intraocular Pressure (IOP) Change and Frequency of IOP Spike After Cataract Surgery in Normal-tension Glaucoma: A Case-Control Study. <i>Journal of Glaucoma</i> , 2019, 28, 201-206.	0.8	7
79	Comparison of Efficacy and Safety of Bleb Needle Revision With and Without 5-Fluorouracil for Failing Trabeculectomy Bleb. <i>Journal of Glaucoma</i> , 2019, 28, 386-391.	0.8	12
80	Long-Term Follow-up on Glaucoma Patients With Initial Single-Hemifield Defect: Progression Patterns and Associated Factors. <i>Journal of Glaucoma</i> , 2019, 28, 1041-1047.	0.8	4
81	Optical Coherence Tomography for the Diagnosis and Monitoring of Glaucoma. <i>Asia-Pacific Journal of Ophthalmology</i> , 2019, 8, .	1.3	7
82	In Reply: Incidence of Open-angle Glaucoma in Newly Diagnosed Retinal Vein Occlusion: A Nationwide Population-based Study. <i>Journal of Glaucoma</i> , 2019, 28, e176-e176.	0.8	0
83	Reply. <i>American Journal of Ophthalmology</i> , 2019, 197, 183-184.	1.7	0
84	Factors influencing vision-related quality of life according to glaucoma severity. <i>Acta Ophthalmologica</i> , 2019, 97, e216-e224.	0.6	18
85	Association of Angle Width With Progression of Normal-Tension Glaucoma. <i>JAMA Ophthalmology</i> , 2019, 137, 13.	1.4	9
86	Optic Disc-guided Optical Coherence Tomography Interpretation for Diagnosis of Early-glaucoma: Selecting the Optimal Parameters. <i>Journal of the Korean Glaucoma Society</i> , 2019, 8, 10.	0.0	0
87	Relationship between age and surgical success after trabeculectomy with adjunctive mitomycin C. <i>Eye</i> , 2018, 32, 1321-1328.	1.1	15
88	Incidence of retinal vein occlusion in open-angle glaucoma: a nationwide, population-based study using the Korean Health Insurance Review and Assessment Database. <i>Clinical and Experimental Ophthalmology</i> , 2018, 46, 637-644.	1.3	10
89	Association Between Optic Disc Hemorrhage and Renal Function in South Korea. <i>Journal of Glaucoma</i> , 2018, 27, 251-256.	0.8	2
90	Comparison of changes of macular ganglion cell-inner plexiform layer defect between stable group and progression group in primary open-angle glaucoma. <i>Japanese Journal of Ophthalmology</i> , 2018, 62, 491-498.	0.9	3

#	ARTICLE	IF	CITATIONS
91	Macular imaging by optical coherence tomography in the diagnosis and management of glaucoma. <i>British Journal of Ophthalmology</i> , 2018, 102, 718-724.	2.1	55
92	Relationship Between Open-angle Glaucoma and Stroke: A 2010 to 2012 Korea National Health and Nutrition Examination Survey. <i>Journal of Glaucoma</i> , 2018, 27, 22-27.	0.8	12
93	Conversion of Single Optic Disc Photography into 3-Dimensional Image. <i>Ophthalmology</i> , 2018, 125, 1873.	2.5	1
94	Three dimensional neuro-retinal rim thickness and retinal nerve fiber layer thickness using high-definition optical coherence tomography for open-angle glaucoma. <i>Japanese Journal of Ophthalmology</i> , 2018, 62, 634-642.	0.9	0
95	Intraocular pressure change during reading or writing on smartphone. <i>PLoS ONE</i> , 2018, 13, e0206061.	1.1	19
96	Comparison of glaucoma-diagnostic ability between wide-field swept-source OCT retinal nerve fiber layer maps and spectral-domain OCT. <i>Eye</i> , 2018, 32, 1483-1492.	1.1	35
97	Baseline Lamina Cribrosa Curvature and Subsequent Visual Field Progression Rate in Primary Open-Angle Glaucoma. <i>Ophthalmology</i> , 2018, 125, 1898-1906.	2.5	29
98	Serial Combined Wide-Field Optical Coherence Tomography Maps for Detection of Early Glaucomatous Structural Progression. <i>JAMA Ophthalmology</i> , 2018, 136, 1121.	1.4	25
99	Diagnostic Accuracy of Three-Dimensional Neuroretinal Rim Thickness for Differentiation of Myopic Glaucoma From Myopia. , 2018, 59, 3655.		20
100	Clinical features and outcome of corneal opacity associated with congenital glaucoma. <i>BMC Ophthalmology</i> , 2018, 18, 190.	0.6	16
101	Reversible Peripapillary Vascular Loop Change. <i>JAMA Ophthalmology</i> , 2018, 136, e181386.	1.4	0
102	Amino-Functionalized Mesoporous Silica Particles for Ocular Delivery of Brimonidine. <i>Molecular Pharmaceutics</i> , 2018, 15, 3143-3152.	2.3	22
103	Comparison of 1-year outcomes after Ahmed glaucoma valve implantation with and without Ologen adjuvant. <i>BMC Ophthalmology</i> , 2018, 18, 45.	0.6	13
104	Ellipsoid Zone Change According to Glaucoma Stage Advancement. <i>American Journal of Ophthalmology</i> , 2018, 192, 1-9.	1.7	14
105	Metal-organic frameworks, NH <sub>2</sub> -MIL-88(Fe), as carriers for ophthalmic delivery of brimonidine. <i>Acta Biomaterialia</i> , 2018, 79, 344-353.	4.1	70
106	Combined Use of Retinal Nerve Fiber Layer and Ganglion Cellâ€‘Inner Plexiform Layer Event-based Progression Analysis. <i>American Journal of Ophthalmology</i> , 2018, 196, 65-71.	1.7	29
107	Development of Topographic Scoring System for Identifying Glaucoma in Myopic Eyes. <i>Ophthalmology</i> , 2018, 125, 1710-1719.	2.5	19
108	Comparison of Anterior Segment Parameters among Koreans, Chinese, and White Persons. <i>Ophthalmology Glaucoma</i> , 2018, 1, 182-188.	0.9	2



#	ARTICLE	IF	CITATIONS
109	The Prevalence of Open-Angle Glaucoma by Age in Myopia: The Korea National Health and Nutrition Examination Survey. <i>Current Eye Research</i> , 2017, 42, 65-71.	0.7	29
110	Relationship between Plasma Homocysteine Level and Glaucomatous Retinal Nerve Fiber Layer Defect. <i>Current Eye Research</i> , 2017, 42, 918-923.	0.7	13
111	Enhanced ocular efficacy of topically-delivered dorzolamide with nanostructured mucoadhesive microparticles. <i>International Journal of Pharmaceutics</i> , 2017, 522, 66-73.	2.6	19
112	Understanding the reasons for loss to follow-up in patients with glaucoma at a tertiary referral teaching hospital in Korea. <i>British Journal of Ophthalmology</i> , 2017, 101, 1059-1065.	2.1	18
113	Temporal Relation between Macular Ganglion Cell Inner Plexiform Layer Loss and Peripapillary Retinal Nerve Fiber Layer Loss in Glaucoma. <i>Ophthalmology</i> , 2017, 124, 1056-1064.	2.5	71
114	Trend-based Analysis of Ganglion Cell Inner Plexiform Layer Thickness Changes on Optical Coherence Tomography in Glaucoma Progression. <i>Ophthalmology</i> , 2017, 124, 1383-1391.	2.5	65
115	Patterns of glaucoma progression in retinal nerve fiber and macular ganglion cell-inner plexiform layer in spectral-domain optical coherence tomography. <i>Japanese Journal of Ophthalmology</i> , 2017, 61, 324-333.	0.9	12
116	Ganglion cell-inner plexiform layer and retinal nerve fiber layer thickness according to myopia and optic disc area: a quantitative and three-dimensional analysis. <i>BMC Ophthalmology</i> , 2017, 17, 22.	0.6	64
117	Change in Optic Nerve After Intracranial Pressure Reduction in Children. <i>Ophthalmology</i> , 2017, 124, 1713-1715.	2.5	8
118	Diagnostic Ability of Wide-field Retinal Nerve Fiber Layer Maps Using Swept-Source Optical Coherence Tomography for Detection of Preperimetric and Early Perimetric Glaucoma. <i>Journal of Glaucoma</i> , 2017, 26, 577-585.	0.8	50
119	Genetic association study of exfoliation syndrome identifies a protective rare variant at LOXL1 and five new susceptibility loci. <i>Nature Genetics</i> , 2017, 49, 993-1004.	9.4	114
120	Microarray-based analysis of gene expression profiles in peripheral blood of patients with acute primary angle closure. <i>Ophthalmic Genetics</i> , 2017, 38, 520-526.	0.5	4
121	Treatment patterns and medication adherence of patients with glaucoma in South Korea. <i>British Journal of Ophthalmology</i> , 2017, 101, 801-807.	2.1	61
122	Assessment of peripapillary choroidal thickness in primary open-angle glaucoma patients with choroidal vascular prominence. <i>Japanese Journal of Ophthalmology</i> , 2017, 61, 448-456.	0.9	4
123	Effects of Recovery Time during Magnetic Nanofluid Hyperthermia on the Induction Behavior and Efficiency of Heat Shock Proteins 72. <i>Scientific Reports</i> , 2017, 7, 13942.	1.6	1
124	Assessment of Optical Coherence Tomography Color Probability Codes in Myopic Glaucoma Eyes After Applying a Myopic Normative Database. <i>American Journal of Ophthalmology</i> , 2017, 183, 147-155.	1.7	24
125	Comparison of Glaucoma Progression Between Unilateral and Bilateral Disc Hemorrhage Eyes and Associated Risk Factors for Progression. <i>Journal of Glaucoma</i> , 2017, 26, 774-779.	0.8	3
126	Optic disc hemorrhage in glaucoma. <i>Current Opinion in Ophthalmology</i> , 2017, 28, 105-112.	1.3	39



#	ARTICLE	IF	CITATIONS
127	Clinical Implications of In Vivo Lamina Cribrosa Imaging in Glaucoma. <i>Journal of Glaucoma</i> , 2017, 26, 753-761.	0.8	12
128	Development of visual field defect after first-detected optic disc hemorrhage in preperimetric open-angle glaucoma. <i>Japanese Journal of Ophthalmology</i> , 2017, 61, 307-313.	0.9	9
129	Evaluation of Layer-by-Layer Segmented Ganglion Cell Complex Thickness for Detecting Early Glaucoma According to Different Macular Grids. <i>Journal of Glaucoma</i> , 2017, 26, 712-717.	0.8	10
130	Factors affecting refractive outcome after cataract surgery in primary angle-closure glaucoma: methodological issues of prediction model "response". <i>Clinical and Experimental Ophthalmology</i> , 2017, 45, 207-208.	1.3	1
131	Relationships Between Anthropometric Measurements and Intraocular Pressure: The Korea National Health and Nutrition Examination Survey. <i>American Journal of Ophthalmology</i> , 2017, 173, 23-33.	1.7	22
132	Valsalva Maneuver-induced Changes in Anterior Lamina Cribrosa Surface DEPTH: A Comparison Between Normal and Glaucomatous Eyes. <i>Journal of Glaucoma</i> , 2017, 26, 866-874.	0.8	3
133	Inferior Macular Damage in Glaucoma: Its Relationship to Retinal Nerve Fiber Layer Defect in Macular Vulnerability Zone. <i>Journal of Glaucoma</i> , 2017, 26, 126-132.	0.8	41
134	Efficacy and Tolerability of Travoprost 0.004% Fixed-Dose Combination for the Treatment of Primary Open-Angle Glaucoma or Ocular Hypertension Inadequately Controlled with Timolol 0.5% Fixed-Dose Combination for the Treatment of Primary Open-Angle Glaucoma or Ocular Hypertension Inadequately Controlled with Ret.	0.6	7
135	Evaluation of Ganglion Cell "Inner Plexiform Layer Thinning in Eyes With Optic Disc Hemorrhage: A Trend-Based Progression Analysis. , 2017, 58, 6449.		15
136	Intraocular Pressure-Lowering Effect of Latanoprost Is Hampered by Defective Cervical Lymphatic Drainage. <i>PLoS ONE</i> , 2017, 12, e0169683.	1.1	5
137	Relationship between anthropometric parameters and open angle glaucoma: The Korea National Health and Nutrition Examination Survey. <i>PLoS ONE</i> , 2017, 12, e0176894.	1.1	17
138	Impact of optic disc hemorrhage on subsequent glaucoma progression in mild-to-moderate myopia. <i>PLoS ONE</i> , 2017, 12, e0189706.	1.1	6
139	Vision-related Quality of Life in Korean Glaucoma Patients. <i>Journal of Glaucoma</i> , 2017, 26, 159-165.	0.8	16
140	Evaluation of Retinal Nerve Fiber Layer Thinning in Myopic Glaucoma: Impact of Optic Disc Morphology. , 2017, 58, 6265.		8
141	Can Probability Maps of Swept-Source Optical Coherence Tomography Predict Visual Field Changes in Preperimetric Glaucoma?. , 2017, 58, 6257.		10
142	Specific Location of Disc Hemorrhage is Linked to Nerve Fiber Layer Defects. <i>Optometry and Vision Science</i> , 2017, 94, 647-653.	0.6	1
143	Prevalence of retinal nerve fiber layer defects: The Korea National Health and Nutrition Examination Survey 2008-2012. <i>PLoS ONE</i> , 2017, 12, e0186032.	1.1	5
144	Epidemiologic Aspects of Medical Retirement from the Republic of Korea Army due to Visual Impairment. <i>Journal of Korean Medical Science</i> , 2016, 31, 623.	1.1	2

#	ARTICLE	IF	CITATIONS
145	The Relationship between Vitamin D and Glaucoma: A Kangbuk Samsung Health Study. Korean Journal of Ophthalmology: KJO, 2016, 30, 426.	0.5	27
146	Assessment of Open-Angle Glaucoma Peripapillary and Macular Choroidal Thickness Using Swept-Source Optical Coherence Tomography (SS-OCT). PLoS ONE, 2016, 11, e0157333.	1.1	22
147	Positional and Curvature Difference of Lamina Cribrosa According to the Baseline Intraocular Pressure in Primary Open-Angle Glaucoma: A Swept-Source Optical Coherence Tomography (SS-OCT) Study. PLoS ONE, 2016, 11, e0162182.	1.1	17
148	Effect of Focal Lamina Cribrosa Defect on Disc Hemorrhage Area in Glaucoma. , 2016, 57, 899.		31
149	Prelamina and Lamina Cribrosa in Glaucoma Patients With Unilateral Visual Field Loss. , 2016, 57, 1662.		33
150	Glaucoma-Diagnostic Ability of Ganglion Cell-Inner Plexiform Layer Thickness Difference Across Temporal Raphe in Highly Myopic Eyes. , 2016, 57, 5856.		43
151	Factors affecting refractive outcome after cataract surgery in primary angle-closure glaucoma. Clinical and Experimental Ophthalmology, 2016, 44, 693-700.	1.3	17
152	Topographic correlation between optic nerve head characteristics and retinal nerve fibre layer defect in primary open-angle glaucoma patients: Korea National Health and Nutrition Examination Survey. Acta Ophthalmologica, 2016, 94, e98-e104.	0.6	5
153	Relationship between high serum ferritin level and glaucoma in a South Korean population: the Kangbuk Samsung health study. British Journal of Ophthalmology, 2016, 100, 1703-1707.	2.1	21
154	Effects of inner materials on the sensitivity and phase depth of wireless inductive pressure sensors for monitoring intraocular pressure. Applied Physics Letters, 2016, 108, .	1.5	18
155	Prevalence of Pseudoexfoliation Syndrome and Associated Factors in South Koreans: The Korean National Health and Nutrition Examination Survey. Ophthalmic Epidemiology, 2016, 23, 298-302.	0.8	16
156	Changes of visual-field global indices after cataract surgery in primary open-angle glaucoma patients. Japanese Journal of Ophthalmology, 2016, 60, 439-445.	0.9	13
157	Association between Renal Function and Open-Angle Glaucoma. Ophthalmology, 2016, 123, 1981-1988.	2.5	28
158	Spectral-domain Optical Coherence Tomography in Manifest Glaucoma: Its Additive Role in Structural Diagnosis. American Journal of Ophthalmology, 2016, 171, 18-26.	1.7	4
159	Mathematical modelling of brimonidine absorption via topical delivery of microparticle formulations to the eye. Journal of Industrial and Engineering Chemistry, 2016, 39, 194-202.	2.9	3
160	Magnetically softened iron oxide (MSIO) nanofluid and its application to thermally-induced heat shock proteins for ocular neuroprotection. Biomaterials, 2016, 101, 165-175.	5.7	6
161	Lamina cribrosa defects in eyes with glaucomatous disc haemorrhage. Acta Ophthalmologica, 2016, 94, e468-73.	0.6	44
162	Comparison of the intraocular pressure-lowering effect and safety of brimonidine/timolol fixed combination and 0.5% timolol in normal-tension glaucoma patients. Japanese Journal of Ophthalmology, 2016, 60, 20-26.	0.9	13

#	ARTICLE	IF	CITATIONS
163	Prevalence, Awareness, and Risk Factors of Primary Open-Angle Glaucoma. <i>Ophthalmology</i> , 2016, 123, 532-541.	2.5	99
164	Clinical Assessment of Lamina Cribrosa Curvature in Eyes with Primary Open-Angle Glaucoma. <i>PLoS ONE</i> , 2016, 11, e0150260.	1.1	34
165	Macular Ganglion Cell Imaging Study: Covariate Effects on the Spectral Domain Optical Coherence Tomography for Glaucoma Diagnosis. <i>PLoS ONE</i> , 2016, 11, e0160448.	1.1	31
166	Asymmetry Analysis of Macular Inner Retinal Layers for Glaucoma Diagnosis: Swept-Source Optical Coherence Tomography Study. <i>PLoS ONE</i> , 2016, 11, e0164866.	1.1	15
167	Relationship between preferred sleeping position and unilateral disc haemorrhage in normal-tension glaucoma patients. <i>Acta Ophthalmologica</i> , 2015, 93, e313-e314.	0.6	4
168	Preliminary study on implantable inductive-type sensor for continuous monitoring of intraocular pressure. <i>Clinical and Experimental Ophthalmology</i> , 2015, 43, 830-837.	1.3	11
169	Association of IOP with Systemic Factors in a Korean Cohort. <i>Optometry and Vision Science</i> , 2015, 92, 1182-1188.	0.6	13
170	Prevalence of Optic Disc Hemorrhage in Korea: The Korea National Health and Nutrition Examination Survey. , 2015, 56, 3666.		13
171	Long-Term Reproducibility of Macular Ganglion Cell Analysis in Clinically Stable Glaucoma Patients. , 2015, 56, 4857.		59
172	An Overview of Ophthalmologic Survey Methodology in the 2008-2015 Korean National Health and Nutrition Examination Surveys. <i>Korean Journal of Ophthalmology: KJO</i> , 2015, 29, 359.	0.5	41
173	Glaucoma Detection Ability of Macular Ganglion Cell-Inner Plexiform Layer Thickness in Myopic Preperimetric Glaucoma. , 2015, 56, 8306.		43
174	Induction of Heat Shock Protein-72 by Magnetic Nanofluid Hyperthermia in Cultured Retinal Ganglion Cells for Neuroprotective Treatment in Glaucoma. <i>Journal of Nanomaterials</i> , 2015, 2015, 1-8.	1.5	1
175	Ocular Blood Flow and Visual Function. <i>BioMed Research International</i> , 2015, 2015, 1-2.	0.9	1
176	The Influence of a Vitrectomy on the Diurnal Intraocular Pressure. <i>Journal of Ophthalmology</i> , 2015, 2015, 1-6.	0.6	4
177	Diurnal intraocular pressure changes in eyes affected with acute primary angle closure and fellow eyes after laser peripheral iridotomy. <i>Japanese Journal of Ophthalmology</i> , 2015, 59, 318-324.	0.9	6
178	Macular Ganglion Cell Imaging Study: Interocular Symmetry of Ganglion Cell-Inner Plexiform Layer Thickness in Normal Healthy Eyes. <i>American Journal of Ophthalmology</i> , 2015, 159, 315-323.e2.	1.7	46
179	Diagnostic Classification of Macular Ganglion Cell and Retinal Nerve Fiber Layer Analysis. <i>Ophthalmology</i> , 2015, 122, 502-510.	2.5	94
180	Effect of Axial Length on Diurnal IOP in Cataract Patients without Glaucoma. <i>Optometry and Vision Science</i> , 2015, 92, 350-356.	0.6	3

#	ARTICLE	IF	CITATIONS
181	Mucoadhesive microparticles with a nanostructured surface for enhanced bioavailability of glaucoma drug. <i>Journal of Controlled Release</i> , 2015, 220, 180-188.	4.8	39
182	Bimatoprost 0.01% for previously treated patients with open-angle glaucoma or ocular hypertension in the Korean clinical setting. <i>Japanese Journal of Ophthalmology</i> , 2015, 59, 325-334.	0.9	5
183	Comparison of macular <sc>GCIPL</sc> and peripapillary <sc>RNFL</sc> deviation maps for detection of glaucomatous eye with localized <sc>RNFL</sc> defect. <i>Acta Ophthalmologica</i> , 2015, 93, e22-8.	0.6	35
184	Association Between Platelet Function and Disc Hemorrhage in Patients With Normal-Tension Glaucoma: A Prospective Cross-Sectional Study. <i>American Journal of Ophthalmology</i> , 2015, 160, 1191-1199.e1.	1.7	33
185	Author reply. <i>Ophthalmology</i> , 2015, 122, e44-e45.	2.5	1
186	Automated Detection of Hemifield Difference across Horizontal Raphe on Ganglion Cell "Inner Plexiform Layer Thickness Map. <i>Ophthalmology</i> , 2015, 122, 2252-2260.	2.5	55
187	Long-Term Follow-up in Preperimetric Open-Angle Glaucoma: Progression Rates and Associated Factors. <i>American Journal of Ophthalmology</i> , 2015, 159, 160-168.e2.	1.7	67
188	Comparison of the New Rebound Tonometer with Tonopen in Pediatric Population in the Supine Position. <i>Journal of the Korean Glaucoma Society</i> , 2015, 4, 9.	0.0	0
189	Detection of Retinitis Pigmentosa by Differential Interference Contrast Microscopy. <i>PLoS ONE</i> , 2014, 9, e97170.	1.1	5
190	Five-Year Incidence of Primary Open-Angle Glaucoma and Rate of Progression in Health Center-Based Korean Population: The Gangnam Eye Study. <i>PLoS ONE</i> , 2014, 9, e114058.	1.1	35
191	Topographic Localization of Macular Retinal Ganglion Cell Loss Associated With Localized Peripapillary Retinal Nerve Fiber Layer Defect. , 2014, 55, 3501.		40
192	Prevalence and risk factors of superior segmental optic hypoplasia in a Korean population: the Korea National Health and Nutrition Examination Survey. <i>BMC Ophthalmology</i> , 2014, 14, 157.	0.6	8
193	Severity-dependent association between ganglion cell inner plexiform layer thickness and macular mean sensitivity in open-angle glaucoma. <i>Acta Ophthalmologica</i> , 2014, 92, e650-6.	0.6	31
194	Additive Diagnostic Role of Imaging in Glaucoma: Optical Coherence Tomography and Retinal Nerve Fiber Layer Photography. <i>Investigative Ophthalmology and Visual Science</i> , 2014, 55, 8024-8030.	3.3	8
195	Author Response: Patterns of Macular Ganglion Cell Abnormalities in Various Ocular Conditions. , 2014, 55, 3997.		0
196	Topographic Profiles of Retinal Nerve Fiber Layer Defects Affect the Diagnostic Performance of Macular Scans in Preperimetric Glaucoma. , 2014, 55, 2079.		48
197	Bimatoprost 0.01% in treatment-naïve patients with open-angle glaucoma or ocular hypertension: an observational study in the Korean clinical setting. <i>BMC Ophthalmology</i> , 2014, 14, 160.	0.6	8
198	Mitochondrial DNA Variant Discovery in Normal-Tension Glaucoma Patients by Next-Generation Sequencing. , 2014, 55, 986.		29

#	ARTICLE	IF	CITATIONS
199	Intraocular Pressure—lowering Efficacy of Dorzolamide/Timolol Fixed Combination in Normal-tension Glaucoma. <i>Journal of Glaucoma</i> , 2014, 23, 329-332.	0.8	16
200	Novel Screening Method for Glaucomatous Eyes With Myopic Tilted Discs. <i>JAMA Ophthalmology</i> , 2014, 132, 1407.	1.4	11
201	Preperimetric normal tension glaucoma study: long-term clinical course and effect of therapeutic lowering of intraocular pressure. <i>Acta Ophthalmologica</i> , 2014, 92, e185-93.	0.6	38
202	Topographic Characteristics of Optic Disc Hemorrhage in Primary Open-Angle Glaucoma. , 2014, 55, 169.		31
203	The distribution of intraocular pressure and associated systemic factors in a Korean population: The Korea National Health and Nutrition Examination Survey. <i>Acta Ophthalmologica</i> , 2014, 92, e507-13.	0.6	28
204	Risk factors for open-angle glaucoma with normal baseline intraocular pressure in a young population: the Korean National Health and Nutrition Examination Survey. <i>Clinical and Experimental Ophthalmology</i> , 2014, 42, 825-832.	1.3	38
205	Quantitative Assessment of Retinal Nerve Fiber Layer Defect Depth Using Spectral-Domain Optical Coherence Tomography. <i>Ophthalmology</i> , 2014, 121, 1333-1340.	2.5	6
206	Comparison of 2007–2012 Korean trends in laser peripheral iridotomy and cataract surgery rates. <i>Japanese Journal of Ophthalmology</i> , 2014, 58, 40-46.	0.9	3
207	Pathogenesis and clinical implications of optic disk hemorrhage in glaucoma. <i>Survey of Ophthalmology</i> , 2014, 59, 19-29.	1.7	36
208	Metabolic syndrome as a risk factor in normal-tension glaucoma. <i>Acta Ophthalmologica</i> , 2014, 92, e637-43.	0.6	48
209	Relative lens vault in subjects with angle closure. <i>BMC Ophthalmology</i> , 2014, 14, 93.	0.6	28
210	Nanostructured mucoadhesive microparticles for enhanced preocular retention. <i>Acta Biomaterialia</i> , 2014, 10, 77-86.	4.1	27
211	Reply. <i>American Journal of Ophthalmology</i> , 2014, 157, 1327-1328.	1.7	0
212	Relationship Between Preferred Sleeping Position and Asymmetric Visual Field Loss in Open-Angle Glaucoma Patients. <i>American Journal of Ophthalmology</i> , 2014, 157, 739-745.	1.7	35
213	Physical Parameters to Enhance AC Magnetically Induced Heating Power of Ferrite Nanoparticles for Hyperthermia in Nanomedicine. <i>IEEE Nanotechnology Magazine</i> , 2013, 12, 314-322.	1.1	17
214	Long-Term Reproducibility of Cirrus HD Optical Coherence Tomography Deviation Map in Clinically Stable Glaucomatous Eyes. <i>Ophthalmology</i> , 2013, 120, 969-977.	2.5	21
215	Comparison of Clinical Characteristics Between Korean and Western Normal-Tension Glaucoma Patients. <i>American Journal of Ophthalmology</i> , 2013, 155, 852-857.e1.	1.7	14
216	Comparison of localized retinal nerve fiber layer defects in highly myopic, myopic, and non-myopic patients with normal-tension glaucoma: a retrospective cross-sectional study. <i>BMC Ophthalmology</i> , 2013, 13, 67.	0.6	21

#	ARTICLE	IF	CITATIONS
217	Comparison of myopic and nonmyopic disc hemorrhage in primary open-angle glaucoma. Japanese Journal of Ophthalmology, 2013, 57, 166-171.	0.9	15
218	Intraocular pressure reduction with topical medications and progression of normal-tension glaucoma: a 12-year mean follow-up study. Acta Ophthalmologica, 2013, 91, e270-5.	0.6	45
219	Topographic Correlation between Î²-Zone Parapapillary Atrophy and Retinal Nerve Fiber Layer Defect. Ophthalmology, 2013, 120, 528-534.	2.5	32
220	Effect of Lateral Decubitus Position on Intraocular Pressure in Glaucoma Patients with Asymmetric Visual Field Loss. Ophthalmology, 2013, 120, 731-735.	2.5	72
221	Macular Ganglion Cell Imaging Study: Glaucoma Diagnostic Accuracy of Spectral-Domain Optical Coherence Tomography. , 2013, 54, 4422.		159
222	Observation of photoreceptor with retinitis pigmentosa by differential interference contrast microscopy. , 2013, , .		1
223	Glaucoma Detection Ability of Ganglion Cell-Inner Plexiform Layer Thickness by Spectral-Domain Optical Coherence Tomography in High Myopia. , 2013, 54, 2296.		123
224	The Association between Retinal Vessel Diameter and Retinal Nerve Fiber Layer Thickness in Asymmetric Normal Tension Glaucoma Patients. , 2012, 53, 5609.		43
225	Glaucoma Progression After the First-detected Optic Disc Hemorrhage by Optical Coherence Tomography. Journal of Glaucoma, 2012, 21, 358-366.	0.8	53
226	Hong's grading for evaluating anterior chamber angle width. Japanese Journal of Ophthalmology, 2012, 56, 551-558.	0.9	4
227	Detection of Localized Retinal Nerve Fiber Layer Defects with Posterior Pole Asymmetry Analysis of Spectral Domain Optical Coherence Tomography. , 2012, 53, 4347.		55
228	The Effect of Axial Length on the Variability of Stratus Optical Coherence Tomography. Korean Journal of Ophthalmology: KJO, 2012, 26, 271.	0.5	4
229	Risk factors for primary open-angle glaucoma in South Korea: the Namil study. Japanese Journal of Ophthalmology, 2012, 56, 324-329.	0.9	50
230	Visualization of the Lamina Cribrosa Using Enhanced Depth Imaging Spectral-Domain Optical Coherence Tomography. American Journal of Ophthalmology, 2011, 152, 87-95.e1.	1.7	183
231	Trend-Based Analysis of Retinal Nerve Fiber Layer Thickness Measured by Optical Coherence Tomography in Eyes with Localized Nerve Fiber Layer Defects. , 2011, 52, 1138.		57
232	Comparison of the Detection Rate, Location and Amount of Retinal Nerve Fiber Layer Defect. Journal of Korean Ophthalmological Society, 2011, 52, 210.	0.0	2
233	Changes in Anterior Chamber Configuration after Cataract Surgery as Measured by Anterior Segment Optical Coherence Tomography. Korean Journal of Ophthalmology: KJO, 2011, 25, 77.	0.5	45
234	Prevalence of Eye Diseases in South Korea: Data from the Korea National Health and Nutrition Examination Survey 2008-2009. Korean Journal of Ophthalmology: KJO, 2011, 25, 421.	0.5	212



#	ARTICLE	IF	CITATIONS
235	Effects of brimonidine timolol fixed combination therapy on anterior ocular segment configuration. Japanese Journal of Ophthalmology, 2011, 55, 356-361.	0.9	7
236	Engineered superparamagnetic Mn <sub>0.5</sub> Zn <sub>0.5</sub> Fe <sub>2</sub> O <sub>4</sub> nanoparticles as a heat shock protein induction agent for ocular neuroprotection in glaucoma. Biomaterials, 2011, 32, 387-394.	5.7	35
237	Î²-Zone Parapapillary Atrophy and the Rate of Retinal Nerve Fiber Layer Thinning in Glaucoma. , 2011, 52, 4422.		51
238	Korean normative database for time domain optical coherence tomography to detect localized retinal nerve fiber layer defects (preliminary study). Japanese Journal of Ophthalmology, 2010, 54, 144-150.	0.9	10
239	Effects of brimonidine 0.2%-timolol 0.5% fixed-combination therapy for glaucoma. Japanese Journal of Ophthalmology, 2010, 54, 407-413.	0.9	12
240	Circadian Blood Pressure and Intraocular Pressure Patterns in Normal Tension Glaucoma Patients with Undisturbed Sleep. Korean Journal of Ophthalmology: KJO, 2010, 24, 23.	0.5	21
241	Comparison of Cirrus OCT and Stratus OCT on the Ability to Detect Localized Retinal Nerve Fiber Layer Defects in Preperimetric Glaucoma. , 2010, 51, 938.		100
242	Effects of Mn concentration on the ac magnetically induced heating characteristics of superparamagnetic Mn <sub>x</sub> Zn <sub>1-x</sub> Fe <sub>2</sub> O <sub>4</sub> nanoparticles for hyperthermia. Applied Physics Letters, 2010, 96, .	1.5	24
243	Ability of Stratus OCT to Detect Progressive Retinal Nerve Fiber Layer Atrophy in Glaucoma. , 2009, 50, 662.		72
244	The Relationship Between Intraocular Pressure and Visual Field Defect Progression in Normal-tension Glaucoma. Journal of Korean Ophthalmological Society, 2009, 50, 1548.	0.0	3
245	Effect of travoprost on intraocular pressure during 12 months of treatment for normal-tension glaucoma. Japanese Journal of Ophthalmology, 2009, 53, 18-23.	0.9	22
246	Deepening of eyelid superior sulcus during topical travoprost treatment. Japanese Journal of Ophthalmology, 2009, 53, 176-179.	0.9	57
247	Prevalence of superior segmental optic nerve hypoplasia in Korea. Japanese Journal of Ophthalmology, 2009, 53, 225-228.	0.9	9
248	Changes in corneal endothelial cell density in patients with normal-tension glaucoma. Japanese Journal of Ophthalmology, 2009, 53, 569-573.	0.9	51
249	Effects of particle dipole interaction on the ac magnetically induced heating characteristics of ferrite nanoparticles for hyperthermia. Applied Physics Letters, 2009, 95, .	1.5	85
250	Assessing intraocular pressure by rebound tonometer in rats with an air-filled anterior chamber. Japanese Journal of Ophthalmology, 2008, 52, 500-503.	0.9	10
251	Optic Disc Hemorrhage May Be Associated with Retinal Nerve Fiber Loss in Otherwise Normal Eyes. Ophthalmology, 2008, 115, 2132-2140.	2.5	39
252	Ability of Stratus OCT to Identify Localized Retinal Nerve Fiber Layer Defects in Patients with Normal Standard Automated Perimetry Results. , 2007, 48, 1635.		81



#	ARTICLE	IF	CITATIONS
253	Dark-room Prone-position Test for Intermittent Angle Closure. Korean Journal of Ophthalmology: KJO, 2007, 21, 151.	0.5	13
254	Disc Hemorrhages in Patients with both Normal Tension Glaucoma and Branch Retinal Vein Occlusion in Different Eyes. Korean Journal of Ophthalmology: KJO, 2007, 21, 222.	0.5	19
255	Retinal Nerve Fiber Layer Thickness Evaluation Using Optical Coherence Tomography in Eyes With Optic Disc Hemorrhage. Ophthalmic Surgery Lasers and Imaging Retina, 2007, 38, 118-125.	0.4	13
256	The Relationship between Recurrent Optic Disc Hemorrhage and Glaucoma Progression. Ophthalmology, 2006, 113, 598-602.	2.5	92
257	Thermal Injury Induces Heat Shock Protein in the Optic Nerve Head In Vivo. , 2006, 47, 4888.		17
258	Correlation Between Topographic Profiles of Localized Retinal Nerve Fiber Layer Defects as Determined by Optical Coherence Tomography and Red-Free Fundus Photography. Journal of Glaucoma, 2006, 15, 223-228.	0.8	44
259	The Effect of Latanoprost on Intraocular Pressure during 12 Months of Treatment for Normal-tension Glaucoma. Korean Journal of Ophthalmology: KJO, 2005, 19, 297.	0.5	11
260	Diagnostic Ability of Optical Coherence Tomography with a Normative Database to Detect Localized Retinal Nerve Fiber Layer Defects. Ophthalmology, 2005, 112, 2157-2163.	2.5	113
261	Four cases of normal-tension glaucoma with disk hemorrhage combined with branch retinal vein occlusion in the contralateral eye. American Journal of Ophthalmology, 2004, 137, 357-359.	1.7	25
262	Correlation between a Disc Hemorrhage and Peripapillary Atrophy in Glaucoma Patients with a Unilateral Disc Hemorrhage. Journal of Glaucoma, 2004, 13, 9-14.	0.8	39
263	Morphometric change analysis of the optic nerve head in unilateral disk hemorrhage cases. American Journal of Ophthalmology, 2002, 134, 920-922.	1.7	25
264	Ability of Peripapillary Atrophy Parameters to Differentiate Normal-tension Glaucoma From Glaucomalike Disk. Journal of Glaucoma, 2001, 10, 95-101.	0.8	26
265	Identification of two novel frame shift mutations of theNF1gene in Korean patients with neurofibromatosis type 1. Journal of Korean Medical Science, 2000, 15, 542.	1.1	3
266	Analysis of Antigenic and Genetic Variability of G-protein of Respiratory Syncytial Virus Subgroup A Isolated in Korea over 8 Years(1990~1998). Korean Journal of Pediatric Infectious Diseases, 1999, 6, 219.	0.1	0
267	The Associations of Optic Disc Hemorrhage with Retinal Nerve Fiber Layer Defect and Peripapillary Atrophy in Normal-tension Glaucoma. Ophthalmology, 1997, 104, 1926-1933.	2.5	116
268	Correlation between Peripapillary Atrophy and Optic Nerve Damage in Normal-tension Glaucoma. Ophthalmology, 1996, 103, 1899-1906.	2.5	129
269	Relationship between optic nerve head parameters of Heidelberg Retina Tomograph and visual field defects in primary open-angle glaucoma. Korean Journal of Ophthalmology: KJO, 1996, 10, 24.	0.5	19
270	The effect of low-and high-dose adjunctive mitomycin C in trabeculectomy. Korean Journal of Ophthalmology: KJO, 1996, 10, 42.	0.5	16