

# Hiroyoshi Naito

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6290014/publications.pdf>

Version: 2024-02-01

324  
papers

4,758  
citations

117453

34  
h-index

189595

50  
g-index

336  
all docs

336  
docs citations

336  
times ranked

4283  
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficient Skin Temperature Sensor and Stable Gel-Less Sticky ECG Sensor for a Wearable Flexible Healthcare Patch. <i>Advanced Healthcare Materials</i> , 2017, 6, 1700495.	3.9	223
2	Control of Electrical Potential Distribution for High-Performance Perovskite Solar Cells. <i>Joule</i> , 2018, 2, 296-306.	11.7	138
3	Charge Carrier Transport in Neat Thin Films of Phosphorescent Iridium Complexes. <i>Japanese Journal of Applied Physics</i> , 2005, 44, 3691-3694.	0.8	99
4	Electrode and Interface Polarizations in Nematic Liquid Crystal Cells. <i>Japanese Journal of Applied Physics</i> , 1997, 36, 2222-2225.	0.8	87
5	Charge Injection and Generation in Nematic Liquid Crystal Cells. <i>Japanese Journal of Applied Physics</i> , 1997, 36, 773-776.	0.8	73
6	Dielectric properties of nematic liquid crystals in the ultralow frequency regime. <i>Journal of Applied Physics</i> , 1996, 80, 6396-6400.	1.1	70
7	Transient currents in nematic liquid crystals. <i>Physical Review B</i> , 1991, 43, 8272-8276.	1.1	69
8	Synthesis and Crystallochromy of 1,4,7,10-Tetraalkyltetracenes: Tuning of Solid-State Optical Properties of Tetracenes by Alkyl Side-Chain Length. <i>Chemistry - A European Journal</i> , 2010, 16, 890-898.	1.7	68
9	Determination of Charge-Carrier Mobility in Organic Light-Emitting Diodes by Impedance Spectroscopy in Presence of Localized States. <i>Japanese Journal of Applied Physics</i> , 2008, 47, 8965.	0.8	66
10	Charge carrier transport in an emissive layer of green electrophosphorescent devices. <i>Applied Physics Letters</i> , 2004, 85, 4046-4048.	1.5	64
11	Transient photocurrent in amorphous selenium and nematic liquid crystal double layers. <i>Journal of Applied Physics</i> , 1995, 78, 4533-4537.	1.1	62
12	Transient discharging processes in nematic liquid crystals. <i>Physical Review A</i> , 1991, 44, R3434-R3437.	1.0	59
13	Transient charging current in nematic liquid crystals. <i>Journal of Applied Physics</i> , 1993, 73, 1119-1125.	1.1	59
14	Chemical Functionalisation and Photoluminescence of Graphene Quantum Dots. <i>Chemistry - A European Journal</i> , 2016, 22, 8198-8206.	1.7	59
15	Conformational polymorphism and optical properties in the solid state of 1,4,7,10-tetra(n-butyl)tetracene. <i>CrystEngComm</i> , 2007, 9, 644.	1.3	58
16	Counterexample to some shape equations for axisymmetric vesicles. <i>Physical Review E</i> , 1993, 48, 2304-2307.	0.8	56
17	New Solutions to the Helfrich Variation Problem for the Shapes of Lipid Bilayer Vesicles: Beyond Delaunay's Surfaces. <i>Physical Review Letters</i> , 1995, 74, 4345-4348.	2.9	52
18	Solution-Processed Diocetylbenzothienobenzothiophene-Based Top-Gate Organic Transistors with High Mobility, Low Threshold Voltage, and High Electrical Stability. <i>Applied Physics Express</i> , 2010, 3, 121601.	1.1	50

#	ARTICLE	IF	CITATIONS
19	Temperature dependence of photoluminescence properties in a thermally activated delayed fluorescence emitter. <i>Applied Physics Letters</i> , 2014, 104, .	1.5	48
20	Control of Effective Conjugation Length in Polyfluorene Thin Films. <i>Japanese Journal of Applied Physics</i> , 2006, 45, L247-L249.	0.8	46
21	Contributions of a Higher Triplet Excited State to the Emission Properties of a Thermally Activated Delayed-Fluorescence Emitter. <i>Physical Review Applied</i> , 2017, 7, .	1.5	45
22	Charge-carrier transport and triplet exciton diffusion in a blue electrophosphorescent emitting layer. <i>Journal of Applied Physics</i> , 2005, 97, 123512.	1.1	44
23	Determination of localized-state distributions in organic light-emitting diodes by impedance spectroscopy. <i>Applied Physics Letters</i> , 2009, 94, .	1.5	43
24	Soluble Organic Semiconductor Precursor with Specific Phase Separation for High-Performance Printed Organic Transistors. <i>Advanced Materials</i> , 2015, 27, 727-732.	11.1	43
25	Influence of injection barrier on the determination of charge-carrier mobility in organic light-emitting diodes by impedance spectroscopy. <i>Thin Solid Films</i> , 2008, 517, 1331-1334.	0.8	42
26	Determination of localized-state distributions in amorphous semiconductors from transient photoconductivity. <i>Applied Physics Letters</i> , 1994, 64, 1830-1832.	1.5	41
27	The effect of Ag on the superconductivity of Bi <sub>2-x</sub> Pb <sub>x</sub> Sr <sub>2</sub> Ca <sub>2</sub> Cu <sub>3</sub> O <sub>y</sub> superconductors prepared by an optimum thermal procedure. <i>Superconductor Science and Technology</i> , 1994, 7, 222-226.	1.8	39
28	High resolution measurement of localized-state distributions from transient photoconductivity in amorphous and polymeric semiconductors. <i>Journal of Applied Physics</i> , 1999, 86, 5026-5035.	1.1	39
29	Low-Temperature Processable Organic-Inorganic Hybrid Gate Dielectrics for Solution-Based Organic Field-Effect Transistors. <i>Advanced Materials</i> , 2010, 22, 4706-4710.	11.1	39
30	Discussion on the Mechanism of Reversible Phase Change Optical Recording. <i>Japanese Journal of Applied Physics</i> , 1992, 31, 466-470.	0.8	37
31	1,4,7,10-Tetraalkyltetracenes: Tuning of Solid-State Optical Properties and Fluorescence Quantum Yields by Peripheral Modulation. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 3033-3040.	1.2	37
32	Equilibrium shapes of smectic-A phase grown from isotropic phase. <i>Physical Review Letters</i> , 1993, 70, 2912-2915.	2.9	36
33	Device characteristics of short-channel polymer field-effect transistors. <i>Applied Physics Letters</i> , 2010, 97, .	1.5	36
34	Reversible Optical Recording Media with Ga-Se-Te System. <i>Japanese Journal of Applied Physics</i> , 1985, 24, L504-L506.	0.8	35
35	Optical properties of organic-inorganic hybrid thin films containing polysilane segments prepared from polysilane-methacrylate copolymers. <i>Journal of Organometallic Chemistry</i> , 2000, 611, 40-44.	0.8	35
36	Fabrication of $\hat{1}\pm$ - and $\hat{1}^2$ -phase poly(9,9-dioctylfluorene) thin films. <i>Thin Solid Films</i> , 2006, 509, 182-184.	0.8	34

#	ARTICLE	IF	CITATIONS
37	The origin of non-Drude terahertz conductivity in nanomaterials. <i>Applied Physics Letters</i> , 2012, 100, .	1.5	33
38	Bipolar carrier transport in tris(8-hydroxy-quinolinato) aluminum observed by impedance spectroscopy measurements. <i>Journal of Applied Physics</i> , 2011, 110, .	1.1	32
39	Observation of Adsorption and Desorption Processes of Impurity Ions in Nematic Liquid Crystal Cells. <i>Molecular Crystals and Liquid Crystals</i> , 1995, 263, 559-565.	0.3	31
40	Nanostructured polysilane-titania hybrids and their application to porous titania thin films. <i>Journal of Organometallic Chemistry</i> , 2003, 685, 230-234.	0.8	31
41	Optical memory characteristics of solution-processed organic transistors with self-organized organic floating gates for printable multi-level storage devices. <i>Organic Electronics</i> , 2019, 67, 109-115.	1.4	31
42	4,8-Dichloroocta-t-butyltetracyclo[3.3.0.0 <sup>2,7</sup> .0 <sup>3,6</sup> ]octagermane. <i>Journal of Organometallic Chemistry</i> , 1989, 368, C1-C4.	0.8	30
43	Electroluminescent Properties of a Novel $\pi$ -Conjugated Polymer, Poly[1,1-(2,3,4,5-tetraphenylsilole)]. <i>Japanese Journal of Applied Physics</i> , 1999, 38, 6915-6918.	0.8	30
44	Temperature dependence of Stokes shift in $\text{In}_x\text{Ga}_{1-x}\text{N}$ epitaxial layers. <i>Journal of Applied Physics</i> , 2003, 93, 1642-1646.	1.1	30
45	Preferred equilibrium structures of a smectic-A phase grown from an isotropic phase: Origin of focal conic domains. <i>Physical Review E</i> , 1995, 52, 2095-2098.	0.8	29
46	Dielectric Properties of Nematic Liquid Crystals in Low Frequency Regime. <i>Molecular Crystals and Liquid Crystals</i> , 1995, 262, 249-255.	0.3	29
47	Determination of charge carrier mobility in tris(8-hydroxy-quinolinato) aluminum by means of impedance spectroscopy measurements. <i>Organic Electronics</i> , 2011, 12, 1364-1369.	1.4	29
48	Transient Current Study of Ultraviolet-Light-Soaked States in n-Pentyl-p-n-Cyanobiphenyl. <i>Japanese Journal of Applied Physics</i> , 1994, 33, 5890-5891.	0.8	28
49	Polygonal shape transformation of a circular biconcave vesicle induced by osmotic pressure. <i>Physical Review E</i> , 1996, 54, 2816-2826.	0.8	28
50	Temperature Dependence of Photoluminescence Lifetime and Quantum Efficiency in Neat fac-Ir(ppy) <sub>3</sub> Thin Films. <i>Japanese Journal of Applied Physics</i> , 2005, 44, 1966-1969.	0.8	28
51	Synthesis and Solid-state Optical Properties of 2,3-Dialkyl- and 2,3,8,9-Tetraalkyltetracenes. <i>Chemistry Letters</i> , 2011, 40, 58-59.	0.7	26
52	Anomalous photoinduced current transients in nematic liquid crystals. <i>Physical Review Letters</i> , 1989, 63, 555-557.	2.9	25
53	Simple analysis of transient photoconductivity for determination of localized state distributions in amorphous semiconductors using Laplace transform. <i>Journal of Applied Physics</i> , 1995, 77, 3541-3542.	1.1	25
54	Amplified spontaneous emission in $\hat{1}\pm$ -phase and $\hat{1}^2$ -phase polyfluorene waveguides. <i>Organic Electronics</i> , 2007, 8, 184-188.	1.4	25

#	ARTICLE	IF	CITATIONS
55	Equivalent circuits of polymer light-emitting diodes with hole-injection layer studied by impedance spectroscopy. <i>Thin Solid Films</i> , 2008, 517, 1327-1330.	0.8	25
56	High-performance and electrically stable solution-processed polymer field-effect transistors with a top-gate configuration. <i>Japanese Journal of Applied Physics</i> , 2015, 54, 011601.	0.8	25
57	Hall Effect in Bulk- $\delta$ Doped Organic Single Crystals. <i>Advanced Materials</i> , 2017, 29, 1605619.	11.1	25
58	Determination of Rotational Viscosity and Pretilt Angle in Nematic Liquid Crystals from Transient Current: Influence of Ionic Conduction. <i>Molecular Crystals and Liquid Crystals</i> , 1995, 259, 37-46.	0.3	24
59	A Deuterium Nuclear Magnetic Resonance Investigation of Field Induced Director Dynamics in a Nematic Slab Subject to Magnetic and Pulsed Electric Fields. <i>Molecular Crystals and Liquid Crystals</i> , 2000, 347, 167-178.	0.3	24
60	Localized-state distributions in molecularly doped polymers determined from time-of-flight transient photocurrent. <i>Journal of Applied Physics</i> , 2000, 88, 252-259.	1.1	24
61	Influence of Alkyl Chain Length on the Solid-State Packing and Fluorescence of 1,4,5,8-Tetra(alkyl)anthracenes. <i>Molecular Crystals and Liquid Crystals</i> , 2007, 474, 119-135.	0.4	24
62	Octaalkyl tetracene-1,2,3,4,7,8,9,10-octacarboxylates: synthesis by twofold [2+2+2] cocyclization and crystallochromy. <i>Chemical Communications</i> , 2011, 47, 6653.	2.2	24
63	Desorption Processes of Adsorbed Impurity Ions on Alignment Layers in Nematic Liquid Crystal Cells. <i>Molecular Crystals and Liquid Crystals</i> , 1997, 301, 85-90.	0.3	23
64	Control of the Singlet-Triplet Energy Gap in a Thermally Activated Delayed Fluorescence Emitter by Using a Polar Host Matrix. <i>Nanoscale Research Letters</i> , 2017, 12, 268.	3.1	23
65	Beads-on-String-Shaped Poly(azomethine) Applicable for Solution Processing of Bilayer Devices Using a Same Solvent. <i>ACS Macro Letters</i> , 2018, 7, 641-645.	2.3	23
66	Determination of Rotational Viscosity of Nematic Liquid Crystals from Transient Current: Numerical Analysis and Experiment. <i>Japanese Journal of Applied Physics</i> , 1994, 33, 3482-3487.	0.8	22
67	Room Temperature Ultraviolet Electroluminescence from Poly(methylphenylsilane). <i>Chemistry Letters</i> , 1998, 27, 299-300.	0.7	22
68	Impedance spectroscopy measurements of charge carrier mobility in 4,4'-N,N'-dicarbazole-biphenyl thin films doped with tris(2-phenylpyridine) iridium. <i>Thin Solid Films</i> , 2009, 518, 452-456.	0.8	22
69	Drastic Improvement in Wettability of 6,13-Bis(triisopropylsilylethynyl)pentacene by Addition of Silica Nanoparticles for Solution-Processable Organic Field-Effect Transistors. <i>Applied Physics Express</i> , 2010, 3, 091602.	1.1	22
70	High operational stability of solution-processed organic field-effect transistors with top-gate configuration. <i>Organic Electronics</i> , 2016, 32, 65-69.	1.4	22
71	Demonstration of determination of electron and hole drift-mobilities in organic thin films by means of impedance spectroscopy measurements. <i>Thin Solid Films</i> , 2014, 554, 213-217.	0.8	21
72	Single crystal organic photovoltaic cells using lateral electron transport. <i>Organic Electronics</i> , 2017, 41, 118-121.	1.4	21

#	ARTICLE	IF	CITATIONS
73	Electron injection in inverted organic light-emitting diodes with poly(ethyleneimine) electron injection layers. <i>Organic Electronics</i> , 2017, 50, 290-295.	1.4	21
74	Triplet-triplet annihilation in a thermally activated delayed fluorescence emitter lightly doped in a host. <i>Applied Physics Letters</i> , 2018, 113, .	1.5	21
75	Defect states in ZnSe single crystals irradiated with gamma rays. <i>Journal of Applied Physics</i> , 1991, 69, 291-297.	1.1	20
76	Method for Determination of Rotational Viscosity in Nematic Liquid Crystals. <i>Japanese Journal of Applied Physics</i> , 1994, 33, L119-L121.	0.8	20
77	Density of states in amorphous semiconductors determined from transient photoconductivity experiment: Computer simulation and experiment. <i>Journal of Non-Crystalline Solids</i> , 1996, 198-200, 363-366.	1.5	20
78	Pattern formation and instability of smectic-A filaments grown from an isotropic phase. <i>Physical Review E</i> , 1997, 55, 1655-1659.	0.8	20
79	Temperature dependence of photoluminescence in polyfluorene thin films—Huang’s Rhys factors of as-coated, annealed and crystallized thin films. <i>Thin Solid Films</i> , 2006, 499, 192-195.	0.8	20
80	Light-induced metastable states in amorphous organic polysilanes. <i>Journal of Applied Physics</i> , 1994, 76, 3612-3615.	1.1	19
81	Photo-induced phenomena in transport properties of a-As <sub>2</sub> Se <sub>3</sub> . <i>Journal of Non-Crystalline Solids</i> , 1987, 97-98, 1231-1234.	1.5	18
82	Enhanced Ultraviolet Emission in Polysilane Light-Emitting Diodes by Inserting a SiO <sub>x</sub> Thin Layer. <i>Japanese Journal of Applied Physics</i> , 1999, 38, 2609-2612.	0.8	18
83	Photoluminescence properties of facial- and meridional-Ir(ppy) <sub>3</sub> thin films. <i>Thin Solid Films</i> , 2006, 509, 164-167.	0.8	18
84	Analysis of time-of-flight transient photocurrent in organic semiconductors with coplanar-blocking-electrodes configuration. <i>Thin Solid Films</i> , 2008, 516, 2595-2599.	0.8	18
85	Air-mediated self-organization of polymer semiconductors for high-performance solution-processable organic transistors. <i>Applied Physics Letters</i> , 2011, 98, 063304.	1.5	18
86	17,17-Dialkyltetrabenzo[a,c,g,i]fluorenes with extremely high solid-state fluorescent quantum yields: relationship between crystal structure and fluorescent properties. <i>Tetrahedron</i> , 2012, 68, 1688-1694.	1.0	18
87	Optical properties of (organic polysilane)–(inorganic matrix) hybrid thin films. <i>Journal of Luminescence</i> , 2000, 87-89, 715-717.	1.5	17
88	Electronic structure of a glassy poly(9,9-dioctylfluorene) thin film determined using linear and nonlinear spectroscopies. <i>Physical Review B</i> , 2007, 75, .	1.1	17
89	Mobility enhancement in solution-processable organic transistors through polymer chain alignment by roll-transfer printing. <i>Organic Electronics</i> , 2011, 12, 2140-2143.	1.4	17
90	Characterization of transport properties of organic semiconductors using impedance spectroscopy. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 4463-4474.	1.1	17

#	ARTICLE	IF	CITATIONS
91	Computer simulation study of tail-state distribution in amorphous selenium. Journal of Non-Crystalline Solids, 1989, 114, 112-114.	1.5	16
92	Fabrication and Characterization of Poly(3-hexylthiophene)-Based Field-Effect Transistors with Silsesquioxane Gate Insulators. Japanese Journal of Applied Physics, 2008, 47, 3196.	0.8	16
93	Study on Facile Synthesis, Crystal Structure, and Solid-State Fluorescence of Dicyclohexane-Annulated Anthracene. Bulletin of the Chemical Society of Japan, 2008, 81, 754-756.	2.0	16
94	Continuous-wave photoinduced absorption studies in polythiophene and fullerene blended thin films. Physical Review B, 2011, 83, .	1.1	16
95	High performance top-gate field-effect transistors based on poly(3-alkylthiophenes) with different alkyl chain lengths. Organic Electronics, 2014, 15, 372-377.	1.4	16
96	Synthesis of new D-A polymers containing disilanobithiophene donor and application to bulk heterojunction polymer solar cells. Polymer Journal, 2015, 47, 733-738.	1.3	16
97	Inverted organic light-emitting diodes with an electrochemically deposited zinc oxide electron injection layer. Journal of Applied Physics, 2016, 120, 185501.	1.1	16
98	Determination of deep trapping lifetime in organic semiconductors using impedance spectroscopy. Applied Physics Letters, 2016, 108, 053305.	1.5	16
99	Visualization of the carrier transport dynamics in layered Organic Light Emitting Diodes by Modulus spectroscopy. Organic Electronics, 2018, 61, 10-17.	1.4	16
100	Thiophene-based twisted bistricyclic aromatic ene with tricoordinate boron: a new n-type semiconductor. Chemical Communications, 2021, 57, 1316-1319.	2.2	16
101	The Density of Localized States in Amorphous In <sub>x</sub> Se <sub>1-x</sub> Thin Films. Japanese Journal of Applied Physics, 1980, 19, L513-L516.	0.8	15
102	A Theoretical Investigation of the Residual Voltage on Electrophotographic Plates. Japanese Journal of Applied Physics, 1982, 21, 1127-1134.	0.8	15
103	Carrier mobility and life time measurements in a-In <sub>x</sub> Se <sub>1-x</sub> films. Journal of Non-Crystalline Solids, 1983, 59-60, 1035-1038.	1.5	15
104	Synthesis of Cyclotetragermanes of the Type of [R(Ph)Ge] <sub>4</sub> and Conversion to [R(Cl)Ge] <sub>4</sub> . The First Functionalized Cyclotetragermanes. Chemistry Letters, 1992, 21, 1697-1700.	0.7	15
105	Charge Carrier Transport in Red Electrophosphorescent Emitting Layer. Japanese Journal of Applied Physics, 2006, 45, 5966-5969.	0.8	15
106	Synthesis, Optical Properties, and Crystal Structure of 1,4-Dipropyltetracene. European Journal of Organic Chemistry, 2010, 2010, 2571-2575.	1.2	15
107	Lateral Alternating Donor/Acceptor Multilayered Junction for Organic Solar Cells. ACS Applied Energy Materials, 2019, 2, 2087-2093.	2.5	15
108	Deep Trap Levels in Zn-Annealed ZnSe Single Crystals. Physica Status Solidi A, 1990, 117, 515-525.	1.7	14

#	ARTICLE	IF	CITATIONS
109	Scanning tunneling microscopy using a ZnO whisker tip. <i>Applied Physics Letters</i> , 1994, 64, 3243-3245.	1.5	14
110	Transient photoconductivity study of localized-state distributions in metallophthalocyanines. <i>Thin Solid Films</i> , 1998, 331, 82-88.	0.8	14
111	Effects of Alkoxy Substitution on the Optical Properties of 9,10-Anthraquinone and Anthracene: 2,3,6,7-Tetrapropoxy-substituted vs. 2,6-Dipropoxy-substituted Derivatives. <i>Chemistry Letters</i> , 2012, 41, 674-676.	0.7	14
112	Luminescent Thin Films Composed of Nanosized Europium Coordination Polymers on Glass Electrodes. <i>ChemPlusChem</i> , 2016, 81, 187-193.	1.3	14
113	Electrically programmable multilevel nonvolatile memories based on solution-processed organic floating-gate transistors. <i>Applied Physics Letters</i> , 2021, 118, .	1.5	14
114	Reversible Optical Effects in Parylene-Coated Amorphous Ga-Se-S Films. <i>Japanese Journal of Applied Physics</i> , 1992, 31, 3370-3371.	0.8	13
115	Preparation and Optical Properties of Aligned $\beta$ -Phase Polyfluorene Thin Films. <i>Japanese Journal of Applied Physics</i> , 2007, 46, L1093-L1095.	0.8	13
116	Anisotropic optical properties of aligned $\beta$ -phase polyfluorene thin films. <i>Thin Solid Films</i> , 2008, 517, 1324-1326.	0.8	13
117	Effect of non-chlorinated solvents on the enhancement of field-effect mobility in dioctylbenzothienobenzothiophene-based top-gate organic transistors processed by spin coating. <i>Organic Electronics</i> , 2019, 69, 181-189.	1.4	13
118	Intersystem Crossing Rate in Thermally Activated Delayed Fluorescence Emitters. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2020, 217, 1900616.	0.8	13
119	Optical properties of GaAs <sub>0.5</sub> Sb <sub>0.5</sub> and In <sub>0.53</sub> Ga <sub>0.47</sub> As/GaAs <sub>0.5</sub> Sb <sub>0.5</sub> type II single hetero-structures lattice-matched to InP substrates grown by molecular beam epitaxy. <i>Journal of Crystal Growth</i> , 1999, 201-202, 872-876.	0.7	12
120	Photocarrier generation at nano-interfaces in organic polysilane-titania matrix hybrid thin films. <i>Thin Solid Films</i> , 2003, 438-439, 253-256.	0.8	12
121	Transport of carriers in organic light-emitting devices fabricated with ap-phenylenevinylene-derivative copolymer. <i>Journal of Applied Physics</i> , 2003, 94, 2024-2027.	1.1	12
122	Amplified spontaneous emission from fluorene-based copolymer wave guides. <i>Thin Solid Films</i> , 2005, 477, 53-56.	0.8	12
123	Emission Gain Narrowing in Dye-Doped Polymer Dispersed Liquid Crystals. <i>Japanese Journal of Applied Physics</i> , 2005, 44, L915-L917.	0.8	12
124	Correlation between the crystallization of polyfluorene and the surface free energy of substrates. <i>Thin Solid Films</i> , 2008, 517, 1340-1342.	0.8	12
125	Structure of electron collection electrode in dye-sensitized nanocrystalline TiO <sub>2</sub> . <i>Electrochimica Acta</i> , 2013, 87, 309-316.	2.6	12
126	Effective Europium Coordination Luminophores Linked with Bi- and Tridentate Carbazole Phosphine Oxides for Organic Electroluminescent Devices. <i>Journal of Physical Chemistry C</i> , 2018, 122, 9599-9605.	1.5	12

#	ARTICLE	IF	CITATIONS
127	A Method for Determination of Rotational Viscosity and Pretilt Angle from Transient Current in Twisted Nematic Liquid Crystal Cells. <i>Japanese Journal of Applied Physics</i> , 1995, 34, 3170-3176.	0.8	11
128	Periodic buckling of smectic-Atubular filaments in an isotropic phase. <i>Physical Review E</i> , 2004, 70, 021701.	0.8	11
129	Optical properties of poly(di-n-hexylsilane)-zirconia hybrid thin films: suppression of thermochromism and large thermo-optic coefficients. <i>Applied Physics Letters</i> , 2005, 86, 191907.	1.5	11
130	A study of $\hat{1}\pm$ - and $\hat{1}2$ -phase poly(9,9-dioctylfluorene) by electroabsorption spectroscopy. <i>Thin Solid Films</i> , 2008, 516, 2537-2540.	0.8	11
131	Synthesis and Properties of anti/syn-Regioisomeric Mixtures of Alkyl-Substituted Tetracenes. <i>Heterocycles</i> , 2011, 83, 1621.	0.4	11
132	Effects of Bimolecular Recombination on Impedance Spectra in Organic Semiconductors: Analytical Approach. <i>Journal of Nanoscience and Nanotechnology</i> , 2016, 16, 3322-3326.	0.9	11
133	Relations between transient charge transport and the glass-transition temperature in amorphous chalcogenides. <i>Physical Review B</i> , 1994, 49, 10131-10135.	1.1	10
134	Determination of free carrier recombination lifetime in amorphous semiconductors: application to the study of iodine doping effect in arsenic triselenide. <i>Journal of Non-Crystalline Solids</i> , 1998, 227-230, 824-828.	1.5	10
135	Improvement of energy resolution of transient photoconductivity analysis for measuring localized-state distributions in amorphous semiconductors. <i>Journal of Non-Crystalline Solids</i> , 2000, 266-269, 367-371.	1.5	10
136	Photoluminescence Anisotropy of Ultraviolet-Light-Irradiated Organic Polysilane-Silica Hybrid Thin Films. <i>Japanese Journal of Applied Physics</i> , 2002, 41, L1467-L1470.	0.8	10
137	Effective control of surface property on poly(silsesquioxane) films by chemical modification. <i>Thin Solid Films</i> , 2008, 517, 1335-1339.	0.8	10
138	Electroabsorption study of ordered polyfluorene thin films: Origin of oscillatory structure near the bottom of the continuum state. <i>Physical Review B</i> , 2010, 81, .	1.1	10
139	Determination of Carrier Lifetime in Bulk-Heterojunction Solar Cells by Continuous-Wave Photoinduced Absorption Spectroscopy. <i>Applied Physics Express</i> , 2011, 4, 126602.	1.1	10
140	Polysilsesquioxanes for Gate-Insulating Materials of Organic Thin-Film Transistors. <i>International Journal of Polymer Science</i> , 2012, 2012, 1-10.	1.2	10
141	J-aggregate structure in a chloroform solvate of a 2,3-dicyanopyrazine dye ? Separation of two-dimensional stacking dye layers by solvate formation. <i>Dyes and Pigments</i> , 2012, 95, 431-435.	2.0	10
142	Angular distribution of field-effect mobility in oriented poly[5,5-bis(3-dodecyl-2-thienyl)-2,2-bithiophene] fabricated by roll-transfer printing. <i>Applied Physics Letters</i> , 2014, 104, .	1.5	10
143	Amorphous Solid Simulation and Trial Fabrication of the Organic Field-Effect Transistor of Tetrathienonaphthalenes Prepared by Using Microflow Photochemical Reactions: A Theoretical Calculation-Inspired Investigation. <i>Journal of Organic Chemistry</i> , 2016, 81, 3168-3176.	1.7	10
144	Modulated Photocurrent Spectroscopy for Determination of Electron and Hole Mobilities in Working Organic Solar Cells. <i>Scientific Reports</i> , 2019, 9, 20346.	1.6	10

#	ARTICLE	IF	CITATIONS
145	Modulated photocurrent study of localized-state distributions in copper phthalocyanine thin films. <i>Journal of Applied Physics</i> , 1996, 80, 5089-5093.	1.1	9
146	Photocarrier generation and bipolar transport in diphenoquinone doped polymethylphenylsilane thin films. <i>Journal of Applied Physics</i> , 2002, 91, 251.	1.1	9
147	Transient Current of Nematic Liquid Crystals with Negative Dielectric Anisotropy Induced by Step-Voltage Excitation. <i>Japanese Journal of Applied Physics</i> , 2004, 43, L1588-L1591.	0.8	9
148	Simulation of impedance spectra of double-layer organic light-emitting diodes for the determination of hole drift mobility of NPB/Alq3 diodes by means of impedance spectroscopy. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2012, 9, 2561-2564.	0.8	9
149	Inverted organic light-emitting diodes using different transparent conductive oxide films as a cathode. <i>Japanese Journal of Applied Physics</i> , 2016, 55, 03DC06.	0.8	9
150	Determination of Interface-State Distributions in Polymer-Based Metal-Insulator-Semiconductor Capacitors by Impedance Spectroscopy. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 1493.	1.3	9
151	Gap State Spectroscopy in Amorphous Selenium Photoreceptors. <i>Japanese Journal of Applied Physics</i> , 1983, 22, L531-L533.	0.8	8
152	Transient Photodischarge Characteristics of Photoconductors with Dispersive Transport. <i>Japanese Journal of Applied Physics</i> , 1984, 23, 296-301.	0.8	8
153	A simple microcomputer-based modulated photocurrent spectroscopy system for the measurement of localized-state distributions in amorphous semiconductors. <i>Measurement Science and Technology</i> , 1991, 2, 912-915.	1.4	8
154	Photoluminescence properties of In <sub>0.53</sub> Ga <sub>0.47</sub> As/GaAs <sub>0.5</sub> Sb <sub>0.5</sub> type II quantum well structures lattice-matched to InP. <i>Applied Surface Science</i> , 2000, 159-160, 528-531.	3.1	8
155	Optical properties of ultraviolet-light soaked states in polyfluorene thin films. <i>Thin Solid Films</i> , 2006, 509, 202-206.	0.8	8
156	Low Refractive Index of Polysilane-Silica Nanoparticle Hybrids and Their Application for Anti-reflection Films. <i>Journal of Photopolymer Science and Technology</i> = [Fotoporima Konwakai Shi], 2009, 22, 307-309.	0.1	8
157	Field-effect transistor characteristics and microstructure of regioregular poly(3-hexylthiophene) on alkylsilane self-assembled monolayers prepared by microcontact printing. <i>Organic Electronics</i> , 2010, 11, 1323-1326.	1.4	8
158	Solution-processed dinaphtho[2,3- <i>b</i> :2',3'- <i>b'</i> ]thieno[3,2- <i>b</i> ]thiophene transistor memory based on phosphorus-doped silicon nanoparticles as a nano-floating gate. <i>Applied Physics Express</i> , 2015, 8, 101601.	1.1	8
159	Effects of silica nanoparticle addition on polymer semiconductor wettability and carrier mobility in solution-processable organic transistors on hydrophobic substrates. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2016, 54, 509-516.	2.4	8
160	High-performance didodecylbenzothienobenzothiophene-based top-gate organic transistors processed by spin coating using binary solvent mixtures. <i>Organic Electronics</i> , 2018, 58, 306-312.	1.4	8
161	Interfacial charges and electroluminescence in bilayer organic light-emitting diodes with different hole transport materials. <i>Japanese Journal of Applied Physics</i> , 2019, 58, SFFA02.	0.8	8
162	Sugimura et al. reply. <i>Physical Review Letters</i> , 1990, 64, 1476-1476.	2.9	7

#	ARTICLE	IF	CITATIONS
163	Pb-Amount Dependence of Copper and Oxygen Valence in Pb-Doped Bi-Sr-Ca-Cu-O Superconductors. Japanese Journal of Applied Physics, 1991, 30, L1545-L1548.	0.8	7
164	Silicon Precipitation Induced by Argon Excimer Laser in Surface Layers of Si <sub>3</sub> N <sub>4</sub> . Japanese Journal of Applied Physics, 1993, 32, L1062-L1065.	0.8	7
165	Photo-induced structural change in amorphous organic polysilanes: comparison with hydrogenated amorphous silicon. Journal of Non-Crystalline Solids, 1996, 198-200, 653-656.	1.5	7
166	Bipolar transport and charge-carrier generation in polymethylphenylsilane thin films containing diphenoquinone. Applied Physics Letters, 1999, 75, 376-378.	1.5	7
167	Photoelectric properties of organic polysilane containing carbazolyl side groups. Applied Physics Letters, 2000, 77, 2198-2200.	1.5	7
168	Energy transfer in (organic polysilane)-silica hybrid thin films. Thin Solid Films, 2001, 393, 199-203.	0.8	7
169	Preparation of Porous Titania Thin Films from Polysilane-Titania Hybrid by UV Irradiation.. Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi], 2002, 15, 761-764.	0.1	7
170	Photoelectric properties of printed thin films of silicon nanocrystals dispersed in polymer binder. Journal of Non-Crystalline Solids, 2002, 299-302, 1084-1089.	1.5	7
171	Time-resolved photoluminescence study of organic polysilane-silica hybrid thin films. Journal of Non-Crystalline Solids, 2002, 299-302, 1052-1056.	1.5	7
172	Polarized fluorescence of poly(9,9-dioctylfluorene) thin films on polyimide alignment layers. Synthetic Metals, 2003, 135-136, 295-296.	2.1	7
173	Optical properties of air-stable semiconducting copolymer based on polythiophene. Applied Physics Letters, 2007, 91, 141909.	1.5	7
174	Electrical characteristics of polymer field-effect transistors with poly(methylsilsequioxane) gate dielectrics on plastic substrates. Thin Solid Films, 2008, 517, 1343-1345.	0.8	7
175	The origin of anomalous optical conductivity in metallic polymers: A unified model. Philosophical Magazine Letters, 2009, 89, 673-681.	0.5	7
176	Impedance spectroscopy for high resolution measurements of energetic distributions of localized states in organic semiconductors. Thin Solid Films, 2014, 554, 218-221.	0.8	7
177	Degradation of Bilayer Organic Light-Emitting Diodes Studied by Impedance Spectroscopy. Journal of Nanoscience and Nanotechnology, 2016, 16, 3368-3372.	0.9	7
178	Determination of bimolecular recombination constants in organic double-injection devices using impedance spectroscopy. Applied Physics Letters, 2019, 114, 123301.	1.5	7
179	Emission properties of thermally activated delayed fluorescence emitters: analysis based on a four-level model considering a higher triplet excited state. Journal of Photonics for Energy, 2018, 8, 1.	0.8	7
180	Effect of Electron Traps on Residual Voltage in Chalcogenide Photoreceptors. Japanese Journal of Applied Physics, 1982, 21, 1293-1297.	0.8	6

#	ARTICLE	IF	CITATIONS
181	Opto-Optical modulation in nematic liquid crystals. Journal of Applied Physics, 1990, 68, 899-902.	1.1	6
182	Optimum thermal procedure for the preparation of 110 K Bi <sub>2-x</sub> Pb <sub>x</sub> Sr <sub>2</sub> Ca <sub>2</sub> Cu <sub>3</sub> O <sub>y</sub> superconductors. Superconductor Science and Technology, 1991, 4, 721-724.	1.8	6
183	Effects of Sb and Pb doping on the high-T <sub>c</sub> phase-formation in Bi-Sr-Ca-Cu-O superconductors. Superconductor Science and Technology, 1992, 5, 482-488.	1.8	6
184	Delayed collection field experiment in amorphous arsenic triselenide. Journal of Applied Physics, 1993, 73, 1246-1251.	1.1	6
185	Transient Ion Transport in Nematic Liquid Crystals. Molecular Crystals and Liquid Crystals, 1995, 263, 479-489.	0.3	6
186	Transient hopping transport in percolation clusters. Electrical Engineering in Japan (English) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542 T	0.2	6
187	Photo-carrier transport in disordered organic TPD films. Journal of Non-Crystalline Solids, 2006, 352, 1671-1674.	1.5	6
188	Optical Properties of Three Differently Colored Crystal Modifications of a 2,3-Dicyanopyrazine Dye. Bulletin of the Chemical Society of Japan, 2015, 88, 716-721.	2.0	6
189	Synthesis of a Conjugated D-A Polymer with Bi(disilanobithiophene) as a New Donor Component. Molecules, 2016, 21, 789.	1.7	6
190	Write-once memory effects observed in Ga-doped ZnO/organic semiconductor/MoO <sub>3</sub> /Au structures. Japanese Journal of Applied Physics, 2016, 55, 03DC05.	0.8	6
191	Hole- and electron-only transport in ratio-controlled organic co-deposited films observed by impedance spectroscopy. Organic Electronics, 2017, 50, 515-520.	1.4	6
192	Full characterization of electronic transport properties in working polymer light-emitting diodes via impedance spectroscopy. Journal of Applied Physics, 2019, 125, 115501.	1.1	6
193	Operation mechanism and efficiency-limiting factors in solution-processed quantum-dots light-emitting diodes. Organic Electronics, 2020, 86, 105865.	1.4	6
194	Observations of SiC Mirror Damage Induced by an Argon Excimer Laser. Japanese Journal of Applied Physics, 1992, 31, L696-L699.	0.8	5
195	Chemistry of Germanium-Characteristics and Similarity as a Group 14 Element. Synthesis and Characterization of Cyclotetragemane and Ladder Polygermane with Functional Groups.. Nippon Kagaku Kaishi / Chemical Society of Japan - Chemistry and Industrial Chemistry Journal, 1994, 1994, 248-252.	0.1	5
196	Effect of molecular weight on hole transport in polysilanes. Solid State Communications, 1997, 101, 503-506.	0.9	5
197	Transient electron transport in organic polysilane containing anthracene units. Journal of Non-Crystalline Solids, 1998, 227-230, 543-547.	1.5	5
198	Polygonal Deformation of Toroidal Smectic-A Domains in Isotropic Phase Induced by Electric-Field Application. Journal of the Physical Society of Japan, 1998, 67, 713-716.	0.7	5

#	ARTICLE	IF	CITATIONS
199	Optical properties of photo-oxidized polyfluorene thin films. <i>Synthetic Metals</i> , 2003, 135-136, 287-288.	2.1	5
200	Transient photocurrent of (silicon nanocrystals)â€“(organic polysilane) compositesâ€”detection of surface states of silicon nanocrystals. <i>Thin Solid Films</i> , 2006, 499, 119-122.	0.8	5
201	Photoluminescence and photoconductivity studies of oriented polyfluorene thin films. <i>Thin Solid Films</i> , 2008, 516, 2392-2395.	0.8	5
202	Effects of Fluid Flow on Electric-Field-Induced Director Reorientation in Homogeneous and Homeotropic Nematic Liquid Crystal Cells, Probed by Transient Current Measurements. <i>Japanese Journal of Applied Physics</i> , 2008, 47, 8230.	0.8	5
203	Weak anchoring of nematic liquid crystals on photo-induced surface relief gratings of organic polysilane. <i>Thin Solid Films</i> , 2009, 518, 767-770.	0.8	5
204	Preparation, Crystal Structure, and Solid-state Fluorescence of a CH <sub>2</sub> Cl <sub>2</sub> -solvated Crystal of 6,13-Bis( <i>i</i> -butylphenyl)-2,3,9,10-tetrapropoxy-pentacene. <i>Chemistry Letters</i> , 2009, 38, 600-601.	0.7	5
205	2,6-Dimethoxy-9,10-anthraquinone. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o2843-o2843.	0.2	5
206	Electrical characterization of thieno[3,4-b]thiophene and benzodithiophene copolymer using field-effect transistor configuration. <i>Japanese Journal of Applied Physics</i> , 2014, 53, 050305.	0.8	5
207	Effect of contact resistance on mobility determination by impedance spectroscopy. <i>Japanese Journal of Applied Physics</i> , 2014, 53, 02BE02.	0.8	5
208	Disilanobithiophene-dithienylbenzothiadiazole alternating polymer as donor material of bulk heterojunction polymer solar cells. <i>Synthetic Metals</i> , 2016, 215, 116-120.	2.1	5
209	Photoluminescence Properties of Polymorphic Modifications of Low Molecular Weight Poly(3-hexylthiophene). <i>Nanoscale Research Letters</i> , 2017, 12, 368.	3.1	5
210	Crystallization Properties and Operative Regions of Erasable Optical Disk using Chalcogenide Films. <i>Japanese Journal of Applied Physics</i> , 1987, 26, 71.	0.8	5
211	Transient Photocurrent in Amorphous (As <sub>2</sub> Se <sub>3</sub> ):Te Thin Films. <i>Japanese Journal of Applied Physics</i> , 1984, 23, L458-L460.	0.8	4
212	Effect of Ge Addition on Ga-Se-Te System Reversible Optical Recording Media. <i>Japanese Journal of Applied Physics</i> , 1987, 26, L62-L64.	0.8	4
213	Transient photoconductivity studies of the UV light soaked state of amorphous organic polysilanes. <i>Journal of Non-Crystalline Solids</i> , 1991, 137-138, 271-274.	1.5	4
214	Effect of Sb, Te, and Ge Addition on Optical Recording Films with Ge <sub>2</sub> Sb <sub>2</sub> Te <sub>5</sub> Composition. <i>Physica Status Solidi A</i> , 1992, 133, 395-410.	1.7	4
215	Light-induced states in a-As <sub>2</sub> Se <sub>3</sub> : comparison with a-Si:H. <i>Journal of Non-Crystalline Solids</i> , 1993, 164-166, 207-210.	1.5	4
216	Temperature Dependence of Nematic Anchoring Energy on Weak Surfaces of Polyimide Langmuir-Blodgett Films. <i>Molecular Crystals and Liquid Crystals</i> , 1997, 304, 253-258.	0.3	4

#	ARTICLE	IF	CITATIONS
217	Steady State Current in Nematic Liquid Crystals. <i>Molecular Crystals and Liquid Crystals</i> , 1997, 303, 225-230.	0.3	4
218	Optical and electrical properties of InAlAs/AlAsSb type II quantum well structures grown by molecular beam epitaxy. <i>Journal of Crystal Growth</i> , 1998, 188, 328-331.	0.7	4
219	Influences of magnetic fields on UV absorption and carrier transport in polysilanes. <i>Solid State Communications</i> , 1998, 106, 447-450.	0.9	4
220	Pattern Formation of Two-Dimensional Smectic-A Filaments. <i>Molecular Crystals and Liquid Crystals</i> , 2001, 364, 403-410.	0.3	4
221	Photoconduction of (silicon nanocrystals)â€“(organic polysilane) composites. <i>Journal of Organometallic Chemistry</i> , 2003, 685, 243-248.	0.8	4
222	Characteristics of 4H-SiC Pt-gate metal-semiconductor field-effect transistor for use at high temperatures. <i>Thin Solid Films</i> , 2008, 517, 1468-1470.	0.8	4
223	Study of high temperature photocurrent properties of 6Hâ€“(SiC UV sensor. <i>Thin Solid Films</i> , 2008, 517, 1471-1473.	0.8	4
224	Oscillatory Structure in the Electroabsorption Spectrum of Î€-Conjugated Polymer Thin Films: How to Identify the Franzâ€“(Keldysh Oscillation. <i>Journal of the Physical Society of Japan</i> , 2011, 80, 034707.	0.7	4
225	Anomalous optical conductivity in disordered condensed matter. <i>Journal of Non-Crystalline Solids</i> , 2012, 358, 2373-2376.	1.5	4
226	Highly Oriented Polymer Field-Effect Transistors with High Electrical Stability. <i>Japanese Journal of Applied Physics</i> , 2013, 52, 121601.	0.8	4
227	Third-order optical susceptibility in polythiophene thin films prepared by spin-coating from high-boiling-point solvents. <i>Thin Solid Films</i> , 2014, 554, 106-109.	0.8	4
228	Solution-processed organic field-effect transistors based on dinaphthothienothiophene precursor with chemically modified electrodes. <i>Journal of Physics: Conference Series</i> , 2017, 924, 012008.	0.3	4
229	Understanding the influence of contact resistances on short-channel high-mobility organic transistors in linear and saturation regimes. <i>Applied Physics Express</i> , 2021, 14, 041010.	1.1	4
230	Determination of Physical Parameters in Organic Bulk Heterojunction Solar Cells Using a Genetic Algorithm. <i>IEEJ Transactions on Electronics, Information and Systems</i> , 2011, 131, 283-289.	0.1	4
231	Gap state spectroscopy in amorphous As <sub>2</sub> Se <sub>3</sub> films. <i>Journal of Non-Crystalline Solids</i> , 1985, 77-78, 1183-1186.	1.5	3
232	XPS studies of (Bi,Pb) <sub>2</sub> Sr <sub>2</sub> Ca <sub>2</sub> Cu <sub>3</sub> O <sub>y</sub> superconductors. <i>Physica C: Superconductivity and Its Applications</i> , 1991, 185-189, 645-646.	0.6	3
233	Thermal emission rate of deep localized states in amorphous arsenic triselenide. <i>Journal of Applied Physics</i> , 1993, 74, 5064-5067.	1.1	3
234	Measurement of Rotational Viscosity and Pretilt Angle in Nematics from Transient Current. <i>Molecular Crystals and Liquid Crystals</i> , 1995, 262, 267-274.	0.3	3

#	ARTICLE	IF	CITATIONS
235	Transport and generation processes of ionic carriers in amorphous polymethylphenylsilane. <i>Solid State Communications</i> , 1996, 100, 603-607.	0.9	3
236	Simultaneous Measurement of Rotational Viscosity, Pretilt Angle, and Dielectric Anisotropy from Transient Current in Nematic Liquid Crystal Cells. <i>Japanese Journal of Applied Physics</i> , 1996, 35, 2762-2763.	0.8	3
237	Observation of Transient Diffraction Induced by Ionic Conduction in Nematic Liquid Crystal Cells. <i>Molecular Crystals and Liquid Crystals</i> , 1999, 331, 289-296.	0.3	3
238	Pattern Formations of Smectic-A Domains Grown from an Isotropic Phase in Cano Wedges. <i>Molecular Crystals and Liquid Crystals</i> , 1999, 328, 549-556.	0.3	3
239	Photoinduced Metastable States in Amorphous Organic Polysilanes Studied by the Transient Photocurrent Technique. <i>Japanese Journal of Applied Physics</i> , 2002, 41, 5523-5528.	0.8	3
240	Photoinduced refractive index changes in organic polysilane-inorganic hybrid thin films. <i>Synthetic Metals</i> , 2003, 137, 1405-1406.	2.1	3
241	Crystal Structure of 5,12-Diphenyltetracene. <i>Analytical Sciences: X-ray Structure Analysis Online</i> , 2006, 22, X5-X6.	0.1	3
242	Influence of nanometer-size interface roughness on light transmission in polyfluorene waveguides studied by amplified spontaneous emission measurements. <i>Current Applied Physics</i> , 2006, 6, 882-886.	1.1	3
243	Measurement of viscosities from the transient current of nematic liquid crystals with negative dielectric anisotropy. <i>Thin Solid Films</i> , 2008, 517, 1421-1423.	0.8	3
244	Effects of viscosities on the transient current in homeotropic nematic liquid crystal cells. <i>Thin Solid Films</i> , 2008, 517, 1417-1420.	0.8	3
245	Preparation and Dielectric Property of Photo-Curable Polysilsesquioxane Hybrids. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2008, 21, 319-320.	0.1	3
246	Surface Modification of Organic-Inorganic Hybrid Insulator for Printable Organic Field-effect Transistors. <i>Chemistry Letters</i> , 2009, 38, 34-35.	0.7	3
247	Photoinduced Absorption in P3HT/PCBM Bulk Heterostructures. <i>Materials Science Forum</i> , 0, 658, 503-506.	0.3	3
248	Non-Drude terahertz conductivity in nanomaterials: overview and applications to nanosilicon and nanogold. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2012, 9, 2602-2605.	0.8	3
249	Response to "Comment on 'The origin of non-Drude terahertz conductivity in nanomaterials'" [Appl. Phys. Lett. 102, 096101 (2013)]. <i>Applied Physics Letters</i> , 2013, 102, .	1.5	3
250	Temperature Dependence of Field-Effect Mobility in Organic Thin-Film Transistors: Similarity to Inorganic Transistors. <i>Journal of Nanoscience and Nanotechnology</i> , 2016, 16, 3219-3222.	0.9	3
251	Relation between active-layer thickness and power conversion efficiency in P3HT:PCBM inverted organic photovoltaics. <i>Journal of Physics: Conference Series</i> , 2017, 924, 012009.	0.3	3
252	Influence of Substrate Modification with Dipole Monolayers on the Electrical Characteristics of Short-Channel Polymer Field-Effect Transistors. <i>Applied Sciences (Switzerland)</i> , 2018, 8, 1274.	1.3	3

#	ARTICLE	IF	CITATIONS
253	Enhanced performance of solution-processable floating-gate organic phototransistor memory for organic image sensor applications. <i>Applied Physics Express</i> , 2021, 14, 041007.	1.1	3
254	Aggregation-induced emission active thermally-activated delayed fluorescence materials possessing N-heterocycle and sulfonyl groups. <i>Journal of Materials Chemistry C</i> , 2022, 10, 4607-4613.	2.7	3
255	Crystallization Processes of Amorphous Se: Te Thin Films Observed with Electrical Measurements. <i>Physica Status Solidi A</i> , 1993, 136, 447-454.	1.7	2
256	On the temperature dependence of dispersion parameters in amorphous semiconductors. <i>Journal of Non-Crystalline Solids</i> , 1998, 227-230, 815-819.	1.5	2
257	In <sub>0.53</sub> Ga <sub>0.47</sub> As/GaAs <sub>0.5</sub> Sb <sub>0.5</sub> /In <sub>0.52</sub> Al <sub>0.48</sub> As asymmetric type II quantum well structures lattice-matched to InP grown by molecular beam epitaxy. <i>Journal of Crystal Growth</i> , 2002, 237-239, 1499-1503.	0.7	2
258	Photoluminescence study of organic polysilane embedded in a silica matrix by a sol-gel method. <i>Synthetic Metals</i> , 2003, 135-136, 297-298.	2.1	2
259	Charge carrier transport properties of poly (9,9-dioctylfluorene) thin films. <i>Synthetic Metals</i> , 2003, 135-136, 285-286.	2.1	2
260	Photoinduced Surface Relief Grating on Polysilane Thin Films and its Application to Alignment Layer for Liquid Crystal Cells. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2003, 16, 97-99.	0.1	2
261	Helical Tubular Filaments of a Smectic-A Phase in an Isotropic Phase. <i>Molecular Crystals and Liquid Crystals</i> , 2004, 412, 77-83.	0.4	2
262	Relationship between Resistivity and Structure of Photosensitive Organic Silsesquioxanes by Impedance Spectroscopy and Solid-State <sup>29</sup> Si Nuclear Magnetic Resonance. <i>Japanese Journal of Applied Physics</i> , 2008, 47, 1377-1381.	0.8	2
263	Crystal Structure of 1,4,5,8-Tetrapentylanthracene. <i>X-ray Structure Analysis Online</i> , 2010, 26, 65-66.	0.1	2
264	Frequency Characteristics of Polymer Field-Effect Transistors with Self-Aligned Electrodes Investigated by Impedance Spectroscopy. <i>IEICE Transactions on Electronics</i> , 2011, E94-C, 1727-1732.	0.3	2
265	Novel measurement method of ion impurity in OPV materials. , 2019, , .		2
266	Modulated Photocurrent Spectroscopy Study of the Electronic Transport Properties of Working Organic Photovoltaics: Degradation Analysis. <i>Materials</i> , 2020, 13, 2660.	1.3	2
267	Simultaneous determination of electron and hole drift mobilities in working inverted organic solar cells: modulated photocurrent spectroscopy versus impedance spectroscopy. <i>Japanese Journal of Applied Physics</i> , 2020, 59, 064002.	0.8	2
268	Enhancement of Third-Order Optical Susceptibility in Polythiophene Thin Films Fabricated by Drop Casting Using Anhydrous Solvent. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 072601.	0.8	2
269	Interpretation of the modulus spectra of organic field-effect transistors with electrode overlap and peripheral regions: determination of the electronic properties of the gate insulator and organic semiconductor. <i>Japanese Journal of Applied Physics</i> , 2020, 59, 094002.	0.8	2
270	Studies of Crystallization Processes of Amorphous Chalcogenide Thin Films with Electrical Measurements. <i>Japanese Journal of Applied Physics</i> , 1989, 28, 285.	0.8	1

#	ARTICLE	IF	CITATIONS
271	Transient hole transport behavior of amorphous arsenic triselenide near its glass transition temperature. <i>Journal of Non-Crystalline Solids</i> , 1991, 137-138, 947-950.	1.5	1
272	Structural changes in amorphous arsenic triselenide below the glass-transition temperature. <i>Journal of Non-Crystalline Solids</i> , 1993, 164-166, 1239-1242.	1.5	1
273	Origin of the inferiority of the crystalline quality in InAs <sub>x</sub> P <sub>1-x</sub> bulk crystals grown by a solution growth method. <i>Journal of Crystal Growth</i> , 1995, 152, 247-250.	0.7	1
274	A simple interpretation of enhancement of hole drift mobility in amorphous arsenic triselenide induced by iodine doping. <i>Solid State Communications</i> , 1995, 96, 697-700.	0.9	1
275	Photocurrent in a Nematic Liquid Crystal. <i>Molecular Crystals and Liquid Crystals</i> , 1995, 263, 491-498.	0.3	1
276	Characteristics of amorphous silicon precipitated by means of argon excimer laser irradiation on SiC films. <i>Journal of Non-Crystalline Solids</i> , 1996, 202, 77-80.	1.5	1
277	Steady-State Current due to Ionic Carriers in Polymethylphenylsilane Thin Films. <i>Japanese Journal of Applied Physics</i> , 1997, 36, 5179-5180.	0.8	1
278	Determination of localized-state distributions in photoconductive polymers from transient photocurrents measured with the time-of-flight method. <i>IEEJ Transactions on Fundamentals and Materials</i> , 1998, 118, 1446-1453.	0.2	1
279	Percolative behavior of transient photoconductivity in metal-free phthalocyanine nanocrystals. <i>Thin Solid Films</i> , 2008, 516, 2558-2561.	0.8	1
280	Photoconductivity in organic TPD films: Effects of photoadsorption of O <sub>2</sub> and N <sub>2</sub> . <i>Journal of Non-Crystalline Solids</i> , 2008, 354, 2866-2869.	1.5	1
281	Preparation of Polysilane/Silica Nano-particle Hybrid Thin Films and Their Optical Properties. <i>Kobunshi Ronbunshu</i> , 2008, 65, 440-444.	0.2	1
282	1,4,5,8-Tetra- <i>n</i> -butylanthracene. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2010, 66, o2565-o2565.	0.2	1
283	Enhancement of Third-Order Optical Susceptibility in Polythiophene Thin Films Fabricated by Drop Casting Using Anhydrous Solvent. <i>Japanese Journal of Applied Physics</i> , 2011, 50, 072601.	0.8	1
284	Charge transport enhancement via air-mediated self-organization in polymer semiconductors. <i>Materials Research Society Symposia Proceedings</i> , 2011, 1360, 101201.	0.1	1
285	1,7-Diethyl-4,10-diisopropyltetracene. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2011, 67, o2611-o2611.	0.2	1
286	2,3,6,7-Tetramethoxy-9,10-anthraquinone. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2012, 68, o2587-o2587.	0.2	1
287	Continuous-wave photoinduced absorption study on trapped carriers in bulk-heterojunction solar cells connected to load. <i>Thin Solid Films</i> , 2014, 554, 209-212.	0.8	1
288	Simple Calculation of Power Conversion Efficiency of PC61BM and PC71BM Based Organic Solar Cells—Good Agreement with Experiments in Donor Materials with Different Band Gap Energies. <i>Journal of Nanoscience and Nanotechnology</i> , 2016, 16, 3349-3354.	0.9	1

#	ARTICLE	IF	CITATIONS
289	Molecular Electronics. Springer Handbooks, 2017, , 1-1.	0.3	1
290	Flexible and Printed Electronics. Japanese Journal of Applied Physics, 2017, 56, 05E001.	0.8	1
291	Spectroscopic and electrical characterization of $\hat{1}\pm,\hat{1}\beta$ -bisdiphenylene- $\hat{1}^2$ -phenylallyl radical as an organic semiconductor. Research on Chemical Intermediates, 2018, 44, 4765-4774.	1.3	1
292	Modulated photocurrent spectroscopies for characterization of the charge transport process in organic photovoltaics. Journal of Physics: Conference Series, 2019, 1220, 012018.	0.3	1
293	19 $\hat{a}5$ : Late $\hat{e}$ News Paper: Characterization of carrier transport properties in working polymer light $\hat{e}$ emitting diodes. Digest of Technical Papers SID International Symposium, 2019, 50, 263-266.	0.1	1
294	Negative capacitance of bilayer organic light-emitting diodes $\hat{e}$ ”its correlation with current efficiency and device lifetime. Japanese Journal of Applied Physics, 2019, 58, SFFA01.	0.8	1
295	Synthesis and Characterization of Soluble Directly 2,2 $\hat{a}2$ $\hat{a}$ Linked Tetracene Dimer. European Journal of Organic Chemistry, 2019, 2019, 2107-2114.	1.2	1
296	Revisiting open-circuit photovoltage decay in organic solar cells for the determination of bimolecular recombination constants. Japanese Journal of Applied Physics, 2021, 60, 034001.	0.8	1
297	Electronic Structures of Planar and Nonplanar Polyfluorene. Springer Series in Materials Science, 2015, , 63-80.	0.4	1
298	Air-Stable Optoelectronic Devices with Metal Oxide Cathodes. , 2019, , 413-422.		1
299	<title>Ferroelectric phase transition of Te alloy films and its optical disk properties</title>. , 1993, , .		0
300	Difference in transient transport behavior between amorphous inorganic and organic solids. Journal of Non-Crystalline Solids, 1996, 198-200, 226-229.	1.5	0
301	Stability of Unduloidlike Shapes of Smectic-A Phase Grown from Isotropic Phase. Molecular Crystals and Liquid Crystals, 1997, 303, 355-360.	0.3	0
302	Numerical Simulation of Director Distribution in Nematic Liquid Crystal Cells with Weak Anchoring Boundaries. Molecular Crystals and Liquid Crystals, 1997, 301, 79-84.	0.3	0
303	Mobility-Lifetime Products inN-Carbazoyl-Substituted Polysilanes. Japanese Journal of Applied Physics, 2000, 39, 6364-6365.	0.8	0
304	Equilibrium Shape of a Smectic-A Phase in an Isotropic Phase Formed on Substrate Surface. Molecular Crystals and Liquid Crystals, 2000, 347, 137-146.	0.3	0
305	ELECTRIC FIELD-INDUCED DIRECTOR ORIENTATION OF SMECTIC-A DOMAINS IN AN ISOTROPIC PHASE. Molecular Crystals and Liquid Crystals, 2001, 366, 865-870.	0.3	0
306	Observations of Defects in a Smectic-A Phase Coexisting with an Isotropic Phase. Molecular Crystals and Liquid Crystals, 2004, 412, 69-76.	0.4	0

#	ARTICLE	IF	CITATIONS
307	Title is missing!. Thin Solid Films, 2008, 517, 1311.	0.8	0
308	1,4,5,8-Tetraisopropylanthracene. Acta Crystallographica Section E: Structure Reports Online, 2010, 66, o2222-o2222.	0.2	0
309	Effective Rotational Viscosity of Vertical Alignment Nematic Liquid Crystal Cells. Molecular Crystals and Liquid Crystals, 2010, 516, 228-232.	0.4	0
310	Preface: Optical, Optoelectronic and Photonic Materials and Applications. Physica Status Solidi C: Current Topics in Solid State Physics, 2012, 9, 2222-2225.	0.8	0
311	Third-order optical susceptibility of ordered and disordered polyfluorene thin films. Journal of Non-Crystalline Solids, 2012, 358, 2530-2533.	1.5	0
312	Fabrication of Vertical Molecular Junction Devices with Conductive Polymer Contacts Using a Peeling Method. Journal of Nanoscience and Nanotechnology, 2016, 16, 3307-3311.	0.9	0
313	Interpretation of modulus spectra in organic field-effect transistors: equivalent-circuit approach. Japanese Journal of Applied Physics, 2020, 59, SDDA06.	0.8	0
314	Modulation Spectroscopies for the Characterization of Electronic Properties in Organic Semiconductor Devices. , 2021, , .		0
315	Performance Improvement of Solution-Processed Organic Floating-Gate Transistor Memories via Tuning the Work Function of Gate Electrodes. , 2021, , .		0
316	Flame Structure and Emission Characteristics of a Jet Stirred Reactor. , 2001, , 50-61.		0
317	Transient Photocurrent Spectroscopy in Conjugated Polymers. Kobunshi, 2002, 51, 958-958.	0.0	0
318	Determination of Drift Mobility and Localized-state Distribution in Organic Light-emitting Diodes by Impedance Spectroscopy. Hyomen Kagaku, 2012, 33, 69-74.	0.0	0
319	High Performance of Organic Transistors Using Self-Aggregated Surface of Organic Semiconductor Thin Films. Journal of Smart Processing, 2013, 2, 251-256.	0.0	0
320	Effects of High-power Argon Excimer Laser Irradiation on Polycrystalline Silicon Carbide Mirrors.. The Review of Laser Engineering, 1992, 20, 970-979.	0.0	0
321	Effects of the Alkyl Substituents on the Organic Thin Film Transistor Characteristics of Thiophene-fused Naphthalenes:. Journal of the Japan Society of Colour Material, 2017, 90, 233-237.	0.0	0
322	OPTICAL DLTS MEASUREMENTS OF LOCALIZED STATES IN AMORPHOUS CHALCOGENIDE SEMICONDUCTORS. Journal De Physique Colloque, 1981, 42, C4-601-C4-604.	0.2	0
323	A PHOTO-INDUCED MEMORY EFFECT OBSERVED ON In-Si-Se SYSTEM. Journal De Physique Colloque, 1982, 43, C1-241-C1-246.	0.2	0
324	PHOTO-INDUCED MICROCRYSTALLINE In <sub>x</sub> (Si <sub>0.1</sub> Se <sub>0.9</sub> ) <sub>1-x</sub> FILM-ITO SOLAR CELL. Journal De Physique Colloque, 1982, 43, C1-277-C1-282.	0.2	0