
Deniz Cankaya

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6290634/publications.pdf

Version: 2024-02-01



ΔΕΝΙΖ CANKAVA

#	Article	IF	CITATIONS
1	The arthroscopical and radiological corelation of lever sign test for the diagnosis of anterior cruciate ligament rupture. SpringerPlus, 2015, 4, 830.	1.2	26
2	No difference in blood loss between posterior-cruciate-ligament-retaining and posterior-cruciate-ligament-stabilized total knee arthroplasties. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 1865-1869.	4.2	20
3	No differences in clinical outcomes or isokinetic performance between cruciate-substituting ultra-congruent and posterior stabilized total knee arthroplasties: a randomized controlled trial. Knee Surgery, Sports Traumatology, Arthroscopy, 2021, 29, 3443-3449.	4.2	20
4	Blood Loss and Transfusion Rates in the Revision of Unicompartmental Knee Arthroplasty to Total Knee Arthroplasty Are Similar to Those of Primary Total Knee Arthroplasty But Are Lower Compared With the Revision Total Knee Arthroplasty. Journal of Arthroplasty, 2016, 31, 339-341.	3.1	18
5	Clinical and radiological outcomes of conservative treatment after stable post-traumatic thoracolumbar fractures in elderly: Is it really best option for all elderly patients?. Annals of Medicine and Surgery, 2015, 4, 346-350.	1.1	16
6	The combined use of oral and topical tranexamic acid is a safe, efficient and low-cost method in reducing blood loss and transfusion rates in total knee arthroplasty. Journal of Orthopaedic Surgery, 2017, 25, 230949901668472.	1.0	16
7	COMBINED INSIDE-OUT AND ALL-INSIDE TECHNIQUE IN BUCKET-HANDLE MENISCUS TEARS. Acta Ortopedica Brasileira, 2016, 24, 179-183.	0.5	14
8	Unicompartmental knee arthroplasty results in a better gait pattern than total knee arthroplasty: Gait analysis with a smartphone application. Joint Diseases and Related Surgery, 2021, 32, 22-27.	1.0	13
9	Cemented calcar replacement versus cementless hemiarthroplasty for unstable intertrochanteric femur fractures in elderly Ulusal Travma Ve Acil Cerrahi Dergisi, 2013, 19, 548-553.	0.3	12
10	Perioperative alendronate, risedronate, calcitonin and indomethacin treatment alters femoral stem fixation and periprosthetic bone mineral density in ovariectomized rats. Journal of Orthopaedic Science, 2015, 20, 728-733.	1.1	7
11	Effect of ulnar styloid fracture on outcomes after conservative treatment of distal radius fracture. Eklem Hastaliklari Ve Cerrahisi = Joint Diseases & Related Surgery, 2016, 27, 87-93.	2.5	7
12	Better life quality and sexual function in men and their female partners with short-segment posterior fixation in the treatment of thoracolumbar junction burst fractures. European Spine Journal, 2016, 25, 1128-1134.	2.2	6
13	EFFECT OF PLATELET-RICH PLASMA, FAT PAD AND DURAL MATRIX IN PREVENTING EPIDURAL FIBROSIS. Acta Ortopedica Brasileira, 2020, 28, 31-35.	0.5	6
14	The effect of tranexamic acid on hidden blood loss in total hip arthroplasty. Joint Diseases and Related Surgery, 2022, 33, 102-108.	1.0	6
15	Tibial baseplate fracture associated with polyethylene wear and osteolysis after total knee arthroplasty. International Journal of Surgery Case Reports, 2014, 5, 49-51.	0.6	4
16	Are metric parameters sufficient alone in evaluation of the patellar instability? New angular measuring parameters. Journal of Orthopaedic Surgery, 2017, 25, 230949901668449.	1.0	4
17	Isokinetic performance and function are similar after total hip arthroplasty applied with a posterior or anterolateral approach: a randomised controlled trial. HIP International, 2021, , 112070002110129.	1.7	4
18	The impact of joint line restoration on functional results after hinged knee prosthesis. Indian Journal of Orthopaedics, 2016, 50, 136-145.	1.1	4

DENIZ CANKAYA

#	Article	IF	CITATIONS
19	Analysis of the hip fracture records of a central training and research hospital by selected characteristics. Turkish Journal of Medical Sciences, 2016, 46, 35-41.	0.9	3
20	Higher reliability of triple-phase bone scintigraphy in cementless total hip arthroplasty compared to cementless bipolar hemiarthroplasty. Annals of Medicine and Surgery, 2016, 10, 27-31.	1.1	3
21	The influence of social and demographic features on functional level and quality of life after total knee arthroplasty. FTR - Turkiye Fiziksel Tip Ve Rehabilitasyon Dergisi, 2016, 62, 257-263.	0.1	3
22	Patellar resurfacing in total knee arthroplasty leads to better isokinetic performance. Journal of Orthopaedic Science, 2023, 28, 195-199.	1.1	3
23	Comparison of continuous interscalene block and subacromial infusion of local anesthetic for postoperative analgesia after open shoulder surgery. Journal of Orthopaedic Surgery, 2017, 25, 230949901668409.	1.0	2
24	Chronic Expanding Hematoma in the Popliteal Fossa after Pseudoaneurysm Surgery because of Nail Puncture. Case Reports in Orthopedics, 2014, 2014, 1-4.	0.3	1
25	The impact of surgery for trochanteric femur fracture on sexuality in men and their female partners. Journal of Orthopaedic Surgery, 2017, 25, 230949901774220.	1.0	1
26	Universal or Selective: That's the Question in Screening of Developmental Dysplasia of the Hip. Forbes Tıp Dergisi, 2021, 2, 140-141.	0.1	1
27	An Unexpected Complication of Hip Arthroplasty: Knee Dislocation. Case Reports in Orthopedics, 2015, 2015, 1-4.	0.3	Ο
28	Letter to the Editor on "A Prospective, Randomized Comparison of Posterior Stabilized Versus Cruciate-Substituting Total Knee Arthroplasty: A Preliminary Report with Minimum 2-Year Results― Journal of Arthroplasty, 2015, 30, 1855.	3.1	0
29	Total Infrapatellar Fat Pad Excision Leads to Worse Isokinetic Performance in Total Knee Arthroplasty: A Randomized Controlled Trial. Journal of Knee Surgery, 2021, , .	1.6	Ο
30	Unexpected localization of a thoracic pedicle screw nearby the aorta after scoliosis surgery. , 2022, 1, 119-122.		0
31	Initial reduction of pediatric type II supracondylar humerus fractures does not guarantee a good outcome. , 2022, 1, 95-98.		0
32	How can the case report survive in a world of big data?. , 2022, 1, 1-2.		0
33	Anterior metaphyseal angle; much less individual variation in determining the posterior slope of the tibia. Journal of Orthopaedic Science, 2022, , .	1.1	Ο