

# Deniz Cankaya

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6290634/publications.pdf>

Version: 2024-02-01

33  
papers

220  
citations

1040056

9  
h-index

1058476

14  
g-index

33  
all docs

33  
docs citations

33  
times ranked

269  
citing authors

#	ARTICLE	IF	CITATIONS
1	Patellar resurfacing in total knee arthroplasty leads to better isokinetic performance. Journal of Orthopaedic Science, 2023, 28, 195-199.	1.1	3
2	Unexpected localization of a thoracic pedicle screw nearby the aorta after scoliosis surgery. , 2022, 1, 119-122.		0
3	Initial reduction of pediatric type II supracondylar humerus fractures does not guarantee a good outcome. , 2022, 1, 95-98.		0
4	The effect of tranexamic acid on hidden blood loss in total hip arthroplasty. Joint Diseases and Related Surgery, 2022, 33, 102-108.	1.0	6
5	How can the case report survive in a world of big data?. , 2022, 1, 1-2.		0
6	Anterior metaphyseal angle; much less individual variation in determining the posterior slope of the tibia. Journal of Orthopaedic Science, 2022, , .	1.1	0
7	No differences in clinical outcomes or isokinetic performance between cruciate-substituting ultra-congruent and posterior stabilized total knee arthroplasties: a randomized controlled trial. Knee Surgery, Sports Traumatology, Arthroscopy, 2021, 29, 3443-3449.	4.2	20
8	Unicompartmental knee arthroplasty results in a better gait pattern than total knee arthroplasty: Gait analysis with a smartphone application. Joint Diseases and Related Surgery, 2021, 32, 22-27.	1.0	13
9	Total Infrapatellar Fat Pad Excision Leads to Worse Isokinetic Performance in Total Knee Arthroplasty: A Randomized Controlled Trial. Journal of Knee Surgery, 2021, , .	1.6	0
10	Isokinetic performance and function are similar after total hip arthroplasty applied with a posterior or anterolateral approach: a randomised controlled trial. HIP International, 2021, , 112070002110129.	1.7	4
11	Universal or Selective: That's the Question in Screening of Developmental Dysplasia of the Hip. Forbes Tıp Dergisi, 2021, 2, 140-141.	0.1	1
12	EFFECT OF PLATELET-RICH PLASMA, FAT PAD AND DURAL MATRIX IN PREVENTING EPIDURAL FIBROSIS. Acta Ortopedica Brasileira, 2020, 28, 31-35.	0.5	6
13	The combined use of oral and topical tranexamic acid is a safe, efficient and low-cost method in reducing blood loss and transfusion rates in total knee arthroplasty. Journal of Orthopaedic Surgery, 2017, 25, 230949901668472.	1.0	16
14	Comparison of continuous interscalene block and subacromial infusion of local anesthetic for postoperative analgesia after open shoulder surgery. Journal of Orthopaedic Surgery, 2017, 25, 230949901668409.	1.0	2
15	Are metric parameters sufficient alone in evaluation of the patellar instability? New angular measuring parameters. Journal of Orthopaedic Surgery, 2017, 25, 230949901668449.	1.0	4
16	The impact of surgery for trochanteric femur fracture on sexuality in men and their female partners. Journal of Orthopaedic Surgery, 2017, 25, 230949901774220.	1.0	1
17	COMBINED INSIDE-OUT AND ALL-INSIDE TECHNIQUE IN BUCKET-HANDLE MENISCUS TEARS. Acta Ortopedica Brasileira, 2016, 24, 179-183.	0.5	14
18	Analysis of the hip fracture records of a central training and research hospital by selected characteristics. Turkish Journal of Medical Sciences, 2016, 46, 35-41.	0.9	3

#	ARTICLE	IF	CITATIONS
19	Blood Loss and Transfusion Rates in the Revision of Unicompartmental Knee Arthroplasty to Total Knee Arthroplasty Are Similar to Those of Primary Total Knee Arthroplasty But Are Lower Compared With the Revision Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2016, 31, 339-341.	3.1	18
20	Higher reliability of triple-phase bone scintigraphy in cementless total hip arthroplasty compared to cementless bipolar hemiarthroplasty. <i>Annals of Medicine and Surgery</i> , 2016, 10, 27-31.	1.1	3
21	Better life quality and sexual function in men and their female partners with short-segment posterior fixation in the treatment of thoracolumbar junction burst fractures. <i>European Spine Journal</i> , 2016, 25, 1128-1134.	2.2	6
22	The impact of joint line restoration on functional results after hinged knee prosthesis. <i>Indian Journal of Orthopaedics</i> , 2016, 50, 136-145.	1.1	4
23	Effect of ulnar styloid fracture on outcomes after conservative treatment of distal radius fracture. <i>Eklemler Hastalıkları Ve Cerrahisi = Joint Diseases &amp; Related Surgery</i> , 2016, 27, 87-93.	2.5	7
24	The influence of social and demographic features on functional level and quality of life after total knee arthroplasty. <i>FTR - Türkiye Fiziksel Tıp Ve Rehabilitasyon Dergisi</i> , 2016, 62, 257-263.	0.1	3
25	The arthroscopical and radiological correlation of lever sign test for the diagnosis of anterior cruciate ligament rupture. <i>SpringerPlus</i> , 2015, 4, 830.	1.2	26
26	Clinical and radiological outcomes of conservative treatment after stable post-traumatic thoracolumbar fractures in elderly: Is it really best option for all elderly patients?. <i>Annals of Medicine and Surgery</i> , 2015, 4, 346-350.	1.1	16
27	An Unexpected Complication of Hip Arthroplasty: Knee Dislocation. <i>Case Reports in Orthopedics</i> , 2015, 2015, 1-4.	0.3	0
28	Perioperative alendronate, risedronate, calcitonin and indomethacin treatment alters femoral stem fixation and periprosthetic bone mineral density in ovariectomized rats. <i>Journal of Orthopaedic Science</i> , 2015, 20, 728-733.	1.1	7
29	Letter to the Editor on "A Prospective, Randomized Comparison of Posterior Stabilized Versus Cruciate-Substituting Total Knee Arthroplasty: A Preliminary Report with Minimum 2-Year Results". <i>Journal of Arthroplasty</i> , 2015, 30, 1855.	3.1	0
30	Chronic Expanding Hematoma in the Popliteal Fossa after Pseudoaneurysm Surgery because of Nail Puncture. <i>Case Reports in Orthopedics</i> , 2014, 2014, 1-4.	0.3	1
31	No difference in blood loss between posterior-cruciate-ligament-retaining and posterior-cruciate-ligament-stabilized total knee arthroplasties. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 1865-1869.	4.2	20
32	Tibial baseplate fracture associated with polyethylene wear and osteolysis after total knee arthroplasty. <i>International Journal of Surgery Case Reports</i> , 2014, 5, 49-51.	0.6	4
33	Cemented calcar replacement versus cementless hemiarthroplasty for unstable intertrochanteric femur fractures in elderly.. <i>Ulusal Travma Ve Acil Cerrahi Dergisi</i> , 2013, 19, 548-553.	0.3	12