

# Mete Civelek

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6291223/publications.pdf>

Version: 2024-02-01

91  
papers

9,917  
citations

61945

43  
h-index

45285

90  
g-index

109  
all docs

109  
docs citations

109  
times ranked

19147  
citing authors

#	ARTICLE	IF	CITATIONS
1	Adipocyte-Specific Modulation of KLF14 Expression in Mice Leads to Sex-Dependent Impacts on Adiposity and Lipid Metabolism. <i>Diabetes</i> , 2022, 71, 677-693.	0.3	7
2	Intersecting single-cell transcriptomics and genome-wide association studies identifies crucial cell populations and candidate genes for atherosclerosis. <i>European Heart Journal Open</i> , 2022, 2, oeab043.	0.9	34
3	The Genetic Architecture of Carbon Tetrachloride-Induced Liver Fibrosis in Mice. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021, 11, 199-220.	2.3	19
4	Sex-Stratified Gene Regulatory Networks Reveal Female Key Driver Genes of Atherosclerosis Involved in Smooth Muscle Cell Phenotype Switching. <i>Circulation</i> , 2021, 143, 713-726.	1.6	61
5	Genome-wide analysis identifies novel susceptibility loci for myocardial infarction. <i>European Heart Journal</i> , 2021, 42, 919-933.	1.0	113
6	A proteomic atlas of the neointima identifies novel druggable targets for preventive therapy. <i>European Heart Journal</i> , 2021, 42, 1773-1785.	1.0	11
7	GSEAPlot: A Package for Customizing Gene Set Enrichment Analysis in R. <i>Journal of Computational Biology</i> , 2021, 28, 629-631.	0.8	12
8	Single-Cell Epigenomics and Functional Fine-Mapping of Atherosclerosis GWAS Loci. <i>Circulation Research</i> , 2021, 129, 240-258.	2.0	61
9	Genes in human obesity loci are causal obesity genes in <i>C. elegans</i> . <i>PLoS Genetics</i> , 2021, 17, e1009736.	1.5	17
10	Pcpe2, a Novel Extracellular Matrix Protein, Regulates Adipocyte SR-BI-Mediated High-Density Lipoprotein Uptake. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2021, 41, 2708-2725.	1.1	6
11	A plasma proteogenomic signature for fibromuscular dysplasia. <i>Cardiovascular Research</i> , 2020, 116, 63-77.	1.8	27
12	Defining data-driven primary transcript annotations with <code>primaryTranscriptAnnotation</code> in R. <i>Bioinformatics</i> , 2020, 36, 2926-2928.	1.8	11
13	Sex differences in human adipose tissue gene expression and genetic regulation involve adipogenesis. <i>Genome Research</i> , 2020, 30, 1379-1392.	2.4	35
14	Genetic Regulation of Atherosclerosis-Relevant Phenotypes in Human Vascular Smooth Muscle Cells. <i>Circulation Research</i> , 2020, 127, 1552-1565.	2.0	60
15	Intrinsic transcriptomic sex differences in human endothelial cells at birth and in adults are associated with coronary artery disease targets. <i>Scientific Reports</i> , 2020, 10, 12367.	1.6	39
16	Estrogen receptor $\beta$ controls metabolism in white and brown adipocytes by regulating <code>Polg1</code> and mitochondrial remodeling. <i>Science Translational Medicine</i> , 2020, 12, .	5.8	64
17	Assessing exposure effects on gene expression. <i>Genetic Epidemiology</i> , 2020, 44, 601-610.	0.6	4
18	Transcription Factor KLF14 and Metabolic Syndrome. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 91.	1.1	23

#	ARTICLE	IF	CITATIONS
19	A Platelet Function Modulator of Thrombin Activation Is Causally Linked to Cardiovascular Disease and Affects PAR4 Receptor Signaling. <i>American Journal of Human Genetics</i> , 2020, 107, 211-221.	2.6	26
20	A Genome Wide Association Study on plasma FV levels identified PLXDC2 as a new modifier of the coagulation process. <i>Journal of Thrombosis and Haemostasis</i> , 2019, 17, 1808-1814.	1.9	6
21	Colocalization of GWAS and eQTL signals at loci with multiple signals identifies additional candidate genes for body fat distribution. <i>Human Molecular Genetics</i> , 2019, 28, 4161-4172.	1.4	41
22	The Atherosclerosis Risk Variant rs2107595 Mediates Allele-Specific Transcriptional Regulation of HDAC9 via E2F3 and Rb1. <i>Stroke</i> , 2019, 50, 2651-2660.	1.0	38
23	Adipose Tissue Gene Expression Associations Reveal Hundreds of Candidate Genes for Cardiometabolic Traits. <i>American Journal of Human Genetics</i> , 2019, 105, 773-787.	2.6	45
24	MicroRNAs and regulation of cardiometabolic phenotypes: novel insights into the complexity of genome-wide association studies loci. <i>Cardiovascular Research</i> , 2019, 115, 1570-1571.	1.8	1
25	Genetic Regulation of Enoyl-CoA Hydratase Domain-Containing 3 in Adipose Tissue Determines Insulin Sensitivity in African Americans and Europeans. <i>Diabetes</i> , 2019, 68, 1508-1522.	0.3	11
26	The E3 ligase MARCH5 is a PPAR $\beta$ target gene that regulates mitochondria and metabolism in adipocytes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2019, 316, E293-E304.	1.8	19
27	Dual PPAR $\alpha/\beta$ activation inhibits SIRT1-PGC1 $\alpha$ axis and causes cardiac dysfunction. <i>JCI Insight</i> , 2019, 4, .	2.3	56
28	Obesity-linked suppression of membrane-bound O-acyltransferase 7 (MBOAT7) drives non-alcoholic fatty liver disease. <i>ELife</i> , 2019, 8, .	2.8	93
29	Regulation of Brown Adipose Tissue Function by HuR. <i>FASEB Journal</i> , 2019, 33, 834.17.	0.2	0
30	Integration of human adipocyte chromosomal interactions with adipose gene expression prioritizes obesity-related genes from GWAS. <i>Nature Communications</i> , 2018, 9, 1512.	5.8	75
31	Regulatory variants at KLF14 influence type 2 diabetes risk via a female-specific effect on adipocyte size and body composition. <i>Nature Genetics</i> , 2018, 50, 572-580.	9.4	143
32	Transcriptional regulation of macrophage cholesterol efflux and atherogenesis by a long noncoding RNA. <i>Nature Medicine</i> , 2018, 24, 304-312.	15.2	171
33	A Strategy for Discovery of Endocrine Interactions with Application to Whole-Body Metabolism. <i>Cell Metabolism</i> , 2018, 27, 1138-1155.e6.	7.2	58
34	Epigenome-wide association in adipose tissue from the METSIM cohort. <i>Human Molecular Genetics</i> , 2018, 27, 1830-1846.	1.4	38
35	Genetic variant at coronary artery disease and ischemic stroke locus 1p32.2 regulates endothelial responses to hemodynamics. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E11349-E11358.	3.3	58
36	A systems-approach reveals human nestin is an endothelial-enriched, angiogenesis-independent intermediate filament protein. <i>Scientific Reports</i> , 2018, 8, 14668.	1.6	19

#	ARTICLE	IF	CITATIONS
37	Multiancestry genome-wide association study of 520,000 subjects identifies 32 loci associated with stroke and stroke subtypes. <i>Nature Genetics</i> , 2018, 50, 524-537.	9.4	1,124
38	Genetic Regulation of Adipose Gene Expression and Cardio-Metabolic Traits. <i>American Journal of Human Genetics</i> , 2017, 100, 428-443.	2.6	141
39	Functional Characterization of the <i>GUCY1A3</i> Coronary Artery Disease Risk Locus. <i>Circulation</i> , 2017, 136, 476-489.	1.6	84
40	The TMAO-Producing Enzyme Flavin-Containing Monooxygenase 3 Regulates Obesity and the Being of White Adipose Tissue. <i>Cell Reports</i> , 2017, 19, 2451-2461.	2.9	194
41	A Suite of Tools for Biologists That Improve Accessibility and Visualization of Large Systems Genetics Datasets: Applications to the Hybrid Mouse Diversity Panel. <i>Methods in Molecular Biology</i> , 2017, 1488, 153-188.	0.4	5
42	A Smoking-Associated miRNA-mRNA Coexpression Network. <i>Circulation: Cardiovascular Genetics</i> , 2017, 10, .	5.1	0
43	<i>Trans</i> -ancestry Fine Mapping and Molecular Assays Identify Regulatory Variants at the <i>ANGPTL8</i> HDL-C GWAS Locus. <i>G3: Genes, Genomes, Genetics</i> , 2017, 7, 3217-3227.	0.8	19
44	Identification of breast cancer associated variants that modulate transcription factor binding. <i>PLoS Genetics</i> , 2017, 13, e1006761.	1.5	37
45	HIF-1 $\alpha$ is required for disturbed flow-induced metabolic reprogramming in human and porcine vascular endothelium. <i>ELife</i> , 2017, 6, .	2.8	120
46	Preservation Analysis of Macrophage Gene Coexpression Between Human and Mouse Identifies <i>PARK2</i> as a Genetically Controlled Master Regulator of Oxidative Phosphorylation in Humans. <i>G3: Genes, Genomes, Genetics</i> , 2016, 6, 3361-3371.	0.8	15
47	The Hybrid Mouse Diversity Panel: a resource for systems genetics analyses of metabolic and cardiovascular traits. <i>Journal of Lipid Research</i> , 2016, 57, 925-942.	2.0	143
48	Role of lipid phosphate phosphatase 3 in human aortic endothelial cell function. <i>Cardiovascular Research</i> , 2016, 112, 702-713.	1.8	25
49	CD47-blocking antibodies restore phagocytosis and prevent atherosclerosis. <i>Nature</i> , 2016, 536, 86-90.	13.7	443
50	Cross-Tissue Regulatory Gene Networks in Coronary Artery Disease. <i>Cell Systems</i> , 2016, 2, 196-208.	2.9	120
51	Integrative approaches for large-scale transcriptome-wide association studies. <i>Nature Genetics</i> , 2016, 48, 245-252.	9.4	1,618
52	Scavenger receptor class A member 5 ( <i>SCARA5</i> ) and suprabasin ( <i>SBSN</i> ) are hub genes of coexpression network modules associated with peripheral vein graft patency. <i>Journal of Vascular Surgery</i> , 2016, 64, 202-209.e6.	0.6	9
53	Regulation of NF- $\kappa$ B signaling by oxidized glycerophospholipid and IL-1 $\beta$ induced miRs-21-3p and -27a-5p in human aortic endothelial cells. <i>Journal of Lipid Research</i> , 2015, 56, 38-50.	2.0	33
54	Multiple Hepatic Regulatory Variants at the <i>GALNT2</i> GWAS Locus Associated with High-Density Lipoprotein Cholesterol. <i>American Journal of Human Genetics</i> , 2015, 97, 801-815.	2.6	49

#	ARTICLE	IF	CITATIONS
55	Genomic analysis of ADAR1 binding and its involvement in multiple RNA processing pathways. <i>Nature Communications</i> , 2015, 6, 6355.	5.8	127
56	Mechanosensitive PPAP2B Regulates Endothelial Responses to Atherorelevant Hemodynamic Forces. <i>Circulation Research</i> , 2015, 117, e41-e53.	2.0	75
57	Genetic Variation Determines PPAR $\gamma$ Function and Anti-diabetic Drug Response In Vivo. <i>Cell</i> , 2015, 162, 33-44.	13.5	107
58	Meta-analysis of 65,734 Individuals Identifies TSPAN15 and SLC44A2 as Two Susceptibility Loci for Venous Thromboembolism. <i>American Journal of Human Genetics</i> , 2015, 96, 532-542.	2.6	222
59	Prediction of Causal Candidate Genes in Coronary Artery Disease Loci. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 2207-2217.	1.1	101
60	Endothelial NOTCH1 is suppressed by circulating lipids and antagonizes inflammation during atherosclerosis. <i>Journal of Experimental Medicine</i> , 2015, 212, 2147-2163.	4.2	86
61	SORBS1 gene, a new candidate for diabetic nephropathy: results from a multi-stage genome-wide association study in patients with type 1 diabetes. <i>Diabetologia</i> , 2015, 58, 543-548.	2.9	43
62	Genetic Architecture of Atherosclerosis in Mice: A Systems Genetics Analysis of Common Inbred Strains. <i>PLoS Genetics</i> , 2015, 11, e1005711.	1.5	124
63	Endothelial NOTCH1 is suppressed by circulating lipids and antagonizes inflammation during atherosclerosis. <i>Journal of Cell Biology</i> , 2015, 211, 2114OIA269.	2.3	0
64	Integrative Genomics Reveals Novel Molecular Pathways and Gene Networks for Coronary Artery Disease. <i>PLoS Genetics</i> , 2014, 10, e1004502.	1.5	192
65	From Hairballs to an Understanding of Transendothelial Migration of Monocytes in Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 1809-1810.	1.1	1
66	Systems genetics approaches to understand complex traits. <i>Nature Reviews Genetics</i> , 2014, 15, 34-48.	7.7	529
67	The <i>WWOX</i> Gene Modulates High-Density Lipoprotein and Lipid Metabolism. <i>Circulation: Cardiovascular Genetics</i> , 2014, 7, 491-504.	5.1	49
68	Abstract 253: NOTCH1 Protects Against Atherosclerosis by Repressing Endothelial Activation and Recruitment of Inflammatory Cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, .	1.1	0
69	Association of Ketone Body Levels With Hyperglycemia and Type 2 Diabetes in 9,398 Finnish Men. <i>Diabetes</i> , 2013, 62, 3618-3626.	0.3	105
70	The atherosusceptible endothelium: endothelial phenotypes in complex haemodynamic shear stress regions in vivo. <i>Cardiovascular Research</i> , 2013, 99, 315-327.	1.8	251
71	Genetic Control of Obesity and Gut Microbiota Composition in Response to High-Fat, High-Sucrose Diet in Mice. <i>Cell Metabolism</i> , 2013, 17, 141-152.	7.2	464
72	MicroRNA-144 Regulates Hepatic ATP Binding Cassette Transporter A1 and Plasma High-Density Lipoprotein After Activation of the Nuclear Receptor Farnesoid X Receptor. <i>Circulation Research</i> , 2013, 112, 1602-1612.	2.0	149

#	ARTICLE	IF	CITATIONS
73	Genetic regulation of human adipose microRNA expression and its consequences for metabolic traits. <i>Human Molecular Genetics</i> , 2013, 22, 3023-3037.	1.4	72
74	Identification of CAD candidate genes in GWAS loci and their expression in vascular cells. <i>Journal of Lipid Research</i> , 2013, 54, 1894-1905.	2.0	86
75	Abstract 76: MicroRNA-144 Regulates Hepatic ABCA1 and Plasma HDL Following Activation of the Nuclear Receptor FXR. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013, 33, .	1.1	0
76	Hyperglycemia and a Common Variant of <i>GCKR</i> Are Associated With the Levels of Eight Amino Acids in 9,369 Finnish Men. <i>Diabetes</i> , 2012, 61, 1895-1902.	0.3	251
77	Effect of 9p21.3 Coronary Artery Disease Locus Neighboring Genes on Atherosclerosis in Mice. <i>Circulation</i> , 2012, 126, 1896-1906.	1.6	41
78	Hybrid mouse diversity panel: a panel of inbred mouse strains suitable for analysis of complex genetic traits. <i>Mammalian Genome</i> , 2012, 23, 680-692.	1.0	134
79	Adipose Co-expression networks across Finns and Mexicans identify novel triglyceride-associated genes. <i>BMC Medical Genomics</i> , 2012, 5, 61.	0.7	33
80	Conducting the metabolic syndrome orchestra. <i>Nature Genetics</i> , 2011, 43, 506-508.	9.4	22
81	Discovery Approaches to UPR in Athero-Susceptible Endothelium In Vivo. <i>Methods in Enzymology</i> , 2011, 489, 109-126.	0.4	3
82	Network for Activation of Human Endothelial Cells by Oxidized Phospholipids. <i>Circulation Research</i> , 2011, 109, e27-41.	2.0	117
83	Coronary Artery Endothelial Transcriptome In Vivo. <i>Circulation: Cardiovascular Genetics</i> , 2011, 4, 243-252.	5.1	54
84	Endoplasmic Reticulum Stress, Redox, and a Proinflammatory Environment in Athero-Susceptible Endothelium <i>In Vivo</i> at Sites of Complex Hemodynamic Shear Stress. <i>Antioxidants and Redox Signaling</i> , 2011, 15, 1427-1432.	2.5	32
85	MicroRNA-10a regulation of proinflammatory phenotype in athero-susceptible endothelium in vivo and in vitro. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 13450-13455.	3.3	402
86	Prelesional arterial endothelial phenotypes in hypercholesterolemia: universal ABCA1 upregulation contrasts with region-specific gene expression in vivo. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 298, H163-H170.	1.5	14
87	Endothelial Heterogeneity Associated with Regional Athero-Susceptibility and Adaptation to Disturbed Blood Flow in Vivo. <i>Seminars in Thrombosis and Hemostasis</i> , 2010, 36, 265-275.	1.5	45
88	Chronic Endoplasmic Reticulum Stress Activates Unfolded Protein Response in Arterial Endothelium in Regions of Susceptibility to Atherosclerosis. <i>Circulation Research</i> , 2009, 105, 453-461.	2.0	182
89	Fluid Shear Stress Control of Vascular Smooth Muscle. , 2003, , 171-199.		0
90	Smooth muscle cells contract in response to fluid flow via a Ca <sup>2+</sup> -independent signaling mechanism. <i>Journal of Applied Physiology</i> , 2002, 93, 1907-1917.	1.2	40

#	ARTICLE	IF	CITATIONS
91	Intracellular Calcium Changes in Rat Aortic Smooth Muscle Cells in Response to Fluid Flow. Annals of Biomedical Engineering, 2002, 30, 371-378.	1.3	28