

Anju Bansal

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6291684/publications.pdf>

Version: 2024-02-01

36
papers

1,579
citations

394421

19
h-index

345221

36
g-index

38
all docs

38
docs citations

38
times ranked

2438
citing authors

#	ARTICLE	IF	CITATIONS
1	A 12-year retrospective evaluation of anal pre-cancerous lesions and cancer in people living with HIV-1 infection in the Southeastern U.S. <i>Infectious Agents and Cancer</i> , 2021, 16, 14.	2.6	8
2	Duration of post-COVID-19 symptoms are associated with sustained SARS-CoV-2 specific immune responses. <i>JCI Insight</i> , 2021, 6, .	5.0	31
3	SARS-CoV-2-specific circulating T follicular helper cells correlate with neutralizing antibodies and increase during early convalescence. <i>PLoS Pathogens</i> , 2021, 17, e1009761.	4.7	66
4	Elevated HIV Infection of CD4 T Cells in MRKAd5 Vaccine Recipients Due to CD8 T Cells Targeting Adapted Epitopes. <i>Journal of Virology</i> , 2021, 95, e0016021.	3.4	4
5	HLA-Eâ€‘restricted HIV-1â€‘specific CD8+ T cell responses in natural infection. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	12
6	Sustained cellular immune dysregulation in individuals recovering from SARS-CoV-2 infection. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	103
7	Cross-Reactivity to Mutated Viral Immune Targets Can Influence CD8+ T Cell Functionality: An Alternative Viral Adaptation Strategy. <i>Frontiers in Immunology</i> , 2021, 12, 746986.	4.8	3
8	Peripheral CD4 T follicular cells induced by a conjugated pneumococcal vaccine correlate with enhanced opsonophagocytic antibody responses in younger individuals. <i>Vaccine</i> , 2020, 38, 1778-1786.	3.8	22
9	Rates and Correlates of Incident Type 2 Diabetes Mellitus Among Persons Living With HIV-1 Infection. <i>Frontiers in Endocrinology</i> , 2020, 11, 555401.	3.5	4
10	Cross-Reactive CD8 T-Cell Responses Elicited by Adenovirus Type 5-Based HIV-1 Vaccines Contributed to Early Viral Evolution in Vaccine Recipients Who Became Infected. <i>Journal of Virology</i> , 2020, 94, .	3.4	6
11	CD8 T cells targeting adapted epitopes in chronic HIV infection promote dendritic cell maturation and CD4 T cell trans-infection. <i>PLoS Pathogens</i> , 2019, 15, e1007970.	4.7	14
12	HLA-I Associated Adaptation Dampens CD8 T-Cell Responses in HIV Ad5-Vectored Vaccine Recipients. <i>Journal of Infectious Diseases</i> , 2019, 220, 1620-1628.	4.0	10
13	Tetraspanin blockage reduces exosome-mediated HIV-1 entry. <i>Archives of Virology</i> , 2018, 163, 1683-1689.	2.1	46
14	Herpes Zoster in Persons Living with HIV-1 Infection: Viremia and Immunological Defects Are Strong Risk Factors in the Era of Combination Antiretroviral Therapy. <i>Frontiers in Public Health</i> , 2018, 6, 70.	2.7	8
15	Antisense-Derived HIV-1 Cryptic Epitopes Are Not Major Drivers of Viral Evolution during the Acute Phase of Infection. <i>Journal of Virology</i> , 2018, 92, .	3.4	3
16	Role of TIM-4 in exosome-dependent entry of HIV-1 into human immune cells. <i>International Journal of Nanomedicine</i> , 2017, Volume 12, 4823-4833.	6.7	54
17	HIV-1â€‘Specific CD8 T Cells Exhibit Limited Cross-Reactivity during Acute Infection. <i>Journal of Immunology</i> , 2016, 196, 3276-3286.	0.8	31
18	Impact of pre-adapted HIV transmission. <i>Nature Medicine</i> , 2016, 22, 606-613.	30.7	87

#	ARTICLE	IF	CITATIONS
19	Balance between transmitted HLA preadapted and nonassociated polymorphisms is a major determinant of HIV-1 disease progression. <i>Journal of Experimental Medicine</i> , 2016, 213, 2049-2063.	8.5	30
20	HIV-1 latency and virus production from unintegrated genomes following direct infection of resting CD4 T cells. <i>Retrovirology</i> , 2016, 13, 1.	2.0	63
21	Normal T-cell activation in elite controllers with preserved CD4+ T-cell counts. <i>Aids</i> , 2015, 29, 2245-2254.	2.2	27
22	Enhanced Recognition of HIV-1 Cryptic Epitopes Restricted by HLA Class I Alleles Associated With a Favorable Clinical Outcome. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 70, 1-8.	2.1	10
23	HLA Class-II Associated HIV Polymorphisms Predict Escape from CD4+ T Cell Responses. <i>PLoS Pathogens</i> , 2015, 11, e1005111.	4.7	20
24	Effects of atorvastatin and pravastatin on immune activation and T-cell function in antiretroviral therapy-suppressed HIV-1-infected patients. <i>Aids</i> , 2014, 28, 2627-2631.	2.2	26
25	Immune Activation Is Associated with CD8 T Cell Interleukin-21 Production in HIV-1-Infected Individuals. <i>Journal of Virology</i> , 2014, 88, 10259-10263.	3.4	9
26	Human Immunodeficiency Virus Vaccines. <i>Infectious Disease Clinics of North America</i> , 2014, 28, 615-631.	5.1	5
27	Characterization of Programmed Death-1 Homologue-1 (PD-1H) Expression and Function in Normal and HIV Infected Individuals. <i>PLoS ONE</i> , 2014, 9, e109103.	2.5	60
28	Protocol for Analyzing Human Leukocyte Antigen Variants and Sexually Transmitted Infections: From Genotyping to Immunoassays. <i>Methods in Molecular Biology</i> , 2012, 903, 359-380.	0.9	7
29	Interleukin-2 Production by Polyfunctional HIV-1-Specific CD8 T Cells Is Associated With Enhanced Viral Suppression. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 58, 132-140.	2.1	40
30	CD8 T cell response and evolutionary pressure to HIV-1 cryptic epitopes derived from antisense transcription. <i>Journal of Experimental Medicine</i> , 2010, 207, 51-59.	8.5	69
31	Transmission of HIV-1 Gag immune escape mutations is associated with reduced viral load in linked recipients. <i>Journal of Experimental Medicine</i> , 2008, 205, 1009-1017.	8.5	203
32	Multifunctional T-Cell Characteristics Induced by a Polyvalent DNA Prime/Protein Boost Human Immunodeficiency Virus Type 1 Vaccine Regimen Given to Healthy Adults Are Dependent on the Route and Dose of Administration. <i>Journal of Virology</i> , 2008, 82, 6458-6469.	3.4	66
33	Immunological control of chronic HIV-1 infection: HLA-mediated immune function and viral evolution in adolescents. <i>Aids</i> , 2007, 21, 2387-2397.	2.2	32
34	CD8 T-cell responses in early HIV-1 infection are skewed towards high entropy peptides. <i>Aids</i> , 2005, 19, 241-50.	2.2	41
35	T Cell Responses in HIV Type 1-Infected Adolescent Minorities Share Similar Epitope Specificities with Whites Despite Significant Differences in HLA Class I Alleles. <i>AIDS Research and Human Retroviruses</i> , 2003, 19, 1017-1026.	1.1	18
36	Magnitude of Functional CD8 + T-Cell Responses to the Gag Protein of Human Immunodeficiency Virus Type 1 Correlates Inversely with Viral Load in Plasma. <i>Journal of Virology</i> , 2002, 76, 2298-2305.	3.4	331