## Emma L. Duncan

## List of Publications by Citations

Source: https://exaly.com/author-pdf/6292358/emma-l-duncan-publications-by-citations.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

74 4,594 30 67 g-index

75 5,397 7.4 4.37 L-index

#	Paper	IF	Citations
74	Genome-wide meta-analysis identifies 56 bone mineral density loci and reveals 14 loci associated with risk of fracture. <i>Nature Genetics</i> , <b>2012</b> , 44, 491-501	36.3	866
73	Genome-wide association study of ankylosing spondylitis identifies non-MHC susceptibility loci. <i>Nature Genetics</i> , <b>2010</b> , 42, 123-7	36.3	484
7 <sup>2</sup>	Whole-genome sequencing identifies EN1 as a determinant of bone density and fracture. <i>Nature</i> , <b>2015</b> , 526, 112-7	50.4	308
71	Genome-wide association study using extreme truncate selection identifies novel genes affecting bone mineral density and fracture risk. <i>PLoS Genetics</i> , <b>2011</b> , 7, e1001372	6	199
70	WNT16 influences bone mineral density, cortical bone thickness, bone strength, and osteoporotic fracture risk. <i>PLoS Genetics</i> , <b>2012</b> , 8, e1002745	6	192
69	Defects in the IFT-B component IFT172 cause Jeune and Mainzer-Saldino syndromes in humans. <i>American Journal of Human Genetics</i> , <b>2013</b> , 93, 915-25	11	155
68	Meta-analysis of genome-wide scans provides evidence for sex- and site-specific regulation of bone mass. <i>Journal of Bone and Mineral Research</i> , <b>2007</b> , 22, 173-183	6.3	128
67	Genetic analyses in a sample of individuals with high or low BMD shows association with multiple Wnt pathway genes. <i>Journal of Bone and Mineral Research</i> , <b>2008</b> , 23, 499-506	6.3	127
66	Association of ERAP1, but not IL23R, with ankylosing spondylitis in a Han Chinese population. <i>Arthritis and Rheumatism</i> , <b>2009</b> , 60, 3263-8		116
65	Loci for regulation of bone mineral density in men and women identified by genome wide linkage scan: the FAMOS study. <i>Human Molecular Genetics</i> , <b>2005</b> , 14, 943-51	5.6	115
64	Multistage genome-wide association meta-analyses identified two new loci for bone mineral density. <i>Human Molecular Genetics</i> , <b>2014</b> , 23, 1923-33	5.6	113
63	Influence of LRP5 polymorphisms on normal variation in BMD. <i>Journal of Bone and Mineral Research</i> , <b>2004</b> , 19, 1619-27	6.3	108
62	Common variants in the region around Osterix are associated with bone mineral density and growth in childhood. <i>Human Molecular Genetics</i> , <b>2009</b> , 18, 1510-7	5.6	107
61	Illness duration and symptom profile in symptomatic UK school-aged children tested for SARS-CoV-2. <i>The Lancet Child and Adolescent Health</i> , <b>2021</b> , 5, 708-718	14.5	98
60	Short-rib polydactyly and Jeune syndromes are caused by mutations in WDR60. <i>American Journal of Human Genetics</i> , <b>2013</b> , 93, 515-23	11	92
59	Improving diagnosis of tumor-induced osteomalacia with Gallium-68 DOTATATE PET/CT. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, 687-94	5.6	87
58	Mutations in the gene encoding IFT dynein complex component WDR34 cause Jeune asphyxiating thoracic dystrophy. <i>American Journal of Human Genetics</i> , <b>2013</b> , 93, 932-44	11	84

## (2006-2010)

57	Marked increase in proton pump inhibitors use in Australia. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2010</b> , 19, 1019-24	2.6	84
56	Site and gender specificity of inheritance of bone mineral density. <i>Journal of Bone and Mineral Research</i> , <b>2003</b> , 18, 1531-8	6.3	81
55	Genetic determinants of heel bone properties: genome-wide association meta-analysis and replication in the GEFOS/GENOMOS consortium. <i>Human Molecular Genetics</i> , <b>2014</b> , 23, 3054-68	5.6	78
54	A novel serogenetic approach determines the community prevalence of celiac disease and informs improved diagnostic pathways. <i>BMC Medicine</i> , <b>2013</b> , 11, 188	11.4	72
53	Multicentric carpotarsal osteolysis is caused by mutations clustering in the amino-terminal transcriptional activation domain of MAFB. <i>American Journal of Human Genetics</i> , <b>2012</b> , 90, 494-501	11	71
52	Autosomal dominant spondylocostal dysostosis is caused by mutation in TBX6. <i>Human Molecular Genetics</i> , <b>2013</b> , 22, 1625-31	5.6	70
51	Whole-exome re-sequencing in a family quartet identifies POP1 mutations as the cause of a novel skeletal dysplasia. <i>PLoS Genetics</i> , <b>2011</b> , 7, e1002027	6	57
50	<b>Q</b> ink or swimQan evaluation of the clinical characteristics of individuals with high bone mass. <i>Osteoporosis International</i> , <b>2012</b> , 23, 643-54	5.3	43
49	Mutations in MAP3K7 that Alter the Activity of the TAK1 Signaling Complex Cause Frontometaphyseal Dysplasia. <i>American Journal of Human Genetics</i> , <b>2016</b> , 99, 392-406	11	34
48	Fryns Syndrome Associated with Recessive Mutations in PIGN in two Separate Families. <i>Human Mutation</i> , <b>2016</b> , 37, 695-702	4.7	34
47	Mutations in LTBP3 cause acromicric dysplasia and geleophysic dysplasia. <i>Journal of Medical Genetics</i> , <b>2016</b> , 53, 457-64	5.8	34
46	Whole exome sequencing is an efficient and sensitive method for detection of germline mutations in patients with phaeochromcytomas and paragangliomas. <i>Clinical Endocrinology</i> , <b>2014</b> , 80, 25-33	3.4	32
45	Compound heterozygous mutations in RIPPLY2 associated with vertebral segmentation defects. <i>Human Molecular Genetics</i> , <b>2015</b> , 24, 1234-42	5.6	30
44	Whole exome sequencing is an efficient, sensitive and specific method for determining the genetic cause of short-rib thoracic dystrophies. <i>Clinical Genetics</i> , <b>2015</b> , 88, 550-7	4	30
43	Clinical review 2: Genetic determinants of bone density and fracture riskstate of the art and future directions. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 2576-87	5.6	30
42	Genome-wide association study for radiographic vertebral fractures: A potential role for the 16q24 BMD locus. <i>Bone</i> , <b>2014</b> , 59, 20-27	4.7	29
41	The genetic associations of acute anterior uveitis and their overlap with the genetics of ankylosing spondylitis. <i>Genes and Immunity</i> , <b>2016</b> , 17, 46-51	4.4	27
40	Cross-calibration of dual-energy X-ray densitometers for a large, multi-center genetic study of osteoporosis. <i>Osteoporosis International</i> , <b>2006</b> , 17, 125-32	5.3	24

39	Analysis of body composition in individuals with high bone mass reveals a marked increase in fat mass in women but not men. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, 818-28	5.6	23
38	The role of 25-hydroxyvitamin D deficiency in promoting insulin resistance and inflammation in patients with chronic kidney disease: a randomised controlled trial. <i>BMC Nephrology</i> , <b>2009</b> , 10, 41	2.7	22
37	Identification of IDUA and WNT16 Phosphorylation-Related Non-Synonymous Polymorphisms for Bone Mineral Density in Meta-Analyses of Genome-Wide Association Studies. <i>Journal of Bone and Mineral Research</i> , <b>2016</b> , 31, 358-68	6.3	20
36	Identification of a novel FGFRL1 MicroRNA target site polymorphism for bone mineral density in meta-analyses of genome-wide association studies. <i>Human Molecular Genetics</i> , <b>2015</b> , 24, 4710-27	5.6	19
35	A Rare Mutation in SMAD9 Associated With High Bone Mass Identifies the SMAD-Dependent BMP Signaling Pathway as a Potential Anabolic Target for Osteoporosis. <i>Journal of Bone and Mineral Research</i> , <b>2020</b> , 35, 92-105	6.3	19
34	Peripartum management of glycemia in women with type 1 diabetes. <i>Diabetes Care</i> , <b>2014</b> , 37, 364-71	14.6	17
33	PTHR1 polymorphisms influence BMD variation through effects on the growing skeleton. <i>Calcified Tissue International</i> , <b>2007</b> , 81, 270-8	3.9	17
32	Next-generation sequencing: a frameshift in skeletal dysplasia gene discovery. <i>Osteoporosis International</i> , <b>2014</b> , 25, 407-22	5.3	16
31	The IFITM5 mutation c14C > T results in an elongated transcript expressed in human bone; and causes varying phenotypic severity of osteogenesis imperfecta type V. <i>BMC Musculoskeletal Disorders</i> , <b>2014</b> , 15, 107	2.8	15
30	Genetic studies in osteoporosisthe end of the beginning. Arthritis Research and Therapy, 2008, 10, 214	5.7	15
29	Cost-effectiveness Analysis of Routine Screening Using Massively Parallel Sequencing for Maturity-Onset Diabetes of the Young in a Pediatric Diabetes Cohort: Reduced Health System Costs and Improved Patient Quality of Life. <i>Diabetes Care</i> , <b>2019</b> , 42, 69-76	14.6	15
28	Meta-analysis of genome-wide studies identifies MEF2C SNPs associated with bone mineral density at forearm. <i>Journal of Medical Genetics</i> , <b>2013</b> , 50, 473-8	5.8	14
27	Whole-exome sequencing for mutation detection in pediatric disorders of insulin secretion: Maturity onset diabetes of the young and congenital hyperinsulinism. <i>Pediatric Diabetes</i> , <b>2018</b> , 19, 656-	662	13
26	Multiple Endocrine Tumors Associated with Germline MAX Mutations: Multiple Endocrine Neoplasia Type 5?. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, 1163-1182	5.6	13
25	Comprehensive genetic screening: The prevalence of maturity-onset diabetes of the young gene variants in a population-based childhood diabetes cohort. <i>Pediatric Diabetes</i> , <b>2019</b> , 20, 57-64	3.6	13
24	Predicted Benign and Synonymous Variants in Cause Primary Adrenal Insufficiency Through Missplicing. <i>Journal of the Endocrine Society</i> , <b>2019</b> , 3, 201-221	0.4	13
23	COL1A1 C-propeptide cleavage site mutation causes high bone mass, bone fragility and jaw lesions: a new cause of gnathodiaphyseal dysplasia?. <i>Clinical Genetics</i> , <b>2015</b> , 88, 49-55	4	12
22	Osteocyte transcriptome mapping identifies a molecular landscape controlling skeletal homeostasis and susceptibility to skeletal disease. <i>Nature Communications</i> , <b>2021</b> , 12, 2444	17.4	12

21	Clinical usefulness of comprehensive genetic screening in maturity onset diabetes of the young (MODY): A novel ABCC8 mutation in a previously screened family. <i>Journal of Diabetes</i> , <b>2018</b> , 10, 764-767	,3.8	10
20	Secondary prevention of osteoporosis in Australia: analysis of government-dispensed prescription data. <i>Drugs and Aging</i> , <b>2010</b> , 27, 255-64	4.7	10
19	Homozygous variant in C21orf2 in a case of Jeune syndrome with severe thoracic involvement: Extending the phenotypic spectrum. <i>American Journal of Medical Genetics, Part A</i> , <b>2017</b> , 173, 1698-1704	2.5	9
18	Primary amenorrhoea with hypertension: undiagnosed 17-hydroxylase deficiency. <i>Medical Journal of Australia</i> , <b>2013</b> , 199, 556-8	4	7
17	Mapping genes for osteoporosisold dogs and new tricks. <i>Bone</i> , <b>2010</b> , 46, 1219-25	4.7	6
16	Characteristics of Early Paget@ Disease in SQSTM1 Mutation Carriers: Baseline Analysis of the ZiPP Study Cohort. <i>Journal of Bone and Mineral Research</i> , <b>2020</b> , 35, 1246-1252	6.3	4
15	Pituitary gigantism treated successfully with the growth hormone receptor antagonist, pegvisomant. <i>Internal Medicine Journal</i> , <b>2013</b> , 43, 345-7	1.6	3
14	Osteocyte Transcriptome Mapping Identifies a Molecular Landscape Controlling Skeletal Homeostasis and Susceptibility to Skeletal Disease		3
13	Heterozygous loss of WBP11 function causes multiple congenital defects in humans and mice. <i>Human Molecular Genetics</i> , <b>2020</b> , 29, 3662-3678	5.6	3
12	PET detectives: Molecular imaging for phaeochromocytomas and paragangliomas in the genomics era. <i>Clinical Endocrinology</i> , <b>2021</b> , 95, 13-28	3.4	3
11	A KCNK16 mutation causing TALK-1 gain of function is associated with maturity-onset diabetes of the young. <i>JCI Insight</i> , <b>2021</b> , 6,	9.9	3
10	Multicentric Carpotarsal Osteolysis Is Caused by Mutations Clustering in the Amino-Terminal Transcriptional Activation Domain of MAFB. <i>American Journal of Human Genetics</i> , <b>2014</b> , 94, 643	11	2
9	Is there a role or target value for nutritional vitamin D in chronic kidney disease?. <i>Nephrology</i> , <b>2017</b> , 22 Suppl 2, 57-64	2.2	1
8	Genome-wide Association Studies <b>2013</b> , 93-100		1
7	Gene Testing in Everyday Clinical Use: Lessons from the Bone Clinic. <i>Journal of the Endocrine Society</i> , <b>2021</b> , 5, bvaa200	0.4	1
6	Illness Characteristics of COVID-19 in Children Infected with the SARS-CoV-2 Delta Variant. <i>Children</i> , <b>2022</b> , 9, 652	2.8	1
5	Germline ERBB3 mutation in familial non-small-cell lung carcinoma: expanding ErbB@role in oncogenesis. <i>Human Molecular Genetics</i> , <b>2021</b> , 30, 2393-2401	5.6	0
4	Conclusions and future directions: <b>Q</b> he known unknowns <b>[Q</b> <i>Nephrology</i> , <b>2017</b> , 22 Suppl 2, 70-71	2.2	

Response to Comment on Johnson et al. Cost-effectiveness Analysis of Routine Screening Using
Massively Parallel Sequencing for Maturity-Onset Diabetes of the Young in a Pediatric Diabetes
Cohort: Reduced Health System Costs and Improved Patient Quality of Life. Diabetes Care

14.6

- Towards genomewide association studies in osteoporosis llessons from early scans. *BoneKEy Osteovision*, **2007**, 4, 363-366
- Counting the cost: estimating the number of deaths among recently released prisoners in Australia. Medical Journal of Australia, **2011**, 195, 383

4