Yongzhong Bao

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6292631/yongzhong-bao-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71 2,069 ext. citations 24 4.95 avg, IF 4.95

#	Paper	IF	Citations
69	Multistage Structural Ordering and Crystallization of Poly(trimethylene terephthalate) during Sub-Tg Stretching: Synergetic Effects of Chain Orientation and Conformational Transition. <i>Macromolecules</i> , 2022 , 55, 252-261	5.5	Ο
68	Photothermal driven polymorph pattern in semicrystalline polymers towards programmable shape morphing. <i>Chemical Engineering Journal</i> , 2022 , 137346	14.7	1
67	Self-evolving materials based on metastable-to-stable crystal transition of a polymorphic polyolefin. <i>Materials Horizons</i> , 2021 ,	14.4	4
66	Free volume characteristics of 2,2-bistrifluoromethyl-4,5-difluoro-1,3-dioxole-co-tetrafluoroethylene copolymers: Effect of composition and molecular weight. <i>Journal of Polymer Science</i> , 2021 , 59, 754-763	2.4	1
65	Polymorphic Phase Formation of Liquid Crystals Distributed in Semicrystalline Polymers: An Indicator of Interlamellar and Interspherulitic Segregation. <i>Journal of Physical Chemistry Letters</i> , 2021 , 12, 4378-4384	6.4	1
64	Role of Chain Entanglements in the Stereocomplex Crystallization between Poly(lactic acid) Enantiomers <i>ACS Macro Letters</i> , 2021 , 10, 1023-1028	6.6	10
63	Hierarchical ordering and multilayer structure of poly(Etaprolactone) end-functionalized by a liquid crystalline unit: role of polymer crystallization. <i>Polymer Chemistry</i> , 2021 , 12, 4175-4183	4.9	1
62	Stepwise Crystallization and Induced Microphase Separation in Nucleobase-Monofunctionalized Supramolecular Poly(Eaprolactone). <i>Macromolecules</i> , 2021 , 54, 846-857	5.5	7
61	Nucleobase-monofunctionalized supramolecular poly(L-lactide): controlled synthesis, competitive crystallization, and structural organization. <i>Polymer Chemistry</i> , 2021 , 12, 3461-3470	4.9	6
60	Programmable Reversible Shape Transformation of Hydrogels Based on Transient Structural Anisotropy. <i>Advanced Materials</i> , 2020 , 32, e2001693	24	31
59	Sequence-Rearranged Cocrystalline Polymer Network with Shape Reconfigurability and Tunable Switching Temperature. <i>ACS Macro Letters</i> , 2020 , 9, 588-594	6.6	13
58	Thermoresponsivity, Micelle Structure, and Thermal-Induced Structural Transition of an Amphiphilic Block Copolymer Tuned by Terminal Multiple H-Bonding Units. <i>Langmuir</i> , 2020 , 36, 956-965	4	6
57	Polymorphic crystalline structure and diversified crystalline morphology of poly(butylene adipate) blended with low-molecular-mass liquid crystals. <i>Polymer Crystallization</i> , 2020 , 3, e10099	0.9	
56	Stereocomplexed and homocrystalline thermo-responsive physical hydrogels with a tunable network structure and thermo-responsiveness. <i>Journal of Materials Chemistry B</i> , 2020 , 8, 7947-7955	7:3	5
55	Stress-Free Two-Way Shape Memory Effects of Semicrystalline Polymer Networks Enhanced by Self-Nucleated Crystallization. <i>ACS Macro Letters</i> , 2020 , 9, 1325-1331	6.6	14
54	Expansion Properties and Diffusion of Blowing Agent for Vinylidene Chloride Copolymer Thermally Expandable Microspheres. <i>Materials</i> , 2020 , 13,	3.5	1
53	Stretch-Induced £o-Crystal Transition and Lamellae Structural Evolution of Poly(butylene adipate-ran-terephthalate) AliphaticAromatic Copolyester. <i>Macromolecules</i> , 2019 , 52, 1334-1347	5.5	16

(2016-2019)

52	Promoted stereocomplex formation and two-step crystallization kinetics of poly(l-lactic acid)/poly(d-lactic acid) blends induced by nucleator. <i>Polymer Crystallization</i> , 2019 , 2, e10057	0.9	5
51	Fractional Crystallization Kinetics and Formation of Metastable Form Homocrystals in Poly(l-lactic acid)/Poly(d-lactic acid) Racemic Blends Induced by Precedingly Formed Stereocomplexes. <i>Macromolecules</i> , 2019 , 52, 4655-4665	5.5	23
50	Polymorphic Crystal Transition and Lamellae Structural Evolution of Poly(p-dioxanone) Induced by Annealing and Stretching. <i>Journal of Physical Chemistry B</i> , 2019 , 123, 3822-3831	3.4	5
49	Solvent-free ring-opening polymerization of lactones with hydrogen-bonding bisurea catalyst. Journal of Polymer Science Part A, 2019 , 57, 90-100	2.5	13
48	Formation of Mesomorphic Polymorph, Thermal-Induced Phase Transition, and Crystalline Structure-Dependent Degradable and Mechanical Properties of Poly(p-dioxanone). <i>Crystal Growth and Design</i> , 2019 , 19, 166-176	3.5	7
47	Stereocomplexed and Homochiral Polyurethane Elastomers with Tunable Crystallizability and Multishape Memory Effects. <i>ACS Macro Letters</i> , 2018 , 7, 233-238	6.6	30
46	Dual-Crosslink Physical Hydrogels with High Toughness Based on Synergistic Hydrogen Bonding and Hydrophobic Interactions. <i>Macromolecular Rapid Communications</i> , 2018 , 39, e1700806	4.8	52
45	Poly(lactic acid)/poly(ethylene glycol) stereocomplexed physical hydrogels showing thermally-induced gelsolgel multiple phase transitions. <i>Materials Chemistry Frontiers</i> , 2018 , 2, 313-322	7.8	14
44	A facile self-templating synthesis of carbon frameworks with tailored hierarchical porosity for enhanced energy storage performance. <i>Chemical Communications</i> , 2017 , 53, 5028-5031	5.8	9
43	Morphology and blowing agent encapsulation efficiency of vinylidene chloride copolymer microspheres synthesized by suspension polymerization in the presence of a blowing agent. <i>Journal of Applied Polymer Science</i> , 2017 , 134,	2.9	5
42	Crystallization-Driven Formation of Diversified Assemblies for Supramolecular Poly(lactic acid)s in Solution. <i>Crystal Growth and Design</i> , 2017 , 17, 2498-2506	3.5	17
41	Synthesis of random and block copolymers of vinyl chloride and vinyl acetate by RAFT miniemulsion polymerizations mediated by a fluorinated xanthate. <i>Journal of Applied Polymer Science</i> , 2017 , 134, 450	7 ² 4 ⁹	6
40	Click chemistry synthesis, stereocomplex formation, and enhanced thermal properties of well-defined poly(L-lactic acid)-b-poly(D-lactic acid) stereo diblock copolymers. <i>Polymer Chemistry</i> , 2017 , 8, 1006-1016	4.9	43
39	Preferential Formation of Form Crystals and Temperature-Dependent Polymorphic Structure in Supramolecular Poly(l-lactic acid) Bonded by Multiple Hydrogen Bonds. <i>Macromolecules</i> , 2017 , 50, 8619	- <u>§</u> &30	34
38	Stereocomplexed physical hydrogels with high strength and tunable crystallizability. <i>Soft Matter</i> , 2017 , 13, 8502-8510	3.6	16
37	Crystalline and Spherulitic Morphology of Polymers Crystallized in Confined Systems. <i>Crystals</i> , 2017 , 7, 147	2.3	21
36	Polymorphic Crystallization and Crystalline Reorganization of Poly(l-lactic acid)/Poly(d-lactic acid) Racemic Mixture Influenced by Blending with Poly(vinylidene fluoride). <i>Journal of Physical Chemistry B</i> , 2016 , 120, 8046-54	3.4	19
35	Online monitoring of drop/particle size and size distribution in liquid dispersions and suspension polymerizations by optical reflectance measurements. <i>Journal of Applied Polymer Science</i> , 2016 , 133,	2.9	1

34	Promoted Stereocomplex Crystallization in Supramolecular Stereoblock Copolymers of Enantiomeric Poly(Lactic Acid)s. <i>Crystal Growth and Design</i> , 2016 , 16, 1502-1511	3.5	41
33	ABA-Type Thermoplastic Elastomers Composed of Poly(Laprolactone-co-Lalerolactone) Soft Midblock and Polymorphic Poly(lactic acid) Hard End blocks. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 121-128	8.3	51
32	Solution and aqueous miniemulsion polymerization of vinyl chloride mediated by a fluorinated xanthate. <i>Journal of Polymer Science Part A</i> , 2016 , 54, 2092-2101	2.5	13
31	Synthesis of end-functionalized hydrogen-bonding poly(lactic acid)s and preferential stereocomplex crystallization of their enantiomeric blends. <i>Polymer Chemistry</i> , 2016 , 7, 4891-4900	4.9	29
30	Polymorphic Crystalline Structure and Crystal Morphology of Enantiomeric Poly(lactic acid) Blends Tailored by a Self-Assemblable Aryl Amide Nucleator. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 2680-2688	8.3	83
29	Thermoresponsive physical hydrogels of poly(lactic acid)/poly(ethylene glycol) stereoblock copolymers tuned by stereostructure and hydrophobic block sequence. <i>Soft Matter</i> , 2016 , 12, 4628-37	3.6	41
28	Crystallization behavior and crystalline structural changes of poly(glycolic acid) investigated via temperature-variable WAXD and FTIR analysis. <i>CrystEngComm</i> , 2016 , 18, 7894-7902	3.3	24
27	Enantiomeric blends of high-molecular-weight poly(lactic acid)/poly(ethylene glycol) triblock copolymers: Enhanced stereocomplexation and thermomechanical properties. <i>Polymer</i> , 2016 , 103, 376-	-386	31
26	Hydrophobic association mediated physical hydrogels with high strength and healing ability. <i>Polymer</i> , 2016 , 100, 60-68	3.9	59
25	Alternating poly(lactic acid)/poly(ethylene-co-butylene) supramolecular multiblock copolymers with tunable shape memory and self-healing properties. <i>Polymer Chemistry</i> , 2015 , 6, 5899-5910	4.9	47
24	In situ formation and gelation mechanism of thermoresponsive stereocomplexed hydrogels upon mixing diblock and triblock poly(lactic acid)/poly(ethylene glycol) copolymers. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 6471-80	3.4	48
23	Enhancement of Crystallizability and Control of Mechanical and Shape-Memory Properties for Amorphous Enantiopure Supramolecular Copolymers via Stereocomplexation. <i>Macromolecules</i> , 2015 , 48, 7872-7881	5.5	39
22	Synthesis, micellization, and thermally-induced macroscopic micelle aggregation of poly(vinyl chloride)-g-poly(N-isopropylacrylamide) amphiphilic copolymer. <i>RSC Advances</i> , 2015 , 5, 94582-94590	3.7	11
21	Exclusive Stereocomplex Crystallization of Linear and Multiarm Star-Shaped High-Molecular-Weight Stereo Diblock Poly(lactic acid)s. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 14270-9	3.4	71
20	Preferential Stereocomplex Crystallization in Enantiomeric Blends of Cellulose Acetate-g-Poly(lactic acid)s with Comblike Topology. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 12689-9	9 8 ·4	32
19	Competitive stereocomplexation, homocrystallization, and polymorphic crystalline transition in poly(L-lactic acid)/poly(D-lactic acid) racemic blends: molecular weight effects. <i>Journal of Physical Chemistry B</i> , 2015 , 119, 6462-70	3.4	132
18	Thermoresponsive poly(?-caprolactone)-graft-poly(N-isopropylacrylamide) graft copolymers prepared by a combination of ring-opening polymerization and sequential azidellkyne click chemistry. <i>Polymer International</i> , 2015 , 64, 389-396	3.3	14
17	Core-shell structure, biodegradation, and drug release behavior of poly(lactic acid)/poly(ethylene glycol) block copolymer micelles tuned by macromolecular stereostructure. <i>Langmuir</i> , 2015 , 31, 1527-3	6 ⁴	102

LIST OF PUBLICATIONS

16	One-step preparation of hierarchical porous carbons from poly(vinylidene chloride)-based block copolymers. <i>Journal of Materials Science</i> , 2014 , 49, 1090-1098	4.3	3
15	Heating and Annealing Induced Structural Reorganization and Embrittlement of Solution-Crystallized Poly(I-lactic acid). <i>Macromolecules</i> , 2014 , 47, 8126-8130	5.5	33
14	Polylactide-b-poly(ethylene-co-butylene)-b-polylactide thermoplastic elastomers: role of polylactide crystallization and stereocomplexation on microphase separation, mechanical and shape memory properties. <i>RSC Advances</i> , 2014 , 4, 47965-47976	3.7	24
13	Enhanced Nucleation and Crystallization of Poly(l-lactic acid) by Immiscible Blending with Poly(vinylidene fluoride). <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 3148-3156	3.9	56
12	Poly(Ecaprolactone)-graft-poly(N-isopropylacrylamide) amphiphilic copolymers prepared by a combination of ring-opening polymerization and atom transfer radical polymerization: Synthesis, self-assembly, and thermoresponsive property. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	6
11	Preparation of hierarchical porous carbons from amphiphilic poly(vinylidene chloride-co-methyl acrylate)-b-poly(acrylic acid) copolymers by self-templating and one-step carbonization method. <i>Microporous and Mesoporous Materials</i> , 2014 , 196, 199-207	5.3	6
10	Ab initio emulsion RAFT polymerization of vinylidene chloride mediated by amphiphilic macro-RAFT agents. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	3
9	Synthesis and Crystallization of Poly(vinyl acetate)-g-Poly(l-lactide) Graft Copolymer with Controllable Graft Density. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 12897-12905	3.9	27
8	Preparation of Mesoporous Carbons from Acrylonitrile-methyl Methacrylate Copolymer/Silica Nanocomposites Synthesized by in-situ Emulsion Polymerization. <i>Chinese Journal of Chemical Engineering</i> , 2013 , 21, 691-697	3.2	2
7	Crystallization kinetics of bacterial poly(3-hydroxylbutyrate) copolyesters with cyanuric acid as a nucleating agent. <i>Journal of Applied Polymer Science</i> , 2013 , 129, 1374-1382	2.9	24
6	Temperature-Variable FTIR and Solid-State 13C NMR Investigations on Crystalline Structure and Molecular Dynamics of Polymorphic Poly(l-lactide) and Poly(l-lactide)/Poly(d-lactide) Stereocomplex. <i>Macromolecules</i> , 2012 , 45, 189-197	5.5	160
5	Nucleation Effects of Nucleobases on the Crystallization Kinetics of Poly(L-lactide). <i>Macromolecular Materials and Engineering</i> , 2012 , 297, 670-679	3.9	53
4	Synthesis and Characterization of Proton-conducting Polymer Electrolytes Based on Acrylonitrile-Styrene Sulfonic Acid Copolymer/Layered Double Hydroxides Nanocomposites. <i>Chinese Journal of Chemical Engineering</i> , 2008 , 16, 938-943	3.2	6
3	Dispersion of guava-likelilica/polyacrylate nanocomposite particles in polyacrylate matrix. <i>Frontiers of Chemical Engineering in China</i> , 2008 , 2, 127-134		2
2	Thermosensitive Poly(N-isopropylacrylamide-co-acrylonitrile) Hydrogels with Rapid Response. <i>Chinese Journal of Chemical Engineering</i> , 2006 , 14, 87-92	3.2	10
1	Light-Induced Crystalline Size Heterogeneity of Polymers Enables Programmable Writing, Morphing, and Mechanical Performance Designing. <i>ACS Macro Letters</i> ,739-746	6.6	1