

# Uwe Schröder

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6292636/uwe-schroder-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

162  
papers

15,194  
citations

57  
h-index

122  
g-index

174  
ext. papers

16,622  
ext. citations

9.4  
avg, IF

6.8  
L-index

#	Paper	IF	Citations
162	Quality-Indicator-Based Preprocessing for the Distribution of Relaxation Times Method. <i>ChemElectroChem</i> , <b>2021</b> , 8, 1167-1182	4.3	1
161	Customizable design strategies for high-performance bioanodes in bioelectrochemical systems. <i>IScience</i> , <b>2021</b> , 24, 102163	6.1	6
160	How Comparable are Microbial Electrochemical Systems around the Globe? An Electrochemical and Microbiological Cross-Laboratory Study. <i>ChemSusChem</i> , <b>2021</b> , 14, 2267	8.3	2
159	Direct and Indirect Electrooxidation of Glycerol to Value-Added Products. <i>ChemSusChem</i> , <b>2021</b> , 14, 52168525	6.1	6
158	How Comparable are Microbial Electrochemical Systems around the Globe? An Electrochemical and Microbiological Cross-Laboratory Study. <i>ChemSusChem</i> , <b>2021</b> , 14, 2313-2330	8.3	3
157	Self-assembled cauliflower-like pyrite-S, N co-doped graphene quantum dots as free-standing anode with high conductivity and biocompatibility for bioelectricity production. <i>Fuel</i> , <b>2021</b> , 286, 119291	7.1	11
156	Bidirectional electroactive microbial biofilms and the role of biogenic sulfur in charge storage and release. <i>IScience</i> , <b>2021</b> , 24, 102822	6.1	1
155	Correlating theoretical boundary layer thickness to the power output of a microbial fuel cell with a complex anode geometry operated at varying flow rates. <i>Journal of Power Sources</i> , <b>2020</b> , 470, 228428	8.9	3
154	Development and characterization of a fiber optical fluorescence sensor for the online monitoring of biofilms and their microenvironment. <i>Engineering in Life Sciences</i> , <b>2020</b> , 20, 252-264	3.4	4
153	Electrochemistry: connector of sciences. <i>Journal of Solid State Electrochemistry</i> , <b>2020</b> , 24, 2179-2180	2.6	0
152	Direct Access to the Optimal Regularization Parameter in Distribution of Relaxation Times Analysis. <i>ChemElectroChem</i> , <b>2020</b> , 7, 3445-3458	4.3	9
151	Developing Cheap and Mass-Producible Graphite-Filled Paper as an Anode Material for Microbial Electrochemical Technologies. <i>ChemElectroChem</i> , <b>2020</b> , 7, 1851-1859	4.3	3
150	Investigating Community Dynamics and Performance During Microbial Electrochemical Degradation of Whey. <i>ChemElectroChem</i> , <b>2020</b> , 7, 989-997	4.3	3
149	Evaluation of the membrane efficiency of both Nafion and sulfonated poly (ether ether ketone) using electrochemical membrane reactor toward desulfurization of a model diesel fuel. <i>Chemical Engineering Research and Design</i> , <b>2020</b> , 153, 517-527	5.5	5
148	The Limits of Three-Dimensionality: Systematic Assessment of Effective Anode Macrostructure Dimensions for Mixed-Culture Electroactive Biofilms. <i>ChemSusChem</i> , <b>2020</b> , 13, 582-589	8.3	13
147	Optimal Geometric Parameters for 3D Electrodes in Bioelectrochemical Systems: A Systematic Approach. <i>ChemSusChem</i> , <b>2020</b> , 13, 5119-5129	8.3	2
146	Sulfide Detection by Gold-Amalgam Microelectrodes in Artificial Wastewater. <i>Chemosensors</i> , <b>2020</b> , 8, 49	4	1

145	Copper-bottomed: electrochemically active bacteria exploit conductive sulphide networks for enhanced electrogenicity. <i>Energy and Environmental Science</i> , <b>2020</b> , 13, 3102-3109	35.4	12
144	Liquid-Liquid Equilibrium Data and Continuous Process Concept for the Electrosynthesis of Valeric Acid from Levulinic Acid. <i>Frontiers in Energy Research</i> , <b>2020</b> , 8,	3.8	1
143	Studying the Impact of Wall Shear Stress on the Development and Performance of Electrochemically Active Biofilms. <i>ChemPlusChem</i> , <b>2020</b> , 85, 2298-2307	2.8	2
142	On the Interpretation of Impedance Spectra of Large-Format Lithium-Ion Batteries and Its Application in Aging Studies. <i>Energy Technology</i> , <b>2020</b> , 8, 1900279	3.5	7
141	Impedance Spectroscopic Investigation of the Impact of Erroneous Cell Assembly on the Aging of Lithium-Ion Batteries. <i>Energy Technology</i> , <b>2020</b> , 8, 1900288	3.5	4
140	GC/MS-screening analyses of valuable products in the aqueous phase from microwave-assisted hydrothermal processing of Lemna minor. <i>Sustainable Chemistry and Pharmacy</i> , <b>2019</b> , 13, 100165	3.9	3
139	Scratching the Surface—How Decisive Are Microscopic Surface Structures on Growth and Performance of Electrochemically Active Bacteria?. <i>Frontiers in Energy Research</i> , <b>2019</b> , 7,	3.8	12
138	Tapping Renewables: A New Dawn for Organic Electrosynthesis in Aqueous Reaction Media. <i>ChemElectroChem</i> , <b>2019</b> , 6, 4126-4133	4.3	14
137	Cultivating Electrochemically Active Biofilms at Continuously Changing Electrode Potentials. <i>ChemElectroChem</i> , <b>2019</b> , 6, 2238-2247	4.3	9
136	Long-Term Behavior of Defined Mixed Cultures of and in Bioelectrochemical Systems. <i>Frontiers in Bioengineering and Biotechnology</i> , <b>2019</b> , 7, 60	5.8	30
135	Integrated Valorization of Desalination Brine through NaOH Recovery: Opportunities and Challenges. <i>Angewandte Chemie - International Edition</i> , <b>2019</b> , 58, 6502-6511	16.4	10
134	Possibilities and Constraints of the Electrochemical Treatment of Thiophene on Low and High Oxidation Power Electrodes. <i>Energy &amp; Fuels</i> , <b>2019</b> , 33, 1901-1909	4.1	7
133	Aerobic microbial electrochemical technology based on the coexistence and interactions of aerobes and exoelectrogens for synergistic pollutant removal from wastewater. <i>Environmental Science: Water Research and Technology</i> , <b>2019</b> , 5, 60-69	4.2	7
132	Direct electrosynthesis of sodium hydroxide and hydrochloric acid from brine streams. <i>Nature Catalysis</i> , <b>2019</b> , 2, 106-113	36.5	36
131	Capturing the Current-Overpotential Nonlinearity of Lithium-Ion Batteries by Nonlinear Electrochemical Impedance Spectroscopy (NLEIS) in Charge and Discharge Direction. <i>Frontiers in Energy Research</i> , <b>2019</b> , 7,	3.8	10
130	Finding the Optimal Regularization Parameter in Distribution of Relaxation Times Analysis. <i>ChemElectroChem</i> , <b>2019</b> , 6, 6027-6037	4.3	15
129	Microbial Electrolysis for Biohydrogen Production: Technical Aspects and Scale-Up Experiences <b>2019</b> , 871-898		8
128	Strategies for optimizing the power output of microbial fuel cells: Transitioning from fundamental studies to practical implementation. <i>Applied Energy</i> , <b>2019</b> , 233-234, 15-28	10.7	78

127	A high-performance rotating graphite fiber brush air-cathode for microbial fuel cells. <i>Applied Energy</i> , <b>2018</b> , 211, 1089-1094	10.7	50
126	Use of torsional resonators to monitor electroactive biofilms. <i>Biosensors and Bioelectronics</i> , <b>2018</b> , 110, 225-232	11.8	6
125	Towards selective electrochemical conversion of glycerol to 1,3-propanediol.. <i>RSC Advances</i> , <b>2018</b> , 8, 10818-10827	3.7	9
124	Parylene C-coated PDMS-based microfluidic microbial fuel cells with low oxygen permeability. <i>Journal of Power Sources</i> , <b>2018</b> , 398, 209-214	8.9	17
123	A Study on Electrofuels in Aviation. <i>Energies</i> , <b>2018</b> , 11, 392	3.1	38
122	A basic introduction into microbial fuel cells and microbial electrocatalysis. <i>ChemTexts</i> , <b>2018</b> , 4, 1	2.2	9
121	Concentration Pulse Method for the Investigation of Transformation Pathways in a Glycerol-Fed Bioelectrochemical System. <i>Frontiers in Energy Research</i> , <b>2018</b> , 6,	3.8	6
120	Substrate Crossover Effect and Performance Regeneration of the Biofouled Rotating Air-Cathode in Microbial Fuel Cell. <i>Frontiers in Energy Research</i> , <b>2018</b> , 6,	3.8	5
119	Combining hydrogen evolution and corrosion data - A case study on the economic viability of selected metal cathodes in microbial electrolysis cells. <i>Journal of Power Sources</i> , <b>2017</b> , 356, 473-483	8.9	10
118	The ins and outs of microorganism-electrode electron transfer reactions. <i>Nature Reviews Chemistry</i> , <b>2017</b> , 1,	34.6	276
117	Gold-modified indium tin oxide as a transparent window in optoelectronic diagnostics of electrochemically active biofilms. <i>Biosensors and Bioelectronics</i> , <b>2017</b> , 94, 74-80	11.8	20
116	Hydroxyacetone: A Glycerol-Based Platform for Electrocatalytic Hydrogenation and Hydrodeoxygenation Processes. <i>ChemSusChem</i> , <b>2017</b> , 10, 3105-3110	8.3	16
115	Electrochemistry for the Generation of Renewable Chemicals: One-Pot Electrochemical Deoxygenation of Xylose to Valerolactone. <i>ChemSusChem</i> , <b>2017</b> , 10, 2015-2022	8.3	7
114	eLatrine: Lessons Learned from the Development of a Low-Tech MFC Based on Cardboard Electrodes for the Treatment of Human Feces. <i>Journal of the Electrochemical Society</i> , <b>2017</b> , 164, H3065-H3072	3.9	17
113	Life Electric: Nature as a Blueprint for the Development of Microbial Electrochemical Technologies. <i>Joule</i> , <b>2017</b> , 1, 244-252	27.8	34
112	Design and Evaluation of a Boron Dipyrin Electrophore for Redox Flow Batteries. <i>ChemSusChem</i> , <b>2017</b> , 10, 4215-4222	8.3	7
111	Successive Conditioning in Complex Artificial Wastewater Increases the Performance of Electrochemically Active Biofilms Treating Real Wastewater. <i>ChemElectroChem</i> , <b>2017</b> , 4, 3081-3090	4.3	15
110	In Situ Autofluorescence Spectroelectrochemistry for the Study of Microbial Extracellular Electron Transfer. <i>ChemElectroChem</i> , <b>2017</b> , 4, 2515-2519	4.3	10

109	Electrode-Resolved Monitoring of the Ageing of Large-Scale Lithium-Ion Cells by using Electrochemical Impedance Spectroscopy. <i>ChemElectroChem</i> , <b>2017</b> , 4, 2921-2927	4.3	16
108	Metal-Polymer Hybrid Architectures as Novel Anode Platform for Microbial Electrochemical Technologies. <i>ChemSusChem</i> , <b>2017</b> , 10, 253-257	8.3	24
107	Vertical 3D GaN Nanoarchitectures towards an Integrated Optoelectronic Biosensing Platform in Microbial Fuel Cells. <i>Proceedings (mdpi)</i> , <b>2017</b> , 1, 508	0.3	0
106	Development of a new Electrochemical Impedance Spectroscopy Approach for Monitoring the Solid Electrolyte Interphase Formation. <i>Energy Technology</i> , <b>2016</b> , 4, 1509-1513	3.5	29
105	Wie Mikroorganismen und Elektroden interagieren. <i>Nachrichten Aus Der Chemie</i> , <b>2016</b> , 64, 732-737	0.1	2
104	Application of Localized Electrochemical Impedance Spectroscopy to Lithium-Ion Cathodes and in situ Monitoring of the Charging Process. <i>Energy Technology</i> , <b>2016</b> , 4, 1514-1519	3.5	2
103	Jenseits der Batterie   Elektrochemie in nachhaltiger Chemie und Biotechnologie. <i>Chemie-Ingenieur-Technik</i> , <b>2016</b> , 88, 1253-1253	0.8	
102	Unexpected behaviour of the internal resistance of a vanadium redox flow battery. <i>Journal of Power Sources</i> , <b>2016</b> , 306, 394-401	8.9	5
101	An Anionic Non-Aqueous Single Substance Redox Flow Battery Based on Triiodide. <i>International Journal of Electrochemical Science</i> , <b>2016</b> , 9254-9264	2.2	2
100	Electrochemistry for the generation of renewable chemicals: electrochemical conversion of levulinic acid. <i>RSC Advances</i> , <b>2015</b> , 5, 26634-26643	3.7	44
99	Binder-free carbon black/stainless steel mesh composite electrode for high-performance anode in microbial fuel cells. <i>Journal of Power Sources</i> , <b>2015</b> , 284, 252-257	8.9	80
98	Electron transport through electrically conductive nanofilaments in <i>Rhodospseudomonas palustris</i> strain RP2. <i>RSC Advances</i> , <b>2015</b> , 5, 100790-100798	3.7	34
97	Microbial electrochemistry and technology: terminology and classification. <i>Energy and Environmental Science</i> , <b>2015</b> , 8, 513-519	35.4	306
96	Electrochemistry of Immobilized Particles and Droplets <b>2015</b> ,		35
95	Optimal electrolyte flow distribution in hydrodynamic circuit of vanadium redox flow battery. <i>Journal of Electroanalytical Chemistry</i> , <b>2015</b> , 736, 117-126	4.1	16
94	Examining sludge production in bioelectrochemical systems treating domestic wastewater. <i>Bioresource Technology</i> , <b>2015</b> , 198, 913-7	11	23
93	Large Multipurpose Exceptionally Conductive Polymer Sponges Obtained by Efficient Wet-Chemical Metallization. <i>Advanced Functional Materials</i> , <b>2015</b> , 25, 6182-6188	15.6	26
92	Does it have to be carbon? Metal anodes in microbial fuel cells and related bioelectrochemical systems. <i>Energy and Environmental Science</i> , <b>2015</b> , 8, 2048-2055	35.4	226

91	Microfabricated, continuous-flow, microbial three-electrode cell for potential toxicity detection. <i>Biochip Journal</i> , <b>2015</b> , 9, 27-34	4	22
90	Immobilized Droplets <b>2015</b> , 225-295		1
89	Hyphenated Techniques <b>2015</b> , 33-80		
88	The Experiment <b>2015</b> , 19-32		
87	Electrodes with Immobilized Particles and Droplets: Three-Phase Electrodes <b>2015</b> , 11-17		
86	Earlier Developed Techniques <b>2015</b> , 1-10		
85	Immobilized Particles <b>2015</b> , 81-224		
84	Electrochemistry for biofuel generation: transformation of fatty acids and triglycerides to diesel-like olefin/ether mixtures and olefins. <i>ChemSusChem</i> , <b>2015</b> , 8, 886-93	8.3	38
83	Metabolic efficiency of <i>Geobacter sulfurreducens</i> growing on anodes with different redox potentials. <i>Current Microbiology</i> , <b>2014</b> , 68, 763-8	2.4	7
82	Reactor concepts for bioelectrochemical syntheses and energy conversion. <i>Trends in Biotechnology</i> , <b>2014</b> , 32, 645-55	15.1	113
81	Evaluating the effects of scaling up on the performance of bioelectrochemical systems using a technical scale microbial electrolysis cell. <i>Bioresource Technology</i> , <b>2014</b> , 163, 206-13	11	64
80	Measurement, simulation and in situ regeneration of energy efficiency in vanadium redox flow battery. <i>Journal of Electroanalytical Chemistry</i> , <b>2014</b> , 728, 72-80	4.1	16
79	Cytometric fingerprints: evaluation of new tools for analyzing microbial community dynamics. <i>Frontiers in Microbiology</i> , <b>2014</b> , 5, 273	5.7	54
78	From Microbial Bioelectrocatalysis to Microbial Bioelectrochemical Systems. <i>Advances in Electrochemical Science and Engineering</i> , <b>2014</b> , 137-162		1
77	Electrochemistry for biofuel generation: production of furans by electrocatalytic hydrogenation of furfurals. <i>Energy and Environmental Science</i> , <b>2013</b> , 6, 2925	35.4	136
76	Electron transfer and biofilm formation of <i>Shewanella putrefaciens</i> as function of anode potential. <i>Bioelectrochemistry</i> , <b>2013</b> , 93, 23-9	5.6	106
75	Corrosion prevention of graphite collector in vanadium redox flow battery. <i>Journal of Electroanalytical Chemistry</i> , <b>2013</b> , 709, 93-98	4.1	25
74	Hydrothermal production of furfural from xylose and xylan as model compounds for hemicelluloses. <i>RSC Advances</i> , <b>2013</b> , 3, 22253	3.7	54

73	Self-assembling enzyme networks--a new path towards multistep bioelectrocatalytic systems. <i>Angewandte Chemie - International Edition</i> , <b>2013</b> , 52, 3568-9	16.4	4
72	Activated carbon nanofibers (ACNF) as cathode for single chamber microbial fuel cells (SCMFCs). <i>Journal of Power Sources</i> , <b>2013</b> , 243, 499-507	8.9	73
71	On-line controlled state of charge rebalancing in vanadium redox flow battery. <i>Journal of Electroanalytical Chemistry</i> , <b>2013</b> , 703, 29-37	4.1	42
70	On the removal of sulfonamides using microbial bioelectrochemical systems. <i>Electrochemistry Communications</i> , <b>2013</b> , 26, 77-80	5.1	45
69	Hydrothermal liquefaction of cellulose in subcritical water: the role of crystallinity on the cellulose reactivity. <i>RSC Advances</i> , <b>2013</b> , 3, 11035	3.7	56
68	Unraveling the interfacial electron transfer dynamics of electroactive microbial biofilms using surface-enhanced Raman spectroscopy. <i>ChemSusChem</i> , <b>2013</b> , 6, 487-92	8.3	30
67	From the test-tube to the test-engine: assessing the suitability of prospective liquid biofuel compounds. <i>RSC Advances</i> , <b>2013</b> , 3, 9594	3.7	23
66	Mikroben unter Strom. <i>Biologie in Unserer Zeit</i> , <b>2013</b> , 43, 96-103	0.1	5
65	Stainless steel mesh supported nitrogen-doped carbon nanofibers for binder-free cathode in microbial fuel cells. <i>Biosensors and Bioelectronics</i> , <b>2012</b> , 34, 282-5	11.8	51
64	Microwave-assisted hydrothermal degradation of fructose and glucose in subcritical water. <i>Biomass and Bioenergy</i> , <b>2012</b> , 39, 389-398	5.3	60
63	Electrochemistry for biofuel generation: Electrochemical conversion of levulinic acid to octane. <i>Energy and Environmental Science</i> , <b>2012</b> , 5, 5231-5235	35.4	83
62	Comparative study of IVB/VIB transition metal compound electrocatalysts for the hydrogen evolution reaction. <i>Applied Catalysis B: Environmental</i> , <b>2012</b> , 126, 225-230	21.8	116
61	Layered corrugated electrode macrostructures boost microbial bioelectrocatalysis. <i>Energy and Environmental Science</i> , <b>2012</b> , 5, 9769	35.4	158
60	From in vitro to in vivo--biofuel cells are maturing. <i>Angewandte Chemie - International Edition</i> , <b>2012</b> , 51, 7370-2	16.4	39
59	A three-dimensionally ordered macroporous carbon derived from a natural resource as anode for microbial bioelectrochemical systems. <i>ChemSusChem</i> , <b>2012</b> , 5, 1059-63	8.3	114
58	Electrospun carbon fiber mat with layered architecture for anode in microbial fuel cells. <i>Electrochemistry Communications</i> , <b>2011</b> , 13, 1026-1029	5.1	69
57	Electroactive mixed culture derived biofilms in microbial bioelectrochemical systems: the role of pH on biofilm formation, performance and composition. <i>Bioresource Technology</i> , <b>2011</b> , 102, 9683-90	11	163
56	Effect of fiber diameter on the behavior of biofilm and anodic performance of fiber electrodes in microbial fuel cells. <i>Bioresource Technology</i> , <b>2011</b> , 102, 10763-6	11	57



55	Electrospun and solution blown three-dimensional carbon fiber nonwovens for application as electrodes in microbial fuel cells. <i>Energy and Environmental Science</i> , <b>2011</b> , 4, 1417	35.4	268
54	Discover the possibilities: microbial bioelectrochemical systems and the revival of a 100-year-old discovery. <i>Journal of Solid State Electrochemistry</i> , <b>2011</b> , 15, 1481-1486	2.6	58
53	Cyclic voltammetric analysis of the electron transfer of <i>Shewanella oneidensis</i> MR-1 and nanofilament and cytochrome knock-out mutants. <i>Bioelectrochemistry</i> , <b>2011</b> , 81, 74-80	5.6	134
52	Enhanced Activity of Non-Noble Metal Electrocatalysts for the Oxygen Reduction Reaction Using Low Temperature Plasma Treatment. <i>Plasma Processes and Polymers</i> , <b>2011</b> , 8, 914-922	3.4	12
51	Subcritical water as reaction environment: fundamentals of hydrothermal biomass transformation. <i>ChemSusChem</i> , <b>2011</b> , 4, 566-79	8.3	223
50	Spektroelektrochemische In-situ-Untersuchung von elektrokatalytischen mikrobiellen Biofilmen mit oberflächenverstärkter Resonanz-Raman-Spektroskopie. <i>Angewandte Chemie</i> , <b>2011</b> , 123, 2673-2675	3.6	14
49	In situ spectroelectrochemical investigation of electrocatalytic microbial biofilms by surface-enhanced resonance Raman spectroscopy. <i>Angewandte Chemie - International Edition</i> , <b>2011</b> , 50, 2625-7	16.4	101
48	Revealing the electrochemically driven selection in natural community derived microbial biofilms using flow-cytometry. <i>Energy and Environmental Science</i> , <b>2011</b> , 4, 1265	35.4	67
47	Comments on Electricity generation by <i>Enterobacter cloacae</i> SU-1 in mediator less microbial fuel cell by Samrot et al., Int. J. Hydrogen Energy, 35 (15) 2010, 7723-7729. <i>International Journal of Hydrogen Energy</i> , <b>2011</b> , 36, 9396-9397	6.7	3
46	From MFC to MXC: chemical and biological cathodes and their potential for microbial bioelectrochemical systems. <i>Chemical Society Reviews</i> , <b>2010</b> , 39, 4433-48	58.5	286
45	Keeping intermediates on the track: towards tailored metabolons for bioelectrocatalysis. <i>Biofuels</i> , <b>2010</b> , 1, 677-680	2	2
44	Toxicity response of electroactive microbial biofilms—a decisive feature for potential biosensor and power source applications. <i>ChemPhysChem</i> , <b>2010</b> , 11, 2834-7	3.2	80
43	Photomicrobial Solar and Fuel Cells. <i>Electroanalysis</i> , <b>2010</b> , 22, 844-855	3	58
42	The study of electrochemically active microbial biofilms on different carbon-based anode materials in microbial fuel cells. <i>Biosensors and Bioelectronics</i> , <b>2010</b> , 25, 2167-71	11.8	136
41	Electroactive mixed culture biofilms in microbial bioelectrochemical systems: the role of temperature for biofilm formation and performance. <i>Biosensors and Bioelectronics</i> , <b>2010</b> , 26, 803-8	11.8	147
40	Selectivity versus mobility: separation of anode and cathode in microbial bioelectrochemical systems. <i>ChemSusChem</i> , <b>2009</b> , 2, 921-6	8.3	135
39	Modeling the ion transfer and polarization of ion exchange membranes in bioelectrochemical systems. <i>Bioelectrochemistry</i> , <b>2009</b> , 75, 136-41	5.6	68
38	Comparative study on the performance of pyrolyzed and plasma-treated iron(II) phthalocyanine-based catalysts for oxygen reduction in pH neutral electrolyte solutions. <i>Journal of Power Sources</i> , <b>2009</b> , 193, 86-92	8.9	49



37	Effects of substrate and metabolite crossover on the cathodic oxygen reduction reaction in microbial fuel cells: Platinum vs. iron(II) phthalocyanine based electrodes. <i>Electrochemistry Communications</i> , <b>2009</b> , 11, 2253-2256	5.1	135
36	Electrocatalytic and corrosion behaviour of tungsten carbide in near-neutral pH electrolytes. <i>Applied Catalysis B: Environmental</i> , <b>2009</b> , 87, 63-69	21.8	47
35	Tungsten carbide as electrocatalyst for the hydrogen evolution reaction in pH neutral electrolyte solutions. <i>Applied Catalysis B: Environmental</i> , <b>2009</b> , 89, 455-458	21.8	169
34	An improved microbial fuel cell with laccase as the oxygen reduction catalyst. <i>Energy and Environmental Science</i> , <b>2009</b> , 2, 96-99	35.4	99
33	On the use of cyclic voltammetry for the study of anodic electron transfer in microbial fuel cells. <i>Energy and Environmental Science</i> , <b>2008</b> , 1, 144	35.4	388
32	The suitability of monopolar and bipolar ion exchange membranes as separators for biological fuel cells. <i>Environmental Science &amp; Technology</i> , <b>2008</b> , 42, 1740-6	10.3	158
31	Improvement of the anodic bioelectrocatalytic activity of mixed culture biofilms by a simple consecutive electrochemical selection procedure. <i>Biosensors and Bioelectronics</i> , <b>2008</b> , 24, 1012-7	11.8	74
30	From wastewater to hydrogen: biorefineries based on microbial fuel-cell technology. <i>ChemSusChem</i> , <b>2008</b> , 1, 281-2	8.3	26
29	Improvement of the anodic bioelectrocatalytic activity of mixed culture biofilms by a simple consecutive electrochemical selection procedure. <i>Biosensors and Bioelectronics</i> , <b>2008</b> , 24, 1006-1011	11.8	179
28	Evaluation of catalytic properties of tungsten carbide for the anode of microbial fuel cells. <i>Applied Catalysis B: Environmental</i> , <b>2007</b> , 74, 261-269	21.8	115
27	Anodic electron transfer mechanisms in microbial fuel cells and their energy efficiency. <i>Physical Chemistry Chemical Physics</i> , <b>2007</b> , 9, 2619-29	3.6	678
26	Interfacing electrocatalysis and biocatalysis with tungsten carbide: a high-performance, noble-metal-free microbial fuel cell. <i>Angewandte Chemie - International Edition</i> , <b>2006</b> , 45, 6658-61	16.4	141
25	Interfacing Electrocatalysis and Biocatalysis with Tungsten Carbide: A High-Performance, Noble-Metal-Free Microbial Fuel Cell. <i>Angewandte Chemie</i> , <b>2006</b> , 118, 6810-6813	3.6	23
24	Challenges and constraints of using oxygen cathodes in microbial fuel cells. <i>Environmental Science &amp; Technology</i> , <b>2006</b> , 40, 5193-9	10.3	424
23	Microbial fuel cells: methodology and technology. <i>Environmental Science &amp; Technology</i> , <b>2006</b> , 40, 5181-92	10.3	4214
22	Heat treated soil as convenient and versatile source of bacterial communities for microbial electricity generation. <i>Electrochemistry Communications</i> , <b>2006</b> , 8, 869-873	5.1	82
21	Investigation of the electrocatalytic oxidation of formate and ethanol at platinum black under microbial fuel cell conditions. <i>Journal of Solid State Electrochemistry</i> , <b>2006</b> , 10, 872-878	2.6	47
20	In situ electrooxidation of photobiological hydrogen in a photobioelectrochemical fuel cell based on <i>Rhodobacter sphaeroides</i> . <i>Environmental Science &amp; Technology</i> , <b>2005</b> , 39, 6328-33	10.3	97

19	Application of pyrolysed iron(II) phthalocyanine and CoTMPP based oxygen reduction catalysts as cathode materials in microbial fuel cells. <i>Electrochemistry Communications</i> , <b>2005</b> , 7, 1405-1410	5.1	432
18	Gaining electricity from in situ oxidation of hydrogen produced by fermentative cellulose degradation. <i>Letters in Applied Microbiology</i> , <b>2005</b> , 41, 286-90	2.9	72
17	Utilizing the green alga <i>Chlamydomonas reinhardtii</i> for microbial electricity generation: a living solar cell. <i>Applied Microbiology and Biotechnology</i> , <b>2005</b> , 68, 753-6	5.7	97
16	Fluorinated polyanilines as superior materials for electrocatalytic anodes in bacterial fuel cells. <i>Electrochemistry Communications</i> , <b>2004</b> , 6, 571-575	5.1	153
15	Exploiting complex carbohydrates for microbial electricity generation in a bacterial fuel cell operating on starch. <i>Electrochemistry Communications</i> , <b>2004</b> , 6, 955-958	5.1	229
14	A Generation of Microbial Fuel Cells with Current Outputs Boosted by More Than One Order of Magnitude. <i>Angewandte Chemie</i> , <b>2003</b> , 115, 2986-2989	3.6	72
13	A generation of microbial fuel cells with current outputs boosted by more than one order of magnitude. <i>Angewandte Chemie - International Edition</i> , <b>2003</b> , 42, 2880-3	16.4	297
12	Electrochemical Analysis of Solids. A Review. <i>Collection of Czechoslovak Chemical Communications</i> , <b>2002</b> , 67, 163-208		175
11	Probing Thermodynamic Aspects of Electrochemically Driven Ion-Transfer Processes Across Liquid Liquid Interfaces: Pure versus Diluted Redox Liquids. <i>Journal of Physical Chemistry B</i> , <b>2002</b> , 106, 8697-8704	3.4	51
10	Voltammetry of Electroactive Oil Droplets: Electrochemically-Induced Ion Insertion, Expulsion and Reaction Processes at Microdroplets of N,N,N',N'-Tetraalkyl-para-phenylenediamines (TRPD, R = n-Butyl, n-Hexyl, n-Heptyl and n-Nonyl). <i>Journal of Physical Chemistry B</i> , <b>2002</b> , 106, 9619-9632	3.4	58
9	Electrochemically Driven Ion Insertion Processes across Liquid Liquid Boundaries: Neutral versus Ionic Redox Liquids. <i>Journal of Physical Chemistry B</i> , <b>2001</b> , 105, 1344-1350	3.4	61
8	Voltammetry of Electroactive Oil Droplets. Part II: Comparison of Experimental and Simulation Data for Coupled Ion and Electron Insertion Processes and Evidence for Microscale Convection. <i>Electroanalysis</i> , <b>2000</b> , 12, 1017-1025	3	50
7	The Wittig Reaction with Pyridylphosphoranes. <i>European Journal of Organic Chemistry</i> , <b>2000</b> , 2000, 2601-2604	3.2	15
6	Ionic liquid modified electrodes. Unusual partitioning and diffusion effects of Fe(CN) <sub>6</sub> <sup>4-</sup> in droplet and thin layer deposits of 1-methyl-3-(2,6-(S)-dimethylocten-2-yl)-imidazolium tetrafluoroborate. <i>Journal of Electroanalytical Chemistry</i> , <b>2000</b> , 493, 75-83	4.1	114
5	Modelling of solid state voltammetry of immobilized microcrystals assuming an initiation of the electrochemical reaction at a three-phase junction. <i>Journal of Solid State Electrochemistry</i> , <b>2000</b> , 4, 314-324	3.6	126
4	The solid-state electrochemistry of metal octacyanomolybdates, octacyanotungstates, and hexacyanoferrates explained on the basis of dissolution and reprecipitation reactions, lattice structures, and crystallinities. <i>Inorganic Chemistry</i> , <b>2000</b> , 39, 1006-15	5.1	51
3	Water-induced accelerated ion diffusion: voltammetric studies in 1-methyl-3-[2,6-(S)-dimethylocten-2-yl]imidazolium tetrafluoroborate, 1-butyl-3-methylimidazolium tetrafluoroborate and hexafluorophosphate ionic liquids. <i>New Journal of Chemistry</i> , <b>2000</b> , 24, 1009-1015	3.6	474
2	The electrochemical response of radiation defects of non-conducting materials An electrochemical access to age determinations. <i>Journal of Electroanalytical Chemistry</i> , <b>1995</b> , 385, 139-142	4.1	24

- 1 Electrochemistry of Chromium(II) Hexacyanochromate(III) and Electrochemically Induced Isomerization of Solid Iron(II) Hexacyanochromate(III) Mechanically Immobilized on the Surface of a Graphite Electrode. *Inorganic Chemistry*, **1995**, 34, 1711-1717 5.1 46