

# Takeo Arai

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6293169/publications.pdf>

Version: 2024-02-01

35  
papers

3,518  
citations

257450

24  
h-index

361022

35  
g-index

37  
all docs

37  
docs citations

37  
times ranked

4379  
citing authors

#	ARTICLE	IF	CITATIONS
1	Solar-Driven CO <sub>2</sub> Reduction Using a Semiconductor/Molecule Hybrid Photosystem: From Photocatalysts to a Monolithic Artificial Leaf. <i>Accounts of Chemical Research</i> , 2022, 55, 933-943.	15.6	47
2	Electrochemical CO <sub>2</sub> reduction improved by tuning the Cu-Cu distance in halogen-bridged dinuclear cuprous coordination polymers. <i>Journal of Catalysis</i> , 2021, 404, 12-17.	6.2	5
3	Low-Overpotential Electrochemical Water Oxidation Catalyzed by CuO Derived from 2 nm-Sized Cu <sub>2</sub> (NO <sub>3</sub> ) <sub>3</sub> (OH) <sub>3</sub> Nanoparticles Generated by Laser Ablation at the Air-Liquid Interface. <i>ACS Applied Energy Materials</i> , 2020, 3, 8383-8392.	5.1	12
4	Self-assembled Cuprous Coordination Polymer as a Catalyst for CO <sub>2</sub> Electrochemical Reduction into C <sub>2</sub> Products. <i>ACS Catalysis</i> , 2020, 10, 10412-10419.	11.2	44
5	Enhanced electrochemical CO <sub>2</sub> reduction selectivity by application of self-assembled polymer microparticles to a silver electrode. <i>Chemical Communications</i> , 2019, 55, 11623-11625.	4.1	6
6	Solar-driven CO <sub>2</sub> to CO reduction utilizing H <sub>2</sub> O as an electron donor by earth-abundant Mn-bipyridine complex and Ni-modified Fe-oxyhydroxide catalysts activated in a single-compartment reactor. <i>Chemical Communications</i> , 2019, 55, 237-240.	4.1	33
7	Molecular Catalysts Immobilized on Semiconductor Photosensitizers for Proton Reduction toward Visible-Light-Driven Overall Water Splitting. <i>ChemSusChem</i> , 2019, 12, 1807-1824.	6.8	25
8	Solar-Driven Photocatalytic CO <sub>2</sub> Reduction in Water Utilizing a Ruthenium Complex Catalyst on p-Type Fe <sub>2</sub> O <sub>3</sub> with a Multiheterojunction. <i>ACS Catalysis</i> , 2018, 8, 1405-1416.	11.2	110
9	Light-Driven Carbon Dioxide Reduction Devices. <i>Green Chemistry and Sustainable Technology</i> , 2018, , 259-280.	0.7	2
10	Electrocatalytic CO <sub>2</sub> reduction near the theoretical potential in water using Ru complex supported on carbon nanotubes. <i>Nanotechnology</i> , 2018, 29, 034001.	2.6	19
11	Highly crystalline $\hat{\Gamma}$ -FeOOH(Cl) nanorod catalysts doped with transition metals for efficient water oxidation. <i>Sustainable Energy and Fuels</i> , 2017, 1, 636-643.	4.9	40
12	Stoichiometric water splitting using a p-type Fe <sub>2</sub> O <sub>3</sub> -based photocathode with the aid of a multi-heterojunction. <i>Journal of Materials Chemistry A</i> , 2017, 5, 6483-6493.	10.3	34
13	Carbon microfiber layer as noble metal-catalyst support for selective CO <sub>2</sub> photoconversion in phosphate solution: Toward artificial photosynthesis in a single-compartment reactor. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2016, 327, 1-5.	3.9	8
14	Aminoalkylsilane-modified Silver Cathodes for Electrochemical CO <sub>2</sub> Reduction. <i>Chemistry Letters</i> , 2016, 45, 1362-1364.	1.3	3
15	A monolithic device for CO <sub>2</sub> photoreduction to generate liquid organic substances in a single-compartment reactor. <i>Energy and Environmental Science</i> , 2015, 8, 1998-2002.	30.8	157
16	Toward Solar-Driven Photocatalytic CO <sub>2</sub> Reduction Using Water as an Electron Donor. <i>Inorganic Chemistry</i> , 2015, 54, 5105-5113.	4.0	115
17	Structural Improvement of CaFe <sub>2</sub> O <sub>4</sub> by Metal Doping toward Enhanced Cathodic Photocurrent. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 10969-10973.	8.0	65
18	Nitrogen and transition-metal codoped titania nanotube arrays for visible-light-sensitive photoelectrochemical water oxidation. <i>Chemical Communications</i> , 2014, 50, 7614.	4.1	17

#	ARTICLE	IF	CITATIONS
19	Sr <sup>1/4</sup> Zn <sup>3/4</sup> Fe <sup>2+</sup> ... <sub>2</sub> O <sub>3</sub> photocatalyst for CO <sub>2</sub> reduction. <i>Electrochemistry</i> , 2014, 82, 502-506.		
20	Solar CO <sub>2</sub> reduction using H <sub>2</sub> O by a semiconductor/metal-complex hybrid photocatalyst: enhanced efficiency and demonstration of a wireless system using SrTiO <sub>3</sub> photoanodes. <i>Energy and Environmental Science</i> , 2013, 6, 1274.	30.8	251
21	Photoactivity of p-Type Fe <sub>2</sub> O <sub>3</sub> Induced by Anionic/Cationic Codoping of N and Zn. <i>Applied Physics Express</i> , 2013, 6, 041201.	2.4	14
22	Selective CO <sub>2</sub> conversion to formate in water using a CZTS photocathode modified with a ruthenium complex polymer. <i>Chemical Communications</i> , 2011, 47, 12664.	4.1	127
23	p-type conduction induced by N-doping in Fe <sub>2</sub> O <sub>3</sub> . <i>Applied Physics Letters</i> , 2011, 98, .	3.3	37
24	Selective CO <sub>2</sub> Conversion to Formate Conjugated with H <sub>2</sub> O Oxidation Utilizing Semiconductor/Complex Hybrid Photocatalysts. <i>Journal of the American Chemical Society</i> , 2011, 133, 15240-15243.	13.7	458
25	Highly active WO <sub>3</sub> semiconductor photocatalyst prepared from amorphous peroxy-tungstic acid for the degradation of various organic compounds. <i>Applied Catalysis B: Environmental</i> , 2010, 94, 150-157.	20.2	137
26	Photoelectrochemical reduction of CO <sub>2</sub> in water under visible-light irradiation by a p-type InP photocathode modified with an electropolymerized ruthenium complex. <i>Chemical Communications</i> , 2010, 46, 6944.	4.1	180
27	Reaction Mechanism and Activity of WO <sub>3</sub> -Catalyzed Photodegradation of Organic Substances Promoted by a CuO Cocatalyst. <i>Journal of Physical Chemistry C</i> , 2009, 113, 6602-6609.	3.1	118
28	The enhancement of WO <sub>3</sub> -catalyzed photodegradation of organic substances utilizing the redox cycle of copper ions. <i>Applied Catalysis B: Environmental</i> , 2008, 84, 42-47.	20.2	67
29	Promotion effect of CuO co-catalyst on WO <sub>3</sub> -catalyzed photodegradation of organic substances. <i>Catalysis Communications</i> , 2008, 9, 1254-1258.	3.3	87
30	Complete oxidation of acetaldehyde and toluene over a Pd/WO <sub>3</sub> photocatalyst under fluorescent- or visible-light irradiation. <i>Chemical Communications</i> , 2008, , 5565.	4.1	135
31	Cu-Doped ZnS Hollow Particle with High Activity for Hydrogen Generation from Alkaline Sulfide Solution under Visible Light. <i>Chemistry of Materials</i> , 2008, 20, 1997-2000.	6.7	168
32	Utilization of Fe <sup>3+</sup> /Fe <sup>2+</sup> Redox for the Photodegradation of Organic Substances over WO <sub>3</sub> Photocatalyst and for H <sub>2</sub> Production from the Electrolysis of Water. <i>Electrochemistry</i> , 2008, 76, 128-131.	1.4	32
33	High-Throughput Screening Using Porous Photoelectrode for the Development of Visible-Light-Responsive Semiconductors. <i>ACS Combinatorial Science</i> , 2007, 9, 574-581.	3.3	136
34	Efficient Complete Oxidation of Acetaldehyde into CO <sub>2</sub> over CuBi <sub>2</sub> O <sub>4</sub> /WO <sub>3</sub> Composite Photocatalyst under Visible and UV Light Irradiation. <i>Journal of Physical Chemistry C</i> , 2007, 111, 7574-7577.	3.1	313
35	Photoelectrochemical Decomposition of Water into H <sub>2</sub> and O <sub>2</sub> on Porous BiVO <sub>4</sub> Thin-Film Electrodes under Visible Light and Significant Effect of Ag Ion Treatment. <i>Journal of Physical Chemistry B</i> , 2006, 110, 11352-11360.	2.6	515