Karl-Heinz Sdekum

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6294096/karl-heinz-sudekum-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

119	1,719	24	35
papers	citations	h-index	g-index
123	2,089	2.8	5.02
ext. papers	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
119	Preference and discrimination behaviour of llamas to saline drinking water. <i>Small Ruminant Research</i> , 2022 , 207, 106613	1.7	О
118	Evaluation of oregano leaves and plant bioactive lipid compounds as feed additives for growing rabbits: Effects on performance, nutrient digestibility, serum metabolic profile and carcass traits. <i>Animal Feed Science and Technology</i> , 2022 , 284, 115208	3	
117	Sensitivity of ponies to sodium in the drinking water <i>Animal Science Journal</i> , 2022 , 93, e13697	1.8	O
116	Estimation of diet organic matter digestibility in grazing dairy cows. <i>Archives of Animal Nutrition</i> , 2021 , 75, 153-166	2.7	О
115	Increasing feed intake in domestic goats (Capra hircus): Measured effects on chewing intensity are probably driven by escape of few, large particles from the forestomach. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2021 , 257, 110972	2.6	1
114	Linking forage choice behavior of goats with the metabolome of contrasting silages. <i>Journal of Dairy Science</i> , 2021 , 104, 308-323	4	1
113	Increasing food intake affects digesta retention, digestibility and gut fill but not chewing efficiency in domestic rabbits (Oryctolagus cuniculus). <i>Journal of Experimental Zoology Part A: Ecological and Integrative Physiology</i> , 2021 , 335, 614-622	1.9	1
112	Effects of pre-ensiling treatments on feed choice and short-term dry matter intake of lucerne silages by goats. <i>Livestock Science</i> , 2021 , 250, 104589	1.7	
111	Meta-analysis-based estimates of efficiency of calcium utilisation by ruminants. <i>Animal</i> , 2021 , 15, 1003	153.1	O
110	Towards Forage Resource Monitoring in subtropical Savanna Grasslands: going multispectral or hyperspectral?. <i>European Journal of Remote Sensing</i> , 2021 , 54, 364-384	2.9	1
109	Varying ensiling conditions affect the fermentation quality and abundance of bacterial key players in lucerne silages. <i>Journal of Agricultural Science</i> , 2020 , 158, 297-303	1	2
108	Phosphorus digestibility and metabolisable energy concentrations of contemporary wheat, barley, rye and triticale genotypes fed to growing pigs. <i>Archives of Animal Nutrition</i> , 2020 , 74, 429-444	2.7	4
107	Effect of Wilting Intensity, Dry Matter Content and Sugar Addition on Nitrogen Fractions in Lucerne Silages. <i>Agriculture (Switzerland)</i> , 2019 , 9, 11	3	14
106	Herbage dry matter intake estimation of grazing dairy cows based on animal, behavioral, environmental, and feed variables. <i>Journal of Dairy Science</i> , 2019 , 102, 2985-2999	4	19
105	Peppermint and its respective active component in diets of broiler chickens: growth performance, viability, economics, meat physicochemical properties, and carcass characteristics. <i>Poultry Science</i> , 2019 , 98, 3850-3859	3.9	12
104	Effect of forage species and ensiling conditions on silage composition and quality and the feed choice behaviour of goats. <i>Grass and Forage Science</i> , 2019 , 74, 297-313	2.3	7
103	Effects of ethyl ester supplementation to forage on short-term dry matter intake and preference by goats. <i>Archives of Animal Nutrition</i> , 2019 , 73, 127-139	2.7	8

(2018-2019)

102	The Effect of Herbage Conservation Method on Protein Value and Nitrogen Utilization in Dairy Cows. <i>Agriculture (Switzerland)</i> , 2019 , 9, 118	3	3
101	In vitro ruminal fermentation characteristics of alfalfa silages in response to different pre-ensiling treatments. <i>Animal Feed Science and Technology</i> , 2019 , 258, 114306	3	4
100	Simultaneous detection of biogenic amines and aminobutyric acid isomers in high-protein forages. <i>Animal Feed Science and Technology</i> , 2019 , 258, 114305	3	
99	Differently Pre-treated Alfalfa Silages Affect the Ruminal Microbiota Composition. <i>Frontiers in Microbiology</i> , 2019 , 10, 2761	5.7	4
98	Decision-making of goats when exposed to choice feeding: Triggered by taste or smell?. <i>Applied Animal Behaviour Science</i> , 2019 , 210, 46-51	2.2	4
97	Contribution of different rumen microbial groups to gas, short-chain fatty acid and ammonium production from different diets-an approach in an in vitro fermentation system. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2019 , 103, 17-28	2.6	2
96	Effects of length of ensiling and maturity group on chemical composition and in vitro ruminal degradability of whole-crop maize. <i>Grass and Forage Science</i> , 2018 , 73, 599-609	2.3	5
95	A small scale in vitro system for high throughput gas production analysis IA comparison with the Hohenheim gas test. <i>Animal Feed Science and Technology</i> , 2018 , 241, 8-14	3	2
94	Effect of condensed tannin supplementation on in vivo nutrient digestibilities and energy values of concentrates in sheep. <i>Small Ruminant Research</i> , 2018 , 161, 57-62	1.7	12
93	Effect of compaction, delayed sealing and aerobic exposure on forage choice and short-term intake of maize silage by goats. <i>Grass and Forage Science</i> , 2018 , 73, 392-405	2.3	8
92	Evaluation and validation of an automatic jaw movement recorder (RumiWatch) for ingestive and rumination behaviors of dairy cows during grazing and supplementation. <i>Journal of Dairy Science</i> , 2018 , 101, 2463-2475	4	31
91	Effect of condensed tannins in rations of lactating dairy cows on production variables and nitrogen use efficiency. <i>Animal</i> , 2018 , 12, 1847-1855	3.1	16
90	Thyme oil inclusion levels in a rabbit ration: Evaluation of productive performance, carcass criteria and meat quality under hot environmental conditions. <i>Animal Nutrition</i> , 2018 , 4, 410-416	4.8	16
89	Effect of compaction, delayed sealing and aerobic exposure on maize silage quality and on formation of volatile organic compounds. <i>Grass and Forage Science</i> , 2018 , 73, 53-66	2.3	32
88	Protection of protein from ruminal degradation by alkali-induced oxidation of chlorogenic acid in sunflower meal. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2018 , 102, e209-e215	2.6	4
87	Modular Wear Facet Nomenclature for mammalian post-canine dentitions. <i>Historical Biology</i> , 2018 , 30, 30-41	1.1	8
86	Renal energy excretion of horses depends on renal hippuric acid and nitrogen excretion. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2018 , 102, e380-e386	2.6	4
85	Influence of ration composition on nutritive and digestive variables in captive giraffes (Giraffa camelopardalis) indicating the appropriateness of feeding practice. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2018 , 102, e513-e524	2.6	2

84	Review: protein value of distillers dried grains with solubles (DDGS) in animal nutrition as affected by the ethanol production process. <i>Animal Feed Science and Technology</i> , 2018 , 244, 11-17	3	13
83	Quantification of Methane and Ammonia Emissions in a Naturally Ventilated Barn by Using Defined Criteria to Calculate Emission Rates. <i>Animals</i> , 2018 , 8,	3.1	17
82	Does intra-ruminal nitrogen recycling waste valuable resources? A review of major players and their manipulation. <i>Journal of Animal Science and Biotechnology</i> , 2018 , 9, 33	6	21
81	Invited review: Resource inputs and land, water and carbon footprints from the production of edible protein of animal origin. <i>Archives Animal Breeding</i> , 2018 , 61, 17-36	1.6	12
80	Die Landwirtschaftliche FakultEl 2018 , 521-604		
79	Invited review: Practical feeding management recommendations to mitigate the risk of subacute ruminal acidosis in dairy cattle. <i>Journal of Dairy Science</i> , 2018 , 101, 872-888	4	58
78	Cattle Diets Strongly Affect Nitrous Oxide in the Rumen. Sustainability, 2018, 10, 3679	3.6	7
77	Replacing maize silage plus soybean meal with red clover silage plus wheat grain in diets of dairy cows: Modelling the utilizable crude protein at the duodenum, a precursor to metabolizable protein. <i>Animal Feed Science and Technology</i> , 2018 , 246, 29-35	3	2
76	Impact of cow strain and concentrate supplementation on grazing behaviour, milk yield and metabolic state of dairy cows in an organic pasture-based feeding system. <i>Animal</i> , 2017 , 11, 1163-1173	3.1	17
75	Using plant wax markers to estimate the diet composition of grazing Holstein dairy cows. <i>Journal of Dairy Science</i> , 2017 , 100, 1019-1036	4	4
74	Mining the global diversity for bioenergy traits of barley straw: genomewide association study under varying plant water status. <i>GCB Bioenergy</i> , 2017 , 9, 1356-1369	5.6	4
73	Excretion of faecal, urinary urea and urinary non-urea nitrogen by four ruminant species as influenced by dietary nitrogen intake: A meta-analysis. <i>Livestock Science</i> , 2017 , 198, 82-88	1.7	11
72	Effect of replacing maize grain and soybean meal with a xylose-treated wheat grain on feed intake and performance of dairy cows. <i>Archives of Animal Nutrition</i> , 2017 , 71, 246-255	2.7	1
71	Within plant variation of distillers dried grains with solubles (DDGS) produced from multiple raw materials in varying proportions: Chemical composition and in vitro evaluation of feeding value for ruminants. <i>Animal Feed Science and Technology</i> , 2017 , 229, 79-90	3	6
70	Growth, nutrient digestibility, ileal digesta viscosity, and energy metabolizability of growing turkeys fed diets containing malted sorghum sprouts supplemented with enzyme or yeast. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2017 , 101, 449-456	2.6	3
69	Retention of solute and particle markers in the digestive tract of captive Somali wild asses (Equus africanus somaliensis). <i>European Journal of Wildlife Research</i> , 2017 , 63, 1	2	3
68	Little differences in digestive efficiency for protein and fat in mammals of different trophic guilds and digestive strategies: data constraints or fundamental functional similarity?. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2017 , 101 Suppl 1, 127-141	2.6	6
67	Ensiled sugar beets as dietary component and their effect on preference and dry matter intake by goats. <i>Archives of Animal Nutrition</i> , 2017 , 71, 297-310	2.7	5

(2015-2017)

66	European distillers dried grains with solubles (DDGS): Chemical composition and in vitro evaluation of feeding value for ruminants. <i>Animal Feed Science and Technology</i> , 2017 , 224, 66-77	3	16
65	In vitro gas production and in vivo nutrient digestibility and growth performance of Thai indigenous cattle fed fresh and conserved pangola grass. <i>Italian Journal of Animal Science</i> , 2017 , 16, 521-529	2.2	2
64	Land Use for Edible Protein of Animal Origin-A Review. <i>Animals</i> , 2017 , 7,	3.1	38
63	Nitrogen supply in cattle coupled with appropriate supply of utilisable crude protein at the duodenum, a precursor to metabolisable protein. <i>Archives of Animal Nutrition</i> , 2016 , 70, 293-306	2.7	6
62	Short communication: Telomere lengths in different tissues of dairy cows during early and late lactation. <i>Journal of Dairy Science</i> , 2016 , 99, 4881-4885	4	7
61	Mitochondrial DNA copy number and biogenesis in different tissues of early- and late-lactating dairy cows. <i>Journal of Dairy Science</i> , 2016 , 99, 1571-1583	4	21
60	Chemical composition and fermentation characteristics of feedstuffs for giraffes (Giraffa camelopardalis) in German zoos. <i>Journal of Animal and Feed Sciences</i> , 2016 , 25, 134-144	1.5	5
59	Influence of ruminal methane on digesta retention and digestive physiology in non-lactating dairy cattle. <i>British Journal of Nutrition</i> , 2016 , 116, 763-73	3.6	9
58	Food intake rates of herbivorous mammals and birds and the influence of body mass. <i>European Journal of Wildlife Research</i> , 2015 , 61, 91-102	2	4
57	In vitro gas production, in vivo nutrient digestibilities, and metabolisable energy concentrations for sheep of fresh and conserved pangola grass. <i>Small Ruminant Research</i> , 2015 , 128, 34-40	1.7	6
56	Effects of temporary intensive feed restriction on performance, nutrient digestibility and carcass criteria of growing male Californian rabbits. <i>Archives of Animal Nutrition</i> , 2015 , 69, 69-78	2.7	10
55	Estimation of intestinal protein digestibility of protein supplements for ruminants using a three-step enzymatic in vitro procedure. <i>Archives of Animal Nutrition</i> , 2015 , 69, 310-8	2.7	9
54	Biogenic amines and gamma-amino butyric acid in silages: Formation, occurrence and influence on dry matter intake and ruminant production. <i>Animal Feed Science and Technology</i> , 2015 , 210, 1-16	3	36
53	Spectral indicators of forage quality in West Africall tropical savannas. <i>International Journal of Applied Earth Observation and Geoinformation</i> , 2015 , 41, 99-106	7.3	20
52	Feed intake and digestibility by sheep of natural vegetation in the riparian land of lake Naivasha, Kenya. <i>Small Ruminant Research</i> , 2015 , 123, 75-82	1.7	
51	Biomass and quality changes of forages along land use and soil type gradients in the riparian zone of Lake Naivasha, Kenya. <i>Ecological Indicators</i> , 2015 , 49, 169-177	5.8	6
50	Faecal particle size: digestive physiology meets herbivore diversity. <i>Comparative Biochemistry and Physiology Part A, Molecular & Degrative Physiology</i> , 2015 , 179, 182-91	2.6	38
49	Does trans-10, cis-12 conjugated linoleic acid affect the intermediary glucose and energy expenditure of dairy cows due to repartitioning of milk component synthesis?. <i>Journal of Dairy Research</i> , 2015 , 82, 407-15	1.6	5

48	In situ and in vitro ruminal degradation of maize grain and untreated or xylose-treated wheat, barley and rye grains. <i>Animal Feed Science and Technology</i> , 2015 , 210, 86-93	3	11
47	A new protein evaluation system for horse feed from literature data. <i>Journal of Nutritional Science</i> , 2015 , 4, e4	2.7	14
46	Voluntary feed intake and digestibility of four domestic ruminant species as influenced by dietary constituents: A meta-analysis. <i>Livestock Science</i> , 2014 , 162, 76-85	1.7	57
45	In vitro ruminal dry matter degradability, microbial efficiency, short chain fatty acids, carbohydrate and protein fractionation of tropical grass-multipurpose tree species diets. <i>Livestock Science</i> , 2014 , 160, 45-51	1.7	4
44	Impact of mild heat stress on dry matter intake, milk yield and milk composition in mid-lactation Holstein dairy cows in a temperate climate. <i>Archives of Animal Nutrition</i> , 2014 , 68, 358-69	2.7	42
43	Aerobic exposure of lucerne silages and its impact on preference and dry matter intake by goats. Small Ruminant Research, 2014 , 121, 308-313	1.7	9
42	Digestibility, ruminal fermentation, ingesta kinetics and nitrogen utilisation in dairy cows fed diets based on silage of a brown midrib or a standard maize hybrid. <i>Archives of Animal Nutrition</i> , 2014 , 68, 143	3 ⁻² 58	4
41	Aerobic exposure of grass silages and its impact on dry matter intake and preference by goats. Small Ruminant Research, 2014 , 117, 131-141	1.7	17
40	Effect of ambient temperature on nutrient digestibility and nitrogen balance in sheep fed brown-midrib maize silage. <i>Archives of Animal Nutrition</i> , 2014 , 68, 336-44	2.7	3
39	Effect of extent and rate of wilting on nitrogen components of grass silage. <i>Grass and Forage Science</i> , 2014 , 69, 140-152	2.3	17
38	Does body mass convey a digestive advantage for large herbivores?. Functional Ecology, 2014, 28, 1127-	-151634	40
37	Species-specific responses of N homeostasis and electrolyte handling to low N intake: a comparative physiological approach in a monogastric and a ruminant species. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology,</i> 2014 , 184, 137-47	2.2	
36	Recoveries of 15N-labelled fertilizers (chicken manure, mushroom compost and potassium nitrate) in arable topsoil after autumn application to winter cover crops. <i>Soil and Tillage Research</i> , 2013 , 130, 120-127	6.5	7
35	Short communication: milk output in llamas (Lama glama) in relation to energy intake and water turnover measured by an isotope dilution technique. <i>Journal of Dairy Science</i> , 2013 , 96, 1815-9	4	2
34	Pangola grass as forage for ruminant animals: a review. SpringerPlus, 2013, 2, 604		8
33	The amino acid composition of rumen-undegradable protein: a comparison between forages. <i>Journal of Dairy Science</i> , 2013 , 96, 4568-77	4	16
32	Fibre digestibility in large herbivores as related to digestion type and body massan in vitro approach. <i>Comparative Biochemistry and Physiology Part A, Molecular & Discourt Physiology</i> , 2013 , 164, 319-26	2.6	13
31	Evaluation of the effects of tropical tanniferous plants on rumen microbiota using qRT PCR and DGGE analysis. <i>Czech Journal of Animal Science</i> , 2013 , 58, 106-116	1.1	8

(2011-2013)

30	Comparative evaluation of equations predicting methane production of dairy cattle from feed characteristics. <i>Archives of Animal Nutrition</i> , 2013 , 67, 279-88	2.7	4
29	Adaptation of electrolyte handling to low crude protein intake in growing goats and consequences for in vivo electrolyte excretion. <i>Small Ruminant Research</i> , 2013 , 114, 90-96	1.7	6
28	Changes in maize silage fermentation products during aerobic deterioration and effects on dry matter intake by goats. <i>Agricultural and Food Science</i> , 2013 , 22, 168-181	2	58
27	Effect of dietary Rhodobacter capsulatus on lipid fractions and egg-yolk fatty acid composition in laying hens. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2012 , 96, 1091-100	2.6	3
26	Ruminal ochratoxin A degradation Contribution of the different microbial populations and influence of diet. <i>Animal Feed Science and Technology</i> , 2012 , 171, 85-97	3	11
25	Estimating ruminal crude protein degradation of forages using in situ and in vitro techniques. <i>Animal Feed Science and Technology</i> , 2012 , 175, 95-105	3	24
24	Estimating utilisable crude protein at the duodenum, a precursor to metabolisable protein for ruminants, from forages using a modified gas test. <i>Animal Feed Science and Technology</i> , 2012 , 175, 106-	133	28
23	Effects of thyme and oregano on growth performance of broilers from 4 to 42 days of age and on microbial counts in crop, small intestine and caecum of 42-day-old broilers. <i>Animal Feed Science and Technology</i> , 2012 , 178, 198-202	3	35
22	Leaf ascorbic acid levelis it really important for ozone tolerance in rice?. <i>Plant Physiology and Biochemistry</i> , 2012 , 59, 63-70	5.4	39
21	Comparison of in vitro and in situ methods in evaluation of forage digestibility in ruminants. <i>Journal of Animal Science</i> , 2012 , 90, 3162-73	0.7	25
20	Nutrition-induced Changes of Growth from Birth to First Calving and Its Impact on Mammary Development and First-lactation Milk Yield in Dairy Heifers: A Review. <i>Asian-Australasian Journal of Animal Sciences</i> , 2012 , 25, 1338-50	2.4	22
19	Effects of limited concentrate feeding on growth and blood and serum variables, and on nutrient digestibility and gene expression of hepatic gluconeogenic enzymes in dairy calves. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2012 , 96, 25-36	2.6	12
18	Chemical composition, rumen degradability and crude protein fractionation of some commercial and improved cowpea (Vigna unguiculata L. Walp) haulm varieties. <i>Grass and Forage Science</i> , 2012 , 67, 210-218	2.3	2
17	Effect of niacin supplementation on rumen fermentation characteristics and nutrient flow at the duodenum in lactating dairy cows fed a diet with a negative rumen nitrogen balance. <i>Archives of Animal Nutrition</i> , 2012 , 66, 303-18	2.7	12
16	Effects of non-enzymatic browning reaction intensity on in vitro ruminal protein degradation and intestinal protein digestion of soybean and cottonseed meals. <i>Animal Feed Science and Technology</i> , 2011 , 163, 255-259	3	8
15	Is there an influence of body mass on digesta mean retention time in herbivores? A comparative study on ungulates. <i>Comparative Biochemistry and Physiology Part A, Molecular & Comparative Physiology</i> , 2011 , 160, 355-64	2.6	42
14	The effect of size and density on the mean retention time of particles in the reticulorumen of cattle (Bos primigenius f. taurus), muskoxen (Ovibos moschatus) and moose (Alces alces). <i>British Journal of Nutrition</i> , 2011 , 105, 634-44	3.6	33
13	Another one bites the dust: faecal silica levels in large herbivores correlate with high-crowned teeth. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011 , 278, 1742-7	4.4	69

12	Variation in the contents of crude protein fractions of different forage legumes during the spring growth. <i>Grass and Forage Science</i> , 2010 , 65, 376-382	2.3	19
11	Ochratoxin A in ruminants review on its degradation by gut microbes and effects on animals. <i>Toxins</i> , 2010 , 2, 809-39	4.9	31
10	Comparative investigations on digestion in grazing (Ceratotherium simum) and browsing (Diceros bicornis) rhinoceroses. <i>Comparative Biochemistry and Physiology Part A, Molecular & Amp; Integrative Physiology</i> , 2010 , 156, 380-8	2.6	24
9	Effects of amount of intake and stage of forage maturity on urinary allantoin excretion and estimated microbial crude protein synthesis in the rumen of steers. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2006 , 90, 136-45	2.6	19
8	Forage fermentation patterns and their implications for herbivore ingesta retention times. <i>Functional Ecology</i> , 2006 , 20, 989-1002	5.6	100
7	Effects of chemically treated soybeans and expeller rapeseed meal on in vivo and in situ crude fat and crude protein disappearance from the rumen. <i>Animal Feed Science and Technology</i> , 2005 , 118, 215-2	227	31
6	Relationship between fecal crude protein concentration and diet organic matter digestibility in cattle. <i>Journal of Animal Science</i> , 2005 , 83, 1332-44	0.7	53
5	Comparative nutritive value of cassava leaf meal, soya beans, fish meal and casein in diets for growing pigs. <i>Journal of Animal Physiology and Animal Nutrition</i> , 2004 , 88, 30-8	2.6	4
4	Estimating ruminal crude protein degradation with in situ and chemical fractionation procedures. <i>Animal Feed Science and Technology</i> , 2000 , 85, 195-214	3	25
3	Rumen contents and ruminal and faecal particle size distribution in steers fed a mixed diet at three amounts of intake. <i>Animal Feed Science and Technology</i> , 1997 , 64, 143-154	3	11
2	Effects of intake level of a mixed diet on chewing activity and on particle size of ruminated boli, ruminal digesta fractions and faeces of steers. <i>Reproduction, Nutrition, Development</i> , 1997 , 37, 517-28		9
1	Plasmaspiegel, Clearance sowie renale Ausscheidung von endogenen und ruminalen Purinen beim Rind*. <i>Journal of Animal Physiology and Animal Nutrition</i> , 1993 , 70, 180-189	2.6	33