

# Mãngeles Sanromã;n Braga

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6294651/publications.pdf>

Version: 2024-02-01

298  
papers

11,898  
citations

28190

55  
h-index

51492

86  
g-index

304  
all docs

304  
docs citations

304  
times ranked

10496  
citing authors

#	ARTICLE	IF	CITATIONS
1	Exploring the pressurized heterogeneous electro-Fenton process and modelling the system. <i>Chemical Engineering Journal</i> , 2022, 431, 133280.	6.6	8
2	Recent Developments in Advanced Oxidation Processes for Organics-Polluted Soil Reclamation. <i>Catalysts</i> , 2022, 12, 64.	1.6	17
3	Heterogeneous Advanced Oxidation Processes: Current Approaches for Wastewater Treatment. <i>Catalysts</i> , 2022, 12, 344.	1.6	35
4	Sustainable regeneration of a honeycomb carbon aerogel used as a high-capacity adsorbent for Fluoxetine removal. <i>Journal of Molecular Liquids</i> , 2022, 357, 119079.	2.3	5
5	Preparation and characterization of high performance hydrochar for efficient adsorption of drugs mixture. <i>Journal of Molecular Liquids</i> , 2022, 353, 118797.	2.3	12
6	Exploring the use of carbon materials as cathodes in electrochemical advanced oxidation processes for the degradation of antibiotics. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 107506.	3.3	11
7	Peroxymonosulphate Activation by Basolite® F-300 for Escherichia coli Disinfection and Antipyrine Degradation. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6852.	1.2	5
8	Bridging the gap to hydrochar production and its application into frameworks of bioenergy, environmental and biocatalysis areas. <i>Bioresource Technology</i> , 2021, 320, 124399.	4.8	33
9	Fenton Processes for Remediation of Polluted Soils. <i>Environmental Pollution</i> , 2021, , 167-197.	0.4	0
10	Life Cycle and Economic Analyses of the Removal of Pesticides and Pharmaceuticals from Municipal Wastewater by Anodic Oxidation. <i>Sustainability</i> , 2021, 13, 3669.	1.6	7
11	Prospects on integrated electrokinetic systems for decontamination of soil polluted with organic contaminants. <i>Current Opinion in Electrochemistry</i> , 2021, 27, 100692.	2.5	10
12	Towards a more realistic heterogeneous electro-Fenton. <i>Journal of Electroanalytical Chemistry</i> , 2021, 895, 115475.	1.9	14
13	Eco-approach for pharmaceutical removal: Thermochemical waste valorisation, biochar adsorption and electro-assisted regeneration. <i>Electrochimica Acta</i> , 2021, 389, 138694.	2.6	12
14	Kinetic and thermodynamic study of laccase cross-linked onto glyoxyl Immobead 150P carrier: Characterization and application for beechwood biografting. <i>Enzyme and Microbial Technology</i> , 2021, 150, 109865.	1.6	10
15	Designing novel biocompatible oligopeptide-based ionic liquids for greener downstream processes. <i>Journal of Cleaner Production</i> , 2021, 279, 123356.	4.6	10
16	Heterogeneous Electro-Fenton as “Green” Technology for Pharmaceutical Removal: A Review. <i>Catalysts</i> , 2021, 11, 85.	1.6	40
17	Heterogeneous Electro-Fenton-like Designs for the Disposal of 2-Phenylphenol from Water. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 12103.	1.3	7
18	Coupling electro-Fenton process to a biological treatment, a new methodology for the removal of ionic liquids?. <i>Separation and Purification Technology</i> , 2020, 233, 115990.	3.9	31

#	ARTICLE	IF	CITATIONS
19	Bifunctional floating catalyst for enhancing the synergistic effect of LED-photolysis and electro-Fenton process. <i>Separation and Purification Technology</i> , 2020, 230, 115880.	3.9	6
20	Prompt removal of antibiotic by adsorption/electro-Fenton degradation using an iron-doped perlite as heterogeneous catalyst. <i>Chemical Engineering Research and Design</i> , 2020, 144, 100-110.	2.7	29
21	Iron-Loaded Catalytic Silicate Adsorbents: Synthesis, Characterization, Electroregeneration and Application for Continuous Removal of 1-Butylpyridinium Chloride. <i>Catalysts</i> , 2020, 10, 950.	1.6	2
22	Unravelling the Environmental Application of Biochar as Low-Cost Biosorbent: A Review. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 7810.	1.3	44
23	Equilibrium Study, Modeling and Optimization of Model Drug Adsorption Process by Sunflower Seed Shells. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 3271.	1.3	4
24	Ultrasonic processes for the advanced remediation of contaminated sediments. <i>Ultrasonics Sonochemistry</i> , 2020, 67, 105171.	3.8	7
25	Potential of cholinium glycinate for the extraction of extremophilic lipolytic biocatalysts. <i>Separation and Purification Technology</i> , 2020, 248, 117008.	3.9	7
26	Removal of sulfamethoxazole and methylparaben using hydrocolloid and fiber industry wastes: Comparison with biochar and laccase-biocomposite. <i>Journal of Cleaner Production</i> , 2020, 271, 122436.	4.6	26
27	Cholinium dipeptide as the cornerstone to build promising separation processes: A simultaneous recovery strategy for microalgae biorefineries. <i>Separation and Purification Technology</i> , 2020, 250, 117288.	3.9	7
28	Differential pulse voltammetry as a powerful tool to monitor the electro-Fenton process. <i>Electrochimica Acta</i> , 2020, 354, 136740.	2.6	8
29	Pre-concentration by natural adsorbent as plausible tool for effective electro-Fenton removal of micropollutants. <i>Separation and Purification Technology</i> , 2020, 241, 116676.	3.9	4
30	Environmental application of monolithic carbonaceous aerogels for the removal of emerging pollutants. <i>Chemosphere</i> , 2020, 248, 125995.	4.2	14
31	Iron-doped cathodes for electro-Fenton implementation: Application for pymetrozine degradation. <i>Electrochimica Acta</i> , 2020, 338, 135768.	2.6	34
32	Synthesis and use of efficient adsorbents under the principles of circular economy: Waste valorisation and electroadvanced oxidation process regeneration. <i>Separation and Purification Technology</i> , 2020, 242, 116796.	3.9	38
33	Electro-assisted activation of peroxymonosulfate by iron-based minerals for the degradation of 1-butyl-1-methylpyrrolidinium chloride. <i>Separation and Purification Technology</i> , 2019, 208, 34-41.	3.9	29
34	Double benefit of electrochemical techniques: Treatment and electroanalysis for remediation of water polluted with organic compounds. <i>Electrochimica Acta</i> , 2019, 320, 134628.	2.6	20
35	Setting the Foundations of Aqueous Three-Phase Systems (A3PS) in the Quest for a Rational Design. <i>ChemPhysChem</i> , 2019, 20, 3311-3321.	1.0	3
36	Sulfate Radicals-Based Technology as a Promising Strategy for Wastewater. <i>Water (Switzerland)</i> , 2019, 11, 1695.	1.2	8

#	ARTICLE	IF	CITATIONS
37	Sketching a Suitable Immobilization Strategy for Ionic Liquid Removal in a Fixed-Bed Bioreactor. ACS Sustainable Chemistry and Engineering, 2019, 7, 4307-4314.	3.2	3
38	Sustainable Removal of Cr(VI) by Lime Peel and Pineapple Core Wastes. Applied Sciences (Switzerland), 2019, 9, 1967.	1.3	15
39	Surfactant-assisted disruption and extraction for carotenoid production from a novel Dunaliella strain. Separation and Purification Technology, 2019, 223, 243-249.	3.9	12
40	Homogeneous and heterogeneous peroxymonosulfate activation by transition metals for the degradation of industrial leather dye. Journal of Cleaner Production, 2019, 228, 222-230.	4.6	82
41	Selecting the best piping arrangement for scaling-up an annular channel reactor: An experimental and computational fluid dynamics study. Science of the Total Environment, 2019, 667, 821-832.	3.9	25
42	Design of eco-friendly aqueous two-phase systems for the efficient extraction of industrial finishing dyes. Journal of Molecular Liquids, 2019, 284, 625-632.	2.3	28
43	Suitability of dihydrogen phosphate anion to salt out cholinium-based ionic liquids. Journal of Chemical Thermodynamics, 2019, 133, 143-150.	1.0	5
44	Synthesis of magnetic-photo-Fenton catalyst for degradation of emerging pollutant. Catalysis Today, 2019, 328, 267-273.	2.2	12
45	New approaches on the agrochemicals degradation by UV oxidation processes. Chemical Engineering Journal, 2019, 376, 120026.	6.6	15
46	Heterogeneous electro-Fenton catalyst for 1-butylpyridinium chloride degradation. Environmental Science and Pollution Research, 2019, 26, 3145-3156.	2.7	26
47	Comprehensive strategy for the degradation of anti-inflammatory drug diclofenac by different advanced oxidation processes. Separation and Purification Technology, 2019, 208, 130-141.	3.9	40
48	A step forward in heterogeneous photocatalysis: Process intensification by using a static mixer as catalyst support. Chemical Engineering Journal, 2018, 343, 597-606.	6.6	57
49	Current advances and trends in electro-Fenton process using heterogeneous catalysts – A review. Chemosphere, 2018, 201, 399-416.	4.2	270
50	Electro-Fenton process for implementation of acid black liquor waste treatment. Science of the Total Environment, 2018, 635, 397-404.	3.9	23
51	Optimization of photo-Fenton process for the treatment of prednisolone. Environmental Science and Pollution Research, 2018, 25, 27768-27782.	2.7	20
52	Heterogeneous electro-Fenton as plausible technology for the degradation of imidazolium-based ionic liquids. Chemosphere, 2018, 199, 68-75.	4.2	23
53	Kaolinite adsorption-regeneration system for dyestuff treatment by Fenton based processes. Science of the Total Environment, 2018, 622-623, 556-562.	3.9	46
54	Solid-State Fermentation for Food Applications. , 2018, , 319-355.		10

#	ARTICLE	IF	CITATIONS
55	Evaluation of different cathodes and reaction parameters on the enhancement of the electro-Fenton process. <i>Journal of Electroanalytical Chemistry</i> , 2018, 808, 455-463.	1.9	29
56	Comprehensive solution for acetamiprid degradation: Combined electro-Fenton and adsorption process. <i>Journal of Electroanalytical Chemistry</i> , 2018, 808, 446-454.	1.9	33
57	An effective electroanalytical approach for the monitoring of electroactive dyes and intermediate products formed in electro-Fenton treatment. <i>Journal of Electroanalytical Chemistry</i> , 2018, 808, 403-411.	1.9	22
58	Fenton-based processes for the regeneration of catalytic adsorbents. <i>Catalysis Today</i> , 2018, 313, 122-127.	2.2	21
59	Salting out potential of cholinium dihydrogen citrate in aqueous solution of Triton surfactants. <i>Journal of Chemical Thermodynamics</i> , 2018, 118, 235-243.	1.0	17
60	Highly active based iron-carbonaceous cathodes for heterogeneous electro-Fenton process: Application to degradation of parabens. <i>Chemical Engineering Research and Design</i> , 2018, 117, 363-371.	2.7	21
61	Demonstrating the viability of halolipase production at a mechanically stirred tank biological reactor. <i>Bioresource Technology</i> , 2018, 263, 334-339.	4.8	3
62	Green Binder Based on Enzymatically Polymerized Eucalypt Kraft Lignin for Fiberboard Manufacturing: A Preliminary Study. <i>Polymers</i> , 2018, 10, 642.	2.0	24
63	Towards sustainable removal of methylthioninium chloride by using adsorption-electroradical regeneration. <i>Chemosphere</i> , 2018, 210, 476-485.	4.2	5
64	Liquid-liquid demixing of Tergitol solutions by sodium salts. <i>Journal of Chemical Thermodynamics</i> , 2018, 126, 111-118.	1.0	3
65	Electroanalytical techniques applied to monitoring the electro-Fenton degradation of aromatic imidazolium-based ionic liquids. <i>Journal of Applied Electrochemistry</i> , 2018, 48, 1331-1341.	1.5	12
66	Soil flushing and simultaneous degradation of organic pollutants in soils by electrokinetic-Fenton treatment. <i>Chemical Engineering Research and Design</i> , 2017, 108, 99-107.	2.7	28
67	Application of electro-Fenton treatment for the elimination of 1-Butyl-3-methylimidazolium triflate from polluted water. <i>Chemical Engineering Journal</i> , 2017, 318, 19-28.	6.6	34
68	Increasing the Greenness of Lignocellulosic Biomass Biorefining Processes by Means of Biocompatible Separation Strategies. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 3339-3345.	3.2	11
69	Enzymatic grafting of kraft lignin as a wood bio-protection strategy. Part 1: factors affecting the process. <i>Holzforschung</i> , 2017, 71, 681-687.	0.9	10
70	Enzymatic grafting of kraft lignin as a wood bio-protection strategy. Part 2: effectiveness against wood destroying basidiomycetes. Effect of copper entrapment. <i>Holzforschung</i> , 2017, 71, 689-695.	0.9	11
71	Heterogeneous electro-Fenton using natural pyrite as solid catalyst for oxidative degradation of vanillic acid. <i>Journal of Electroanalytical Chemistry</i> , 2017, 797, 69-77.	1.9	62
72	Degradation of Adsorbed Azo Dye by Solid-State Fermentation: Improvement of Culture Conditions, a Kinetic Study, and Rotating Drum Bioreactor Performance. <i>Water, Air, and Soil Pollution</i> , 2017, 228, 1.	1.1	17

#	ARTICLE	IF	CITATIONS
73	Challenges and recent advances in biochar as low-cost biosorbent: From batch assays to continuous-flow systems. <i>Bioresource Technology</i> , 2017, 246, 176-192.	4.8	192
74	Unravelling the suitability of biological induction for halophilic lipase production by <i>Halomonas</i> sp. LM1C cultures. <i>Bioresource Technology</i> , 2017, 239, 368-377.	4.8	23
75	Electrokinetic oxidant soil flushing: A solution for in situ remediation of hydrocarbons polluted soils. <i>Journal of Electroanalytical Chemistry</i> , 2017, 799, 1-8.	1.9	39
76	Immobilization of laccase of <i>Pycnoporus sanguineus</i> CS43. <i>New Biotechnology</i> , 2017, 39, 141-149.	2.4	38
77	Synthesis of copper coordinated dithiooxamide metal organic framework and its performance assessment in the adsorptive removal of tartrazine from water. <i>Journal of Environmental Chemical Engineering</i> , 2017, 5, 328-340.	3.3	33
78	Removal of polyvinylamine sulfonate anthrapyridone dye by application of heterogeneous electro-Fenton process. <i>Environmental Science and Pollution Research</i> , 2017, 24, 18309-18319.	2.7	17
79	Testing True Choline Ionic Liquid Biocompatibility from a Biotechnological Standpoint. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 8302-8309.	3.2	34
80	p-Nitrophenol degradation by electro-Fenton process: Pathway, kinetic model and optimization using central composite design. <i>Chemosphere</i> , 2017, 185, 726-736.	4.2	65
81	A Sustainable Treatment for Wood Preservation: Enzymatic Grafting of Wood Extractives. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 7557-7567.	3.2	29
82	Special Issue on Biochar: Production, Characterization and Applications â€œ Beyond Soil Applications. <i>Bioresource Technology</i> , 2017, 246, 1.	4.8	11
83	Sequential two-column electro-Fenton-photolytic reactor for the treatment of winery wastewater. <i>Environmental Science and Pollution Research</i> , 2017, 24, 1137-1151.	2.7	8
84	Scaling-up and ionic liquid-based extraction of pectinases from <i>Aspergillus flavipes</i> cultures. <i>Bioresource Technology</i> , 2017, 225, 326-335.	4.8	32
85	Aqueous two-phase systems containing imidazolium ionic liquids and a Tween surfactant. <i>Journal of Chemical Thermodynamics</i> , 2017, 105, 209-216.	1.0	13
86	Assessment of LED-assisted electro-Fenton reactor for the treatment of winery wastewater. <i>Chemical Engineering Journal</i> , 2017, 310, 399-406.	6.6	30
87	Contriving to selectively separate drugs with a hydrophilic ionic liquid. <i>Separation and Purification Technology</i> , 2017, 174, 29-38.	3.9	17
88	Immobilization of laccase on functionalized multiwalled carbon nanotube membranes and application for dye decolorization. <i>RSC Advances</i> , 2016, 6, 114690-114697.	1.7	54
89	Electrokinetic-Fenton technology for the remediation of hydrocarbons historically polluted sites. <i>Chemosphere</i> , 2016, 156, 347-356.	4.2	33
90	New horizons in the enzymatic production of biodiesel using neoteric solvents. <i>Renewable Energy</i> , 2016, 98, 92-100.	4.3	30

#	ARTICLE	IF	CITATIONS
91	Antibiotics in swine husbandry effluents: Laying the foundations for their efficient removal with a biocompatible ionic liquid. <i>Chemical Engineering Journal</i> , 2016, 298, 10-16.	6.6	40
92	Elimination of radiocontrast agent diatrizoic acid by photo-Fenton process and enhanced treatment by coupling with electro-Fenton process. <i>Environmental Science and Pollution Research</i> , 2016, 23, 19134-19144.	2.7	17
93	Elimination of radiocontrast agent Diatrizoic acid from water by electrochemical advanced oxidation: Kinetics study, mechanism and mineralization pathway. <i>Journal of Electroanalytical Chemistry</i> , 2016, 772, 1-8.	1.9	26
94	Electrocoagulation: Simply a Phase Separation Technology? The Case of Bronopol Compared to Its Treatment by EAOPs. <i>Environmental Science &amp; Technology</i> , 2016, 50, 7679-7686.	4.6	53
95	Coated nickel foam electrode for the implementation of continuous electro-Fenton treatment. <i>Journal of Chemical Technology and Biotechnology</i> , 2016, 91, 685-692.	1.6	15
96	<i>Bacillus thuringiensis</i> a promising bacterium for degrading emerging pollutants. <i>Chemical Engineering Research and Design</i> , 2016, 101, 19-26.	2.7	51
97	Electro-Fenton treatment of imidazolium-based ionic liquids: kinetics and degradation pathways. <i>RSC Advances</i> , 2016, 6, 1958-1965.	1.7	40
98	New sources of halophilic lipases: Isolation of bacteria from Spanish and Turkish saltworks. <i>Biochemical Engineering Journal</i> , 2016, 109, 170-177.	1.8	30
99	Grapefruit peelings as a promising biosorbent for the removal of leather dyes and hexavalent chromium. <i>Chemical Engineering Research and Design</i> , 2016, 101, 61-71.	2.7	71
100	Degradation of thiamethoxam by the synergetic effect between anodic oxidation and Fenton reactions. <i>Journal of Hazardous Materials</i> , 2016, 319, 43-50.	6.5	64
101	Chestnut shells to mitigate pesticide contamination. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2016, 61, 166-173.	2.7	29
102	Removal of metal and organic pollutants from wastewater by a sequential selective technique. <i>Bioresource Technology</i> , 2016, 213, 2-10.	4.8	10
103	Microbial Adaptation to Ionic Liquids Increases the Ability to Treat Contaminants. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 1637-1642.	3.2	7
104	Nickel foam a suitable alternative to increase the generation of Fenton's reagents. <i>Chemical Engineering Research and Design</i> , 2016, 101, 34-44.	2.7	45
105	Optimization of two-chamber photo electro Fenton reactor for the treatment of winery wastewater. <i>Chemical Engineering Research and Design</i> , 2016, 101, 72-79.	2.7	18
106	A grey box model of glucose fermentation and syntrophic oxidation in microbial fuel cells. <i>Bioresource Technology</i> , 2016, 200, 396-404.	4.8	30
107	Effective monitoring of the electro-Fenton degradation of phenolic derivatives by differential pulse voltammetry on multi-walled-carbon nanotubes modified screen-printed carbon electrodes. <i>Applied Catalysis B: Environmental</i> , 2016, 180, 544-550.	10.8	35
108	An Inert Ionic Liquid-Based System for Ascertaining Electrolyte Diffusivity in Protective Coatings. <i>Corrosion</i> , 2015, 71, 259-266.	0.5	3

#	ARTICLE	IF	CITATIONS
109	Preliminary testing and design of permeable bioreactive barrier for phenanthrene degradation by <i>Pseudomonas stutzeri</i> CECT 930 immobilized in hydrogel matrices. <i>Journal of Chemical Technology and Biotechnology</i> , 2015, 90, 500-506.	1.6	23
110	Enhanced selective metal adsorption on optimised agroforestry waste mixtures. <i>Bioresource Technology</i> , 2015, 182, 41-49.	4.8	49
111	Environmental application of an industrial waste as catalyst for the electro-Fenton-like treatment of organic pollutants. <i>RSC Advances</i> , 2015, 5, 14416-14424.	1.7	43
112	Removal of PAHs and pesticides from polluted soils by enhanced electrokinetic-Fenton treatment. <i>Chemosphere</i> , 2015, 125, 168-174.	4.2	70
113	Heterogeneous electro-Fenton treatment: preparation, characterization and performance in groundwater pesticide removal. <i>Journal of Industrial and Engineering Chemistry</i> , 2015, 27, 276-282.	2.9	62
114	Aqueous immiscibility of cholinium chloride ionic liquid and Triton surfactants. <i>Journal of Chemical Thermodynamics</i> , 2015, 91, 86-93.	1.0	27
115	Application of a new sandwich of granular activated and fiber carbon as cathode in the electrochemical advanced oxidation treatment of pharmaceutical effluents. <i>Separation and Purification Technology</i> , 2015, 151, 243-250.	3.9	32
116	Triggering phase disengagement of 1-alkyl-3-methylimidazolium chloride ionic liquids by using inorganic and organic salts. <i>Journal of Chemical Thermodynamics</i> , 2015, 88, 1-7.	1.0	7
117	Scale-up of removal process using a remediating-bacterium isolated from marine coastal sediment. <i>RSC Advances</i> , 2015, 5, 36665-36672.	1.7	5
118	New approaches on heterogeneous electro-Fenton treatment of winery wastewater. <i>Electrochimica Acta</i> , 2015, 169, 134-141.	2.6	60
119	Effective heterogeneous electro-Fenton process of m-cresol with iron loaded activated carbon. <i>RSC Advances</i> , 2015, 5, 31049-31056.	1.7	56
120	Ionic liquids for the concomitant use in extremophiles lysis and extremozymes extraction. <i>Bioresource Technology</i> , 2015, 186, 303-308.	4.8	10
121	Microbial adaptation to ionic liquids. <i>RSC Advances</i> , 2015, 5, 17379-17382.	1.7	20
122	Simultaneous biotreatment of Polycyclic Aromatic Hydrocarbons and dyes in a one-step bioreaction by an acclimated <i>Pseudomonas</i> strain. <i>Bioresource Technology</i> , 2015, 198, 181-188.	4.8	13
123	Synthesis of bimetallic Fe-Zn nanoparticles and its application towards adsorptive removal of carcinogenic dye malachite green and Congo red in water. <i>Journal of Molecular Liquids</i> , 2015, 212, 227-236.	2.3	135
124	A biocompatible stepping stone for the removal of emerging contaminants. <i>Separation and Purification Technology</i> , 2015, 153, 91-98.	3.9	38
125	Preparation of activated carbon from Alligator weed ( <i>Alternanthera philoxeroides</i> ) and its application for tartrazine removal: Isotherm, kinetics and spectroscopic analysis. <i>Journal of Environmental Chemical Engineering</i> , 2015, 3, 2560-2568.	3.3	46
126	Wood Hydrophobization by Laccase-Assisted Grafting of Lauryl Gallate. <i>Journal of Wood Chemistry and Technology</i> , 2015, 35, 156-165.	0.9	11



#	ARTICLE	IF	CITATIONS
127	On the hunt for truly biocompatible ionic liquids for lipase-catalyzed reactions. <i>RSC Advances</i> , 2015, 5, 3386-3389.	1.7	54
128	Insights into polyaromatic hydrocarbon biodegradation by <i>Pseudomonas stutzeri</i> CECT 930: operation at bioreactor scale and metabolic pathways. <i>International Journal of Environmental Science and Technology</i> , 2015, 12, 1243-1252.	1.8	23
129	Degradation of organic pollutants by heterogeneous electro-Fenton process using Mn-alginate composite. <i>Journal of Chemical Technology and Biotechnology</i> , 2015, 90, 1439-1447.	1.6	30
130	Application of Electro-Fenton Technology to Remediation of Polluted Effluents by Self-Sustaining Process. <i>Scientific World Journal</i> , The, 2014, 2014, 1-8.	0.8	11
131	Ionic liquids improve the anticorrosion performance of Zn-rich coatings. <i>RSC Advances</i> , 2014, 4, 59587-59593.	1.7	12
132	Electro-Fenton decolourization of dyes in batch mode by the use of catalytic activity of iron loaded hydrogels. <i>Journal of Chemical Technology and Biotechnology</i> , 2014, 89, 1235-1242.	1.6	32
133	Structural characterization of Kraft lignins from different spent cooking liquors by 1D and 2D Nuclear Magnetic Resonance spectroscopy. <i>Biomass and Bioenergy</i> , 2014, 63, 156-166.	2.9	87
134	Phase segregation in aqueous solutions of non-ionic surfactants using ammonium, magnesium and iron salts. <i>Journal of Chemical Thermodynamics</i> , 2014, 70, 147-153.	1.0	14
135	Potential of laccase for modification of <i>Eucalyptus globulus</i> wood: a XPS study. <i>Wood Science and Technology</i> , 2014, 48, 151-160.	1.4	11
136	Stability and kinetic behavior of immobilized laccase from <i>Myceliophthora thermophila</i> in the presence of the ionic liquid 1-ethyl-3-methylimidazolium ethylsulfate. <i>Biotechnology Progress</i> , 2014, 30, 790-796.	1.3	19
137	Surfactant-Enhanced Solubilization and Simultaneous Degradation of Phenanthrene in Marine Sediment by Electro-Fenton Treatment. <i>Industrial &amp; Engineering Chemistry Research</i> , 2014, 53, 2917-2923.	1.8	42
138	Hybrid sequential treatment of aromatic hydrocarbon-polluted effluents using non-ionic surfactants as solubilizers and extractants. <i>Bioresource Technology</i> , 2014, 162, 259-265.	4.8	12
139	Technosols as a novel valorization strategy for an ecological management of dredged marine sediments. <i>Ecological Engineering</i> , 2014, 67, 182-189.	1.6	46
140	Box-Behnken methodology for Cr (VI) and leather dyes removal by an eco-friendly biosorbent: <i>F. vesiculosus</i> . <i>Bioresource Technology</i> , 2014, 160, 166-174.	4.8	55
141	Application of benthonic microbial fuel cells and electro-Fenton process to dye decolourisation. <i>Journal of Industrial and Engineering Chemistry</i> , 2014, 20, 3754-3760.	2.9	52
142	Influence of the addition of Tween 20 on the phase behaviour of ionic liquids-based aqueous systems. <i>Journal of Chemical Thermodynamics</i> , 2014, 79, 178-183.	1.0	4
143	Environmentally Benign Sequential Extraction of Heavy Metals from Marine Sediments. <i>Industrial &amp; Engineering Chemistry Research</i> , 2014, 53, 8615-8620.	1.8	27
144	Assessment of sepiolite as a low-cost adsorbent for phenanthrene and pyrene removal: Kinetic and equilibrium studies. <i>Ecological Engineering</i> , 2014, 70, 287-294.	1.6	37

#	ARTICLE	IF	CITATIONS
145	Ionic liquids and non-ionic surfactants: a new marriage for aqueous segregation. RSC Advances, 2014, 4, 32698.	1.7	37
146	Electro-Fenton oxidation of imidacloprid by Fe alginate gel beads. Applied Catalysis B: Environmental, 2014, 144, 416-424.	10.8	99
147	Efficient biosynthesis of a chitinase from <i>Halobacterium salinarum</i> expressed in <i>Escherichia coli</i> . Journal of Chemical Technology and Biotechnology, 2014, 89, 1653-1659.	1.6	3
148	Comparison of two conditioning schemes for detoxifying SO <sub>2</sub> - ethanol-water hydrolysate from lignocellulosics for ABE fermentation. Nordic Pulp and Paper Research Journal, 2014, 29, 370-382.	0.3	2
149	Recent developments and applications of immobilized laccase. Biotechnology Advances, 2013, 31, 1808-1825.	6.0	513
150	Approaching chlorpyrifos bioelimination at bench scale bioreactor. Bioprocess and Biosystems Engineering, 2013, 36, 1303-1309.	1.7	10
151	Assessment of <i>Arthrobacter viscosus</i> as reactive medium for forming permeable reactive biobarrier applied to PAHs remediation. Environmental Science and Pollution Research, 2013, 20, 7348-7354.	2.7	13
152	Using iron-loaded sepiolite obtained by adsorption as a catalyst in the electro-Fenton oxidation of Reactive Black 5. Environmental Science and Pollution Research, 2013, 20, 5983-5993.	2.7	47
153	Optimisation of decolourisation and degradation of Reactive Black 5 dye under electro-Fenton process using Fe alginate gel beads. Environmental Science and Pollution Research, 2013, 20, 2172-2183.	2.7	41
154	Electro-Fenton decolourisation of dyes in an airlift continuous reactor using iron alginate beads. Environmental Science and Pollution Research, 2013, 20, 2252-2261.	2.7	28
155	Immobilization of laccase on modified silica: Stabilization, thermal inactivation and kinetic behaviour in 1-ethyl-3-methylimidazolium ethylsulfate ionic liquid. Bioresource Technology, 2013, 131, 405-412.	4.8	69
156	Novel physico-biological treatment for the remediation of textile dyes-containing industrial effluents. Bioresource Technology, 2013, 146, 689-695.	4.8	52
157	Remediation of contaminated marine sediment using electrokinetic Fenton technology. Journal of Industrial and Engineering Chemistry, 2013, 19, 932-937.	2.9	66
158	Feasibility of Solid-State Fermentation Using Spent Fungi Substrate in the Biodegradation of PAHs. Clean - Soil, Air, Water, 2013, 41, 610-615.	0.7	29
159	Viability of phenanthrene biodegradation by an isolated bacterial consortium: optimization and scale-up. Bioprocess and Biosystems Engineering, 2013, 36, 133-141.	1.7	13
160	North Western Spain hot springs are a source of lipolytic enzyme-producing thermophilic microorganisms. Bioprocess and Biosystems Engineering, 2013, 36, 239-250.	1.7	14
161	Probing the self-aggregation of ionic liquids in aqueous solutions using density and speed of sound data. Journal of Chemical Thermodynamics, 2013, 59, 43-48.	1.0	16
162	Polymerisation of Kraft lignin from black liquors by laccase from <i>Myceliophthora thermophila</i> : Effect of operational conditions and black liquor origin. Bioresource Technology, 2013, 131, 288-294.	4.8	50

#	ARTICLE	IF	CITATIONS
163	Development of permeable reactive biobarrier for the removal of PAHs by <i>Trichoderma longibrachiatum</i> . <i>Chemosphere</i> , 2013, 91, 711-716.	4.2	50
164	Bacterial-fungal interactions enhance power generation in microbial fuel cells and drive dye decolourisation by an ex situ and in situ electro-Fenton process. <i>Bioresource Technology</i> , 2013, 148, 39-46.	4.8	81
165	Development of an Industrial Microbial System for Chitinolytic Enzymes Production. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 10046-10051.	1.8	1
166	On the Suitability of a Bacterial Consortium To Implement a Continuous PAHs Biodegradation Process in a Stirred Tank Bioreactor. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 15895-15900.	1.8	13
167	Triton X surfactants to form aqueous biphasic systems: Experiment and correlation. <i>Journal of Chemical Thermodynamics</i> , 2012, 54, 385-392.	1.0	37
168	On the phase behaviour of polyethoxylated sorbitan (Tween) surfactants in the presence of potassium inorganic salts. <i>Journal of Chemical Thermodynamics</i> , 2012, 55, 151-158.	1.0	32
169	Efficient PAHs biodegradation by a bacterial consortium at flask and bioreactor scale. <i>Bioresource Technology</i> , 2012, 119, 270-276.	4.8	118
170	Electrokinetic remediation of lead and phenanthrene polluted soils. <i>Geoderma</i> , 2012, 173-174, 128-133.	2.3	108
171	Targeting the Production of Biomolecules by Extremophiles at Bioreactor Scale. <i>Chemical Engineering and Technology</i> , 2012, 35, 1565-1575.	0.9	23
172	Enzymatic polymerisation and effect of fractionation of dissolved lignin from <i>Eucalyptus globulus</i> Kraft liquor. <i>Bioresource Technology</i> , 2012, 121, 131-138.	4.8	57
173	Role of Laccase and Low Molecular Weight Metabolites from <i>Trametes versicolor</i> in Dye Decolorization. <i>Scientific World Journal</i> , The, 2012, 2012, 1-9.	0.8	14
174	Advances in the Electro-Fenton Process for Remediation of Recalcitrant Organic Compounds. <i>Chemical Engineering and Technology</i> , 2012, 35, 609-617.	0.9	100
175	Application of central composite face-centered design and response surface methodology for the optimization of electro-Fenton decolorization of Azure B dye. <i>Environmental Science and Pollution Research</i> , 2012, 19, 1738-1746.	2.7	68
176	Removal of hexavalent chromium of contaminated soil by coupling electrokinetic remediation and permeable reactive biobarriers. <i>Environmental Science and Pollution Research</i> , 2012, 19, 1800-1808.	2.7	37
177	Isolation of novel benzo[a]anthracene-degrading microorganisms and continuous bioremediation in an expanded-bed bioreactor. <i>Bioprocess and Biosystems Engineering</i> , 2012, 35, 851-855.	1.7	21
178	A process for extracellular thermostable lipase production by a novel <i>Bacillus thermoamylovorans</i> strain. <i>Bioprocess and Biosystems Engineering</i> , 2012, 35, 931-941.	1.7	26
179	Scaling-up the production of thermostable lipolytic enzymes from <i>Thermus aquaticus</i> YT1. <i>Bioprocess and Biosystems Engineering</i> , 2012, 35, 1011-1022.	1.7	4
180	Assessment of a process to degrade metal working fluids using <i>Pseudomonas stutzeri</i> CECT 930 and indigenous microbial consortia. <i>Chemosphere</i> , 2012, 86, 420-426.	4.2	25

#	ARTICLE	IF	CITATIONS
181	Application of zeolite- <i>Arthrobacter viscosus</i> system for the removal of heavy metal and dye: Chromium and Azure B. <i>Desalination</i> , 2012, 284, 150-156.	4.0	69
182	Technoeconomic assessment of phenanthrene degradation by <i>Pseudomonas stutzeri</i> CECT 930 in a batch bioreactor. <i>Bioresource Technology</i> , 2012, 104, 81-89.	4.8	58
183	Decolourisation of dyes under electro-Fenton process using Fe alginate gel beads. <i>Journal of Hazardous Materials</i> , 2012, 213-214, 369-377.	6.5	122
184	Impact of ionic liquids on extreme microbial biotypes from soil. <i>Green Chemistry</i> , 2011, 13, 687.	4.6	54
185	Desorption kinetics of phenanthrene and lead from historically contaminated soil. <i>Chemical Engineering Journal</i> , 2011, 167, 84-90.	6.6	36
186	An esterase from <i>Thermus thermophilus</i> HB27 with hyper-thermoalkalophilic properties: Purification, characterisation and structural modelling. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2011, 70, 127-137.	1.8	21
187	Comparative efficiencies of the decolourisation of leather dyes by enzymatic and electrochemical treatments. <i>Desalination</i> , 2011, 278, 312-317.	4.0	27
188	On the hyperthermostability of lipolytic enzymes from <i>Thermus aquaticus</i> : exploring their application to polymer degradation. <i>Journal of Chemical Technology and Biotechnology</i> , 2011, 86, 838-844.	1.6	3
189	Hybrid Technologies for the Remediation of Diesel Fuel Polluted Soil. <i>Chemical Engineering and Technology</i> , 2011, 34, 2077-2082.	0.9	27
190	Studies of laccase from <i>Trametes versicolor</i> in aqueous solutions of several methylimidazolium ionic liquids. <i>Bioresource Technology</i> , 2011, 102, 7494-7499.	4.8	39
191	Development of an electrochemical cell for the removal of Reactive Black 5. <i>Desalination</i> , 2011, 274, 39-43.	4.0	58
192	Electrokinetic remediation of PAH mixtures from kaolin. <i>Journal of Hazardous Materials</i> , 2010, 179, 1156-1160.	6.5	63
193	Thermostable lipolytic enzymes production in batch and continuous cultures of <i>Thermus thermophilus</i> HB27. <i>Bioprocess and Biosystems Engineering</i> , 2010, 33, 347-354.	1.7	15
194	Strategies for utilisation of food-processing wastes to produce lipases in solid-state cultures of <i>Rhizopus oryzae</i> . <i>Bioprocess and Biosystems Engineering</i> , 2010, 33, 929-935.	1.7	20
195	Biodegradation and utilization of waste cooking oil by <i>Yarrowia lipolytica</i> CECT 1240. <i>European Journal of Lipid Science and Technology</i> , 2010, 112, 1200-1208.	1.0	47
196	Removal of Cr(VI) from Aqueous Solutions by a Bacterial Biofilm Supported on Zeolite: Optimisation of the Operational Conditions and Scale-Up of the Bioreactor. <i>Chemical Engineering and Technology</i> , 2010, 33, 2008-2014.	0.9	25
197	A comprehensive study of lipase production by <i>Yarrowia lipolytica</i> CECT 1240 (ATCC 18942): from shake flask to continuous bioreactor. <i>Journal of Chemical Technology and Biotechnology</i> , 2010, 85, 258-266.	1.6	25
198	A copper(II) thiosemicarbazone complex built on gold for the immobilization of lipase and laccase. <i>Journal of Colloid and Interface Science</i> , 2010, 348, 96-100.	5.0	11

#	ARTICLE	IF	CITATIONS
199	Remediation of polluted soil by a two-stage treatment system: Desorption of phenanthrene in soil and electrochemical treatment to recover the extraction agent. <i>Journal of Hazardous Materials</i> , 2010, 173, 794-798.	6.5	63
200	Decontamination of soils containing PAHs by electroremediation: A review. <i>Journal of Hazardous Materials</i> , 2010, 177, 1-11.	6.5	184
201	Decolorization of dye Reactive Black 5 by newly isolated thermophilic microorganisms from geothermal sites in Galicia (Spain). <i>Journal of Hazardous Materials</i> , 2010, 182, 735-742.	6.5	88
202	Soil washing using cyclodextrins and their recovery by application of electrochemical technology. <i>Chemical Engineering Journal</i> , 2010, 159, 53-57.	6.6	49
203	Influence of operational parameters on electro-Fenton degradation of organic pollutants from soil. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2009, 44, 1104-1110.	0.9	21
204	Assessment of Relevant Factors Influencing Lipolytic Enzyme Production by <i>Thermus thermophilus</i> HB27 in Laboratory-Scale Bioreactors. <i>Chemical Engineering and Technology</i> , 2009, 32, 606-612.	0.9	21
205	Improvement of dye electrochemical treatment by combination with ultrasound technique. <i>Journal of Chemical Technology and Biotechnology</i> , 2009, 84, 1118-1124.	1.6	36
206	Evaluation of a novel <i>Bacillus</i> strain from a north-western Spain hot spring as a source of extracellular thermostable lipase. <i>Journal of Chemical Technology and Biotechnology</i> , 2009, 84, 1509-1515.	1.6	12
207	Strategies for improving extracellular lipolytic enzyme production by <i>Thermus thermophilus</i> HB27. <i>Bioresource Technology</i> , 2009, 100, 3630-3637.	4.8	57
208	Polyelectrostatic immobilization of gold nanoparticles-modified peroxidase on alginate-coated gold electrode for mediatorless biosensor construction. <i>Journal of Electroanalytical Chemistry</i> , 2009, 629, 126-132.	1.9	30
209	PAHs soil decontamination in two steps: Desorption and electrochemical treatment. <i>Journal of Hazardous Materials</i> , 2009, 166, 462-468.	6.5	86
210	Electro-Fenton decoloration of dyes in a continuous reactor: A promising technology in colored wastewater treatment. <i>Chemical Engineering Journal</i> , 2009, 155, 62-67.	6.6	147
211	A two-stage process using electrokinetic remediation and electrochemical degradation for treating benzo[a]pyrene spiked kaolin. <i>Chemosphere</i> , 2009, 74, 1516-1521.	4.2	45
212	Evaluation of Electrokinetic Technique for Industrial Waste Decontamination. <i>Separation Science and Technology</i> , 2009, 44, 2304-2321.	1.3	29
213	Electrochemical remediation of phenanthrene from contaminated kaolinite. <i>Environmental Geochemistry and Health</i> , 2008, 30, 89-94.	1.8	29
214	Lipolytic Enzyme Production by Immobilized <i>Rhizopus oryzae</i> . <i>Chemical Engineering and Technology</i> , 2008, 31, 1555-1560.	0.9	10
215	Thermal spring water enhances lipolytic activity in <i>Thermus thermophilus</i> HB27. <i>Process Biochemistry</i> , 2008, 43, 1383-1390.	1.8	18
216	Production of Thermostable Lipolytic Activity by <i>Thermus</i> Species. <i>Biotechnology Progress</i> , 2008, 21, 1198-1205.	1.3	35

#	ARTICLE	IF	CITATIONS
217	Combined treatment of PAHs contaminated soils using the sequence extraction with surfactantâ€™ electrochemical degradation. <i>Chemosphere</i> , 2008, 70, 1438-1444.	4.2	93
218	Removal of organic pollutants and heavy metals in soils by electrokinetic remediation. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2008, 43, 871-875.	0.9	23
219	Electromigration of Mn, Fe, Cu and Zn with citric acid in contaminated clay. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2008, 43, 823-831.	0.9	21
220	Hydrogen Peroxide Biosensor with a Supramolecular Layer-by-Layer Design. <i>Langmuir</i> , 2008, 24, 7654-7657.	1.6	39
221	Remediation of phenanthrene from contaminated kaolinite by electroremediation-Fenton technology. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2008, 43, 901-906.	0.9	28
222	Remediation of Dye-Polluted Kaolinite by Combination of Electrokinetic Remediation and Electrochemical Treatment. <i>Environmental Engineering Science</i> , 2008, 25, 419-428.	0.8	20
223	The effect of violuric acid on the decolourization of recalcitrant dyes by laccase from <i>Trametes hirsuta</i> . <i>Dyes and Pigments</i> , 2007, 74, 123-126.	2.0	20
224	Stimulation of novel thermostable extracellular lipolytic enzyme in cultures of <i>Thermus sp.</i> . <i>Enzyme and Microbial Technology</i> , 2007, 40, 187-194.	1.6	19
225	Increased laccase production by <i>Trametes hirsuta</i> grown on ground orange peelings. <i>Enzyme and Microbial Technology</i> , 2007, 40, 1286-1290.	1.6	87
226	Improving on electrokinetic remediation in spiked Mn kaolinite by addition of complexing agents. <i>Electrochimica Acta</i> , 2007, 52, 3349-3354.	2.6	52
227	Enhanced electrokinetic remediation of polluted kaolinite with an azo dye. <i>Electrochimica Acta</i> , 2007, 52, 3393-3398.	2.6	30
228	Enhanced production of laccase activity by <i>Trametes versicolor</i> immobilized into alginate beads by the addition of different inducers. <i>World Journal of Microbiology and Biotechnology</i> , 2007, 23, 367-373.	1.7	34
229	Enhanced production of laccase in <i>Coriolopsis rigida</i> grown on barley bran in flask or expanded-bed bioreactor. <i>World Journal of Microbiology and Biotechnology</i> , 2007, 23, 1189-1194.	1.7	10
230	Improvement in electrokinetic remediation of heavy metal spiked kaolin with the polarity exchange technique. <i>Chemosphere</i> , 2006, 62, 817-822.	4.2	79
231	Decolourization of synthetic dyes by <i>Trametes hirsuta</i> in expanded-bed reactors. <i>Chemosphere</i> , 2006, 62, 1558-1563.	4.2	40
232	Effect of heavy metals on the production of several laccase isoenzymes by <i>Trametes versicolor</i> and on their ability to decolourise dyes. <i>Chemosphere</i> , 2006, 63, 912-917.	4.2	78
233	Effect of two wastes from groundnut processing on laccase production and dye decolourisation ability. <i>Journal of Food Engineering</i> , 2006, 73, 388-393.	2.7	24
234	Utilisation of grape seeds for laccase production in solid-state fermentors. <i>Journal of Food Engineering</i> , 2006, 74, 263-267.	2.7	66

#	ARTICLE	IF	CITATIONS
235	Application of solid-state fermentation to food industryâ€™A review. Journal of Food Engineering, 2006, 76, 291-302.	2.7	535
236	Optimum stability conditions of pH and temperature for ligninase and manganese-dependent peroxidase from <i>Phanerochaete chrysosporium</i> . Application to in vitro decolorization of Poly R-478 by MnP. World Journal of Microbiology and Biotechnology, 2006, 22, 607-612.	1.7	31
237	Amelioration of the ability to decolorize dyes by laccase: relationship between redox mediators and laccase isoenzymes in <i>Trametes versicolor</i> . World Journal of Microbiology and Biotechnology, 2006, 22, 1197-1204.	1.7	44
238	Applicability of <i>Corioloopsis rigida</i> for Biodegradation of Polycyclic Aromatic Hydrocarbons. Biotechnology Letters, 2006, 28, 1013-1017.	1.1	14
239	Application of solid-state fermentation to ligninolytic enzyme production. Biochemical Engineering Journal, 2005, 22, 211-219.	1.8	196
240	Lipolytic enzyme production by <i>Thermus thermophilus</i> HB27 in a stirred tank bioreactor. Biochemical Engineering Journal, 2005, 26, 95-99.	1.8	44
241	Reutilisation of food processing wastes for production of relevant metabolites: application to laccase production by <i>Trametes hirsuta</i> . Journal of Food Engineering, 2005, 66, 419-423.	2.7	48
242	Chestnut shell and barley bran as potential substrates for laccase production by <i>Corioloopsis rigida</i> under solid-state conditions. Journal of Food Engineering, 2005, 68, 315-319.	2.7	63
243	Coconut flesh: a novel raw material for laccase production by <i>Trametes hirsuta</i> under solid-state conditions.. Journal of Food Engineering, 2005, 71, 208-213.	2.7	35
244	Decolourisation of textile indigo dye by DC electric current. Engineering Geology, 2005, 77, 253-261.	2.9	34
245	Dye decolorization by <i>Trametes hirsuta</i> immobilized into alginate beads. World Journal of Microbiology and Biotechnology, 2005, 21, 405-409.	1.7	64
246	Identification of extracellular lipases/esterases produced by <i>Thermus thermophilus</i> HB27: Partial purification and preliminary biochemical characterisation. Journal of Biotechnology, 2005, 117, 233-241.	1.9	63
247	Influence of redox mediators and metal ions on synthetic acid dye decolourization by crude laccase from <i>Trametes hirsuta</i> . Chemosphere, 2005, 58, 417-422.	4.2	152
248	Inhibition of laccase activity from <i>Trametes versicolor</i> by heavy metals and organic compounds. Chemosphere, 2005, 60, 1124-1128.	4.2	98
249	Selection of an electrolyte to enhance the electrochemical decolourisation of indigo. Optimisation and scale-up. Chemosphere, 2005, 60, 1080-1086.	4.2	59
250	Different proportions of laccase isoenzymes produced by submerged cultures of <i>Trametes versicolor</i> grown on lignocellulosic wastes. Biotechnology Letters, 2004, 26, 327-330.	1.1	78
251	Quantification of intra- and extra-cellular thermophilic lipase/esterase production by <i>Thermus</i> sp.. Biotechnology Letters, 2004, 26, 705-708.	1.1	34
252	Production of Laccase by <i>Trametes hirsuta</i> Grown in an Immersion Bioreactor and its Application in the Decolorization of Dyes from a Leather Factory. Engineering in Life Sciences, 2004, 4, 233-238.	2.0	46

#	ARTICLE	IF	CITATIONS
253	Optimisation of electrochemical decolourisation process of an azo dye, Methyl Orange. Journal of Chemical Technology and Biotechnology, 2004, 79, 1349-1353.	1.6	33
254	Exploitation of a waste from the brewing industry for laccase production by two Trametes species. Journal of Food Engineering, 2004, 64, 423-428.	2.7	52
255	Degradation or polymerisation of Phenol Red dye depending to the catalyst system used. Process Biochemistry, 2004, 39, 1811-1815.	1.8	19
256	Stainless steel sponge: a novel carrier for the immobilisation of the white-rot fungus Trametes hirsuta for decolourization of textile dyes. Bioresource Technology, 2004, 95, 67-72.	4.8	141
257	Electrochemical decolourisation of structurally different dyes. Chemosphere, 2004, 57, 233-239.	4.2	135
258	Enhanced decolourisation ability of laccase towards various synthetic dyes by an electrocatalysis technology. Biotechnology Letters, 2003, 25, 603-606.	1.1	8
259	A novel application of solid state culture: production of lipases by Yarrowia lipolytica. Biotechnology Letters, 2003, 25, 1225-1229.	1.1	62
260	Title is missing!. World Journal of Microbiology and Biotechnology, 2003, 19, 665-669.	1.7	64
261	Grape seeds: the best lignocellulosic waste to produce laccase by solid state cultures of Trametes hirsuta. Biotechnology Letters, 2003, 25, 491-495.	1.1	74
262	Effect of lipids and surfactants on extracellular lipase production by Yarrowia lipolytica. Journal of Chemical Technology and Biotechnology, 2003, 78, 1166-1170.	1.6	38
263	Biodegradation of Grape Cluster Stems and Ligninolytic Enzyme Production by Phanerochaete chrysosporium during Semi-Solid-State Cultivation. Acta Biotechnologica, 2003, 23, 65-74.	1.0	12
264	Production of laccase by Trametes versicolor in an airlift fermentor. Process Biochemistry, 2003, 39, 467-473.	1.8	55
265	Extracellular polysaccharides production by Arthrobacter viscosus. Journal of Food Engineering, 2003, 60, 463-467.	2.7	24
266	Investigation of several bioreactor configurations for laccase production by Trametes versicolor operating in solid-state conditions. Biochemical Engineering Journal, 2003, 15, 21-26.	1.8	71
267	Study of the degradation of dyes by MnP of Phanerochaete chrysosporium produced in a fixed-bed bioreactor. Chemosphere, 2003, 51, 295-303.	4.2	59
268	Photocatalytic degradation of dyes in aqueous solution operating in a fluidised bed reactor. Chemosphere, 2002, 46, 83-86.	4.2	53
269	Improving laccase production by employing different lignocellulosic wastes in submerged cultures of Trametes versicolor. Bioresource Technology, 2002, 82, 109-113.	4.8	129
270	Comparison between the protease production ability of ligninolytic fungi cultivated in solid state media. Process Biochemistry, 2002, 37, 1017-1023.	1.8	38



#	ARTICLE	IF	CITATIONS
271	Performance of a solid-state immersion bioreactor for ligninolytic enzyme production: evaluation of different operational variables. <i>Process Biochemistry</i> , 2002, 38, 219-227.	1.8	20
272	Screening of supports and inducers for laccase production by <i>Trametes versicolor</i> in semi-solid-state conditions. <i>Process Biochemistry</i> , 2002, 38, 249-255.	1.8	86
273	New uses of food waste: application to laccase production by <i>Trametes hirsuta</i> . <i>Biotechnology Letters</i> , 2002, 24, 701-704.	1.1	68
274	Strategies for improving ligninolytic enzyme activities in semi-solid-state bioreactors. <i>Process Biochemistry</i> , 2001, 36, 995-999.	1.8	13
275	Design of a new rotating drum bioreactor for ligninolytic enzyme production by <i>Phanerochaete chrysosporium</i> grown on an inert support. <i>Process Biochemistry</i> , 2001, 37, 549-554.	1.8	54
276	Characterisation of deactivating agents and their influence on the stability of manganese-dependent peroxidase from <i>Phanerochaete chrysosporium</i> . <i>Journal of Chemical Technology and Biotechnology</i> , 2001, 76, 867-872.	1.6	14
277	Design of different bioreactor configurations: application to ligninolytic enzyme production in semi-solid-state cultivation. <i>Journal of Chemical Technology and Biotechnology</i> , 2001, 76, 78-82.	1.6	18
278	Utilisation of lignocellulosic wastes for lignin peroxidase production by semi-solid-state cultures of <i>Phanerochaete chrysosporium</i> . <i>Biodegradation</i> , 2001, 12, 283-289.	1.5	29
279	Title is missing!. <i>Biotechnology Letters</i> , 2001, 23, 451-455.	1.1	6
280	Stimulation of ligninolytic enzyme production and the ability to decolourise Poly R-478 in semi-solid-state cultures of <i>Phanerochaete chrysosporium</i> . <i>Bioresource Technology</i> , 2000, 74, 159-164.	4.8	23
281	Title is missing!. <i>Biotechnology Letters</i> , 2000, 22, 1443-1447.	1.1	42
282	Production of manganese peroxidase and laccase in laboratory-scale bioreactors by. <i>Bioprocess and Biosystems Engineering</i> , 1999, 20, 531.	0.5	8
283	Influence of milk whey, nitrogen and phosphorus concentration on oxalic acid production by. <i>Bioprocess and Biosystems Engineering</i> , 1999, 20, 1.	0.5	1
284	Influence of some inducers on activity of ligninolytic enzymes from corncob cultures of <i>Phanerochaete chrysosporium</i> in semi-solid-state conditions. <i>Progress in Biotechnology</i> , 1998, , 703-708.	0.2	3
285	Laccase production in semi-solid cultures of <i>Phanerochaete chrysosporium</i> . <i>Biotechnology Letters</i> , 1997, 19, 995-998.	1.1	27
286	Effect of pulsation on morphology of <i>Aspergillus niger</i> and <i>Phanerochaete chrysosporium</i> in a fluidized-bed reactor. <i>Progress in Biotechnology</i> , 1996, , 518-523.	0.2	2
287	The influence of substrate structure on the kinetics of the hydrolysis of starch by glucoamylase. <i>Applied Biochemistry and Biotechnology</i> , 1996, 59, 329-336.	1.4	28
288	Control of pellet morphology of filamentous fungi in fluidized bed bioreactors by means of a pulsing flow. Application to <i>Aspergillus niger</i> and <i>Phanerochaete chrysosporium</i> . <i>Enzyme and Microbial Technology</i> , 1996, 19, 261-266.	1.6	49

#	ARTICLE	IF	CITATIONS
289	Citric acid production in submerged and solid state culture of <i>Aspergillus niger</i> . , 1996, 15, 31.		1
290	A comparison of two techniques (adsorption and entrapment) for the immobilization of <i>Aspergillus niger</i> in polyurethane foam. <i>Biotechnology Letters</i> , 1994, 8, 389-394.	0.5	28
291	A pulsing device for packed-bed bioreactors: I. Hydrodynamic behaviour. <i>Bioprocess and Biosystems Engineering</i> , 1994, 10, 61-73.	0.5	19
292	A pulsing device for packed-bed bioreactors: II. Application to alcoholic fermentation. <i>Bioprocess and Biosystems Engineering</i> , 1994, 10, 75-81.	0.5	18
293	Alcoholic fermentation of xylose by immobilized <i>Pichia stipitis</i> in a fixed-bed pulsed bioreactor. <i>Enzyme and Microbial Technology</i> , 1994, 16, 72-78.	1.6	23
294	Mass transfer control of enzymatic hydrolysis of polysaccharides by glucoamylase. <i>Enzyme and Microbial Technology</i> , 1991, 13, 142-147.	1.6	24
295	Enzymatic hydrolysis of starch in a fixed-bed pulsed-flow reactor. <i>Applied Biochemistry and Biotechnology</i> , 1991, 28-29, 527-538.	1.4	15
296	Continuous fermentation of d-xylose by immobilized <i>Pichia stipitis</i> comparison between cstr and cpfr. <i>Applied Biochemistry and Biotechnology</i> , 1991, 28-29, 731-739.	1.4	11
297	The D-xylose fermenting capacities of immobilized <i>Pichia stipitis</i> and <i>Pachysolen tannophilus</i> . <i>Biotechnology Letters</i> , 1989, 11, 353-358.	1.1	3
298	Green zero-valent iron nanoparticles synthesized using herbal extracts for degradation of dyes from wastewater. , 0, 92, 159-167.		7