

Andrea Porzel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6294869/publications.pdf>

Version: 2024-02-01

184
papers

5,831
citations

87843

38
h-index

102432

66
g-index

205
all docs

205
docs citations

205
times ranked

7341
citing authors

#	ARTICLE	IF	CITATIONS
1	Dissecting coffee seeds metabolome in context of genotype, roasting degree, and blending in the Middle East using NMR and GC/MS techniques. <i>Food Chemistry</i> , 2022, 373, 131452.	4.2	24
2	NMR Metabolome-Based Classification of <i>Cymbopogon</i> Species: a Prospect for Phyto-equivalency of its Different Accessions Using Chemometric Tools. <i>Food Analytical Methods</i> , 2022, 15, 2095-2106.	1.3	5
3	Structural Elucidation of an Atropisomeric Entcassiflavan-(4 ¹² † ⁸)-Epicatechin Isolated from <i>Dalbergia monetaria</i> L.f. Based on NMR and ECD Calculations in Comparison to Experimental Data. <i>Molecules</i> , 2022, 27, 2512.	1.7	1
4	Anthelmintic and antimicrobial activities of three new depsides and ten known depsides and phenols from Indonesian lichen: <i>Parmelia cetrata</i> Ach.. <i>Natural Product Research</i> , 2021, 35, 5001-5010.	1.0	12
5	A single cytochrome P450 oxidase from <i>Solanum habrochaites</i> sequentially oxidizes 7-epi- <i>zingiberene</i> to derivatives toxic to whiteflies and various microorganisms. <i>Plant Journal</i> , 2021, 105, 1309-1325.	2.8	15
6	Nuclear Magnetic Resonance Metabolomics Approach for the Analysis of Major Legume Sprouts Coupled to Chemometrics. <i>Molecules</i> , 2021, 26, 761.	1.7	17
7	Sugar Containing Compounds and Biological Activities of <i>Lagochilus setulosus</i> . <i>Molecules</i> , 2021, 26, 1755.	1.7	3
8	Lehmanniaside, a new cycloartane triterpene glycoside from <i>Astragalus lehmannianus</i> . <i>Natural Product Research</i> , 2021, , 1-6.	1.0	1
9	Antioxidant capacity and fragmentation features of C-glycoside isoflavones using HRES-MS n and HRES-HCD-MS n techniques. <i>Journal of Mass Spectrometry</i> , 2021, 56, e4793.	0.7	2
10	Rare Glutamic Acid Methyl Ester Peptaibols from <i>Sepedonium ampullosporum</i> Damon KSH 534 Exhibit Promising Antifungal and Anticancer Activity. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12718.	1.8	6
11	A piperic acid CoA ligase produces a putative precursor of piperine, the pungent principle from black pepper fruits. <i>Plant Journal</i> , 2020, 102, 569-581.	2.8	16
12	Improved Stability and Tunable Functionalization of Parallel β -Sheets via Multicomponent N-Alkylation of the Turn Moiety. <i>Angewandte Chemie</i> , 2020, 132, 265-269.	1.6	2
13	Improved Stability and Tunable Functionalization of Parallel β -Sheets via Multicomponent N-Alkylation of the Turn Moiety. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 259-263.	7.2	8
14	PSYCHE – A Valuable Experiment in Plant NMR-Metabolomics. <i>Molecules</i> , 2020, 25, 5125.	1.7	8
15	Characterization of Antibacterial Proanthocyanidins of <i>Dalbergia monetaria</i> , an Amazonian Medicinal Plant, by UHPLC-HRMS/MS. <i>Planta Medica</i> , 2020, 86, 858-866.	0.7	8
16	Foliar Application of Chitosan Increases Tomato Growth and Influences Mycorrhization and Expression of Endochitinase-Encoding Genes. <i>International Journal of Molecular Sciences</i> , 2020, 21, 535.	1.8	52
17	Nor-guanacastepene pigments from the Chilean mushroom <i>Cortinarius pyromyxa</i> . <i>Phytochemistry</i> , 2019, 165, 112048.	1.4	7
18	Comparative metabolome-based classification of Senna drugs: a prospect for phyto-equivalency of its different commercial products. <i>Metabolomics</i> , 2019, 15, 80.	1.4	13

#	ARTICLE	IF	CITATIONS
19	CYP76 Oxidation Network of Abietane Diterpenes in Lamiaceae Reconstituted in Yeast. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 13437-13450.	2.4	25
20	Medicago TERPENE SYNTHASE 10 Is Involved in Defense Against an Oomycete Root Pathogen. <i>Plant Physiology</i> , 2019, 180, 1598-1613.	2.3	17
21	A Multicomponent Stapling Approach to Exocyclic Functionalized Helical Peptides: Adding Lipids, Sugars, PEGs, Labels, and Handles to the Lactam Bridge. <i>Bioconjugate Chemistry</i> , 2019, 30, 253-259.	1.8	44
22	Apoptosis Caused by Triterpenes and Phytosterols and Antioxidant Activity of an Enriched Flavonoid Extract from <i>Passiflora mucronata</i> . <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2019, 18, 1405-1416.	0.9	13
23	An OPR3-independent pathway uses 4,5-didehydrojasmonate for jasmonate synthesis. <i>Nature Chemical Biology</i> , 2018, 14, 171-178.	3.9	183
24	NMR approach for the authentication of 10 cinnamon spice accessions analyzed via chemometric tools. <i>LWT - Food Science and Technology</i> , 2018, 90, 491-498.	2.5	52
25	Comparative analysis of <i>Hibiscus sabdariffa</i> (roselle) hot and cold extracts in respect to their potential for \pm -glucosidase inhibition. <i>Food Chemistry</i> , 2018, 250, 236-244.	4.2	51
26	Malusides, novel glucosylceramides isolated from apple pomace (<i>Malus domestica</i>). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2018, 73, 33-39.	0.6	1
27	nmrML: A Community Supported Open Data Standard for the Description, Storage, and Exchange of NMR Data. <i>Analytical Chemistry</i> , 2018, 90, 649-656.	3.2	50
28	Diazatruxenes from the Condensation Reaction of Indoles with Ninhydrin. <i>Journal of Heterocyclic Chemistry</i> , 2017, 54, 1077-1083.	1.4	8
29	Structural and stereochemical elucidation of new hygrophorones from <i>Hygrophorus abieticola</i> (Basidiomycetes). <i>Tetrahedron</i> , 2017, 73, 1682-1690.	1.0	10
30	Production of Rare Phyto-Ceramides from Abundant Food Plant Residues. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 1507-1517.	2.4	14
31	Cytotoxic Effects of Sarcophyton sp. Soft Corals "Is There a Correlation to Their NMR Fingerprints?". <i>Marine Drugs</i> , 2017, 15, 211.	2.2	24
32	Tulasporins A-D, 19-Residue Peptaibols from the Mycoparasitic Fungus <i>Sepedonium tulasneanum</i> . <i>Natural Product Communications</i> , 2016, 11, 1934578X1601101.	0.2	4
33	The RADAR Project "A Service for Research Data Archival and Publication. <i>ISPRS International Journal of Geo-Information</i> , 2016, 5, 28.	1.4	4
34	Discovering Regulated Metabolite Families in Untargeted Metabolomics Studies. <i>Analytical Chemistry</i> , 2016, 88, 8082-8090.	3.2	72
35	Elucidation of the biosynthesis of carnosic acid and its reconstitution in yeast. <i>Nature Communications</i> , 2016, 7, 12942.	5.8	122
36	Pyrofomins A-D, polyoxygenated sesquiterpenoids from <i>Pyrofomes demidoffii</i> . <i>FÄ-toterapÄ-tÄt</i> , 2016, 112, 229-232.	1.1	2

#	ARTICLE	IF	CITATIONS
37	Soft Corals Biodiversity in the Egyptian Red Sea: A Comparative MS and NMR Metabolomics Approach of Wild and Aquarium Grown Species. <i>Journal of Proteome Research</i> , 2016, 15, 1274-1287.	1.8	48
38	Comparative metabolite profiling and fingerprinting of genus <i>Passiflora</i> leaves using a multiplex approach of UPLC-MS and NMR analyzed by chemometric tools. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 3125-3143.	1.9	58
39	Tricyclic Acylphloroglucinols from <i>Hypericum lanceolatum</i> and Regioselective Synthesis of Selancins A and B. <i>Journal of Natural Products</i> , 2016, 79, 743-753.	1.5	20
40	Chilenopeptins A and B, Peptaibols from the Chilean <i>Sepedonium</i> aff. <i>chalcipori</i> KSH 883. <i>Journal of Natural Products</i> , 2016, 79, 929-938.	1.5	32
41	Structure and Absolute Configuration of Pseudohygrophorones A ¹² and B ¹² , Alkyl Cyclohexenone Derivatives from <i>Hygrophorus abieticola</i> (Basidiomycetes). <i>Journal of Natural Products</i> , 2016, 79, 74-80.	1.5	21
42	Tulasporins A-D, 19-Residue Peptaibols from the Mycoparasitic Fungus <i>Sepedonium tulasneanum</i> . <i>Natural Product Communications</i> , 2016, 11, 1821-1824.	0.2	4
43	Structure and Activity Relationships of Antimicrobial Gallic Acid Derivatives from Pomegranate and Acacia Fruit Extracts against Potato Bacterial Wilt Pathogen. <i>Chemistry and Biodiversity</i> , 2015, 12, 955-962.	1.0	28
44	Isolation and Total Synthesis of Albupeptins A-D: 11-Residue Peptaibols from the Fungus <i>Gliocladium album</i> . <i>European Journal of Organic Chemistry</i> , 2015, 2015, 7449-7459.	1.2	16
45	Integrated comparative metabolite profiling via MS and NMR techniques for Senna drug quality control analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2015, 407, 1937-1949.	1.9	46
46	Unraveling the active hypoglycemic agent trigonelline in <i>Balanites aegyptiaca</i> date fruit using metabolite fingerprinting by NMR. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015, 115, 383-387.	1.4	38
47	A study on the biosynthesis of hygrophorone B12 in the mushroom <i>Hygrophorus abieticola</i> reveals an unexpected labelling pattern in the cyclopentenone moiety. <i>Phytochemistry</i> , 2015, 118, 174-180.	1.4	9
48	Isolation and anticancer, anthelmintic, and antiviral (HIV) activity of acylphloroglucinols, and regioselective synthesis of empetrifranzinans from <i>Hypericum roeperianum</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 6327-6334.	1.4	43
49	Unequivocal glycyrrhizin isomer determination and comparative in vitro bioactivities of root extracts in four <i>Glycyrrhiza</i> species. <i>Journal of Advanced Research</i> , 2015, 6, 99-104.	4.4	14
50	Cytotoxic Constituents from the Vietnamese Fungus <i>Xylaria schweinitzii</i> . <i>Natural Product Communications</i> , 2014, 9, 1934578X1400900.	0.2	3
51	Classification of commercial cultivars of <i>Humulus lupulus</i> L. (hop) by chemometric pixel analysis of two dimensional nuclear magnetic resonance spectra. <i>Metabolomics</i> , 2014, 10, 21-32.	1.4	34
52	Metabolite profiling and fingerprinting of <i>Hypericum</i> species: a comparison of MS and NMR metabolomics. <i>Metabolomics</i> , 2014, 10, 574-588.	1.4	88
53	Penarines F, (nor-)sesquiterpene carboxylic acids from <i>Hygrophorus penarius</i> (Basidiomycetes). <i>Phytochemistry</i> , 2014, 108, 229-233.	1.4	10
54	Rational design of a ligand-based antagonist of jasmonate perception. <i>Nature Chemical Biology</i> , 2014, 10, 671-676.	3.9	74

#	ARTICLE	IF	CITATIONS
55	A quantitative analysis of spontaneous isoaspartate formation from N-terminal asparaginy and aspartyl residues. <i>Amino Acids</i> , 2013, 44, 1205-1214.	1.2	13
56	Acetylenic 2-phenylethylamides and new isobutylamides from <i>Acmella oleracea</i> (L.) R. K. Jansen, a Brazilian spice with larvicidal activity on <i>Aedes aegypti</i> . <i>Phytochemistry Letters</i> , 2013, 6, 67-72.	0.6	42
57	RDC-Based Determination of the Relative Configuration of the Fungicidal Cyclopentenone 4,6-Diacetylhydroporphone Δ^2 . <i>Journal of Natural Products</i> , 2013, 76, 839-844.	1.5	36
58	Chemical Composition and Biological Activity of Essential Oil from <i>Pulicaria undulata</i> from Yemen. <i>Natural Product Communications</i> , 2012, 7, 1934578X1200700.	0.2	15
59	Metabolite profiling and fingerprinting of commercial cultivars of <i>Humulus lupulus</i> L. (hop): a comparison of MS and NMR methods in metabolomics. <i>Metabolomics</i> , 2012, 8, 492-507.	1.4	91
60	Triterpene acids and polyphenols from <i>Eriobotrya poilanei</i> . <i>Biochemical Systematics and Ecology</i> , 2012, 40, 198-200.	0.6	3
61	Comparative metabolite profiling and fingerprinting of medicinal licorice roots using a multiplex approach of GC-MS, LC-MS and 1D NMR techniques. <i>Phytochemistry</i> , 2012, 76, 60-72.	1.4	245
62	Helicascolide C, a new lactone from an Indonesian marine algicolous strain of <i>Daldinia eschscholzii</i> (Xylariaceae, Ascomycota). <i>Phytochemistry Letters</i> , 2012, 5, 83-86.	0.6	52
63	Flavonoids and a neolignan glucoside from <i>Guarea macrophylla</i> (Meliaceae). <i>Quimica Nova</i> , 2012, 35, 1123-1126.	0.3	35
64	Isolation of a New Natural Product and Cytotoxic and Antimicrobial Activities of Extracts from Fungi of Indonesian Marine Habitats. <i>Marine Drugs</i> , 2011, 9, 294-306.	2.2	41
65	The Multiple Multicomponent Approach to Natural Product Mimics: Tubugis, N-Substituted Anticancer Peptides with Picomolar Activity. <i>Journal of the American Chemical Society</i> , 2011, 133, 7692-7695.	6.6	126
66	Furanocoumarins from <i>Dorstenia foetida</i> . <i>Phytochemistry</i> , 2011, 72, 929-934.	1.4	22
67	Acetylcholinesterase inhibitors from the toadstool <i>Cortinarius infractus</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 2173-2177.	1.4	45
68	Ampullosine, a new Isoquinoline Alkaloid from <i>Sepedonium ampullosporum</i> (Ascomycetes). <i>Natural Product Communications</i> , 2010, 5, 1934578X1000500.	0.2	4
69	Ceanothane and Lupane Type Triterpenes from <i>Zizyphus joazeiro</i> – An Anti-Staphylococcal Evaluation. <i>Planta Medica</i> , 2010, 76, 47-52.	0.7	31
70	Ampullosine, a new isoquinoline alkaloid from <i>Sepedonium ampullosporum</i> (Ascomycetes). <i>Natural Product Communications</i> , 2010, 5, 869-72.	0.2	3
71	First Synthesis of Dimethyl-1H-Isochromeno[3,4-b]Carbazoles. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.2	0
72	(+)-7-iso-Jasmonoyl-L-iso-leucine is the endogenous bioactive jasmonate. <i>Nature Chemical Biology</i> , 2009, 5, 344-350.	3.9	822

#	ARTICLE	IF	CITATIONS
73	Oxidation of the Dihydrochalcone Aspalathin Leads to Dimerization. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 6838-6843.	2.4	40
74	First Total Synthesis of Tubulysin B. <i>Organic Letters</i> , 2009, 11, 5567-5569.	2.4	68
75	Determination of β -carboline alkaloids in fruiting bodies of <i>Hygrophorus</i> spp. by liquid chromatography/electrospray ionisation tandem mass spectrometry. <i>Phytochemical Analysis</i> , 2008, 19, 335-341.	1.2	13
76	N -Glucosyl- H -Indole Derivatives from <i>Cortinarius brunneus</i> (Basidiomycetes). <i>Chemistry and Biodiversity</i> , 2008, 5, 664-669.	1.0	17
77	Antifungal rosane diterpenes and other constituents of <i>Hugonia castaneifolia</i> . <i>Phytochemistry</i> , 2008, 69, 200-205.	1.4	32
78	(Iso)-Quinoline Alkaloids from Fungal Fruiting Bodies of <i>Cortinarius subtortus</i> . <i>Journal of Natural Products</i> , 2008, 71, 1092-1094.	1.5	34
79	A lipoxygenase with linoleate diol synthase activity from <i>Nostoc</i> sp. PCC 7120. <i>Biochemical Journal</i> , 2008, 410, 347-357.	1.7	35
80	1- O -Substituted derivatives of murrayafoline A and their antifungal properties. <i>Natural Product Research</i> , 2008, 22, 950-954.	1.0	13
81	Alkaloids from the Mushroom <i>Pseudobaeospora pyrifer</i> , Pyriferines A-C. <i>Journal of Natural Products</i> , 2008, 71, 1620-1622.	1.5	7
82	Functional and Structural Characterization of a Cation-dependent O-Methyltransferase from the Cyanobacterium <i>Synechocystis</i> sp. Strain PCC 6803. <i>Journal of Biological Chemistry</i> , 2008, 283, 20888-20896.	1.6	38
83	Isolation of fatty acids and aromatics from cell suspension cultures of <i>Lavandula angustifolia</i> . <i>Natural Product Research</i> , 2007, 21, 100-105.	1.0	7
84	Duplicate detection of 2D-NMR Spectra. <i>Journal of Integrative Bioinformatics</i> , 2007, 4, 64-80.	1.0	5
85	Kopetdaghins E, Sesquiterpene Derivatives from the Aerial Parts and the Roots of <i>Dorema kopetdaghense</i> . <i>Journal of Natural Products</i> , 2007, 70, 1240-1243.	1.5	19
86	Brunneins C, β -Carboline Alkaloids from <i>Cortinarius brunneus</i> . <i>Journal of Natural Products</i> , 2007, 70, 1529-1531.	1.5	38
87	Phytoconstituents from the root of <i>Streptocaulon tomentosum</i> and their chemotaxonomical relevance for separation from <i>S. juvenas</i> . <i>Biochemical Systematics and Ecology</i> , 2007, 35, 517-524.	0.6	8
88	An Evaluation of Text Retrieval Methods for Similarity Search of Multi-dimensional NMR-Spectra. , 2007, , 424-438.		1
89	Flavonols and an indole alkaloid skeleton bearing identical acylated glycosidic groups from yellow petals of <i>Papaver nudicaule</i> . <i>Phytochemistry</i> , 2006, 67, 191-201.	1.4	53
90	2-O-Glucosylvitexin, a chemotaxonomic marker for the genus <i>Cryptocoryne</i> (Araceae). <i>Biochemical Systematics and Ecology</i> , 2006, 34, 546-548.	0.6	3

#	ARTICLE	IF	CITATIONS
91	Similarity Search for Multi-dimensional NMR-Spectra of Natural Products. Lecture Notes in Computer Science, 2006, , 650-658.	1.0	2
92	Unusual Bioactive 4-Oxo-2-alkenoic Fatty Acids from <i>Hygrophorus eburneus</i> . Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2005, 60, 25-32.	0.3	17
93	Production of (10E,12Z)-conjugated linoleic acid in yeast and tobacco seeds. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2005, 1738, 105-114.	1.2	70
94	A new cardenolide from the roots of <i>Streptocaulon tomentosum</i> . FÅ-toterapÃ-Ã¢, 2004, 75, 779-781.	1.1	6
95	Hygrophorones Aâ€G: fungicidal cyclopentenones from <i>Hygrophorus</i> species (Basidiomycetes). Phytochemistry, 2004, 65, 1061-1071.	1.4	42
96	Homoisoflavonoids from <i>Ophiopogon japonicus</i> Ker-Gawler. Phytochemistry, 2003, 62, 1153-1158.	1.4	57
97	An unusual amide synthetase (Coul) from the coumermycin A1 biosynthetic gene cluster from <i>Streptomyces rishiriensis</i> DSM 40489. FEBS Journal, 2003, 270, 4413-4419.	0.2	39
98	Synthesis of 2,24-Diepicastasterone and 3,24-Diepicastasterone as Potential Brassinosteroid Metabolites of the Cockroach <i>Periplaneta americana</i> . Collection of Czechoslovak Chemical Communications, 2002, 67, 91-102.	1.0	14
99	Syntheses of Dexamethasone Conjugates of the Phytohormones Gibberellin A3 and 24-Epicastasterone. Collection of Czechoslovak Chemical Communications, 2002, 67, 103-114.	1.0	3
100	Synthesis and crystal structure of [26,27-2H6] 24-epi-cathasterone. Journal of the Chemical Society, Perkin Transactions 1, 2002, , 2022-2027.	1.3	6
101	Flavone-coumarin hybrids from <i>Gnidia socotrana</i> . Phytochemistry, 2002, 61, 873-878.	1.4	31
102	Enzymatic and non-enzymatic lipid peroxidation in leaf development. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2001, 1533, 266-276.	1.2	88
103	Determination of preferred conformations of brassinosteroids by means of NMR investigations and Boltzmann statistical analysis of simulated annealing calculations. Journal of Molecular Modeling, 2001, 7, 34-42.	0.8	20
104	Furanocoumarins from <i>Dorstenia gigas</i> . Phytochemistry, 2001, 56, 611-621.	1.4	55
105	Alkaloidal, Megastigmane and Lignan Glucosides from <i>Antidesma membranaceum</i> (Euphorbiaceae). European Journal of Organic Chemistry, 2001, 2001, 3537-3543.	1.2	28
106	Study of the Role of Antimicrobial Glucosinolate-Derived Isothiocyanates in Resistance of <i>Arabidopsis</i> to Microbial Pathogens. Plant Physiology, 2001, 125, 1688-1699.	2.3	311
107	Chalconoids from <i>Fissistigma bracteolatum</i> . Phytochemistry, 2000, 53, 991-995.	1.4	28
108	Revised Structure of Antidesmone, an Unusual Alkaloid from Tropical <i>Antidesma</i> Plants (Euphorbiaceae). Tetrahedron, 2000, 56, 3691-3695.	1.0	34

#	ARTICLE	IF	CITATIONS
109	Fissistigmatins Aâ€“D: Novel Type Natural Products with Flavonoidâ€“Sesquiterpene Hybrid Structure from <i>Fissistigma bracteolatum</i> . <i>Tetrahedron</i> , 2000, 56, 865-872.	1.0	34
110	A chlorinated amide and piperidine alkaloids from <i>Aloe sabaea</i> . <i>Phytochemistry</i> , 2000, 55, 979-982.	1.4	34
111	Characteristics of the phloem path: analysis and distribution of carbohydrates in the petiole of <i>Cyclamen</i> . <i>Journal of Experimental Botany</i> , 1999, 50, 1807-1816.	2.4	10
112	Two New Î²-Carboline Alkaloids from <i>Hedyotis capitellata</i> var. <i>mollis</i> . <i>Planta Medica</i> , 1999, 65, 761-762.	0.7	8
113	Bishordeninyl terpene alkaloids from <i>Zanthoxylum avicennae</i> . <i>Phytochemistry</i> , 1999, 50, 903-907.	1.4	20
114	Microbial conversion of jasmonates - hydroxylations by <i>Aspergillus niger</i> . <i>Phytochemistry</i> , 1999, 50, 1147-1152.	1.4	23
115	Counlarins, limonoids and an alkaloid from <i>Clausena excavata</i> . <i>Phytochemistry</i> , 1999, 52, 511-516.	1.4	38
116	Î²-Carboline alkaloids from <i>Hedyotis capitellata</i> . <i>Phytochemistry</i> , 1999, 52, 1725-1729.	1.4	26
117	Chromatographic resolution of peptide-like conjugates of jasmonic acid and of cucurbitic acid isomers. <i>Journal of Chromatography A</i> , 1999, 847, 103-107.	1.8	9
118	Analysis of synthetic isoleucine conjugates of cucurbitic acid isomers by liquid chromatography. <i>Phytochemical Analysis</i> , 1999, 10, 82-87.	1.2	9
119	Synthesis of a novel brassinosteroid type with an annelated dioxonane side chain. <i>Journal of the Chemical Society Perkin Transactions 1</i> , 1999, , 53-58.	0.9	2
120	Conformational studies of two new brassinosteroid analogues with a 22,23-trans diol function. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1999, , 233-238.	0.9	8
121	Brassinosteroids and a pregnane glucoside from <i>Daucus carota</i> . , 1998, 9, 14-20.		13
122	Metabolic inversion of the 3-hydroxy function of brassinosteroids. <i>Phytochemistry</i> , 1998, 48, 467-470.	1.4	25
123	Indole alkaloids from <i>tabernaemontana bovina</i> . <i>Phytochemistry</i> , 1998, 49, 1457-1461.	1.4	16
124	3Î±,20-dihydroxy-3Î²,25-epoxylupane, a triterpene from <i>Rhus typhina</i> . <i>Phytochemistry</i> , 1998, 49, 2049-2051.	1.4	11
125	Chalcones and ecdysteroids from <i>Vitex leptobotrys</i> . <i>Phytochemistry</i> , 1998, 49, 2603-2605.	1.4	31
126	Capitelline - A New Indole Alkaloid from <i>Hedyotis capitellata</i> . <i>Natural Product Research</i> , 1998, 11, 93-100.	0.4	11

#	ARTICLE	IF	CITATIONS
127	Photochemistry of Artemisinin Derivatives. <i>Natural Product Research</i> , 1998, 12, 151-159.	0.4	2
128	Structural Elucidation of Oxygenated Storage Lipids in Cucumber Cotyledons. <i>Journal of Biological Chemistry</i> , 1997, 272, 21635-21641.	1.6	67
129	Synthesis of 24-epicathasterone and related brassinosteroids with modified side chain. <i>Tetrahedron</i> , 1997, 53, 17039-17054.	1.0	15
130	Partial Synthesis of [1 ² ,2 ^{1±} ,17,17-D ₄] Gibberellin A ₁ . <i>Journal für Praktische Chemie, Chemiker-Zeitung</i> , 1997, 339, 448-452.	0.5	2
131	Tetralones from <i>Ancistrocladus cochinchinensis</i> . <i>Phytochemistry</i> , 1997, 44, 549-551.	1.4	22
132	21 [€] -di-dehydro-deacetyllanatoside C, a biotransformation product of deacetyllanatoside C from senescent shoot cultures of <i>Digitalis lanata</i> . <i>Phytochemistry</i> , 1997, 44, 1061-1064.	1.4	6
133	Triterpenoids from <i>Pisolithus tinctorius</i> isolates and ectomycorrhizas. <i>Phytochemistry</i> , 1997, 45, 499-504.	1.4	21
134	Naphthylisoquinoline alkaloids from <i>Ancistrocladus cochinchinensis</i> . <i>Phytochemistry</i> , 1997, 45, 1287-1291.	1.4	28
135	Neolignans from <i>Caryodaphnopsis baviensis</i> . <i>Phytochemistry</i> , 1997, 46, 569-571.	1.4	12
136	Diglycosidic metabolites of 24-epi-teasterone in cell suspension cultures of <i>Lycopersicon esculentum</i> L.. <i>Phytochemistry</i> , 1997, 46, 1019-1022.	1.4	17
137	Benzopyranones and ferulic acid derivatives from <i>Antidesma membranaceum</i> . <i>Phytochemistry</i> , 1997, 46, 1385-1388.	1.4	30
138	Steroidal alkaloid glycosides from <i>Solanum suaveolens</i> . <i>Phytochemistry</i> , 1997, 46, 1279-1282.	1.4	11
139	Side Chain Conformation of the Growth-Promoting Phytohormones Brassinolide and 24-Epibrassinolide. , 1997, 35, 629-636.		22
140	Regioselective oxyfunctionalization of brassinosteroids by methyl(trifluoromethyl)dioxirane: Synthesis of 25-hydroxy-brassinolide and 25-hydroxy-24-epibrassinolide by direct C-H insertion. <i>Tetrahedron</i> , 1996, 52, 10653-10658.	1.0	29
141	Metabolism of 24-epi-castasterone and 24-epi-brassinolide in cell suspension cultures of <i>Ornithopus sativus</i> . <i>Phytochemistry</i> , 1996, 41, 163-167.	1.4	43
142	Metabolism of 24-epi-castasterone in cell suspension cultures of <i>Lycopersicon esculentum</i> . <i>Phytochemistry</i> , 1996, 41, 197-201.	1.4	50
143	Steroid alkaloid glycosides from <i>Solanum coccineum</i> . <i>Phytochemistry</i> , 1996, 41, 1633-1635.	1.4	17
144	Resorcinol Derivatives from Two <i>Ardisia</i> Species. <i>Planta Medica</i> , 1996, 62, 479-480.	0.7	8

#	ARTICLE	IF	CITATIONS
145	Flavonol Glycosides from <i>Jatropha variegata</i> . Journal für Praktische Chemie, Chemiker-Zeitung, 1995, 337, 43-45.	0.5	6
146	Flavonoids of dragon's blood from <i>Dracaena cinnabari</i> . Phytochemistry, 1995, 38, 745-749.	1.4	73
147	Acyl-conjugated metabolites of brassinosteroids in cell suspension cultures of <i>Ornithopus sativus</i> . Phytochemistry, 1995, 38, 633-636.	1.4	34
148	Polyodonine, a prefuranic labdane diterpene from <i>Marrubium polydon</i> . Phytochemistry, 1995, 40, 1575-1576.	1.4	23
149	Isolation of Bis-Indole Alkaloids with Antileishmanial and Antibacterial Activities from <i>Perschiera van heurkii</i> (Syn. <i>Tabernaemontana van heurkii</i>). Planta Medica, 1994, 60, 455-459.	0.7	71
150	Pregnane-type metabolites of brassinosteroids in cell suspension cultures of <i>Ornithopus sativus</i> . Phytochemistry, 1994, 36, 671-673.	1.4	23
151	Pimpifolidine and 22-isopimpifolidine, 22,26-epimino-16,23-epoxycholestane alkaloids from the wild tomato <i>Lycopersicon pimpinellifolium</i> . Phytochemistry, 1994, 35, 813-815.	1.4	7
152	A metabolite of 24-epi-brassinolide in cell suspension cultures of <i>Lycopersicon esculentum</i> . Phytochemistry, 1994, 36, 319-321.	1.4	35
153	Solanum alkaloids, 128. Steroid alkaloid glycosides from <i>Solanum robustum</i> . Liebigs Annalen Der Chemie, 1994, 1994, 517-520.	0.8	5
154	(23R)-23-Hydroxysoladulcidine and related compounds from <i>Solanum panduraeforme</i> . Phytochemistry, 1993, 32, 1607-1609.	1.4	7
155	Crustinic acid, a tridepside from <i>Umbilicaria crustulosa</i> . Phytochemistry, 1993, 32, 475-477.	1.4	14
156	Structure and synthesis of arthonin, a lichen metabolite from <i>Arthonia endlicheri</i> . Tetrahedron: Asymmetry, 1993, 4, 303-311.	1.8	7
157	Hydroxylation of the native brassinosteroids 24-epicastasterone and 24-epibrassinolide by the fungus <i>Cunninghamella echinulata</i> . Steroids, 1993, 58, 320-323.	0.8	20
158	Microbial Hydroxylation of 24-Epicastasterone by the Fungus <i>Cochliobolus lunatus</i> . Natural Product Research, 1993, 3, 123-129.	0.4	6
159	Studies on the Chemical Constituents of <i>Kalopanax septemlobus</i> . Planta Medica, 1992, 58, 481-482.	0.7	21
160	Regio- und stereospezifische Addition von Diazomethan an Gibberellinsäure: Ein neuer effektiver Weg zu 1,2-Methylengibberellinen. Journal für Praktische Chemie, Chemiker-Zeitung, 1992, 334, 227-230.	0.5	1
161	On the synthesis of siloxanes. Journal of Organometallic Chemistry, 1992, 441, 15-25.	0.8	16
162	Triterpenoids and their glycosides from the bark of <i>Schefflera octophylla</i> . Phytochemistry, 1992, 31, 227-231.	1.4	32

#	ARTICLE	IF	CITATIONS
163	Sesquiterpene lactones from <i>Achillea micrantha</i> . <i>Phytochemistry</i> , 1992, 31, 2160-2162.	1.4	12
164	Sesquiterpenes from the roots of <i>Homalomena aromatica</i> . <i>Phytochemistry</i> , 1992, 31, 1659-1661.	1.4	23
165	N-Hydroxysolasodine from <i>Solanum robustum</i> . <i>Phytochemistry</i> , 1992, 31, 1837-1839.	1.4	11
166	A monoterpene peroxide from <i>Adenosma caeruleum</i> . <i>Phytochemistry</i> , 1992, 31, 2885-2887.	1.4	9
167	2 β -Hydroxysoladulcidine from <i>Lycianthes biflora</i> . <i>Phytochemistry</i> , 1992, 31, 725-726.	1.4	12
168	¹ H and ¹³ C NMR analysis of brassinosteroids. <i>Magnetic Resonance in Chemistry</i> , 1992, 30, 651-657.	1.1	29
169	Microbial degradation of 2 β , 3 β -dihydroxy-5 β -cholestan-6-one by <i>Mycobacterium vaccae</i> . <i>Steroids</i> , 1991, 56, 586-588.	0.8	7
170	Withanolides from <i>Dunalia australis</i> . <i>Phytochemistry</i> , 1991, 30, 4184-4186.	1.4	11
171	Cucurbitic acid and its 6,7-stereoisomers. <i>Phytochemistry</i> , 1991, 30, 1909-1914.	1.4	34
172	(23S)-23-Hydroxysolasodine from two <i>Solanum</i> species. <i>Phytochemistry</i> , 1991, 30, 1299-1301.	1.4	8
173	Zerfall von 1-n-Butylaminocyclohexyl-phosphonsäure-di-n-butylester (Buminafos) in wässrigem Medium. <i>Journal für Praktische Chemie</i> , 1991, 333, 85-90.	0.2	2
174	New simple pulse sequences for distinguishing between CH ₃ and CH signals in ¹ H-noise-decoupled ¹³ C NMR spectra. <i>Journal of Magnetic Resonance</i> , 1989, 81, 530-537.	0.5	1
175	Imidodiphosphorsäuretetraphenylester als Ligand in Fluorokomplexen 2. Fluorokomplexe des Phosphors. <i>Zeitschrift für Anorganische Und Allgemeine Chemie</i> , 1989, 571, 127-132.	0.6	3
176	Synthesis of siloxanes. <i>Journal of Organometallic Chemistry</i> , 1988, 356, 141-149.	0.8	6
177	Untersuchungen an Systemen aus Salzen und gemischten Lösungsmitteln. XXXIV. 27Al- und ¹ H-NMR-spektroskopische Untersuchungen an Lösungen des Systems AlCl ₃ -Wasser-N,N-Dimethylformamid. <i>Zeitschrift für Anorganische Und Allgemeine Chemie</i> , 1988, 558, 231-239.	0.6	9
178	Zweidimensionale off-resonance-multiplett-aufgelöste ¹³ C-FT-NMR-Spektroskopie. <i>Journal für Praktische Chemie</i> , 1986, 328, 301-304.	0.2	2
179	Schwefeldioxid als Ligand und Synthon. II. Synthese und Reaktionen der Trimethylsilyl-methansulfinsäure und ihrer Derivate. <i>Zeitschrift für Anorganische Und Allgemeine Chemie</i> , 1985, 528, 138-146.	0.6	7
180	Über die Modulation der Signalintensitäten von ¹³ C-breitbandentkoppelten ¹³ C-NMR-Spektren durch off-resonance-reduzierte ¹³ C- ¹ H-spin-spin-Kopplung. <i>Zeitschrift für Chemie</i> , 1985, 25, 250-251.	0.0	1

#	ARTICLE	IF	CITATIONS
181	Application of the attached proton test technique in ^{31}P NMR spectroscopy. <i>Magnetic Resonance in Chemistry</i> , 1984, 22, 376-378.	0.7	3
182	NMR-spektroskopische Untersuchungen an ^{15}N -markierten Phenylamidochlorocyclotetraphosphazenen. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 1983, 504, 138-146.	0.6	7
183	Duplicate detection of 2D-NMR Spectra. , 0, .		1
184	NFDI4Chem - Towards a National Research Data Infrastructure for Chemistry in Germany. <i>Research Ideas and Outcomes</i> , 0, 6, .	1.0	25