

# David Saceda Corralo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/629556/publications.pdf>

Version: 2024-02-01

103  
papers

1,667  
citations

411340

20  
h-index

388640

36  
g-index

104  
all docs

104  
docs citations

104  
times ranked

1598  
citing authors

#	ARTICLE	IF	CITATIONS
1	Topical dapsone for folliculitis decalvans: A retrospective cohort study. <i>Journal of the American Academy of Dermatology</i> , 2022, 87, 150-151.	0.6	4
2	Serious Adverse effects From Compounding Errors With Low-Dose Oral Minoxidil for Alopecia Treatment. <i>Actas Dermo-sifiligráficas</i> , 2022, 113, 725-727.	0.2	6
3	Frontal edema due to mesotherapy for androgenetic alopecia: A case series. <i>Dermatologic Therapy</i> , 2022, 35, e15247.	0.8	5
4	Imiquimod-enhanced immunotherapy with diphencyprone for patients with alopecia areata. <i>Dermatologic Therapy</i> , 2022, 35, e15516.	0.8	1
5	Low-dose oral minoxidil for treatment of androgenetic alopecia and telogen effluvium in a pediatric population: A descriptive study. <i>Journal of the American Academy of Dermatology</i> , 2022, 87, 700-702.	0.6	10
6	[Artículo traducido] Efectos adversos graves por errores de formulación de minoxidil oral a bajas dosis para el tratamiento de la alopecia. <i>Actas Dermo-sifiligráficas</i> , 2022, 113, T725-T727.	0.2	2
7	Folliculitis decalvans microbiologic signature is specific for disease clinical phenotype. <i>Journal of the American Academy of Dermatology</i> , 2021, 85, 1355-1357.	0.6	11
8	Oral minoxidil improves background hair thickness in lichen planopilaris. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 1684-1686.	0.6	21
9	Trichoscopic findings of discoid lupus erythematosus alopecia: A cross-sectional study. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 804-806.	0.6	7
10	Epidemiologic and clinical features of pattern III frontal fibrosing alopecia (pseudo fringe type): A multicenter series of 38 patients. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 797-798.	0.6	1
11	Histological evidence for epidermal and dermal atrophy of the alopecic band in treatment-naïve patients with Frontal Fibrosing Alopecia. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e47-e49.	1.3	6
12	Effectiveness of dutasteride in a large series of patients with frontal fibrosing alopecia in real clinical practice. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 1285-1294.	0.6	26
13	SARS-CoV-2-induced telogen effluvium: a multicentric study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e181-e183.	1.3	50
14	Characterization and management of hypertrichosis induced by low-dose oral minoxidil in the treatment of hair loss. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 222-223.	0.6	11
15	Trichoscopic features of mild frontal fibrosing alopecia. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, e205-e207.	1.3	4
16	A Global eDelphi Exercise to Identify Core Domains and Domain Items for the Development of a Global Registry of Alopecia Areata Disease Severity and Treatment Safety (GRASS). <i>JAMA Dermatology</i> , 2021, 157, 439.	2.0	13
17	Avelumab-induced lichen planopilaris, a novel association. <i>International Journal of Dermatology</i> , 2021, 60, e414-e416.	0.5	3
18	Comment on "Low dose oral minoxidil for treating alopecia: A 3-year North American retrospective case series": Adding further evidence about side effects. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, e237-e238.	0.6	2

#	ARTICLE	IF	CITATIONS
19	Safety of low-dose oral minoxidil for hair loss: A multicenter study of 1404 patients. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 1644-1651.	0.6	67
20	Guidelines for clinical trials of frontal fibrosing alopecia: consensus recommendations from the International FFA Cooperative Group (IFFACC)*. <i>British Journal of Dermatology</i> , 2021, 185, 1221-1231.	1.4	14
21	Postchemotherapy alopecia: what the dermatologist needs to know. <i>International Journal of Dermatology</i> , 2021, 60, 1313-1317.	0.5	1
22	Response to "Reply to effectiveness of dutasteride in a large series of patients with FFA in real clinical practice". <i>Journal of the American Academy of Dermatology</i> , 2021, 85, e95-e96.	0.6	2
23	Beard loss in men with frontal fibrosing alopecia. <i>Journal of the American Academy of Dermatology</i> , 2021, , .	0.6	3
24	Current controversies in trichology: a European expert consensus statement. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 3-11.	1.3	7
25	Reply to: "Very-low-dose oral minoxidil in male androgenetic alopecia: A study with quantitative trichoscopic documentation". <i>Journal of the American Academy of Dermatology</i> , 2020, 82, e23-e24.	0.6	4
26	Analysis of the gut microbiota in alopecia areata: identification of bacterial biomarkers. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 400-405.	1.3	68
27	Trichoscopy activity scale for folliculitis decalvans. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e55-e57.	1.3	21
28	The dermofat graft as a novel option to repair surgical defects of the nasal ala. <i>International Journal of Dermatology</i> , 2020, 59, e71-e73.	0.5	0
29	Frontal fibrosing alopecia: histopathological, immunohistochemical and hormonal study of clinically unaffected scalp areas. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e84-e85.	1.3	6
30	Effectiveness and safety of oral dutasteride for male androgenetic alopecia in real clinical practice: A descriptive monocentric study. <i>Dermatologic Therapy</i> , 2020, 33, e13182.	0.8	6
31	Safety of low-dose oral minoxidil treatment for hair loss. A systematic review and pooled analysis of individual patient data. <i>Dermatologic Therapy</i> , 2020, 33, e14106.	0.8	29
32	Prescribing Habits for Androgenic Alopecia among Dermatologists in Spain in 2019-2020: A Cross-Sectional Study. <i>Skin Appendage Disorders</i> , 2020, 6, 283-286.	0.5	6
33	Afatinib-induced erosive pustular dermatosis of the scalp: Is there a synergistic effect between <sc>EGFR</sc> inhibitors and radiotherapy?. <i>Dermatologic Therapy</i> , 2020, 33, e14506.	0.8	4
34	Erythema multiforme-like eruption in patients with COVID-19 infection: clinical and histological findings. <i>Clinical and Experimental Dermatology</i> , 2020, 45, 892-895.	0.6	134
35	Impacto de la intervención psicológica en mujeres con alopecia areata universal: un estudio piloto. <i>Actas Dermo-sifiligráficas</i> , 2020, 111, 694-696.	0.2	1
36	Comment on "Characterization of acute acro-ischemic lesions in non-hospitalized patients: A case series of 132 patients during the COVID-19 outbreak". <i>Journal of the American Academy of Dermatology</i> , 2020, 83, e241.	0.6	49

#	ARTICLE	IF	CITATIONS
37	Low-Dose Oral Minoxidil for Female Pattern Hair Loss: A Unicenter Descriptive Study of 148 Women. <i>Skin Appendage Disorders</i> , 2020, 6, 175-176.	0.5	15
38	Rosacea induced by selexipag in a patient with pulmonary arterial hypertension. <i>Dermatologic Therapy</i> , 2020, 33, e13947.	0.8	2
39	Case report: a rare and generalized presentation of frontal fibrosing alopecia in a man. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e517-e518.	1.3	0
40	Characterization of acute acral skin lesions in nonhospitalized patients: A case series of 132 patients during the COVID-19 outbreak. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, e61-e63.	0.6	172
41	Association of Inflammation With Progression of Hair Loss in Women With Frontal Fibrosing Alopecia. <i>JAMA Dermatology</i> , 2020, 156, 700.	2.0	17
42	Bicalutamide: A potential new oral antiandrogenic drug for female pattern hair loss. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, e355-e356.	0.6	16
43	Comment on: "Acral findings during the COVID-19 outbreak: Chilblain-like lesions should be preferred to acroischemic lesions". <i>Journal of the American Academy of Dermatology</i> , 2020, 83, e233-e234.	0.6	2
44	Scarring Alopecias. , 2020, , 139-160.		0
45	Folliculitis Decalvans. , 2019, , 161-165.		1
46	Dissecting Cellulitis of the Scalp. , 2019, , 167-172.		0
47	Acne Keloidalis Nuchae. , 2019, , 173-178.		0
48	Erosive Pustular Dermatitis of the Scalp. , 2019, , 179-182.		3
49	Hair transplant in frontal fibrosing alopecia: A multicenter review of 51 patients. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 865-866.	0.6	16
50	Oral bicalutamide for female pattern hair loss: A pilot study. <i>Dermatologic Therapy</i> , 2019, 32, e13096.	0.8	12
51	Effectiveness and safety of low-dose oral minoxidil in male androgenetic alopecia. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 648-649.	0.6	71
52	Factors influencing frontal fibrosing alopecia severity: a multicentre cross-sectional study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, e315-e316.	1.3	5
53	Frequency of the Types of Alopecia at Twenty-Two Specialist Hair Clinics: A Multicenter Study. <i>Skin Appendage Disorders</i> , 2019, 5, 309-315.	0.5	61
54	Reacciones capilares de las nuevas terapias diana dirigidas contra el c�ncer. <i>Actas Dermo-sifiligr�ficas</i> , 2019, 110, 182-192.	0.2	11

#	ARTICLE	IF	CITATIONS
55	FR " Minoxidil oral para el tratamiento de la alopecia androgénica femenina y otras alopecias. Actas Dermo-sifiliográficas, 2019, 110, 861-862.	0.2	6
56	Reply to: "Comment on "Folliculitis decalvans: Effectiveness of therapies and prognostic factors in a multicenter series of 60 patients with long-term follow-up" Journal of the American Academy of Dermatology, 2019, 80, e85.	0.6	0
57	Risk factors associated with frontal fibrosing alopecia: a multicentre case-control study. Clinical and Experimental Dermatology, 2019, 44, 404-410.	0.6	57
58	Constricciones de Pohl-Pinkus en tricoscopia. ¿Qué indican?. Actas Dermo-sifiliográficas, 2019, 110, 315-316.	0.2	5
59	Central centrifugal cicatricial alopecia following a patchy pattern: A new form of clinical presentation and a challenging diagnosis for the dermatologist. International Journal of Trichology, 2019, 11, 216.	0.1	7
60	Reacción icctiforme en relación con ponatinib. Actas Dermo-sifiliográficas, 2019, 110, 873-875.	0.2	0
61	Keratosis pilaris-like eruption induced by nilotinib. Italian Journal of Dermatology and Venereology, 2019, , .	0.1	0
62	Chronic Graft versus host disease. Atypical vesicular presentation. Italian Journal of Dermatology and Venereology, 2019, , .	0.1	0
63	Health-Related Quality of Life in Patients With Frontal Fibrosing Alopecia. JAMA Dermatology, 2018, 154, 479.	2.0	23
64	Estudio transversal acerca de los hábitos de prescripción en alopecia androgénica de los dermatólogos en España en 2017. Actas Dermo-sifiliográficas, 2018, 109, 536-542.	0.2	10
65	Frontal fibrosing alopecia and cutaneous comorbidities: A potential relationship with rosacea. Journal of the American Academy of Dermatology, 2018, 78, 596-597.e1.	0.6	18
66	Effectiveness of low-level laser therapy in lichen planopilaris. Journal of the American Academy of Dermatology, 2018, 78, 1020-1023.	0.6	18
67	Pulsed dye laser on ecchymoses: clinical and histological assessment. Lasers in Medical Science, 2018, 33, 683-688.	1.0	8
68	Development and validation of the Frontal Fibrosing Alopecia Severity Score. Journal of the American Academy of Dermatology, 2018, 78, 522-529.	0.6	36
69	Trichoscopic Features of Linear Morphea on the Scalp. Skin Appendage Disorders, 2018, 4, 31-33.	0.5	13
70	Impact of Folliculitis Decalvans on Quality of Life and Subjective Perception of Disease. Skin Appendage Disorders, 2018, 4, 34-36.	0.5	5
71	Updated diagnostic criteria for frontal fibrosing alopecia. Journal of the American Academy of Dermatology, 2018, 78, e21-e22.	0.6	32
72	Assessment of the Effect of 3% Diclofenac Sodium on Photodamaged Skin by Means of Reflectance Confocal Microscopy. Acta Dermato-Venereologica, 2018, 98, 963-969.	0.6	9

#	ARTICLE	IF	CITATIONS
73	Folliculitis decalvans: Effectiveness of therapies and prognostic factors in a multicenter series of 60 patients with long-term follow-up. <i>Journal of the American Academy of Dermatology</i> , 2018, 79, 878-883.	0.6	48
74	Clinical Description of Frontal Fibrosing Alopecia with Concomitant Lichen Planopilaris. <i>Skin Appendage Disorders</i> , 2018, 4, 105-107.	0.5	13
75	Steroid-induced changes noted on trichoscopy of patients with frontal fibrosing alopecia. <i>Journal of the American Academy of Dermatology</i> , 2018, 79, 956-957.	0.6	11
76	Spontaneous hair regrowth in eight patients with severe alopecia areata. <i>Australasian Journal of Dermatology</i> , 2018, 59, e318-e319.	0.4	2
77	Reply to: "Response to "Development and validation of the Frontal Fibrosing Alopecia Severity Score"™"; <i>Journal of the American Academy of Dermatology</i> , 2018, 79, e117.	0.6	2
78	Hormonal and Gynecological Risk Factors in Frontal Fibrosing Alopecia: A Case-Control Study. <i>Skin Appendage Disorders</i> , 2018, 4, 274-276.	0.5	12
79	Frontal fibrosing alopecia: A multicentric case-control study. <i>Journal of the American Academy of Dermatology</i> , 2018, 79, AB144.	0.6	1
80	The "Starry night sky sign"-Using ultraviolet-light-enhanced trichoscopy: A new sign that may predict efficacy of treatment in frontal fibrosing alopecia. <i>International Journal of Trichology</i> , 2018, 10, 241.	0.1	6
81	Objective Structured Clinical Examination as an Assessment Tool for Clinical Skills in Dermatology. <i>Actas Dermo-sifiligráficas</i> , 2017, 108, 237-243.	0.2	5
82	Relapse of morphea during Nivolumab therapy for lung adenocarcinoma. <i>Actas Dermo-sifiligráficas</i> , 2017, 108, 69-70.	0.2	1
83	Frontal fibrosing alopecia: clinical and prognostic classification. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 1739-1745.	1.3	70
84	Observational study of chondrodermatitis nodularis helcis treated with methyl aminolevulinate photodynamic therapy. <i>Journal of the American Academy of Dermatology</i> , 2017, 76, 1103-1108.	0.6	9
85	Sex hormone status in premenopausal women with frontal fibrosing alopecia: a multicentre review of 43 patients. <i>Clinical and Experimental Dermatology</i> , 2017, 42, 921-923.	0.6	16
86	A Case of Circumscribed Scalp Morphea with Perineural Lymphocytes on Pathology. <i>Skin Appendage Disorders</i> , 2017, 3, 175-178.	0.5	5
87	FR-Enfriamiento del cuero cabelludo. <i>Actas Dermo-sifiligráficas</i> , 2017, 108, 945-946.	0.2	0
88	Objective Structured Clinical Examination as an Assessment Tool for Clinical Skills in Dermatology. <i>Actas Dermo-sifiligráficas</i> , 2017, 108, 237-243.	0.2	0
89	Frontal fibrosing alopecia in male patients: a report of 12 cases. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e112-e114.	1.3	21
90	Beard alopecia areata: a multicentre review of 55 patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 187-192.	1.3	16

#	ARTICLE	IF	CITATIONS
91	Relapse of morphea during Nivolumab therapy for lung adenocarcinoma. <i>Actas Dermo-sifiligráficas</i> , 2017, 108, 69-70.	0.2	13
92	Frontal fibrosing alopecia and environment: may tobacco be protective?. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, e98-e99.	1.3	14
93	RF-Scalp Cooling. <i>Actas Dermo-sifiligráficas</i> , 2017, 108, 945-946.	0.2	0
94	Mesotherapy with dutasteride in the treatment of androgenetic alopecia. <i>International Journal of Trichology</i> , 2017, 9, 143.	0.1	30
95	Reply to: "Frontal Fibrosing Alopecia Severity Index (FFASI): a validated scoring system for assessing frontal fibrosing alopecia". <i>British Journal of Dermatology</i> , 2016, 175, 648-648.	1.4	3
96	Treatment of recalcitrant adult alopecia areata universalis with oral azathioprine. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, 1007-1008.	0.6	21
97	Pulse corticosteroid therapy with oral dexamethasone for the treatment of adult alopecia totalis and universalis. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, 1005-1007.	0.6	21
98	Lymphangitis on the Abdomen. <i>New England Journal of Medicine</i> , 2016, 375, e28.	13.9	0
99	Diffuse hypotrichosis from early childhood. <i>Journal of the American Academy of Dermatology</i> , 2016, 75, e125-e126.	0.6	0
100	In situ production of ROS in the skin by photodynamic therapy as a powerful tool in clinical dermatology. <i>Methods</i> , 2016, 109, 190-202.	1.9	39
101	Antiandrogenic drugs, a therapeutic option for frontal fibrosing alopecia patients. <i>Journal of the American Academy of Dermatology</i> , 2016, 74, e77.	0.6	11
102	Depression of the frontal veins: A new clinical sign of frontal fibrosing alopecia. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, 1087-1088.	0.6	20
103	Treatments for alopecia areata: a network meta-analysis. <i>The Cochrane Library</i> , 0, , .	1.5	1