

Agni Bethani

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6295825/publications.pdf>

Version: 2024-02-01

393
papers

16,105
citations

18482
62
h-index

30087
103
g-index

411
all docs

411
docs citations

411
times ranked

9464
citing authors

#	ARTICLE	IF	CITATIONS
1	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 TeV. European Physical Journal C, 2015, 75, 212.	3.9	541
2	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
3	Study of high-p T charged particle suppression in PbPb compared to pp collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$. European Physical Journal C, 2012, 72, 1.	3.9	369
4	Observation of a new boson with mass near 125 GeV in pp collisions at $\sqrt{s} = 7 \text{ and } 8 \text{ TeV}$. Journal of High Energy Physics, 2013, 2013, 1.	4.7	320
5	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2015, 75, 235.	3.9	320
6	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. European Physical Journal C, 2014, 74, 3036.	3.9	241
7	Combined measurements of Higgs boson production and decay using up to 80 pb ⁻¹ of proton-proton collision data at $\sqrt{s} = 8 \text{ TeV}$. European Physical Journal C, 2020, 101, 1.	3.9	211
8	Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	3.9	218
9	Search for high-mass dilepton resonances using 139 fb ⁻¹ of pp collision data collected at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 78, 185.	4.1	196
10	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS Detector at the LHC. Physical Review Letters, 2016, 117, 182002.	3.9	185
11	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2018, 78, 903.	3.9	181
12			

#	ARTICLE	IF	CITATIONS
19	Precision measurement and interpretation of inclusive $W^+ + W^-$. European Physical Journal C, 2017, 77, 367.	3.9	145
20	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 211801.	7.8	145
21	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.1	138
22	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. Physical Review Letters, 2019, 122, 231801.	7.8	133
24	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 199.	3.9	132
25	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, 1.	3.9	130
26	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	3.9	125
27	Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P12006-P12006.	1.2	124
28	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	124
29	Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13$ TeV in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	3.9	123
30	Searches for long-lived charged particles in pp collisions at $\sqrt{s} = 7$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	4.7	118
31	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb $^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	116
32	Measurements of Higgs boson properties in the diphoton decay channel with $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2018, 98.	4.7	115
33	Search for heavy resonances decaying into WW in the $e\mu \rightarrow e\mu \nu\bar{\nu}$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	3.9	108
34	Search for heavy ZZ resonances in the $Z \rightarrow ee \rightarrow ee \rightarrow \ell^+\ell^- \ell^+\ell^-$ final states using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	3.9	101
35	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	7.8	97
36	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	3.9	93

#	ARTICLE	IF	CITATIONS
37	Electron efficiency measurements with the ATLAS detector using 2012 LHC protonâ€“proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87
38	Measurement of multi-particle azimuthal correlations in pp, pÂ+pB and low-multiplicity PbÂ+pB collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	3.9	86
39	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2012, 2012, 1.	4.7	85
40	A New Boson with a Mass of 125 GeV Observed with the CMS Experiment at the Large Hadron Collider. Science, 2012, 338, 1569-1575.	12.6	85
41	Search for dark matter at $\sqrt{s} = 13 \text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393; Searches for electroweak production of supersymmetric particles with compressed mass spectra in $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\sqrt{s} = 13 \text{ TeV}$ collisions with. Physical Review D, 2020, 101.	3.9	80
42	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in protonâ€“proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	4.7	80
43	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC protonâ€“proton collision data at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2019, 79, 1.	3.9	77
44	Angular analysis of B0 dâ‰‰â†’Kâˆ’â†’1/4+â†’1/4â‰‰ decays in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	76
45	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	3.9	75
46	Measurement of quarkonium production in protonâ€“lead and protonâ€“proton collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	3.9	75
47	Observation of Light-by-Light Scattering in Ultraperipheral $\langle \text{mml:math} \text{ xmlns:mml="http://www.w3.org/1998/Math/MathML" display="block">\sqrt{s} = 5.02 \text{ TeV}$ Collisions with the ATLAS Detector. Physical Review Letters, 2019, 123, 052001.	7.8	75
48	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $s=8 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2017, 119, 191803.	7.8	74
49	Measurement of the nuclear modification factor for inclusive jets in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 12.	7.8	74
50	Measurement of the inclusive 3-jet production differential cross section in protonâ€“proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. European Physical Journal C, 2015, 75, 186.	3.9	68
51	ATLAS data quality operations and performance for 2015â€“2018 data-taking. Journal of Instrumentation, 2020, 15, P04003-P04003.	1.2	68
52	Search for new resonances in mass distributions of jet pairs using 139 fbâˆ’1 of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	68

#	ARTICLE	IF	CITATIONS
55	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	67
56	Dijet Resonance Search with Weak Supervision Using $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"} < \text{mml:mrow} < \text{mml:msqrt} < \text{mml:mrow} < \text{mml:mi} > s < / \text{mml:mi} < / \text{mml:mrow} < / \text{mml:msqrt} < \text{mml:mo} = < / \text{mml:mo} < \text{mml:math}$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"} < \text{mml:mi} p < / \text{mml:mi} < \text{mml:mi} p < / \text{mml:mi} < / \text{mml:math}$. Collisions in the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 125, 131801.	7.8	67
57	A search for pair-produced resonances in four-jet final states at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 250.	3.9	66
58	Evidence for the $H \rightarrow b\bar{b} \rightarrow b\bar{b} \rightarrow b\bar{b}$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	64
59	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	64
60	Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"} < \text{mml:mrow} < \text{mml:msqrt} < \text{mml:mrow} < \text{mml:mi} s < / \text{mml:mi} < / \text{mml:mrow} < / \text{mml:msqrt} < \text{mml:mo} = < / \text{mml:mo} < \text{mml:math}$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$	4.7	63
61	Measurement of the Higgs boson mass in the $H \rightarrow a_1 a_1 \rightarrow a_1 a_1 \rightarrow l^+ l^-$ channel. <i>Physical Review D</i> , 2013, 87, 072007. Cross-section measurements of the Higgs boson decaying into a pair of $\langle \text{mml:math} \rangle$ $\text{xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"}$ $\text{display}=\text{"inline"} < \text{mml:mi} \bar{l} < / \text{mml:mi} < / \text{mml:math}$ -leptons in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 99, .	4.7	63
62	Study of the rare decays of B^0 s and B^0 mesons into muon pairs using data collected during 2015 and 2016 with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, .	4.7	62
64	Performance of the ATLAS muon triggers in Run 2. <i>Journal of Instrumentation</i> , 2020, 15, P09015-P09015.	1.2	62
65	Prompt and non-prompt J/ψ and $\psi(2S)$ suppression at high transverse momentum in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 762.	3.9	61
66	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 58.	3.9	61
67	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021, 812, 135980.	4.1	61
68	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at $\sqrt{s}=7$ TeV and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2013, 73, 1.	3.9	60
69	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018, 78, 18.	3.9	60
70	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\text{NN}}}=2.76$ and 5.0. <i>European Physical Journal C</i> , 2018, 78, 142.	3.9	59
71	Search for charged Higgs bosons decaying via $H^\pm \rightarrow \tilde{t}^\pm \tilde{\chi}_1^\pm$, in the $\tilde{t}^\pm + \text{jets}$ and $\tilde{t}^\pm + \text{lepton}$ final states with 36 fb^{-1} of pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	59
72	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	56

#	ARTICLE	IF	CITATIONS
73	Measurement of masses in the $\mathbf{t}\overline{\mathbf{t}}$ system by kinematic endpoints in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2013, 73, 2494.	3.9	55
74	Search for heavy charged long-lived particles in the ATLAS detector in $\mathbf{t}\overline{\mathbf{t}}$ of proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$. Physical Review D, 2019, 99, .	4.7	55
75	Search for pair production of Higgs bosons in the $\mathbf{H}\overline{\mathbf{H}}$ final state using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	55
76	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. European Physical Journal C, 2015, 75, 288.	3.9	54
77	Search for $\mathbf{H}\overline{\mathbf{H}}$ decaying to $\mathbf{Z}\overline{\mathbf{Z}}$, $\mathbf{H}\overline{\mathbf{H}}$ or dark matter candidates produced in association with a Z boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 777, 318.	4.1	54
78	Search for Higgs boson pair production in the $\gamma\gamma$ channel using pp collision data recorded at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	3.9	53
79	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802.	7.8	53
80	Observation of Electroweak Production of a Same-Sign Boson Pair in Association with Two Jets in $\mathbf{W}\overline{\mathbf{W}}$ Collisions at $\sqrt{s} = 13 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 777, 318.	7.8	53
81	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\mathbf{H}\overline{\mathbf{H}}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135103.	4.1	53
82	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\mathbf{H}\overline{\mathbf{H}}$ pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	3.9	52
83	Search for minimal supersymmetric standard model Higgs Bosons $\mathbf{H}\overline{\mathbf{A}}$ and for a Z^{\prime} boson in the $\mathbf{H}\overline{\mathbf{H}}$ final state produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51
84	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$. European Physical Journal C, 2017, 77, 379.	3.9	51
85	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. Physical Review D, 2018, 97, .	4.7	51
86	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	3.9	51
87	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	3.9	50
88	Search for High-Mass Resonances Decaying to $\mathbf{l}\overline{\mathbf{l}}$ in $\mathbf{t}\overline{\mathbf{t}}$ in $\mathbf{W}\overline{\mathbf{W}}$ Collisions at $\sqrt{s} = 13 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 777, 318.	7.8	50
89	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb $\sqrt{s} = 13 \text{ TeV}$ pp collisions at. European Physical Journal C, 2018, 78, 401.	3.9	50
90	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	50

#	ARTICLE	IF	CITATIONS
91	Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $\text{H} \rightarrow \text{bb}$ in pp Collisions at $\sqrt{s} = 13\text{ TeV}$ Using ATLAS Data	7.8	49
92	Search for the standard model Higgs boson produced in association with top quarks and decaying into a W^{\pm}H final state in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with ATLAS	4.7	49
93	Constraints on mediator-based dark matter and scalar dark energy models using ATLAS TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	49
94	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb^{-1} of ATLAS TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	48
95	Chiral anisotropies and associated Fourier coefficients for ATLAS collisions at $\sqrt{s} = 13\text{ TeV}$ and $\sqrt{s} = 7\text{ TeV}$	2.9	47
96	Measurement of the top quark mass in the $\text{t}\bar{\text{t}} \rightarrow \text{W}^{\pm}\text{H} \rightarrow \text{bb}^{\pm}\text{W}^{\mp}\text{Z}$ decay channel. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	47
97	Measurement of the Higgs boson coupling properties in the $\text{H} \rightarrow \text{ZZ} \rightarrow \text{4l}$ decay channel at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	46
98	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	46
99	Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $\text{H} \rightarrow \text{WW} \rightarrow \text{2l}^{\pm}\text{2l}^{\mp}$ decay channel in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019, 789, 508-529.	4.1	46
100	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $s = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	45
101	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the a_1 , a_0 , bb final state in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 783, 392-414.	4.1	43
102	Constraints on off-shell Higgs boson production and the Higgs boson total width in $\text{ZZ} \rightarrow \text{4l}$ and $\text{ZZ} \rightarrow \text{2l}^{\pm}$ final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 223-244.	4.1	43
103	Combined measurement of differential and total cross sections in the $\text{H} \rightarrow \text{at}^{\pm}\text{at}^{\mp}$ and the $\text{H} \rightarrow \text{Zza}^{\pm}\text{a}^{\mp}$ decay channels at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018, 786, 114-133.	4.7	43
104	Performance of top-quark and W -boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	42
105	Observation of Centrality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering in pp Collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2018, 121, 212301.	7.8	41
106	Search for chargino-neutralino production using recursive jigsaw reconstruction in final states with two or three charged leptons in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$. <i>Physical Review Letters</i> , 2018, 121, 212301.	4.7	41
107	Search for Low-Mass Dijet Resonances Using Trigger-Level Jets with the ATLAS Detector in pp Collisions at $\sqrt{s} = 13\text{ TeV}$. <i>Physical Review Letters</i> , 2018, 121, 081801.	7.8	41
108	Collisions at $\sqrt{s} = 13\text{ TeV}$. <i>Physical Review Letters</i> , 2018, 121, 081801.	4.7	41

#	ARTICLE	IF	CITATIONS
109	Measurement of W^{\pm} production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	41
110	Higgs boson production cross-section measurements and their EFT interpretation in the 4ℓ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	41
111	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
112	Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	40
113	Properties of Higgs Boson Interactions with Top Quarks in the $t\bar{t}$ channel. Journal of High Energy Physics, 2018, 2018, 1. Combination of searches for heavy resonances decaying into bosonic and leptonic final states using $t\bar{t}$ and WW production cross-section measurements at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	7.8	40
114	Combination of searches for heavy resonances decaying into bosonic and leptonic final states using $t\bar{t}$ and WW production cross-section measurements at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	7.8	40
115	Search for a Structure in the Invariant Mass Spectrum with the ATLAS Experiment. Physical Review Letters, 2018, 120, 202007. Search for a right-handed gauge boson decaying into a high-momentum heavy neutrino and a charged lepton in pp collisions with the ATLAS detector at $\sqrt{s}=13$ TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 798, 134942.	4.1	39
116	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.1	39
117	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	38
118	Search for Higgs boson pair production in the $W\bar{W}$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1. Observation of electroweak $W\bar{A}Z$ boson pair production in association with two jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 793, 469-492.	4.7	38
119	Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	38
120	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	4.1	38
121	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	37
122	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	1.2	37
123	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $s=13$ TeV with the ATLAS Detector. Physical Review Letters, 2017, 119, 051802.	7.8	36
124	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	36

#	ARTICLE	IF	CITATIONS
127	Measurement of flow harmonics correlations with mean transverse momentum in leadâ€“lead and protonâ€“lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	36
128	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	36
129	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ final state plus missing transverse momentum final state at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	36
130	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	3.9	35
131	Search for long-lived particles produced in pp collisions at $s=13 \text{ TeV}$ that decay into displaced hadronic jets in the ATLAS muon spectrometer. Physical Review D, 2019, 99, .	4.7	35
132	Measurements of production cross sections of the Higgs boson in the four-lepton final state in protonâ€“proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 488.	3.9	35
133	Measurements of top-quark pair differential and double-differential cross-sections in the $e\ell + \text{jets}$ channel with pp collisions at $\sqrt{s}=13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	34
134	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	34
135	Collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS Detector. Physical Review Letters, 2018, 121, 092001.	7.8	33
136	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	33
137	Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Physics Letters, 2017, 499, 519.	4.7	33
138	Search for direct stau production in events with two hadronic leptons in $\sqrt{s}=13 \text{ TeV}$. Physical Review D, 2020, 101, .	4.7	33
139	Determination of the strong coupling constant α_s from transverse energy correlations in multijet events at $\sqrt{s}=8 \text{ TeV}$. European Physical Journal C, 2017, 77, 1.	3.9	32
140	Measurement of the Higgs boson inclusive and differential fiducial cross sections in the 4ℓ decay channel at $\sqrt{s}=13 \text{ TeV}$. European Physical Journal C, 2020, 80, 1.	4.7	32
141	Measurement of electroweak production of two jets in association with a Z boson in protonâ€“proton collisions at $\sqrt{s}=8 \text{ TeV}$. European Physical Journal C, 2015, 75, 66.	3.9	31
143	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
144	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb $^{-1}$ of $\sqrt{s}=13 \text{ TeV}$ pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31

#	ARTICLE	IF	CITATIONS
145	Search for $W W/W Z$ resonance production in $\tilde{l}\tilde{l}/qq$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
146	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1. Search for light resonance decaying to boosted quark pairs and produced in association with a photon or a jet in proton+proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
147	Search for the Higgs boson decays $H \rightarrow t\bar{t} + \ell\nu$ and $H \rightarrow t\bar{t} + \ell\nu$ in pp collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 141.	4.1	31
148	Searches for the $Z \tilde{l}^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135148.	4.1	31
149	Searches for the $Z \tilde{l}^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	30
150	Study of $WW\gamma$ and $WZ\gamma$. European Physical Journal C, 2017, 77, 646.	3.9	30
151	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	30
152	Searches for third-generation scalar leptoquarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	30
153	Searches for lepton-flavour-violating decays of the Higgs boson in $s=13$ TeV pp collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135069.	4.1	30
154	Evidence for $t\bar{t}t\bar{t}$ production in the multilepton final state in proton+proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	30
155	Search for invisible decays of the Higgs boson produced via vector boson fusion in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2022, 105.	4.7	30
156	Search for dark matter produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 763, 133.	4.1	29
157	Measurement of the cross section for inclusive isolated-photon production in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 770, 172-192.	4.1	29
158	Study of the material of the ATLAS inner detector for Run 2 of the LHC. Journal of Instrumentation, 2017, 12, P12009-P12009.	1.2	29
159	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
160	Search for pair production of heavy vectorlike quarks decaying into hadronic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review D, 2018, 98.	4.7	29
161	Searches for heavy ZZ and ZW resonances in the $q\bar{q}$, $\tilde{l}\tilde{l}/\tilde{l}\tilde{l}/2qq$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
162	Measurement of the azimuthal anisotropy of charged-particle production in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Physical Review C, 2020, 101, 024902.	2.9	29

#	ARTICLE	IF	CITATIONS
163	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	29
164	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$. European Physical Journal C, 2017, 77, 804.	3.9	28
165	Measurement of WW/WZ production with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	3.9	28
166	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$. Journal of High Energy Physics, 2017, 2017, 1.	4.7	28
167	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow b\bar{b}$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	28
168	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	3.9	28
169	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	4.7	28
170	Measurement of photon-jet transverse momentum correlations in 5.02 TeV Pb + Pb and pp collisions with ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, A5700. Search for the $Z^0 \rightarrow ee$ decay mode of the Higgs boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, A5700. Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.1	28
171	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	28
172	Search for charged-neutralino production with mass splittings near the electroweak scale in three-lepton final states in pp collisions with the ATLAS detector. Physical Review D, 2020, 101, 092001.	4.1	28
173	Measurement of the Lund Jet Plane Using Charged Particles in 13 TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 222002.	7.8	28
174	Measurements of top-quark pair differential cross-sections in the $e\mu$ channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
175	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	3.9	27
176	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27
177	Measurement of the top-quark mass in $t\bar{t}$ events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$. Journal of High Energy Physics, 2019, 2019, 1.	4.7	27

#	ARTICLE	IF	CITATIONS
181	Measurements of electroweak W_{jj} production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	3.9	26
182	Searches for exclusive Higgs and Z boson decays into J/ψ , $(2S)$, and (nS) at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 786, 134-155.		
183	Search for Higgs boson pair production in the $b\bar{b}$ decay mode at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	26
184	Search for Higgs boson decays into a pair of light bosons in the $bb\bar{b}/4l$ final state in pp collision at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 1-21.		
185	Measurement of the $t\bar{t}$ production cross-section and lepton differential distributions in dilepton events from pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, .	3.9	26
186	Search for triboson $WW^{\pm}WW^{\pm}$ production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
187	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	3.9	25
188	Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 789, 444-471.	4.1	25
189	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	3.9	25
190	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 TeV Proton-Proton Collisions with the ATLAS Detector. Physical Review Letters, 2020, 124, 031802.	7.8	25
191	Measurement of jet fragmentation in Pb+Pb and collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. Physical Review C, 2018, 98, .	2.9	24
192	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
193	Measurement of fiducial and differential WW production cross-sections at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	24
194	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	24
195	Measurement of vector-boson scattering and limits on anomalous quartic gauge couplings with the ATLAS detector. Physical Review D, 2017, 96, .	4.7	23
196	Measurement of the inclusive jet cross-sections in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	23
197	Comparison of Fragmentation Functions for jets dominated by light Quarks and Gluons from $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Nuclear Physics B, 2017, 918, 257-316.	7.8	23
198	High-ET isolated-photon plus jets production in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Nuclear Physics B, 2017, 918, 257-316.	2.5	22

#	ARTICLE	IF	CITATIONS
199	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	22
200	Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in $\langle \text{mml:math} \text{ xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"} \text{ display}=\text{"inline"} \rangle \langle \text{mml:mi} \text{ p} \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \text{ p} \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle \text{ collisions at } \langle \text{mml:math} \text{ xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"} \text{ display}=\text{"inline"} \rangle \langle \text{mml:msqrt} \langle \text{mml:mi} \text{ p} \langle / \text{mml:mi} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \text{ =} \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \text{ 13} \langle / \text{mml:mn} \rangle \langle \text{mml:mtext} \rangle \text{â‰‰} \langle / \text{mml:math} \rangle \text{ using pp collisions at } \langle \text{mml:math} \text{ xmlns:mml}=\text{"http://www.w3.org/1998/Math/MathML"} \text{ altimg}=\text{"s11.svg"} \rangle \langle \text{mml:msqrt} \langle \text{mml:mrow} \langle \text{mml:mi} \text{ s} \langle / \text{mml:mi} \rangle \langle / \text{mml:mrow} \rangle \langle / \text{mml:msqrt} \rangle \langle \text{mml:mo} \text{ linebreak}=\text{"goodbreak"} \text{ linebreakstyle}=\text{"after"} \rangle \text{ =} \langle / \text{mml:mo} \rangle \langle \text{mml:mn} \text{ 13} \langle / \text{mml:mn} \rangle \langle / \text{mml:math} \rangle \text{ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 79, 1.}$	4.7	22
201	Searches for scalar leptoquarks and differential cross-section measurements in dileptonâ€“dijet events in protonâ€“proton collisions at a centre-of-mass energy of $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	22
202	Measurements of top-quark pair spin correlations in the emu channel at $\sqrt{s} = 13 \text{ TeV}$ using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	22
203	Search for heavy neutral Higgs bosons produced in association with b -quarks and decaying into b -quarks at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	22
204	Search for displaced vertices and a muon with large impact parameter in $\text{WW}(\text{WW})$ fusion production of the Higgs boson in the $\text{H}^{\pm}\text{A}^{\pm}\text{WW}$ channel in $\sqrt{s} = 13 \text{ TeV}$ protonâ€“proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2020, 80, 1.	4.7	22
205	Test of CP invariance in vector boson fusion production of the Higgs boson in the $\text{H}^{\pm}\text{A}^{\pm}\text{WW}$ channel in $\sqrt{s} = 13 \text{ TeV}$ protonâ€“proton collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2020, 80, 1.	4.7	22
206	Measurement of jet fragmentation in 5.02 TeV protonâ€“lead and protonâ€“proton collisions with the ATLAS detector. <i>Nuclear Physics A</i> , 2018, 978, 65-106.	4.1	22
207	Measurement of jet fragmentation in 5.02 TeV protonâ€“lead and protonâ€“proton collisions with the ATLAS detector. <i>Nuclear Physics A</i> , 2018, 978, 65-106.	1.5	21
208	Search for chargino and neutralino production in final states with a Higgs boson and missing transverse momentum at $\sqrt{s} = 13 \text{ TeV}$. <i>Physical Review D</i> , 2019, 100, .	4.7	21
209	Search for Higgs boson pair production in the $\text{WW}(\text{WW})$ decay channel using ATLAS data recorded at $\sqrt{s} = 13 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	21
210	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2019, 79, .	3.9	21
211	Measurement of soft-drop jet observables in $\text{WW}(\text{WW})$ fusion production of the Higgs boson in the $\text{H}^{\pm}\text{A}^{\pm}\text{WW}$ channel in $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2020, 80, 1.	4.7	21
212	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	21
213	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13 \text{ TeV}$ with ATLAS. <i>European Physical Journal C</i> , 2018, 78, 186.	3.9	20
214	Search for pair production of Higgsinos in final states with at least three b -tagged jets in $\text{WW}(\text{WW})$ fusion production of the Higgs boson in the $\text{H}^{\pm}\text{A}^{\pm}\text{WW}$ channel in $\sqrt{s} = 13 \text{ TeV}$. <i>Physical Review D</i> , 2018, 98, .	4.7	20
215	Search for diboson resonances in hadronic final states in 139 fb^{-1} of pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	20
216	Search for long-lived particles in final states with displaced dimuon vertices in $\text{WW}(\text{WW})$ fusion production of the Higgs boson in the $\text{H}^{\pm}\text{A}^{\pm}\text{WW}$ channel in $\sqrt{s} = 13 \text{ TeV}$. <i>Physical Review D</i> , 2019, 99, .	4.7	20

#	ARTICLE	IF	CITATIONS
217	Search for heavy charged long-lived particles in protonâ€“proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 135-144.	4.1	20
218	Search for long-lived neutral particles produced in protonâ€“proton collisions at $\sqrt{s} = 13 \text{ TeV}$ using an ionisation measurement with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 135-144.	4.7	20
219	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using 13â€“TeV pp Collision Data from the ATLAS Detector. Physical Review Letters, 2020, 125, 221802.	7.8	20
220	Search for top squark production in fully hadronic final states in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Physical Review D, 2021, 104, 092001.	4.7	20
221	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ p p collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	3.9	19
222	Measurement of the production cross-section of a single top quark in association with a Z boson in protonâ€“proton collisions at 13 TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 557-577.	4.1	19
223	Prompt and non-prompt J/ψ elliptic flow in Pb+Pb collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	3.9	19
224	Search for top-quark decays $t \rightarrow t'$ Hq with 36 fb^{-1} of pp collision data at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	19
225	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb^{-1} of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	19
226	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb^{-1} of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	19
227	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in protonâ€“proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 723.	3.9	19
228	Search for top quark decays $t \rightarrow t' qH$, with $H \rightarrow b\bar{b}$, in $\sqrt{s} = 13 \text{ TeV}$ pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	18
229	Search for resonant WZ production in the fully leptonic final state in protonâ€“proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 135-144.	4.1	18
230	Search for resonances in the mass distribution of jet pairs with one or two jets identified as b -jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Physical Review D, 2018, 98, 092001.	4.7	18
231	Measurements of inclusive and differential fiducial cross-sections of $t \bar{t}$ production with additional heavy-flavour jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
232	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	18
233	Combined searches for the production of supersymmetric top quark partners in protonâ€“proton collisions at $\sqrt{s} = 13 \text{ TeV}$. European Physical Journal C, 2021, 81, 970.	3.9	18
234	Measurement of jet pT correlations in Pb + Pb and pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 774, 379-402.	4.1	17

#	ARTICLE	IF	CITATIONS
235	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	17
236	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13 \text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
237	Direct top-quark decay width measurement in the $t\bar{t}\ell^+$ lepton+jets channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 129.	3.9	17
238	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
239	Search for R-parity-violating supersymmetric particles in multi-jet final states produced in $p\bar{p}$ collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High Energy Physics</i> , 2018, 785, 136158.	3.9	17
240	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.	4.7	17
241	Measurements of W and Z boson production in pp collisions at $\sqrt{s} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
242	Measurement of $W^{\pm} \rightarrow \nu \ell$ boson production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	3.9	17
243	Measurement of $W^{\pm} \rightarrow \nu \ell$ boson production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.	4.1	17
244	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
245	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	17
246	Search for Higgs boson decays into two new low-mass spin-0 particles in the $b\bar{b}$ channel with the ATLAS detector using $b\bar{b} \rightarrow b\bar{b} \rightarrow \chi_1^0 \chi_1^0$ collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2020, 79, 1.	4.7	17
247	Search for Higgs boson decays into two new low-mass spin-0 particles in the $b\bar{b}$ channel with the ATLAS detector using $b\bar{b} \rightarrow b\bar{b} \rightarrow \chi_1^0 \chi_1^0$ collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>Physical Review Letters</i> , 2020, 124, 082301.	7.8	17
248	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	17
249	Longitudinal Flow Decorrelations in $b\bar{b}$ collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	7.8	17
250	Measurement of the associated production of an Higgs boson decaying into b-quarks with a vector boson at high transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$. <i>European Physical Journal C</i> , 2021, 81, 1.	4.1	17
251	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\sqrt{s} = 7 \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.	4.7	16
252	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.	4.7	16

#	ARTICLE	IF	CITATIONS
253	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 847. Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in $t\bar{t}$ Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. Physical Review Letters, 2018, 121, 152002.	3.9	16
254	Study of the hard double-parton scattering contribution to inclusive four-lepton production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 790, 595-614.	7.8	16
255	Search for exclusive Higgs and Z boson decays to $t\bar{t}^3$ and $b\bar{b}^3$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
256	Measurement of differential cross sections and W/W^γ cross-section ratios for W boson production in association with jets at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
257	Constraints on anomalous Higgs boson couplings to vector bosons and fermions in its production and decay using the four-lepton final state. Physical Review D, 2021, 104, 1. Measurement of differential cross sections for electroweak production of dijets in association with a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2017, 775, 206-228.	4.7	16
258	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
260	Search for scalar resonances decaying into $t\bar{t} + b\bar{b}$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
261	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
262	Measurement of charged-particle distributions sensitive to the underlying event in $\sqrt{s} = 13$ TeV proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
263	Studies of $Z\bar{t}^3$ production in association with a high-mass dijet system in semileptonic final states in $t\bar{t}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2019, 100, 1.	4.7	14
264	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. European Physical Journal C, 2021, 81, 1.	4.7	14
265	Test of the universality of $t\bar{t}$, and $b\bar{b}$ lepton couplings in W-boson decays with the ATLAS detector. Nature Physics, 2021, 17, 813-818.	16.7	15
266	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	15
267	Search for lepton flavor violation in different-flavor, high-mass final states in $t\bar{t}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2018, 98, 032003.	4.7	14
268	Measurement of VH production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
269	Measurement of VH production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14

#	ARTICLE	IF	CITATIONS
271	Measurements of inclusive and differential fiducial cross-sections of γ production in leptonic final states at $\sqrt{s} = 13$ TeV in ATLAS. European Physical Journal C, 2019, 79, 1.	3.9	14
272	Dijet azimuthal correlations and conditional yields in γ production in leptonic final states at $\sqrt{s} = 13$ TeV in ATLAS. European Physical Journal C, 2019, 79, 1.	2.9	14
273	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	4.7	14
274	Search for displaced vertices of oppositely charged leptons from decays of long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135114.	4.1	14
275	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
276	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	14
277	Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
278	Search for resonances decaying into a weak vector boson and a Higgs boson in the fully hadronic final state produced in $t\bar{t}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	14
279	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2022, 82, 153.	3.9	14
280	Inclusive nonresonant multilepton probes of new phenomena at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2022, 105, 1.	4.7	14
281	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 102.	3.9	13
282	Search for heavy resonances decaying to a photon and a hadronically decaying boson in $t\bar{t}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 801, 135115.	4.7	13
283	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135116.	4.1	13
284	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
285	Search for squarks and gluinos in final states with hadronically decaying $t\bar{t}$ and $b\bar{b}$ production in the single-lepton and opposite-sign dilepton final states in $t\bar{t}$ and $b\bar{b}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 801, 135117.	4.7	13
286	Search for nonresonant Higgs boson production in the bb, $t\bar{t}/a_1$, $t\bar{t}/2$ final state with the ATLAS detector in $t\bar{t}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135118.	4.7	13
287	Search for nonresonant Higgs boson production in the bb, $t\bar{t}/a_1$, $t\bar{t}/2$ final state with the ATLAS detector in $t\bar{t}$ collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 801, 135119.	4.1	13
288	Measurement of the CP-violating phase ϕ_s in $B_s \rightarrow J/\psi \phi$ decays in ATLAS at 13 TeV. European Physical Journal C, 2021, 81, 1.	3.9	13

#	ARTICLE	IF	CITATIONS
289	Search for new phenomena in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	13
290	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	13
291	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	4.7	12
292	Measurement of the suppression and azimuthal anisotropy of muons from heavy-flavor decays in Pb+Pb collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. Physical Review C, 2018, 98, 2.	4.9	12
293	Measurement of the four-lepton invariant mass spectrum in 13 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	4.7	12
294	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $s = 13 \text{ TeV}$. Physical Review Letters, 2019, 122, 151801, or the http://www.w3.org/1998/Math/MathML	7.8	12
295	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.1	12
296	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13 \text{ TeV}$ proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
297	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s}_{\text{NN}} = 8.16 \text{ TeV}$ p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	12
298	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	3.9	12
299	Identification of hadronic tau lepton decays using a deep neural network. Journal of Instrumentation, 2022, 17, P07023.	1.2	12
300	Measurement of the Z $\tilde{\chi}_1^0$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	4.7	11
301	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
302	Search for heavy long-lived multicharged particles in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	11
303	Measurement of angular and momentum distributions of charged particles within and around jets in ATLAS detector. Physical Review D, 2019, 99, 1.	4.7	11
304	Search for heavy long-lived multicharged particles in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	11
305	Measurement of angular and momentum distributions of charged particles within and around jets in ATLAS detector. Physical Review D, 2019, 99, 1.	4.7	11
306	Search for heavy long-lived multicharged particles in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	2.9	11

#	ARTICLE	IF	CITATIONS
307	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	11
308	Z boson production in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.1	11
309	Exclusive dijet production in the ATLAS detector in p_T and η phase space. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 804, 136341.	2.9	11
310	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV p_T η collisions. Journal of Instrumentation, 2016, 11, P11020-P11020.	1.2	10
311	Measurement of the $Z\gamma$ production cross section in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
312	Measurement of the inclusive and fiducial $t\bar{t}$ production cross-sections in the European Physical Journal C, 2018, 78, 487.	3.9	10
313	Measurement of the $t\bar{t}\gamma$ production cross-section in $p_T^{\gamma} > 100$ GeV $\eta^{\gamma} < 2.4$ collisions with ATLAS. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 798, 134913.	4.1	10
314	Evidence for the production of three massive vector bosons with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 798, 134913.	4.1	10
315	Search for pairs of highly collimated photon-jets in pp collisions at $s=13$ TeV with the ATLAS detector. Physical Review D, 2019, 99, 092001.	4.7	10
316	Search for flavour-changing neutral currents in processes with one top quark and a photon using 81 fb^{-1} of pp collisions at $s=13$ TeV with the ATLAS experiment. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2020, 800, 135082.	4.1	10
317	Measurement of J/ψ production in association with a $W\pm$ boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	10
318	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. Journal of Instrumentation, 2017, 12, P05002-P05002.	1.2	10
319	Search for heavy resonances decaying to $t\bar{t}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 800, 135082.	4.7	10
320	Search for Flavor-Changing Neutral Current Interactions of the Top Quark and Higgs Boson in Final States with Two Photons in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV. Physical Review Letters, 2022, 129, 121801.	7.8	10
321	Measurement of the $t\bar{t}\gamma$ production cross section in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
322	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
323	Properties of jet fragmentation using charged particles measured with the ATLAS detector in $p_T > 10$ GeV. Physical Review D, 2019, 100, 094001.	4.7	9
324	Search for vector-boson resonances decaying to a top quark and bottom quark in the lepton plus jets final state in pp collisions at $s=13$ TeV with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2019, 788, 347-370.	4.1	9

#	ARTICLE	IF	CITATIONS
325	Combinations of single-top-quark production cross-section measurements and $ f_{VVtb} $ determinations at $\sqrt{s} = 7$ and 8 TeV with the ATLAS and CMS experiments. Journal of High Energy Physics, 2019, 2019, 1.	4.7	9
326	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	9
327	Combination of the W boson polarization measurements in top quark decays using ATLAS and CMS data at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	9
328	Measurement of the $Z(\tilde{t}, \tilde{b})$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	9
329	Search for $W/Z/\gamma^*$ bosons decaying to a top and a bottom quark at $\sqrt{s}=13$ TeV using ATLAS detector. Physics Letters B, 2018, 780, 136515.	4.1	9
330	Evidence for electroweak production of two jets in association with a $Z\tilde{b}$ pair in pp collisions at $\sqrt{s}=13$ TeV using ATLAS detector. Physics Letters B, 2018, 780, 136515.	4.1	9
331	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
332	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
333	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $s = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
334	A search for resonances decaying into a Higgs boson and a new particle X in the $XH\tilde{t}\tilde{b}$ final state with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 779, 24-45.	4.1	8
335	Measurement of dijet azimuthal decorrelations in $\sqrt{s}=13$ TeV using ATLAS detector. Physics Letters B, 2018, 779, 24-45.	4.1	8
336	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Physical Review D, 2018, 98.	4.7	8
337	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
338	Reconstruction and identification of boosted di-jets systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
339	Search for lepton flavor-violating decay of the τ -lepton. European Physical Journal C, 2019, 79, 1.	3.9	8
340	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8$ TeV pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
341	Search for lepton flavor-violating decay of the τ -lepton. European Physical Journal C, 2019, 79, 1.	4.7	7
342	Measurement of $\text{d}\sigma/\text{d}\eta$ polarization in $Z/\gamma \rightarrow \ell^+\ell^-$. European Physical Journal C, 2018, 78, 163.	3.9	7

#	ARTICLE	IF	CITATIONS
343	Modelling radiation damage to pixel sensors in the ATLAS detector. <i>Journal of Instrumentation</i> , 2019, 14, P06012-P06012.	1.2	7
344	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.	4.7	7
345	Medium-induced Modification of Z -Tagged Charged Particle Yields in <i>Physical Review Letters</i> , 2021, 126, 072301. Properties of g <i>Physical Review Letters</i> , 2021, 126, 072301.	7.8	7
346	at small opening angles in <i>collisions with the ATLAS detector</i> . <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
347	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
348	Measurement of ZZ production in the $\ell^+\ell^-\ell^-\ell^+$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	6
349	Performance of the CMS muon trigger system in proton-proton collisions at $\sqrt{s} = 13$. <i>Journal of Instrumentation</i> , 2021, 16, P07001.	1.2	6
350	Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at $s=13\text{TeV}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2020, 125, 251802.	7.8	6
351	Measurements of the Electroweak Diboson Production Cross Sections in Proton-Proton Collisions at $\sqrt{s}=13\text{TeV}$ Using Leptonic Decays. <i>Physical Review Letters</i> , 2021, 127, 191801.	7.8	6
352	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	6
353	A new calibration method for charm jet identification validated with proton-proton collision events at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2022, 17, P03014.	1.2	6
354	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	6
355	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8\text{TeV}$ and 13TeV . <i>European Physical Journal C</i> , 2020, 80, 1.	3.9	5
356	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.	3.9	5
357	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using 36 fb^{-1} of ATLAS data. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.	4.7	5
358	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	5
359	Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV collected with a dedicated high-rate data stream. <i>Journal of High Energy Physics</i> , 2022, 2022, .	4.7	5
360	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022, 2022, 1.	4.7	5

#	ARTICLE	IF	CITATIONS
361	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
362	Precision measurement of the boson decay branching fractions in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Physical Review D, 2022, 105, .	4.7	5
363	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13 \text{ TeV}$ with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, ..	3.9	4
364	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
365	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. Journal of Instrumentation, 2020, 15, P11016-P11016.	1.2	4
366	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
367	Search for top squarks in events with a Higgs or Z boson using 139 fb^{-1} of pp collision data at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	3.9	4
368	Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1. Measurement of differential cross sections in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Physical Review D, 2022, 105, .	3.9	4
369	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, ..	4.7	4
370	Measurement of the k t splitting scales in $Z \rightarrow e^+e^-$ events in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3
371	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	3.9	3
372	Measurements of inclusive and differential cross-sections of combined $t\bar{t}\gamma$ and $tW\gamma$ production in the $e\gamma$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
373	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	4.7	3
374	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	3.9	3
375	Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ measured with the ATLAS detector at the LHC. European Physical Journal C, 2022, 82, ..	3.9	3
376	Comparison between simulated and observed LHC beam backgrounds in the ATLAS experiment at $\sqrt{s} = 4 \text{ TeV}$. Journal of Instrumentation, 2018, 13, P12006-P12006.	1.2	2
377	Search for trilepton resonances from chargino and neutralino pair production in $s=13 \text{ TeV}$ pp collisions with the ATLAS detector. Physical Review D, 2021, 103, ..	4.7	2

#	ARTICLE	IF	CITATIONS
379	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
380	Measurement of the inclusive $t\bar{t}$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
381	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\sqrt{s} = 13 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, . Measurement of the production cross section for $t\bar{t}$ jets in proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$. Physical Review D, 2022, 105, .	4.7	2
382	ATLAS Collaboration. Nuclear Physics A, 2019, 982, 985-1009.	1.5	1
383	Measurement of the jet mass in high transverse momentum $Z\rightarrow b\bar{b}$ production at $\sqrt{s}=13 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 812, 135991.	4.1	1
384	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb^{-1} of $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector., 2018, 2018, 1.	1	
385	Measurement of the W-boson mass in pp collisions at $(\sqrt{s})=7 \text{ TeV}$ with the ATLAS detector., 2018, 78, 1.	1	
386	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $(\sqrt{s})=13 \text{ TeV}$., 2018, 78, 1.	1	
387	Search for W^{\pm} resonances in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ using hadronic decays of Lorentz-boosted W bosons. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 826, 136888.	4.1	1
388	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76 \text{ TeV}$. Journal of High Energy Physics, 2022, 2022, 1.	4.7	1
389	Observation of $B\rightarrow K^{*0}\pi^0$ and $B\rightarrow K^{*0}\eta'$ decays. European Physical Journal C, 2022, 82, .	3.9	1
390	Search for Higgs decaying to tau tau at CMS., 2013, .	0	
391	Search for heavy resonances decaying to $t\bar{t}$ jets in proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 832, 137263.	4.1	0
392	Search for high-mass resonances decaying to a jet and a Lorentz-boosted resonance in proton-proton collisions at $\sqrt{s} = 5.02 \text{ TeV}$. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2022, 832, 137263.	4.1	0