

# Agni Bethani

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/6295825/agni-bethani-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

375  
papers

8,768  
citations

42  
h-index

75  
g-index

411  
ext. papers

11,573  
ext. citations

4.8  
avg, IF

2.38  
L-index

#	Paper	IF	Citations
375	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 212	4.2	399
374	Study of high-p T charged particle suppression in PbPb compared to pp collisions at ( $\sqrt{s_{\mathrm{NN}}}=2.76\sim\mathrm{TeV}$ ). <i>European Physical Journal C</i> , <b>2012</b> , 72, 1	4.2	316
373	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , <b>2017</b> , 77, 317	4.2	272
372	Observation of a new boson with mass near 125 GeV in pp collisions at ( $\sqrt{s}=7$ ) and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	261
371	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 235	4.2	250
370	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , <b>2014</b> , 74, 3036	4.2	183
369	Search for top-quark pair production in the single-lepton final state in pp collisions at ( $\sqrt{s}=8\mathrm{TeV}$ ). <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	162
368	Search for dark matter and large extra dimensions in monojet events in pp collisions at ( $\sqrt{s}=\{7\}$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	155
367	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , <b>2014</b> , 74, 2980	4.2	131
366	Search for new high-mass phenomena in the dilepton final state using 36 fb <sup>-1</sup> of proton-proton collision data at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	126
365	Combined measurements of Higgs boson production and decay using up to 80 fb <sup>-1</sup> of proton-proton collision data at $s=13$ TeV collected with the ATLAS experiment. <i>Physical Review D</i> , <b>2020</b> , 101,	4.9	121
364	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 784, 173-191	4.2	118
363	Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2017</b> , 96,	4.9	116
362	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	101
361	Searches for long-lived charged particles in pp collisions at ( $\sqrt{s}$ ) =7 and 8 TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	96
360	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s}=13$ TeV with the ATLAS Detector at the LHC. <i>Physical Review Letters</i> , <b>2016</b> , 117, 182002	7.4	92
359	Observation of H-bb <sup>-</sup> decays and VH production with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 786, 59-86	4.2	87

358	Search for high-mass dilepton resonances using 139 fb <sup>-1</sup> of pp collision data collected at s=13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 796, 68-87	4.2	82
357	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb <sup>-1</sup> of pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	81
356	Measurements of Higgs boson properties in the diphoton decay channel with 36 fb <sup>-1</sup> of pp collision data at s=13 TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,	4.9	74
355	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at ( $\sqrt{s_{\mathrm{NN}}}=2.76$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2012</b> , 2012, 1	5.4	73
354	A new boson with a mass of 125 GeV observed with the CMS experiment at the Large Hadron Collider. <i>Science</i> , <b>2012</b> , 338, 1569-75	33.3	71
353	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 903	4.2	66
352	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , <b>2017</b> , 77, 195	4.2	61
351	Measurement of the $\tau$ -boson mass in pp collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 110	4.2	59
350	Precision measurement and interpretation of inclusive $\tau$ , and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 367	4.2	56
349	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 199	4.2	55
348	Search for dark matter at [Formula: see text] in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 393	4.2	52
347	Electron and photon performance measurements with the ATLAS detector using the 2015-2017 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , <b>2019</b> , 14, P12006-P12006	1	51
346	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at ( $\sqrt{s} = 7 \text{ TeV}$ ) and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , <b>2013</b> , 73, 1	4.2	50
345	Evidence for the ( $H \rightarrow b\bar{b}$ ) decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	50
344	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in ( $\sqrt{s}=13$ ) ( $\text{TeV}$ ) pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	50
343	Search for electroweak production of supersymmetric particles in final states with two or three leptons at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 995	4.2	49
342	Measurement of multi-particle azimuthal correlations in pp, p-Pb and low-multiplicity Pb-Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 428	4.2	48
341	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 121, 211801	7.4	48

340	Search for long-lived charginos based on a disappearing-track signature in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	48
339	Search for heavy resonances decaying into in the final state in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 24	4-2	47
338	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. <i>Physical Review Letters</i> , <b>2019</b> , 122, 231801	7-4	45
337	Measurement of the nuclear modification factor for inclusive jets in Pb+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 790, 108-128	4-2	44
336	Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 97,	4-9	44
335	Angular analysis of $B \rightarrow D^* \ell \bar{\nu}_\ell$ decays in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	44
334	ATLAS b-jet identification performance and efficiency measurement with ( $t\bar{t}$ ) events in pp collisions at ( $\sqrt{s}=13$ ) TeV. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4-2	43
333	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 466	4-2	42
332	Search for heavy resonances in the and final states using proton-proton collisions at $\sqrt{s}$ with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 293	4-2	41
331	Observation of Light-by-Light Scattering in Ultraperipheral Pb+Pb Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2019</b> , 123, 052001	7-4	41
330	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , <b>2015</b> , 75, 186	4-2	41
329	Measurement of the Higgs boson mass in the $H \rightarrow ZZ^* \rightarrow 4\ell$ and $H \rightarrow \tau\tau$ channels with $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 784, 345-366	4-2	41
328	Search for charged Higgs bosons decaying into top and bottom quarks at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	39
327	Search for an invisibly decaying Higgs boson or dark matter candidates produced in association with a Z boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 776, 318-337	4-2	38
326	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at ( $\sqrt{s} = 13$ ) (text {TeV}). <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4-2	37
325	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 288	4-2	37
324	Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2013</b> , 73, 2494	4-2	37
323	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5-4	36

322	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at and 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 142	4.2	35
321	Measurement of quarkonium production in proton-lead and proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 171	4.2	35
320	Search for heavy charged long-lived particles in the ATLAS detector in 36.1 fb of proton-proton collision data at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , <b>2019</b> , 99,	4.9	35
319	Measurement of jet fragmentation in Pb+Pb and collisions at TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2017</b> , 77, 379	4.2	35
318	Measurements of long-range azimuthal anisotropies and associated Fourier coefficients for pp collisions at $\sqrt{s}=5.02$ and 13 TeV and p+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. <i>Physical Review C</i> , <b>2017</b> , 96,	2.7	34
317	Search for chargino-neutralino production using recursive jigsaw reconstruction in final states with two or three charged leptons in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,	4.9	34
316	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 565	4.2	34
315	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\bar{b}b$ final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 783, 392-414	4.2	33
314	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , <b>2017</b> , 77, 673	4.2	33
313	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb of ( $\sqrt{s}=13$ ) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	33
312	Search for charged Higgs bosons decaying via $H \rightarrow \tau\tau$ in the $\tau\tau$ jets and $\tau$ lepton final states with 36 fb of pp collision data recorded at ( $\sqrt{s}=13$ ) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	33
311	Search for dark matter produced in association with bottom or top quarks in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 18	4.2	32
310	Search for pair production of Higgs bosons in the ( $\bar{b}b$ ) final state using proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	31
309	Constraints on mediator-based dark matter and scalar dark energy models using ( $\sqrt{s}$ ) = 13 TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	31
308	Searches for electroweak production of supersymmetric particles with compressed mass spectra in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2020</b> , 101,	4.9	31
307	Measurements of b-jet tagging efficiency with the ATLAS detector using ( $\bar{t}t$ ) events at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	31
306	Search for the standard model Higgs boson produced in association with top quarks and decaying into a $b\bar{b}$ pair in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 97,	4.9	31
305	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2017</b> , 119, 191803	7.4	30

304	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	30
303	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	30
302	Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , <b>2020</b> , 125, 051801	7.4	30
301	Cross-section measurements of the Higgs boson decaying into a pair of leptons in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,	4.9	29
300	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 97,	4.9	29
299	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2017</b> , 119, 051802	7.4	29
298	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	29
297	Search for Low-Mass Dijet Resonances Using Trigger-Level Jets with the ATLAS Detector in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , <b>2018</b> , 121, 081801	7.4	29
296	A search for pair-produced resonances in four-jet final states at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 250	4.2	28
295	Search for minimal supersymmetric standard model Higgs Bosons $\tilde{H}^0$ and for a $\tilde{H}^\pm$ boson in the $\tilde{H}^0 \rightarrow \tau^+ \tau^-$ final state produced in collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 585	4.2	28
294	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	28
293	Constraints on off-shell Higgs boson production and the Higgs boson total width in $ZZ \rightarrow 4\ell$ and $ZZ \rightarrow 2\ell 2\nu$ final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 786, 223-244	4.2	28
292	Search for a Structure in the $B_{s^0} \rightarrow \mu^+ \mu^-$ Invariant Mass Spectrum with the ATLAS Experiment. <i>Physical Review Letters</i> , <b>2018</b> , 120, 202007	7.4	28
291	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	27
290	Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $H \rightarrow WW^* \rightarrow \ell\ell$ decay channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 789, 508-529	4.2	27
289	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. <i>Physical Review Letters</i> , <b>2018</b> , 120, 211802	7.4	27
288	Observation of Electroweak Production of a Same-Sign W Boson Pair in Association with Two Jets in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2019</b> , 123, 161801	7.4	26
287	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	26

286	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb of ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	26
285	Study of the rare decays of $B_s^0$ and $B^0$ mesons into muon pairs using data collected during 2015 and 2016 with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019,	5.4	25
284	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , <b>2019</b> , 14, P03017-P03017	1	25
283	Measurement of the cross section for inclusive isolated-photon production in pp collisions at $s=13$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2017</b> , 770, 473-493	4.2	25
282	Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $b\bar{b}$ Using 36 fb of pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2017</b> , 119, 181804	7.4	25
281	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	25
280	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2016</b> , 76, 547	4.2	25
279	Search for long-lived particles produced in pp collisions at $s=13$ TeV that decay into displaced hadronic jets in the ATLAS muon spectrometer. <i>Physical Review D</i> , <b>2019</b> , 99,	4.9	24
278	Measurement of the top quark mass in the $(t\bar{t} \rightarrow \ell\bar{\ell} + jets)$ channel from ( $\sqrt{s}=8$ ) TeV ATLAS data and combination with previous results. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	24
277	Combination of searches for Higgs boson pairs in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 800, 135103	4.2	24
276	Measurement of the Soft-Drop Jet Mass in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 121, 092001	7.4	24
275	Search for the direct production of charginos and neutralinos in final states with tau leptons in collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 154	4.2	23
274	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	23
273	Search for dark matter produced in association with a hadronically decaying vector boson in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2016</b> , 763, 251-268	4.2	23
272	Search for light resonances decaying to boosted quark pairs and produced in association with a photon or a jet in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 788, 316-335	4.2	23
271	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb of collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 401	4.2	23
270	Search for Resonant and Nonresonant Higgs Boson Pair Production in the $b\bar{b} \rightarrow H \rightarrow b\bar{b}$ Decay Channel in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 121, 191801	7.4	23
269	Search for Higgs boson pair production in the $(\gamma\gamma b\bar{b})$ final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	23

268	Combination of searches for heavy resonances decaying into bosonic and leptonic final states using 36 fb <sup>-1</sup> of proton-proton collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,	4.9	23
267	Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 762	4.2	23
266	Observation of electroweak $W\Xi Z$ boson pair production in association with two jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 793, 469-492	4.2	22
265	Search for $W W/W Z$ resonance production in $\bar{q}q$ final states in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	22
264	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb <sup>-1</sup> of ( $\sqrt{s}=13$ ) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	22
263	Search for pair and single production of vectorlike quarks in final states with at least one Z boson decaying into a pair of electrons or muons in pp collision data collected with the ATLAS detector at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , <b>2018</b> , 98,	4.9	22
262	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	22
261	Search for invisible Higgs boson decays in vector boson fusion at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 793, 499-519	4.2	21
260	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	21
259	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , <b>2015</b> , 75, 66	4.2	21
258	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	21
257	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2021</b> , 812, 135980	4.2	21
256	Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 1007	4.2	21
255	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	21
254	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 997	4.2	21
253	Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 58	4.2	20
252	Measurement of ( $W^{\pm}Z$ ) production cross sections and gauge boson polarisation in pp collisions at ( $\sqrt{s}=13$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	20
251	Searches for the $Z\Xi$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	20



250	Search for new resonances in mass distributions of jet pairs using 139 fb <sup>-1</sup> of pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	20
249	Search for Higgs boson decays into a pair of light bosons in the $b\bar{b}$ final state in pp collision at $s=13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 790, 1-21	4.2	20
248	Performance of top-quark and ( $W$ )-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	19
247	Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 898	4.2	19
246	Study of the material of the ATLAS inner detector for Run 2 of the LHC. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, P12009-P12009	1	19
245	Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 872	4.2	19
244	Search for pair production of heavy vectorlike quarks decaying into hadronic final states in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,	4.9	19
243	Search for High-Mass Resonances Decaying to $\tau\tau$ in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 120, 161802	7.4	18
242	Search for long-lived neutral particles in pp collisions at ( $\sqrt{s}$ ) = 13 TeV that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	18
241	Searches for third-generation scalar leptoquarks in ( $\sqrt{s}$ ) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	18
240	Observation of Centrality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering in Pb+Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 121, 212301	7.4	18
239	Search for chargino-neutralino production with mass splittings near the electroweak scale in three-lepton final states in $s=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2020</b> , 101,	4.9	17
238	Searches for heavy ZZ and ZW resonances in the $b\bar{q}$ and $\bar{b}q$ final states in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	17
237	Search for a scalar partner of the top quark in the all-hadronic ( $t\bar{t}$ ) plus missing transverse momentum final state at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	17
236	Search for heavy charged long-lived particles in proton-proton collisions at $s=13\text{TeV}$ using an ionisation measurement with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 788, 96-116	4.2	17
235	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	16
234	ATLAS data quality operations and performance for 2015-2018 data-taking. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P04003-P04003	1	16
233	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 580	4.2	16

232	Measurement of the Drell-Yan triple-differential cross section in pp collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	16
231	Measurement of fiducial and differential ( $W^+W^-$ ) production cross-sections at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	16
230	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at ( $\sqrt{s_{\mathrm{NN}}}=5.02$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	16
229	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	16
228	Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of ( $\sqrt{s}=13$ ) TeV with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	15
227	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in 13 TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 124, 031802	7.4	15
226	Measurement of jet pT correlations in Pb + Pb and pp collisions at $\sqrt{s_{\mathrm{NN}}}=2.76$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2017</b> , 774, 379-402	4.2	15
225	Measurement of production with the hadronically decaying boson reconstructed as one or two jets in collisions at with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , <b>2017</b> , 77, 563	4.2	15
224	Dijet Resonance Search with Weak Supervision Using $\sqrt{s}=13$ TeV pp Collisions in the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 125, 131801	7.4	15
223	CP Properties of Higgs Boson Interactions with Top Quarks in the $t\bar{t} \rightarrow H$ and $tH$ Processes Using $H \rightarrow W$ with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 125, 061802	7.4	15
222	Measurement of photon-jet transverse momentum correlations in 5.02 TeV Pb + Pb and pp collisions with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 789, 167-190	4.2	15
221	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	15
220	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s}=13$ TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 625	4.2	15
219	Measurements of electroweak $[W^+W^-]$ production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 474	4.2	14
218	Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 789, 444-471	4.2	14
217	Search for single production of vector-like quarks decaying into $Wb$ in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	14
216	. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	14
215	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 780, 557-577	4.2	14

214	Measurement of jet fragmentation in 5.02 TeV proton-lead and proton-proton collisions with the ATLAS detector. <i>Nuclear Physics A</i> , <b>2018</b> , 978, 65-106	1.3	14
213	Measurement of the $tt\bar{Z}$ and $tt\bar{W}$ cross sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,	4.9	14
212	Search for a right-handed gauge boson decaying into a high-momentum heavy neutrino and a charged lepton in pp collisions with the ATLAS detector at $\sqrt{s}=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 798, 134942	4.2	14
211	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	14
210	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	14
209	Search for resonant WZ production in the fully leptonic final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 787, 68-88	4.2	14
208	Search for pair production of Higgsinos in final states with at least three b-tagged jets in $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,	4.9	14
207	Combined measurement of differential and total cross sections in the $H \rightarrow \tau\tau$ and the $H \rightarrow ZZ \rightarrow 4\ell$ decay channels at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 786, 114-133	4.2	14
206	Searches for exclusive Higgs and Z boson decays into $J/\psi(\psi S)$ and $\Upsilon(nS)$ at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 786, 134-155	4.2	14
205	Measurements of top-quark pair differential cross-sections in the $[t\bar{t} \rightarrow q\bar{q} + X]$ channel in collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 292	4.2	13
204	High-ET isolated-photon plus jets production in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Nuclear Physics B</i> , <b>2017</b> , 918, 257-316	2.8	13
203	Search for triboson $[t\bar{t} \rightarrow 3\gamma]$ production in collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 141	4.2	13
202	Search for long-lived particles in final states with displaced dimuon vertices in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,	4.9	13
201	Search for top-quark decays $t \rightarrow Hq$ with 36 fb <sup>-1</sup> of pp collision data at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	13
200	Measurement of $WW$ vector-boson scattering and limits on anomalous quartic gauge couplings with the ATLAS detector. <i>Physical Review D</i> , <b>2017</b> , 96,	4.9	13
199	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	13
198	Searches for lepton-flavour-violating decays of the Higgs boson in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 800, 135069	4.2	13
197	Fluctuations of anisotropic flow in Pb+Pb collisions at $(\sqrt{s_{NN}}) = 5.02$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	13

196	Performance of the ATLAS muon triggers in Run 2. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P09015-P09015 <sub>1</sub>		13
195	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	13
194	Search for direct stau production in events with two hadronic leptons in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , <b>2020</b> , 101,	4.9	13
193	Measurements of top-quark pair differential and double-differential cross-sections in the ( $\ell\ell$ )+jets channel with pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	13
192	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , <b>2018</b> , 78, 987	4.2	13
191	Measurements of W and Z boson production in pp collisions at ( $\sqrt{s}=5.02$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	12
190	Higgs boson production cross-section measurements and their EFT interpretation in the ( $4\ell\ell$ ) decay channel at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	12
189	Search for long-lived, massive particles in events with a displaced vertex and a muon with large impact parameter in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2020</b> , 102,	4.9	12
188	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	12
187	Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from pp and Pb+Pb Collisions in ATLAS. <i>Physical Review Letters</i> , <b>2019</b> , 123, 042001	7.4	12
186	Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,	4.9	12
185	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at ( $\sqrt{s}=13$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	12
184	Search for low-mass resonances decaying into two jets and produced in association with a photon using pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 795, 56-75	4.2	12
183	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2017</b> , 775, 206-228	4.2	12
182	Measurement of the inclusive jet cross-sections in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
181	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
180	Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow \ell\ell$ in ( $\sqrt{s}=13$ ) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	12
179	Measurement of the azimuthal anisotropy of charged-particle production in Xe+Xe collisions at $\sqrt{s_{NN}}=5.44$ TeV with the ATLAS detector. <i>Physical Review C</i> , <b>2020</b> , 101,	2.7	12

178	Measurement of the top-quark mass in ( $t\bar{t}$ ) + 1-jet events collected with the ATLAS detector in pp collisions at ( $\sqrt{s}$ ) = 8 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	12
177	Search for a heavy charged boson in events with a charged lepton and missing transverse momentum from pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 100,	4.9	12
176	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. <i>Physical Review C</i> , <b>2018</b> , 98,	2.7	12
175	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at ( $\sqrt{s}=8$ TeV) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	11
174	Direct top-quark decay width measurement in the lepton+jets channel at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2018</b> , 78, 129	4.2	11
173	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s}=13$ TeV. <i>European Physical Journal C</i> , <b>2019</b> , 79,	4.2	11
172	Measurement of lepton differential distributions and the top quark mass in production in collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 804	4.2	11
171	Study of Higgs boson production in collisions at $\sqrt{s}=13$ TeV and search for anomalous quartic gauge couplings with the ATLAS experiment. <i>European Physical Journal C</i> , <b>2017</b> , 77, 646	4.2	11
170	Search for long-lived neutral particles produced in pp collisions at $\sqrt{s}=13$ TeV decaying into displaced hadronic jets in the ATLAS inner detector and muon spectrometer. <i>Physical Review D</i> , <b>2020</b> , 101,	4.9	11
169	Measurement of soft-drop jet observables in pp collisions with the ATLAS detector at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , <b>2020</b> , 101,	4.9	11
168	Jet energy scale and resolution measured in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	11
167	. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	10
166	Search for heavy neutral Higgs bosons produced in association with b-quarks and decaying into b-quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2020</b> , 102,	4.9	10
165	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at ( $\sqrt{s}=13$ ) TeV with ATLAS. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	10
164	Search for chargino and neutralino production in final states with a Higgs boson and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 100,	4.9	10
163	Search for diboson resonances in hadronic final states in 139 fb <sup>-1</sup> of pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	10
162	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at ( $\sqrt{s}=7$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2013</b> , 2013, 1	5.4	10
161	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2017</b> , 77, 765	4.2	10

160	Search for displaced vertices of oppositely charged leptons from decays of long-lived particles in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 801, 135114	4.2	10
159	Measurement of the suppression and azimuthal anisotropy of muons from heavy-flavor decays in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>Physical Review C</i> , <b>2018</b> , 98,	2.7	10
158	Search for resonances in the mass distribution of jet pairs with one or two jets identified as b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,	4.9	10
157	Search for R-parity-violating supersymmetric particles in multi-jet final states produced in $p\bar{p}$ collisions at $\sqrt{s}=13$ TeV using the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 785, 136-158	4.2	10
156	. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	9
155	Search for Higgs boson decays into two new low-mass spin-0 particles in the 4b channel with the ATLAS detector using pp collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , <b>2020</b> , 102,	4.9	9
154	Measurement of the $t\bar{t}$ production cross-section and lepton differential distributions in $e^+e^-$ dilepton events from pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80,	4.2	9
153	Measurement of charged-particle distributions sensitive to the underlying event in ( $\sqrt{s}=13$ ) TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	9
152	Search for the Higgs boson decays $H \rightarrow ee$ and $H \rightarrow e\mu$ in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 801, 135148	4.2	9
151	A search for the $Z\bar{\nu}\nu$ decay mode of the Higgs boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 809, 135754	4.2	9
150	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	9
149	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4(e $\ell$ ) decay channel at ( $\sqrt{s}$ ) = 13 TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	9
148	Search for squarks and gluinos in final states with hadronically decaying $\bar{\ell}$ leptons, jets, and missing transverse momentum using pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,	4.9	9
147	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	9
146	Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2018</b> , 121, 152002	7.4	9
145	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
144	Measurement of $VH$ , ( $\text{H} \rightarrow \text{b}\bar{\text{b}}$ ) production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
143	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in ( $\sqrt{s}$ ) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8

142	Measurement of Azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 124, 082301	7.4	8
141	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb <sup>-1</sup> of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
140	Search for scalar resonances decaying into $\mu\mu$ in events with and without b-tagged jets produced in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	8
139	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	8
138	Evidence for $(t\bar{t})$ production in the multilepton final state in proton-proton collisions at ( $\sqrt{s}=13$ ) (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	8
137	Search for light long-lived neutral particles produced in pp collisions at ( $\sqrt{s} = 13\text{-}\mathrm{TeV}$ ) and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	8
136	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	8
135	Measurements of top-quark pair spin correlations in the $(e\mu)$ channel at ( $\sqrt{s} = 13$ ) TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	8
134	Prompt and non-prompt elliptic flow in Pb+Pb collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 784	4.2	8
133	Search for heavy resonances decaying to a photon and a hadronically decaying Z/W/H boson in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,	4.9	8
132	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	8
131	Search for vector-boson resonances decaying to a top quark and bottom quark in the lepton plus jets final state in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 788, 347-370	4.2	7
130	Search for heavy long-lived multicharged particles in proton-proton collisions at $s=13$ TeV using the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,	4.9	7
129	Measurements of inclusive and differential fiducial cross-sections of $(t\bar{t})\gamma$ production in leptonic final states at ( $\sqrt{s}=13\text{-}\mathrm{TeV}$ ) in ATLAS. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	7
128	Study of the hard double-parton scattering contribution to inclusive four-lepton production in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 790, 595-614	4.2	7
127	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeVppcollisions. <i>Journal of Instrumentation</i> , <b>2016</b> , 11, P11020-P11020	1	7
126	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using ( $\sqrt{s}$ ) = 13 TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	7
125	Transverse momentum and process dependent azimuthal anisotropies in ( $\sqrt{s}_{\mathrm{NN}}=8.16$ ) TeV p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	7

124	Search for new phenomena in high-mass final states with a photon and a jet from collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 102	4.2	7
123	Measurement of differential cross sections and $W^+/W^-$ cross-section ratios for W boson production in association with jets at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	7
122	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $(\sqrt{s})=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
121	Measurement of the production cross section for a Higgs boson in association with a vector boson in the $H \rightarrow WW^*$ channel in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 798, 134949	4.2	7
120	Measurement of the $(\overline{t}\gamma)$ production cross section in proton-proton collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
119	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $(\sqrt{s}=13)$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
118	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $(\sqrt{s}=13)$ TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
117	Studies of $Z\bar{\nu}$ production in association with a high-mass dijet system in pp collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
116	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $(\sqrt{s}=8)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	7
115	Measurement of the $Z\bar{\nu}$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , <b>2015</b> , 2015, 1	5.4	7
114	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. <i>Journal of Instrumentation</i> , <b>2017</b> , 12, P05002-P05002	1	7
113	Measurement of the transverse momentum distribution of dilepton pairs in proton-proton collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	7
112	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	7
111	Measurement of $(W^{\pm}\rho^0)$ boson production in Pb+Pb collisions at $(\sqrt{s_{\text{NN}}})=5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	7
110	Dijet azimuthal correlations and conditional yields in pp and p+Pb collisions at $\sqrt{s_{\text{NN}}}=5.02$ TeV with the ATLAS detector. <i>Physical Review C</i> , <b>2019</b> , 100,	2.7	7
109	Search for electroweak diboson production in association with a high-mass dijet system in semileptonic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 100,	4.9	7
108	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	7
107	Measurements of WH and ZH production in the $(H \rightarrow b\bar{b})$ decay channel in pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	7



106	Search for lepton-flavor violation in different-flavor, high-mass final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,	4.9	7
105	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , <b>2021</b> , 81, 800	4.2	7
104	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using 13 TeV pp Collision Data from the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 125, 221802	7.4	6
103	A search for resonances decaying into a Higgs boson and a new particle X in the XH-tqbb final state with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2018</b> , 779, 24-45	4.2	6
102	Search for resonances decaying into a weak vector boson and a Higgs boson in the fully hadronic final state produced in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2020</b> , 102,	4.9	6
101	Search for ( $\overline{t}$ ) resonances in fully hadronic final states in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	6
100	Search for flavour-changing neutral currents in processes with one top quark and a photon using 81 fb of pp collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 800, 135082	4.2	6
99	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	6
98	Measurement of the ( $Z \rightarrow \nu \overline{\nu}$ ) production cross section in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
97	Search for exclusive Higgs and Z boson decays to $\tau^+\tau^-$ and $\tau^+\tau^- \nu$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	6
96	Evidence for the production of three massive vector bosons with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 798, 134913	4.2	5
95	Modelling radiation damage to pixel sensors in the ATLAS detector. <i>Journal of Instrumentation</i> , <b>2019</b> , 14, P06012-P06012	1	5
94	Combinations of single-top-quark production cross-section measurements and $ f_{LVVtb} $ determinations at ( $\sqrt{s}$ ) = 7 and 8 TeV with the ATLAS and CMS experiments. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	5
93	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , <b>2019</b> , 122, 151801	7.4	5
92	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at ( $\sqrt{s}$ ) = 13 and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	5
91	Test of CP invariance in vector-boson fusion production of the Higgs boson in the H-tt channel in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 805, 135426	4.2	5
90	Z boson production in Pb+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV measured by the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 802, 135262	4.2	5
89	Measurement of differential cross-sections of a single top quark produced in association with a boson at with ATLAS. <i>European Physical Journal C</i> , <b>2018</b> , 78, 186	4.2	5

88	Measurement of prompt photon production in $\sqrt{s}=8.16$ TeV p + Pb collisions with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2019</b> , 796, 230-252	4.2	5
87	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at ( $\sqrt{s}=8$ ) TeV. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	5
86	Evidence for electroweak production of two jets in association with a $Z$ pair in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 803, 135341	4.2	5
85	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	5
84	Search for the $HH \rightarrow b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	5
83	Observation of the associated production of a top quark and a Z boson in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	5
82	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	5
81	Measurement of the associated production of a Higgs boson decaying into b-quarks with a vector boson at high transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2021</b> , 816, 136204	4.2	5
80	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 488	4.2	5
79	Search for pairs of highly collimated photon-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,	4.9	5
78	Measurement of angular and momentum distributions of charged particles within and around jets in Pb+Pb and pp collisions at $\sqrt{s}=5.02$ TeV with the ATLAS detector. <i>Physical Review C</i> , <b>2019</b> , 100,	2.7	5
77	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	5
76	Search for dark matter in association with an energetic photon in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	5
75	Measurement of colour flow using jet-pull observables in events with the ATLAS experiment at. <i>European Physical Journal C</i> , <b>2018</b> , 78, 847	4.2	5
74	Search for lepton-flavor-violating decays of the Z boson into a dilepton and a light lepton with the ATLAS detector. <i>Physical Review D</i> , <b>2018</b> , 98,	4.9	5
73	Measurement of the inclusive and fiducial production cross-sections in the lepton+jets channel in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 487	4.2	5
72	Search for four-top-quark production in the single-lepton and opposite-sign dilepton final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , <b>2019</b> , 99,	4.9	4
71	Measurement of the Lund Jet Plane Using Charged Particles in $\sqrt{s}=13$ TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 124, 222002	7.4	4

70	Search for heavy diboson resonances in semileptonic final states in pp collisions at ( $\sqrt{s}=13$ ) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	4
69	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	4
68	Measurement of $J/\psi$ production in association with a $W$ boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	4
67	Search for non-resonant Higgs boson pair production in the $b\bar{b}$ final state with the ATLAS detector in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 801, 135145	4.2	4
66	Measurement of the $t\bar{t}$ production cross-section in the lepton+jets channel at $s=13$ TeV with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 810, 135797	4.2	4
65	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	4
64	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at ( $\sqrt{s}=13$ ) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2018</b> , 2018, 1	5.4	4
63	Measurement of dijet azimuthal decorrelations in pp collisions at $s=8$ TeV with the ATLAS detector and determination of the strong coupling. <i>Physical Review D</i> , <b>2018</b> , 98,	4.9	4
62	Search for top squark production in fully hadronic final states in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , <b>2021</b> , 104,	4.9	4
61	Search for dijet resonances in events with an isolated charged lepton using ( $\sqrt{s}$ ) = 13 TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	3
60	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at ( $\sqrt{s}=8$ ) and 13 TeV. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	3
59	Measurement of polarisation in decays in proton-proton collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2018</b> , 78, 163	4.2	3
58	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13$ TeV with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , <b>2019</b> , 79,	4.2	3
57	Measurement of the $k_t$ splitting scales in Z-jet events in pp collisions at ( $\sqrt{s}=8$ ) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2017</b> , 2017, 1	5.4	3
56	Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2020</b> , 125, 251802	7.4	3
55	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 970	4.2	3
54	Measurement of $K_S^0$ and $\Lambda^0$ production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	3
53	Determination of jet calibration and energy resolution in proton-proton collisions at ( $\sqrt{s}=8$ -13 TeV) using the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	3

52	Reconstruction and identification of boosted di- $\tau$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	3
51	Measurement of hadronic event shapes in high- $p_T$ multijet final states at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5-4	3
50	Medium-Induced Modification of Z-Tagged Charged Particle Yields in Pb+Pb Collisions at 5.02 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2021</b> , 126, 072301	7-4	3
49	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , <b>2021</b> , 81, 723	4-2	3
48	Constraints on anomalous Higgs boson couplings to vector bosons and fermions in its production and decay using the four-lepton final state. <i>Physical Review D</i> , <b>2021</b> , 104,	4-9	3
47	Properties of jet fragmentation using charged particles measured with the ATLAS detector in pp collisions at $s=13$ TeV. <i>Physical Review D</i> , <b>2019</b> , 100,	4-9	2
46	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4-2	2
45	Properties of $g\text{-}bb$ at small opening angles in pp collisions with the ATLAS detector at $s=13$ TeV. <i>Physical Review D</i> , <b>2019</b> , 99,	4-9	2
44	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. <i>Journal of Instrumentation</i> , <b>2020</b> , 15, P11016-P11016	1	2
43	Combination of the W boson polarization measurements in top quark decays using ATLAS and CMS data at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	2
42	Measurement of the $Z(\rightarrow\mu\mu)$ production cross-section in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	2
41	Measurement of the inclusive isolated-photon cross section in pp collisions at $(\sqrt{s}) = 13$ TeV using 36 fb $^{-1}$ of ATLAS data. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5-4	2
40	Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in Pb+Pb collisions at $s_{NN}=5.02$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2020</b> , 807, 135595	4-2	2
39	Measurements of inclusive and differential cross-sections of combined $(\overline{t}\gamma)$ and $tW$ production in the $e$ channel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	2
38	Measurement of isolated-photon plus two-jet production in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5-4	2
37	Longitudinal Flow Decorrelations in Xe+Xe Collisions at $\sqrt{s_{NN}}=5.44$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , <b>2021</b> , 126, 122301	7-4	2
36	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4-2	2
35	Performance of the CMS muon trigger system in proton-proton collisions at $(\sqrt{s}) = 13$ . <i>Journal of Instrumentation</i> , <b>2021</b> , 16, P07001	1	2

34	Measurement of ZZ production in the final state with the ATLAS detector in pp collisions at ( $\sqrt{s}$ ) = 13 TeV. <i>Journal of High Energy Physics</i> , <b>2019</b> , 2019, 1	5.4	2
33	Measurement of ( $W^{\pm}$ )-boson and Z-boson production cross-sections in pp collisions at ( $\sqrt{s}$ =2.76) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2019</b> , 79, 1	4.2	2
32	Comparison between simulated and observed LHC beam backgrounds in the ATLAS experiment at Ebeam=4 TeV. <i>Journal of Instrumentation</i> , <b>2018</b> , 13, P12006-P12006	1	2
31	Exclusive dimuon production in ultraperipheral Pb+Pb collisions at sNN=5.02TeV with ATLAS. <i>Physical Review C</i> , <b>2021</b> , 104,	2.7	2
30	Search for W bosons decaying to a top and a bottom quark at s=13TeV in the hadronic final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2021</b> , 820, 136535	4.2	2
29	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at ( $\sqrt{s}$ ) = 13 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2021</b> , 2021, 1	5.4	2
28	Measurement of the W-boson mass in pp collisions at ( $\sqrt{s}$ =7, hbox {TeV}) with the ATLAS detector <b>2018</b> , 78, 1		1
27	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ( $\sqrt{s}$ =13, text {TeV}) <b>2018</b> , 78, 1		1
26	Search for top squarks in events with a Higgs or Z boson using 139 fb <sup>-1</sup> of pp collision data at ( $\sqrt{s}$ =13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , <b>2020</b> , 80, 1	4.2	1
25	Measurement of differential tt production cross sections in the full kinematic range using lepton+jets events from proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , <b>2021</b> , 104,	4.9	1
24	Measurement of the electroweak production of Z and two jets in proton-proton collisions at s=13 TeV and constraints on anomalous quartic gauge couplings. <i>Physical Review D</i> , <b>2021</b> , 104,	4.9	1
23	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb <sup>-1</sup> of ( $\sqrt{s}$ =13) TeV pp collisions with the ATLAS detector <b>2018</b> , 2018, 1		1
22	Measurement of differential cross sections for single diffractive dissociation in ( $\sqrt{s}$ ) = 8 TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
21	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at ( $\sqrt{s}$ ) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , <b>2020</b> , 2020, 1	5.4	1
20	Measurement of the CP-violating phase $\phi_s$ in $B_{s^0} \rightarrow J/\psi \phi$ decays in ATLAS at 13 TeV. <i>European Physical Journal C</i> , <b>2021</b> , 81,	4.2	1
19	Test of the universality of and lepton couplings in W-boson decays with the ATLAS detector. <i>Nature Physics</i> , <b>2021</b> , 17, 813-818	16.2	1
18	Measurement of single top-quark production in association with a W boson in the single-lepton channel at ( $\sqrt{s}$ = 8, text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1
17	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , <b>2021</b> , 81, 1	4.2	1

16	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	1
15	Search for $W$ resonances in proton-proton collisions at $\sqrt{s}=13$ TeV using hadronic decays of Lorentz-boosted $W$ bosons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2022</b> , 826, 136888	4.2	0
14	Measurements of the Electroweak Diboson Production Cross Sections in Proton-Proton Collisions at $\sqrt{s}=5.02$ TeV Using Leptonic Decays. <i>Physical Review Letters</i> , <b>2021</b> , 127, 191801	7.4	0
13	Measurement of the Inclusive and Differential Higgs Boson Production Cross Sections in the Decay Mode to a Pair of $\tau$ Leptons in $pp$ Collisions at $\sqrt{s}=13$ TeV.. <i>Physical Review Letters</i> , <b>2022</b> , 128, 081805	7.4	0
12	Inclusive and differential cross section measurements of single top quark production in association with a $Z$ boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
11	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , <b>2022</b> , 82, 153	4.2	0
10	A new calibration method for charm jet identification validated with proton-proton collision events at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , <b>2022</b> , 17, P03014	1	0
9	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
8	Search for a right-handed $W$ boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
7	Search for a heavy resonance decaying into a top quark and a $W$ boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
6	Search for heavy resonances decaying to $ZZ$ or $ZW$ and axion-like particles mediating nonresonant $ZZ$ or $ZH$ production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
5	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
4	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	0
3	Measurement of the jet mass in high transverse momentum $Z(-bb)\tau$ production at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , <b>2021</b> , 812, 135991	4.2	
2	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	
1	Measurement of the inclusive $\overline{t}t$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , <b>2022</b> , 2022, 1	5.4	