

Agni Bethani

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6295825/agni-bethani-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

375
papers

8,768
citations

42
h-index

75
g-index

411
ext. papers

11,573
ext. citations

4.8
avg, IF

2.38
L-index

#	Paper	IF	Citations
375	Search for W resonances in proton-proton collisions at $\sqrt{s}=13$ TeV using hadronic decays of Lorentz-boosted W bosons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022 , 826, 136888	4.2	0
374	Measurement of the Inclusive and Differential Higgs Boson Production Cross Sections in the Decay Mode to a Pair of τ Leptons in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2022 , 128, 081805	7.4	0
373	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
372	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	1
371	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at .. <i>European Physical Journal C</i> , 2022 , 82, 153	4.2	0
370	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
369	A new calibration method for charm jet identification validated with proton-proton collision events at $\sqrt{s} = 13$ TeV. <i>Journal of Instrumentation</i> , 2022 , 17, P03014	1	0
368	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
367	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
366	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
365	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
364	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
363	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
362	Measurement of the inclusive $\overline{t}t$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
361	Measurements of the Electroweak Diboson Production Cross Sections in Proton-Proton Collisions at $\sqrt{s}=5.02$ TeV Using Leptonic Decays. <i>Physical Review Letters</i> , 2021 , 127, 191801	7.4	0
360	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 970	4.2	3
359	Measurement of differential $t\bar{t}$ production cross sections in the full kinematic range using lepton+jets events from proton-proton collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2021 , 104,	4.9	1

358	Measurement of the electroweak production of Z and two jets in proton-proton collisions at $\sqrt{s}=13$ TeV and constraints on anomalous quartic gauge couplings. <i>Physical Review D</i> , 2021 , 104,	4.9	1
357	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at ($\sqrt{s} = 13, \text{TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
356	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5
355	Longitudinal Flow Decorrelations in Xe+Xe Collisions at $\sqrt{s_{NN}}=5.44$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2021 , 126, 122301	7.4	2
354	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
353	Measurement of the CP-violating phase ϕ_s in $B_{s^0} \rightarrow J/\psi \phi$ decays in ATLAS at 13 TeV. <i>European Physical Journal C</i> , 2021 , 81,	4.2	1
352	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton-proton collisions. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	2
351	Measurement of the associated production of a Higgs boson decaying into b-quarks with a vector boson at high transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 816, 136204	4.2	5
350	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 488	4.2	5
349	Performance of the CMS muon trigger system in proton-proton collisions at (\sqrt{s}) = 13. <i>Journal of Instrumentation</i> , 2021 , 16, P07001	1	2
348	Test of the universality of and lepton couplings in W-boson decays with the ATLAS detector. <i>Nature Physics</i> , 2021 , 17, 813-818	16.2	1
347	Measurement of hadronic event shapes in high-pT multijet final states at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
346	A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 812, 135980	4.2	21
345	Measurement of the jet mass in high transverse momentum Z(-bb?) production at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 812, 135991	4.2	
344	Medium-Induced Modification of Z-Tagged Charged Particle Yields in Pb+Pb Collisions at 5.02 TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2021 , 126, 072301	7.4	3
343	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	5
342	Measurements of WH and ZH production in the ($H \rightarrow \bar{b}b$) decay channel in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
341	Search for dark matter in association with an energetic photon in pp collisions at (\sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5

340	Measurement of single top-quark production in association with a W boson in the single-lepton channel at ($\sqrt{s} = 8, \text{TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
339	Jet energy scale and resolution measured in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	11
338	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 723	4.2	3
337	Exclusive dimuon production in ultraperipheral Pb+Pb collisions at $\sqrt{s_{NN}}=5.02\text{TeV}$ with ATLAS. <i>Physical Review C</i> , 2021 , 104,	2.7	2
336	Search for W^\pm bosons decaying to a top and a bottom quark at $s=13\text{TeV}$ in the hadronic final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 820, 136535	4.2	2
335	Constraints on anomalous Higgs boson couplings to vector bosons and fermions in its production and decay using the four-lepton final state. <i>Physical Review D</i> , 2021 , 104,	4.9	3
334	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , 2021 , 81, 800	4.2	7
333	Search for top squark production in fully hadronic final states in proton-proton collisions at $s=13$ TeV. <i>Physical Review D</i> , 2021 , 104,	4.9	4
332	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at ($\sqrt{s} = 13$ TeV) using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
331	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
330	Performance of the upgraded PreProcessor of the ATLAS Level-1 Calorimeter Trigger. <i>Journal of Instrumentation</i> , 2020 , 15, P11016-P11016	1	2
329	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using ($\sqrt{s} = 13$ TeV) proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
328	Search for Higgs boson decays into two new low-mass spin-0 particles in the 4b channel with the ATLAS detector using pp collisions at $s=13$ TeV. <i>Physical Review D</i> , 2020 , 102,	4.9	9
327	Search for Higgs Boson Decays into a Z Boson and a Light Hadronically Decaying Resonance Using 13 TeV pp Collision Data from the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 125, 221802	7.4	6
326	Higgs boson production cross-section measurements and their EFT interpretation in the (4ℓ) decay channel at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	12
325	Combination of the W boson polarization measurements in top quark decays using ATLAS and CMS data at ($\sqrt{s} = 8$ TeV). <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
324	Search for heavy neutral Higgs bosons produced in association with b-quarks and decaying into b-quarks at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2020 , 102,	4.9	10
323	Search for long-lived, massive particles in events with a displaced vertex and a muon with large impact parameter in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2020 , 102,	4.9	12

322	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $(\sqrt{s}) = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
321	Search for chargino-neutralino production with mass splittings near the electroweak scale in three-lepton final states in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2020 , 101,	4.9	17
320	ATLAS data quality operations and performance for 2015–2018 data-taking. <i>Journal of Instrumentation</i> , 2020 , 15, P04003-P04003	1	16
319	Measurement of the Lund Jet Plane Using Charged Particles in $\sqrt{s}=13$ TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 124, 222002	7.4	4
318	Test of CP invariance in vector-boson fusion production of the Higgs boson in the $H \rightarrow \tau\tau$ channel in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 805, 135426	4.2	5
317	Measurement of Azimuthal Anisotropy of Muons from Charm and Bottom Hadrons in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 124, 082301	7.4	8
316	Measurement of the $t\bar{t}$ production cross-section and lepton differential distributions in $\mu\mu$ dilepton events from pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80,	4.2	9
315	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb ⁻¹ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
314	Search for dijet resonances in events with an isolated charged lepton using $(\sqrt{s}) = 13$ TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
313	Z boson production in Pb+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV measured by the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 802, 135262	4.2	5
312	Search for Magnetic Monopoles and Stable High-Electric-Charge Objects in $\sqrt{s}=13$ TeV Proton-Proton Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 124, 031802	7.4	15
311	Measurement of the $Z \rightarrow \tau\tau$ production cross-section in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
310	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $(\sqrt{s}=8)$ and 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	3
309	Transverse momentum and process dependent azimuthal anisotropies in $(\sqrt{s_{\text{NN}}})=8.16$ TeV p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	7
308	Search for resonances decaying into a weak vector boson and a Higgs boson in the fully hadronic final state produced in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2020 , 102,	4.9	6
307	Search for Heavy Resonances Decaying into a Photon and a Hadronically Decaying Higgs Boson in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 125, 251802	7.4	3
306	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	30
305	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $(\sqrt{s}=13)$ (text {TeV}) pp collisions using the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	50

304	Search for top squarks in events with a Higgs or Z boson using 139 fb ⁻¹ of pp collision data at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	1
303	Evidence for ($t\bar{t}$) production in the multilepton final state in proton-proton collisions at ($\sqrt{s}=13$) (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
302	Search for heavy diboson resonances in semileptonic final states in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
301	Search for light long-lived neutral particles produced in pp collisions at ($\sqrt{s} = 13\text{-}\mathrm{TeV}$) and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
300	Search for a scalar partner of the top quark in the all-hadronic ($t\bar{t}$) plus missing transverse momentum final state at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	17
299	Alignment of the ATLAS Inner Detector in Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
298	Determination of jet calibration and energy resolution in proton-proton collisions at ($\sqrt{s} = 8\text{-}\mathrm{TeV}$) using the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	3
297	Measurement of J/ψ production in association with a W boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	4
296	Search for new resonances in mass distributions of jet pairs using 139 fb ⁻¹ of pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	20
295	Search for (\overline{t}) resonances in fully hadronic final states in pp collisions at ($\sqrt{s} = 13$ TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6
294	Reconstruction and identification of boosted di- τ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
293	Evidence for electroweak production of two jets in association with a Z pair in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 803, 135341	4.2	5
292	Combined measurements of Higgs boson production and decay using up to 80 fb ⁻¹ of proton-proton collision data at $s=13$ TeV collected with the ATLAS experiment. <i>Physical Review D</i> , 2020 , 101,	4.9	121
291	Search for displaced vertices of oppositely charged leptons from decays of long-lived particles in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 801, 135114	4.2	10
290	Search for non-resonant Higgs boson pair production in the $b\bar{b}$ final state with the ATLAS detector in pp collisions at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 801, 135145	4.2	4
289	Search for the Higgs boson decays $H \rightarrow e\bar{e}$ and $H \rightarrow e\mu$ in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 801, 135148	4.2	9
288	Searches for lepton-flavour-violating decays of the Higgs boson in $s=13$ TeV pp collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135069	4.2	13
287	Search for flavour-changing neutral currents in processes with one top quark and a photon using 81 fb ⁻¹ of pp collisions at $s=13$ TeV with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135082	4.2	6

286	Combination of searches for Higgs boson pairs in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 800, 135103	4.2	24
285	A search for the $Z\bar{b}b$ decay mode of the Higgs boson in pp collisions at $\sqrt{s}=13\text{TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 809, 135734	4.2	9
284	Dijet Resonance Search with Weak Supervision Using $\sqrt{s}=13\text{ TeV}$ pp Collisions in the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 125, 131801	7.4	15
283	Measurement of azimuthal anisotropy of muons from charm and bottom hadrons in Pb+Pb collisions at $\sqrt{s_{NN}}=5.02\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 807, 135595	4.2	2
282	Measurements of inclusive and differential cross-sections of combined $(\overline{t}t\gamma)$ and tW production in the $e\bar{e}$ channel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
281	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
280	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
279	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4(\ell\ell)$ decay channel at $(\sqrt{s}) = 13\text{ TeV}$. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	9
278	Measurement of the $t\bar{t}$ production cross-section in the lepton+jets channel at $\sqrt{s}=13\text{ TeV}$ with the ATLAS experiment. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 810, 135797	4.2	4
277	Fluctuations of anisotropic flow in Pb+Pb collisions at $(\sqrt{s_{NN}}) = 5.02\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	13
276	Performance of the ATLAS muon triggers in Run 2. <i>Journal of Instrumentation</i> , 2020 , 15, P09015-P09015	1	13
275	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at $(\sqrt{s}=13)\text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13
274	Measurement of differential cross sections for single diffractive dissociation in $(\sqrt{s}) = 8\text{ TeV}$ pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
273	Measurement of isolated-photon plus two-jet production in pp collisions at $(\sqrt{s}) = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
272	CP Properties of Higgs Boson Interactions with Top Quarks in the $t\bar{t}H$ and tH Processes Using $H\rightarrow b\bar{b}$ with the ATLAS Detector. <i>Physical Review Letters</i> , 2020 , 125, 061802	7.4	15
271	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $(\sqrt{s}) = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
270	Search for the $HH\rightarrow b\bar{b}b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $(\sqrt{s}) = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
269	Observation of the associated production of a top quark and a Z boson in pp collisions at $(\sqrt{s}) = 13\text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5

268	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	7
267	Search for Heavy Higgs Bosons Decaying into Two Tau Leptons with the ATLAS Detector Using pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2020 , 125, 051801	7.4	30
266	Searches for electroweak production of supersymmetric particles with compressed mass spectra in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2020 , 101,	4.9	31
265	Measurement of the azimuthal anisotropy of charged-particle production in Xe+Xe collisions at $\sqrt{s_{NN}}=5.44$ TeV with the ATLAS detector. <i>Physical Review C</i> , 2020 , 101,	2.7	12
264	Search for direct stau production in events with two hadronic leptons in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2020 , 101,	4.9	13
263	Search for long-lived neutral particles produced in pp collisions at $\sqrt{s}=13$ TeV decaying into displaced hadronic jets in the ATLAS inner detector and muon spectrometer. <i>Physical Review D</i> , 2020 , 101,	4.9	11
262	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
261	Measurement of soft-drop jet observables in pp collisions with the ATLAS detector at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2020 , 101,	4.9	11
260	Measurements of top-quark pair spin correlations in the $(e\mu)$ channel at $(\sqrt{s} = 13)$ TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
259	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $(\sqrt{s}=8\text{--}13\text{ TeV})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	11
258	Properties of jet fragmentation using charged particles measured with the ATLAS detector in pp collisions at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	2
257	Observation of Electroweak Production of a Same-Sign W Boson Pair in Association with Two Jets in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2019 , 123, 161801	7.4	26
256	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
255	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $(\sqrt{s} = 13)$ TeV. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	37
254	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	2
253	Evidence for the production of three massive vector bosons with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134913	4.2	5
252	Searches for scalar leptoquarks and differential cross-section measurements in dilepton+jet events in proton-proton collisions at a centre-of-mass energy of $(\sqrt{s}) = 13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	15
251	Search for vector-boson resonances decaying to a top quark and bottom quark in the lepton plus jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 788, 347-370	4.2	7

250	Search for long-lived particles in final states with displaced dimuon vertices in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	13
249	Correlated long-range mixed-harmonic fluctuations measured in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 444-471	4.2	14
248	Observation of electroweak $W\cancel{Z}$ boson pair production in association with two jets in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 469-492	4.2	22
247	Modelling radiation damage to pixel sensors in the ATLAS detector. <i>Journal of Instrumentation</i> , 2019 , 14, P06012-P06012	1	5
246	Search for invisible Higgs boson decays in vector boson fusion at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 499-519	4.2	21
245	Search for single production of vector-like quarks decaying into Wb in pp collisions at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	14
244	Combinations of single-top-quark production cross-section measurements and $ f_{LVVtb} $ determinations at $(\sqrt{s}) = 7$ and 8 TeV with the ATLAS and CMS experiments. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
243	Search for top-quark decays $t \rightarrow Hq$ with 36 fb^{-1} of pp collision data at $(\sqrt{s}) = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	13
242	Measurement of VH , $(\text{H} \rightarrow \text{b}\overline{\text{b}})$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
241	. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	9
240	. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
239	. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	14
238	Search for heavy long-lived multicharged particles in proton-proton collisions at $s=13$ TeV using the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	7
237	Properties of $g\text{-bb}\cancel{\gamma}$ at small opening angles in pp collisions with the ATLAS detector at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	2
236	Cross-section measurements of the Higgs boson decaying into a pair of $\cancel{\ell}$ leptons in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	29
235	Measurements of W and Z boson production in pp collisions at $(\sqrt{s})=5.02$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	12
234	Study of the rare decays of B_s^0 and B^0 mesons into muon pairs using data collected during 2015 and 2016 with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019,	5.4	25
233	Performance of top-quark and $(\text{varvec{W}})$ -boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	19

232	Measurements of inclusive and differential fiducial cross-sections of ($\bar{t} \gamma$) production in leptonic final states at ($\sqrt{s}=13\text{ TeV}$) in ATLAS. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
231	Search for long-lived particles produced in pp collisions at $s=13\text{ TeV}$ that decay into displaced hadronic jets in the ATLAS muon spectrometer. <i>Physical Review D</i> , 2019 , 99,	4.9	24
230	Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $\sqrt{s}=13\text{ TeV}$. <i>Physical Review Letters</i> , 2019 , 122, 151801	7.4	5
229	Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P03017-P03017	1	25
228	Search for four-top-quark production in the single-lepton and opposite-sign dilepton final states in pp collisions at $s=13\text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	4
227	Study of the hard double-parton scattering contribution to inclusive four-lepton production in pp collisions at $s=8\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 595-614	4.2	7
226	Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 58	4.2	20
225	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
224	In situ calibration of large-radius jet energy and mass in 13 TeV proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
223	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	26
222	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at (\sqrt{s}) = 13 and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5
221	Measurement of the top quark mass in the ($\bar{t} \rightarrow$) lepton+jets channel from ($\sqrt{s}=8$) TeV ATLAS data and combination with previous results. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	24
220	Measurement of the nuclear modification factor for inclusive jets in Pb+Pb collisions at $s_{NN}=5.02\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 108-128	4.2	44
219	Search for pair production of Higgs bosons in the ($\gamma\gamma$) final state using proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	31
218	Constraints on mediator-based dark matter and scalar dark energy models using (\sqrt{s}) = 13 TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	31
217	Comparison of Fragmentation Functions for Jets Dominated by Light Quarks and Gluons from pp and Pb+Pb Collisions in ATLAS. <i>Physical Review Letters</i> , 2019 , 123, 042001	7.4	12
216	Search for high-mass dilepton resonances using 139 fb ⁻¹ of pp collision data collected at $s=13\text{ TeV}$ with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 796, 68-87	4.2	82
215	Search for chargino and neutralino production in final states with a Higgs boson and missing transverse momentum at $s=13\text{ TeV}$ with the ATLAS detector. <i>Physical Review D</i> , 2019 , 100,	4.9	10

214	Search for long-lived neutral particles in pp collisions at ($\sqrt{s} = 13 \sim \text{TeV}$) that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	18
213	Search for heavy particles decaying into a top-quark pair in the fully hadronic final state in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	12
212	Search for heavy charged long-lived particles in the ATLAS detector in 36.1 fb of proton-proton collision data at $s=13$ TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	35
211	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at ($\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	12
210	Observation of Light-by-Light Scattering in Ultraperipheral Pb+Pb Collisions with the ATLAS Detector. <i>Physical Review Letters</i> , 2019 , 123, 052001	7.4	41
209	Measurement of prompt photon production in $s_{NN}=8.16$ TeV p + Pb collisions with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 796, 230-252	4.2	5
208	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at ($\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
207	Measurement of ($W^{\pm}Z$) production cross sections and gauge boson polarisation in pp collisions at ($\sqrt{s} = 13 \sim \text{TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	20
206	Combination of Searches for Invisible Higgs Boson Decays with the ATLAS Experiment. <i>Physical Review Letters</i> , 2019 , 122, 231801	7.4	45
205	Measurement of the ttZ and ttW cross sections in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	14
204	Searches for third-generation scalar leptoquarks in ($\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	18
203	Search for scalar resonances decaying into $\mu\mu$ events with and without b-tagged jets produced in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
202	Search for low-mass resonances decaying into two jets and produced in association with a photon using pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 56-75	4.2	12
201	Measurement of the production cross section for a Higgs boson in association with a vector boson in the $H \rightarrow WW^{*} \rightarrow l\bar{l}$ channel in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134949	4.2	7
200	Search for a right-handed gauge boson decaying into a high-momentum heavy neutrino and a charged lepton in pp collisions with the ATLAS detector at $s=13$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134942	4.2	14
199	Search for diboson resonances in hadronic final states in 139 fb of pp collisions at ($\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
198	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} \sim 13 \sim \text{TeV}$ with the ATLAS experiment at the LHC. <i>European Physical Journal C</i> , 2019 , 79,	4.2	3
197	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $13 \sim \text{TeV}$. <i>European Physical Journal C</i> , 2019 , 79,	4.2	11

196	Measurement of K_S^0 and Λ^0 production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	3
195	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using 36 fb ⁻¹ of ATLAS data. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
194	Measurements of gluon-gluon fusion and vector-boson fusion Higgs boson production cross-sections in the $H \rightarrow WW^* \rightarrow e\bar{e}$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 508-529	4.2	27
193	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	14
192	Search for pairs of highly collimated photon-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	5
191	Search for squarks and gluinos in final states with hadronically decaying leptons, jets, and missing transverse momentum using pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 99,	4.9	9
190	Measurement of the top-quark mass in $(\bar{t}) + 1$ -jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	12
189	Measurement of fiducial and differential (W^+W^-) production cross-sections at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
188	Measurement of ZZ production in the final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
187	Measurement of (W^{\pm}) -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s} = 2.76$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	2
186	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in proton-proton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	4
185	Electron and photon performance measurements with the ATLAS detector using the 2015-2017 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P12006-P12006	1	51
184	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
183	Measurement of (W^{\pm}) boson production in Pb+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
182	ATLAS b-jet identification performance and efficiency measurement with $(t\bar{t})$ events in pp collisions at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	43
181	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{\text{NN}}} = 5.02 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
180	Measurement of angular and momentum distributions of charged particles within and around jets in Pb+Pb and pp collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. <i>Physical Review C</i> , 2019 , 100,	2.7	5
179	Dijet azimuthal correlations and conditional yields in pp and p+Pb collisions at $\sqrt{s_{\text{NN}}} = 5.02$ TeV with the ATLAS detector. <i>Physical Review C</i> , 2019 , 100,	2.7	7

178	Search for electroweak diboson production in association with a high-mass dijet system in semileptonic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 100,	4.9	7
177	Search for a heavy charged boson in events with a charged lepton and missing transverse momentum from pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2019 , 100,	4.9	12
176	Measurements of top-quark pair differential and double-differential cross-sections in the $(\ell\ell)+j$ jets channel with pp collisions at $(\sqrt{s}=13)$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	13
175	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
174	Search for light resonances decaying to boosted quark pairs and produced in association with a photon or a jet in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 788, 316-335	4.2	23
173	Search for heavy charged long-lived particles in proton-proton collisions at $\sqrt{s}=13$ TeV using an ionisation measurement with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 788, 96-116	4.2	17
172	Search for Higgs boson decays into a pair of light bosons in the bb final state in pp collision at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 790, 1-21	4.2	20
171	Measurement of photon-jet transverse momentum correlations in 5.02 TeV Pb + Pb and pp collisions with ATLAS. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 167-190	4.2	15
170	Search for High-Mass Resonances Decaying to $\mu\mu$ in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 120, 161802	7.4	18
169	Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. <i>Physical Review D</i> , 2018 , 97,	4.9	29
168	A search for resonances decaying into a Higgs boson and a new particle X in the $XH\text{-}tqbb$ final state with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 24-45	4.2	6
167	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fb^{-1} of pp collisions at $(\sqrt{s}=13)$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	81
166	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $(\sqrt{s}=13)$ TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
165	Measurement of the Z -boson mass in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 110	4.2	59
164	Search for new phenomena in high-mass final states with a photon and a jet from collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 102	4.2	7
163	Search for the direct production of charginos and neutralinos in final states with tau leptons in collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 154	4.2	23
162	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ and 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 142	4.2	35
161	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s}=7.6$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 171	4.2	35

160	Measurement of differential cross-sections of a single top quark produced in association with a boson at with ATLAS. <i>European Physical Journal C</i> , 2018 , 78, 186	4.2	5
159	Search for heavy resonances in the and final states using proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 293	4.2	41
158	A search for pair-produced resonances in four-jet final states at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 250	4.2	28
157	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	26
156	Search for heavy resonances decaying into in the final state in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 24	4.2	47
155	Direct top-quark decay width measurement in the lepton+jets channel at with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 129	4.2	11
154	Search for W W/W Z resonance production in $\bar{q}q$ final states in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22
153	Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	36
152	Search for long-lived, massive particles in events with displaced vertices and missing transverse momentum in $s=13$ TeV pp collisions with the ATLAS detector. <i>Physical Review D</i> , 2018 , 97,	4.9	44
151	Measurement of the production cross-section of a single top quark in association with a Z boson in proton-proton collisions at 13 TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 557-577	4.2	14
150	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
149	Search for dark matter produced in association with bottom or top quarks in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 18	4.2	32
148	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 199	4.2	55
147	Measurement of polarisation in decays in proton-proton collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 163	4.2	3
146	Searches for heavy ZZ and ZW resonances in the $\bar{q}q$ and $\bar{q}q$ final states in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	17
145	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
144	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $\bar{b}b$ final state in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 783, 392-414	4.2	33
143	Measurement of jet fragmentation in 5.02 TeV proton-lead and proton-proton collisions with the ATLAS detector. <i>Nuclear Physics A</i> , 2018 , 978, 65-106	1.3	14

142	Observation of Higgs boson production in association with a top quark pair at the LHC with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 784, 173-191	4.2	118
141	Measurement of differential cross sections and W^+/W^- cross-section ratios for W boson production in association with jets at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
140	Measurement of the W-boson mass in pp collisions at ($\sqrt{s}=7$, hbox {TeV}) with the ATLAS detector 2018 , 78, 1		1
139	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ($\sqrt{s}=13$,text {TeV}) 2018 , 78, 1		1
138	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb of ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector 2018 , 2018, 1		1
137	Search for an invisibly decaying Higgs boson or dark matter candidates produced in association with a Z boson in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 318-337	4.2	38
136	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the H \rightarrow aa \rightarrow bb channel in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
135	Measurement of the ($Z \rightarrow \nu \bar{\nu}$) production cross section in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
134	Prompt and non-prompt elliptic flow in Pb+Pb collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 784	4.2	8
133	Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 1007	4.2	21
132	Measurement of colour flow using jet-pull observables in events with the ATLAS experiment at. <i>European Physical Journal C</i> , 2018 , 78, 847	4.2	5
131	Measurement of the suppression and azimuthal anisotropy of muons from heavy-flavor decays in Pb+Pb collisions at $s_{NN}=2.76$ TeV with the ATLAS detector. <i>Physical Review C</i> , 2018 , 98,	2.7	10
130	Search for resonant WZ production in the fully leptonic final state in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 787, 68-88	4.2	14
129	Angular analysis of $B^0 \rightarrow K^{*0} \mu^+ \mu^-$ decays in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	44
128	Combination of the Searches for Pair-Produced Vectorlike Partners of the Third-Generation Quarks at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 211801	7.4	48
127	Observation of Centrality-Dependent Acoplanarity for Muon Pairs Produced via Two-Photon Scattering in Pb+Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 212301	7.4	18
126	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb of collisions at $\sqrt{s}=13$ TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 401	4.2	23
125	Search for lepton-flavor-violating decays of the Z boson into a μ lepton and a light lepton with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	5

124	Search for Resonant and Nonresonant Higgs Boson Pair Production in the $b\bar{b}$ Decay Channel in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 191801	7.4	23
123	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15
122	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
121	Search for Higgs boson pair production in the ($u\bar{u}u\bar{u}b\bar{b}$) final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
120	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	21
119	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s}=5.02$ TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 997	4.2	21
118	Search for pair and single production of vectorlike quarks in final states with at least one Z boson decaying into a pair of electrons or muons in pp collision data collected with the ATLAS detector at $\sqrt{s}=13$ TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	22
117	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 903	4.2	66
116	Measurement of dijet azimuthal decorrelations in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector and determination of the strong coupling. <i>Physical Review D</i> , 2018 , 98,	4.9	4
115	Search for pair production of heavy vectorlike quarks decaying into hadronic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	19
114	Search for lepton-flavor violation in different-flavor, high-mass final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	7
113	Search for chargino-neutralino production using recursive jigsaw reconstruction in final states with two or three charged leptons in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	34
112	Comparison between simulated and observed LHC beam backgrounds in the ATLAS experiment at $\sqrt{s}=4$ TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P12006-P12006	1	2
111	Search for electroweak production of supersymmetric particles in final states with two or three leptons at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 995	4.2	49
110	Search for pair production of Higgsinos in final states with at least three b-tagged jets in $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	14
109	Search for charged Higgs bosons decaying into top and bottom quarks at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	39
108	Measurements of Higgs boson properties in the diphoton decay channel with 36 fb ⁻¹ of pp collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	74
107	Operation and performance of the ATLAS Tile Calorimeter in Run 1. <i>European Physical Journal C</i> , 2018 , 78, 987	4.2	13

106	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28
105	Search for heavy resonances decaying to a photon and a hadronically decaying Z/W/H boson in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	8
104	Search for resonances in the mass distribution of jet pairs with one or two jets identified as b-jets in proton-proton collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	10
103	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
102	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb ⁻¹ of ($\sqrt{s}=13$) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	33
101	Combined measurement of differential and total cross sections in the H \rightarrow ZZ and the H \rightarrow ZZ $\gamma\gamma$ decay channels at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 786, 114-133	4.2	14
100	Searches for exclusive Higgs and Z boson decays into $J/\psi(\psi(2S))\gamma$ and $\gamma(nS)\gamma$ at $s=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 786, 134-155	4.2	14
99	Search for long-lived charginos based on a disappearing-track signature in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	48
98	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
97	Observation of H \rightarrow bb decays and VH production with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 786, 59-86	4.2	87
96	Combination of searches for heavy resonances decaying into bosonic and leptonic final states using 36 fb ⁻¹ of proton-proton collision data at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 98,	4.9	23
95	Constraints on off-shell Higgs boson production and the Higgs boson total width in ZZ \rightarrow 4 ℓ and ZZ \rightarrow 2 ℓ final states with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 786, 223-244	4.2	28
94	Search for charged Higgs bosons decaying via H \rightarrow bb in the ℓ jets and ℓ lepton final states with 36 fb ⁻¹ of pp collision data recorded at ($\sqrt{s}=13$) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	33
93	Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 762	4.2	23
92	Probing the Quantum Interference between Singly and Doubly Resonant Top-Quark Production in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 152002	7.4	9
91	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22
90	Measurement of the Higgs boson mass in the H \rightarrow ZZ and H \rightarrow ZZ $\gamma\gamma$ channels with $s=13$ TeV pp collisions using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 784, 345-366	4.2	41
89	Search for exclusive Higgs and Z boson decays to $\gamma\gamma$ and $\ell\ell$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6

88	Measurements of b-jet tagging efficiency with the ATLAS detector using (\overline{t}) events at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	31
87	Search for flavour-changing neutral current top-quark decays $t \rightarrow qZ$ in proton-proton collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	8
86	Measurement of the inclusive and fiducial production cross-sections in the lepton+jets channel in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 487	4-2	5
85	Search for R-parity-violating supersymmetric particles in multi-jet final states produced in $p\bar{p}$ collisions at $s=13$ TeV using the ATLAS detector at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 785, 136-158	4-2	10
84	Search for Low-Mass Dijet Resonances Using Trigger-Level Jets with the ATLAS Detector in pp Collisions at $\sqrt{s}=13$ TeV. <i>Physical Review Letters</i> , 2018 , 121, 081801	7-4	29
83	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at \sqrt{s} with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 565	4-2	34
82	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. <i>Physical Review C</i> , 2018 , 98,	2-7	12
81	Measurement of the Soft-Drop Jet Mass in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2018 , 121, 092001	7-4	24
80	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in \sqrt{s} collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 625	4-2	15
79	Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. <i>Physical Review Letters</i> , 2018 , 120, 211802	7-4	27
78	Search for the standard model Higgs boson produced in association with top quarks and decaying into a $b\bar{b}$ pair in pp collisions at $s=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2018 , 97,	4-9	31
77	Search for a Structure in the $B_{(s)}^0 \rightarrow \mu^+ \mu^-$ Invariant Mass Spectrum with the ATLAS Experiment. <i>Physical Review Letters</i> , 2018 , 120, 202007	7-4	28
76	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	101
75	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2017 , 77, 195	4-2	61
74	Measurements of top-quark pair differential cross-sections in the [Formula: see text] channel in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 292	4-2	13
73	High-ET isolated-photon plus jets production in pp collisions at $s=8$ TeV with the ATLAS detector. <i>Nuclear Physics B</i> , 2017 , 918, 257-316	2-8	13
72	Search for triboson [Formula: see text] production in collisions at [Formula: see text] [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 141	4-2	13
71	Measurements of electroweak [Formula: see text] production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 474	4-2	14

70	Measurements of long-range azimuthal anisotropies and associated Fourier coefficients for pp collisions at $\sqrt{s}=5.02$ and 13 TeV and p+Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. <i>Physical Review C</i> , 2017 , 96,	2.7	34
69	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , 2017 , 77, 466	4.2	42
68	Measurement of W^+W^- vector-boson scattering and limits on anomalous quartic gauge couplings with the ATLAS detector. <i>Physical Review D</i> , 2017 , 96,	4.9	13
67	Measurement of the cross section for inclusive isolated-photon production in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 770, 473-493	4.2	25
66	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 428	4.2	48
65	Search for the Dimuon Decay of the Higgs Boson in pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2017 , 119, 051802	7.4	29
64	Search for Dark Matter Produced in Association with a Higgs Boson Decaying to $b\bar{b}$ Using 36 fb^{-1} of pp Collisions at $\sqrt{s}=13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2017 , 119, 181804	7.4	25
63	Search for Heavy Higgs Bosons A/H Decaying to a Top Quark Pair in pp Collisions at $\sqrt{s}=8$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2017 , 119, 191803	7.4	30
62	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25
61	Measurement of the cross-section for electroweak production of dijets in association with a Z boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 206-228	4.2	12
60	Measurement of lepton differential distributions and the top quark mass in production in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 804	4.2	11
59	Measurement of the ($\overline{t}\gamma$) production cross section in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
58	Measurement of jet pT correlations in Pb + Pb and pp collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 774, 379-402	4.2	15
57	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , 2017 , 77, 673	4.2	33
56	Performance of the ATLAS trigger system in 2015. <i>European Physical Journal C</i> , 2017 , 77, 317	4.2	272
55	Precision measurement and interpretation of inclusive γ , and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 367	4.2	56
54	Measurement of jet fragmentation in Pb+Pb and collisions at TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 379	4.2	35
53	Search for dark matter at [Formula: see text] in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 393	4.2	52

52	Measurement of charged-particle distributions sensitive to the underlying event in ($\sqrt{s}=13$) TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
51	Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 898	4.2	19
50	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
49	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 765	4.2	10
48	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5
47	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	13
46	Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physical Review D</i> , 2017 , 96,	4.9	116
45	Measurement of the inclusive jet cross-sections in proton-proton collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
44	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in ($\sqrt{s}=13$) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	27
43	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 580	4.2	16
42	Measurement of production with the hadronically decaying boson reconstructed as one or two jets in collisions at with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017 , 77, 563	4.2	15
41	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using ($\sqrt{s}=13$) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
40	Searches for the $Z\gamma$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20
39	Studies of $Z\gamma$ production in association with a high-mass dijet system in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
38	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at ($\sqrt{s}=13$) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
37	Search for top quark decays $t \rightarrow qH$, with $H \rightarrow \gamma\gamma$ in ($\sqrt{s}=13$) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
36	Study of $\gamma\gamma$ production in collisions at $\sqrt{s}=13$ TeV and search for anomalous quartic gauge couplings with the ATLAS experiment. <i>European Physical Journal C</i> , 2017 , 77, 646	4.2	11
35	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	8

34	Measurement of the Drell-Yan triple-differential cross section in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
33	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	30
32	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb ⁻¹ of ($\sqrt{s}=13$) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	22
31	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	29
30	Study of the material of the ATLAS inner detector for Run 2 of the LHC. <i>Journal of Instrumentation</i> , 2017 , 12, P12009-P12009	1	19
29	Measurement of the k_t splitting scales in Z \rightarrow $\ell\ell$ events in pp collisions at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3
28	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at ($\sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
27	Evidence for the ($H \rightarrow \overline{b}b$) decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	50
26	Search for new high-mass phenomena in the dilepton final state using 36 fb ⁻¹ of proton-proton collision data at ($\sqrt{s}=13$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	126
25	Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 872	4.2	19
24	Performance of the ATLAS Transition Radiation Tracker in Run 1 of the LHC: tracker properties. <i>Journal of Instrumentation</i> , 2017 , 12, P05002-P05002	1	7
23	A measurement of material in the ATLAS tracker using secondary hadronic interactions in 7 TeV pp collisions. <i>Journal of Instrumentation</i> , 2016 , 11, P11020-P11020	1	7
22	Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s}=13$ TeV with the ATLAS Detector at the LHC. <i>Physical Review Letters</i> , 2016 , 117, 182002	7.4	92
21	Search for bottom squark pair production in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 547	4.2	25
20	Search for minimal supersymmetric standard model Higgs Bosons H^\pm and for a [Formula: see text] boson in the [Formula: see text] final state produced in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 585	4.2	28
19	Search for dark matter produced in association with a hadronically decaying vector boson in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 251-268	4.2	23
18	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 66	4.2	21
17	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 235	4.2	250

16	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 288	4.2	37
15	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8[Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 212	4.2	399
14	Measurement of the $Z\gamma$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	7
13	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2015 , 75, 186	4.2	41
12	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , 2014 , 74, 2980	4.2	131
11	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , 2014 , 74, 3036	4.2	183
10	Searches for long-lived charged particles in pp collisions at (\sqrt{s}) = 7 and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	96
9	Observation of a new boson with mass near 125 GeV in pp collisions at (\sqrt{s}) = 7 and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	261
8	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	10
7	Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2494	4.2	37
6	Search for top-squark pair production in the single-lepton final state in pp collisions at (\sqrt{s}) = 8 TeV. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	162
5	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at (\sqrt{s}) = 7 TeV and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	50
4	Study of high-p _T charged particle suppression in PbPb compared to pp collisions at ($\sqrt{s_{\mathrm{NN}}}$) = 2.76 TeV. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	316
3	Search for dark matter and large extra dimensions in monojet events in pp collisions at (\sqrt{s}) = 7 TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	155
2	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at ($\sqrt{s_{\mathrm{NN}}} = 2.76$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	73
1	A new boson with a mass of 125 GeV observed with the CMS experiment at the Large Hadron Collider. <i>Science</i> , 2012 , 338, 1569-75	3.3	71