Emrullah Kızıltunç

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6296946/publications.pdf

Version: 2024-02-01



ΕΜΡΙΙΙΙΑΗ ΚΆ+ΖΆ+ΙΤΙΙΝÃδ

#	Article	IF	CITATIONS
1	A novel oxidative stress marker in acute myocardial infarction; thiol/disulphide homeostasis. American Journal of Emergency Medicine, 2015, 33, 1567-1571.	1.6	164
2	Relationship Between Systemic Immune-Inflammation Index (SII) and the Severity of Stable Coronary Artery Disease. Angiology, 2021, 72, 575-581.	1.8	79
3	Association of monocyte/HDL-C ratio with SYNTAX scores in patients with stable coronary artery disease. Herz, 2016, 41, 523-529.	1.1	73
4	Relation Between Monocyte to High-Density Lipoprotein Cholesterol Ratio With Presence and Severity of Isolated Coronary Artery Ectasia. American Journal of Cardiology, 2015, 116, 1685-1689.	1.6	62
5	Association of thiol/disulfide ratio with syntax score in patients with NSTEMI. Scandinavian Cardiovascular Journal, 2015, 49, 95-100.	1.2	50
6	The relation between platelet-to-lymphocyte ratio and Pulmonary Embolism Severity Index in acute pulmonary embolism. Heart and Lung: Journal of Acute and Critical Care, 2015, 44, 340-343.	1.6	39
7	Admission Endocan Level may be a Useful Predictor for In-Hospital Mortality and Coronary Severity Index in Patients With ST-Segment Elevation Myocardial Infarction. Angiology, 2017, 68, 46-51.	1.8	38
8	The reliability of fractional flow reserve measurement in patients with diabetes mellitus. Coronary Artery Disease, 2009, 20, 317-321.	0.7	24
9	Plasma thiols and thiol-disulfide homeostasis in patients with isolated coronary artery ectasia. Atherosclerosis, 2016, 253, 209-213.	0.8	24
10	Association between plasma homocysteine levels and end-organ damage in newly diagnosed type 2 diabetes mellitus patients. Endocrine Research, 2017, 42, 36-41.	1.2	20
11	Relationship between platelet-to-lymphocyte ratio and the presence and severity of coronary artery ectasia. Anatolian Journal of Cardiology, 2016, 16, 857-862.	0.9	18
12	The Relationship Between Serum Endocan Levels With the Presence of Slow Coronary Flow: A Cross-Sectional Study. Clinical and Applied Thrombosis/Hemostasis, 2017, 23, 472-477.	1.7	18
13	Relationship between serum vitamin D levels and angiographic severity and extent of coronary artery disease. European Journal of Clinical Investigation, 2015, 45, 940-948.	3.4	16
14	Predictive Value of Neutrophil Lymphocyte Ratio and Platelet Lymphocyte Ratio in Patients with Coronary Slow Flow. Acta Cardiologica Sinica, 2016, 32, 307-12.	0.2	14
15	Endocan Levels and Coronary Collateral Circulation in Stable Angina Pectoris: A Pilot Study. Angiology, 2018, 69, 43-48.	1.8	13
16	ls In-Stent Restenosis After a Successful Coronary Stent Implantation Due to Stable Angina Associated With TG/HDL-C Ratio?. Angiology, 2017, 68, 816-822.	1.8	12
17	Serum Sirtuin 1, 3 and 6 Levels in Acute Myocardial Infarction Patients. Arquivos Brasileiros De Cardiologia, 2019, 113, 33-39.	0.8	12
18	Neutrophil Gelatinase-Associated Lipocalin Levels in Isolated Coronary Artery Ectasia. Canadian Journal of Cardiology, 2011, 27, 773-778.	1.7	10

Emrullah Kızıltunç

#	Article	IF	CITATIONS
19	Clinical characteristics and prognosis of cardiac tamponade patients: 5‑year experience at aÂtertiary center. Herz, 2020, 45, 676-683.	1.1	9
20	The relationship between ischaemia-modified albumin and good coronary collateral circulation. Kardiologia Polska, 2018, 76, 370-375.	0.6	9
21	Association between platelet to lymphocyte ratio and saphenous vein graft disease in patients with stable angina pectoris. Anatolian Journal of Cardiology, 2015, 16, 349-53.	0.9	9
22	Association of thiol disulfide homeostasis with slow coronary flow. Scandinavian Cardiovascular Journal, 2016, 50, 213-217.	1.2	8
23	Treatment of latrogenic Aortocoronary Arteriovenous Fistula with Coronary Covered Stent. Case Reports in Cardiology, 2016, 2016, 1-3.	0.2	6
24	Serum Sphingosine 1 Phosphate Levels in Patients with and without Coronary Collateral Circulation. Acta Cardiologica Sinica, 2018, 34, 379-385.	0.2	6
25	Relationship Between Prodromal Angina Pectoris and Neutrophil-to Lymphocyte Ratio in Patients With ST Elevation Myocardial Infarction. Heart Lung and Circulation, 2019, 28, 901-907.	0.4	5
26	The Relationship between Pre-Infarction Angina and Serum Sphingosine-1-Phosphate Levels. Acta Cardiologica Sinica, 2014, 30, 546-52.	0.2	5
27	Admission Value of Serum Cathepsin D Level Can be Useful for Predicting In-Hospital Mortality in Patients with NSTEMI. Acta Cardiologica Sinica, 2017, 33, 393-400.	0.2	5
28	Association of IGF-1 with coronary collateral circulation in stable coronary artery disease. Biomarkers in Medicine, 2017, 11, 527-534.	1.4	4
29	The relationship between serum endocan levels and the presence/severity of isolated coronary artery ectasia. Cardiovascular Endocrinology, 2018, 7, 42-46.	0.8	4
30	A Practical Method for No-Reflow Treatment. Case Reports in Cardiology, 2016, 2016, 1-5.	0.2	3
31	Associação entre os NÃveis Séricos se Serglicina e o Infarto do Miocárdio com Supradesnivelamento do Segmento ST. Arquivos Brasileiros De Cardiologia, 2021, 116, 756-762.	0.8	3
32	Gamma-glutamyl transferase to albumin ratio can predict severity of coronary artery disease detected by coronary computed tomography angiography. , 2021, 25, 653-660.		3
33	Association between parathyroid hormone levels and the extensiveness of coronary artery disease. Anatolian Journal of Cardiology, 2016, 16, 839-843.	0.9	3
34	Relationship between elevated bilirubin level and subclinical atherosclerosis as well as oxidative stress in Gilbert syndrome. Gastroenterology and Hepatology From Bed To Bench, 2020, 13, 133-140.	0.6	3
35	Right atrial compressing mass appearance: a rare aetiological cause. European Journal of Echocardiography, 2011, 12, 766-766.	2.3	2
36	Association of serum procalcitonin level with in-stent restenosis in patients undergoing bare-metal stent implantation. Biomarkers in Medicine, 2018, 12, 455-463.	1.4	2

Emrullah Kızıltunç

#	Article	IF	CITATIONS
37	Offâ€label diagnostic and therapeutic utilization of perforated monorail balloon catheters in the catheterization laboratory. Catheterization and Cardiovascular Interventions, 2018, 92, 828-828.	1.7	2
38	A Novel Risk Scoring System to Predict Cardiovascular Death in Patients With Acute Myocardial Infarction: CHA2DS2-VASc-CF Score. Clinical and Applied Thrombosis/Hemostasis, 2018, 24, 273-278.	1.7	2
39	The Role of Albumin in Bare Metal In-Stent Restenosis. Angiology, 2017, 68, 178-178.	1.8	1
40	Effect of Tripple Antimicrobial Theraphy on ECG Parameters in Patients with Mild to Moderate COVİD-19 Disease. Anatolian Journal of Cardiology, 2020, 25, 184-190.	0.9	1
41	Antiplatelet Effect of Sequential Administration of Cilostazol in Patients with Asetylsalycilic Acid Resistance. Journal of the American College of Cardiology, 2013, 62, C187.	2.8	0
42	Offâ€label utilization of monorail balloon catheters. Journal of Interventional Cardiology, 2018, 31, 264-264.	1.2	0
43	Analysis of ambulatory blood pressure monitoring data in patients with ankylosing spondylitis without clinically evident cardiovascular disease. Journal of Human Hypertension, 2021, , .	2.2	0
44	The association between left ventricular mass index and serum sirtuin 3 level in patients with hypertension. Cardiovascular Endocrinology and Metabolism, 2021, 10, 99-105.	1.1	0
45	Short- and Mid-term Effects of Acute Coronary Syndromes on Smoking Behaviour, Factors Affecting Smoking Status and the Family Physicians' Role After Discharge. Űstanbul Medical Journal:, 2020, 21, 443-450.	0.1	0
46	Visceral Adiposity Index Is Associated with the Increased Syntax Score in Patients with Type 2 Diabetes Mellitus. Metabolic Syndrome and Related Disorders, 2022, , .	1.3	0