

# Kyung-Ho Kim

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/6297531/kyung-ho-kim-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79  
papers

883  
citations

16  
h-index

25  
g-index

82  
ext. papers

1,154  
ext. citations

2.1  
avg, IF

4.16  
L-index

#	Paper	IF	Citations
79	Can Knee Joint Flexion Position of the Raised Lower Limb Affect Trunk Muscle Activation During Bird Dog Exercise in Subjects With Chronic Low Back Pain?. <i>Physical Therapy Korea</i> , <b>2022</b> , 29, 79-86	0.2	
78	Skeletal and alveolar changes in conventional rapid palatal expansion (RPE) and miniscrew-assisted RPE (MARPE): a prospective randomized clinical trial using low-dose CBCT.. <i>BMC Oral Health</i> , <b>2022</b> , 22, 114	3.7	0
77	Incisive canal remodelling following maximum anterior retraction reduces apical root resorption. <i>Orthodontics and Craniofacial Research</i> , <b>2021</b> , 24 Suppl 1, 59-65	3	2
76	Survival and prognostic factors of managing cracked teeth with reversible pulpitis: A 1- to 4-year prospective cohort study. <i>International Endodontic Journal</i> , <b>2021</b> , 54, 1727-1737	5.4	1
75	Indirect Miniscrew Anchorage for Adjunctive Orthodontic Treatment <b>2020</b> , 383-391		
74	Long-term stability of miniscrew anchored maxillary molar distalization in Class II treatment. <i>Angle Orthodontist</i> , <b>2020</b> , 90, 362-368	2.6	9
73	Nonsurgical treatment of an adult with a skeletal Class III malocclusion combined with a functional anterior shift, severely overclosed vertical dimension, and a reverse smile. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2020</b> , 157, 561-570	2.1	1
72	The effect of cetirizine, a histamine 1 receptor antagonist, on bone remodeling after calvarial suture expansion. <i>Korean Journal of Orthodontics</i> , <b>2020</b> , 50, 42-51	1.4	1
71	Evaluation of cephalometric characteristics and skeletal maturation of the cervical vertebrae and hand-wrist in girls with central precocious puberty. <i>Korean Journal of Orthodontics</i> , <b>2020</b> , 50, 181-187	1.4	2
70	Posterior dental compensation and occlusal function in adults with different sagittal skeletal malocclusions. <i>Korean Journal of Orthodontics</i> , <b>2020</b> , 50, 98-107	1.4	
69	A longitudinal comparison of body height growth of orthodontically treated Class I and Class III adolescents compared with the general population. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2019</b> , 156, 383-390	2.1	
68	Dynamics of alveolar bone healing after the removal of orthodontic temporary anchorage devices. <i>Journal of Periodontal Research</i> , <b>2019</b> , 54, 388-395	4.3	1
67	Periodontal and root changes after orthodontic treatment in middle-aged adults are similar to those in young adults. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2019</b> , 155, 650-655. <sup>2,1</sup>	2.1	3
66	Differential alveolar bone modeling after orthodontic retraction. <i>Journal of the American Dental Association</i> , <b>2019</b> , 150, 313-320	1.9	4
65	Anchorage loss assessment of the indirect anchor tooth during adjunctive orthodontic treatment. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2019</b> , 155, 347-354	2.1	5
64	Nonsurgical and nonprosthetic camouflage treatment of skeletal Class II open bite with bilaterally missing lower first molars. <i>Angle Orthodontist</i> , <b>2019</b> , 89, 505-517	2.6	2
63	A 15-year follow up of an orthodontic treatment including a lower incisor extraction and keeping the maxillary canine-premolar transposition. <i>Angle Orthodontist</i> , <b>2019</b> , 89, 812-826	2.6	4

62	Labially impacted maxillary canines after the closed eruption technique and orthodontic traction: A split-mouth comparison of periodontal recession. <i>Journal of Periodontology</i> , <b>2019</b> , 90, 35-43	4.6	7
61	Dr. Chan-Woo Jeong, et al. Reply. <i>Cranio - Journal of Craniomandibular Practice</i> , <b>2019</b> , 37, 408	1.2	
60	Evaluation of skeletal maturity in the cervical vertebrae and hand-wrist in relation to vertical facial types. <i>Korean Journal of Orthodontics</i> , <b>2019</b> , 49, 319-325	1.4	5
59	The relationship between oral tori and bite force. <i>Cranio - Journal of Craniomandibular Practice</i> , <b>2019</b> , 37, 246-253	1.2	7
58	Risk factors associated with open gingival embrasures after orthodontic treatment. <i>Angle Orthodontist</i> , <b>2018</b> , 88, 267-274	2.6	4
57	Visual attention during the evaluation of facial attractiveness is influenced by facial angles and smile. <i>Angle Orthodontist</i> , <b>2018</b> , 88, 329-337	2.6	6
56	Three-dimensional computed tomography analysis of mandibular morphology in patients with facial asymmetry and mandibular retrognathism. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2018</b> , 153, 685-691	2.1	5
55	Three-dimensional evaluation of dentofacial transverse widths of adults with various vertical facial patterns. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2018</b> , 153, 692-700	2.1	8
54	Quantitative and perceived visual changes of the nasolabial fold following orthodontic retraction of lip protrusion. <i>Angle Orthodontist</i> , <b>2018</b> , 88, 465-473	2.6	3
53	Dentofacial transverse development in Koreans according to skeletal maturation: A cross-sectional study. <i>Korean Journal of Orthodontics</i> , <b>2018</b> , 48, 39-47	1.4	7
52	Apical root displacement is a critical risk factor for apical root resorption after orthodontic treatment. <i>Angle Orthodontist</i> , <b>2018</b> , 88, 740-747	2.6	9
51	Assessment of lower incisor alveolar bone width using cone-beam computed tomography images in skeletal Class III adults of different vertical patterns. <i>Korean Journal of Orthodontics</i> , <b>2018</b> , 48, 349-356	1.4	11
50	Effects of prestretch on stress relaxation and permanent deformation of orthodontic synthetic elastomeric chains. <i>Korean Journal of Orthodontics</i> , <b>2018</b> , 48, 384-394	1.4	4
49	Three-dimensional evaluation of dentofacial transverse widths in adults with different sagittal facial patterns. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2018</b> , 154, 365-374	2.1	5
48	Treatment satisfaction and its influencing factors among adult orthodontic patients. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2018</b> , 153, 808-817	2.1	17
47	Ectopic eruption of the maxillary second molar: Predictive factors. <i>Angle Orthodontist</i> , <b>2017</b> , 87, 583-589	2.6	6
46	Changes in occlusal function after extraction of premolars: 2-year follow-up. <i>Angle Orthodontist</i> , <b>2017</b> , 87, 703-708	2.6	7
45	Transverse dental compensation in relation to sagittal and transverse skeletal discrepancies in skeletal Class III patients. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2017</b> , 151, 148-156	2.1	14

44	Prediction of long-term success of orthopedic treatment in skeletal Class III malocclusions. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2017</b> , 152, 193-203	2.1	18
43	Comparison of different midsagittal plane configurations for evaluating craniofacial asymmetry by expert preference. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2017</b> , 152, 788-797	2.1	8
42	Local Injection of Hyaluronic Acid Filler Improves Open Gingival Embrasure: Validation Through a Rat Model. <i>Journal of Periodontology</i> , <b>2017</b> , 88, 1221-1230	4.6	13
41	Total intrusion and distalization of the maxillary arch to improve smile esthetics. <i>Korean Journal of Orthodontics</i> , <b>2017</b> , 47, 59-73	1.4	8
40	Long-term survival of retained deciduous mandibular second molars and maxillary canine incorporated into final occlusion. <i>Korean Journal of Orthodontics</i> , <b>2017</b> , 47, 323-333	1.4	4
39	Stability of dental, alveolar, and skeletal changes after miniscrew-assisted rapid palatal expansion. <i>Korean Journal of Orthodontics</i> , <b>2017</b> , 47, 313-322	1.4	36
38	Morphologic evaluation of the incisive canal and its proximity to the maxillary central incisors using computed tomography images. <i>Angle Orthodontist</i> , <b>2016</b> , 86, 571-6	2.6	10
37	Long-term changes in mandibular and facial widths after mandibular setback surgery using intraoral vertical ramus osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2016</b> , 45, 1074-80	2.8	13
36	Cephalometric configuration of the occlusal plane in patients with anterior open bite. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2016</b> , 149, 391-400	2.1	9
35	Long-term Stability of Autotransplanted Premolars as a Substitute for Molars in Adults. <i>Journal of Endodontics</i> , <b>2016</b> , 42, 1286-90	4.7	9
34	AuthorsResponse. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2016</b> , 149, 10-1	2.1	
33	Rescue therapy with orthodontic traction to manage severely impacted mandibular second molars and to restore an alveolar bone defect. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2016</b> , 150, 352-63	2.1	4
32	Cross-sectional evaluation of the prevalence and factors associated with soft tissue scarring after the removal of miniscrews. <i>Angle Orthodontist</i> , <b>2015</b> , 85, 420-6	2.6	7
31	Approximation and contact of the maxillary central incisor roots with the incisive canal after maximum retraction with temporary anchorage devices: Report of 2 patients. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2015</b> , 148, 493-502	2.1	19
30	Scar formation and revision after the removal of orthodontic miniscrews. <i>Korean Journal of Orthodontics</i> , <b>2015</b> , 45, 146-50	1.4	4
29	Periodontal consequences of mandibular incisor proclination during presurgical orthodontic treatment in Class III malocclusion patients. <i>Angle Orthodontist</i> , <b>2015</b> , 85, 427-33	2.6	20
28	Orthodontic retraction of autotransplanted premolar to replace ankylosed maxillary incisor with replacement resorption. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2014</b> , 145, 514-22	2.1	8
27	Change in masticatory ability with the implant restoration of second molars. <i>Journal of Prosthetic Dentistry</i> , <b>2014</b> , 111, 286-92	4	3

26	Two-year follow-up of changes in bite force and occlusal contact area after intraoral vertical ramus osteotomy with and without Le Fort I osteotomy. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2014</b> , 43, 742-7	2.9	15
25	Dentoalveolar compensation according to skeletal discrepancy and overjet in skeletal Class III patients. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2014</b> , 145, 317-24	2.1	20
24	Correlation analysis of three-dimensional changes of hard and soft tissues in class III orthognathic surgery patients using cone-beam computed tomography. <i>Journal of Craniofacial Surgery</i> , <b>2014</b> , 25, 1530-40	1.2	10
23	Long-term pharyngeal airway changes after bionator treatment in adolescents with skeletal Class II malocclusions. <i>Korean Journal of Orthodontics</i> , <b>2014</b> , 44, 13-9	1.4	27
22	Biomechanical characteristics and reinsertion guidelines for retrieved orthodontic miniscrews. <i>Angle Orthodontist</i> , <b>2014</b> , 84, 878-84	2.6	11
21	Autotransplantation combined with orthodontic treatment to restore an adult's posttraumatic dentition. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2013</b> , 144, 268-77	2.1	4
20	Local injection of pulp cells enhances wound healing during the initial proliferative phase through the stimulation of host angiogenesis. <i>Journal of Endodontics</i> , <b>2013</b> , 39, 788-94	4.7	14
19	Effects of placement angle and direction of orthopedic force application on the stability of orthodontic miniscrews. <i>Angle Orthodontist</i> , <b>2013</b> , 83, 667-73	2.6	19
18	Morphological evaluation during in vitro chondrogenesis of dental pulp stromal cells. <i>Restorative Dentistry &amp; Endodontics</i> , <b>2012</b> , 37, 34	1.5	6
17	The relationship between malocclusion and menarcheal age, and its secular trend for Korean women. <i>Korean Journal of Orthodontics</i> , <b>2012</b> , 42, 11-6	1.4	1
16	Treatment of skeletal open-bite malocclusion with lymphangioma of the tongue. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2012</b> , 141, 627-40	2.1	7
15	The comparison of torque values in two types of miniscrews placed in rabbits: tapered and cylindrical shapes - Preliminary study. <i>Korean Journal of Orthodontics</i> , <b>2011</b> , 41, 280	1.4	2
14	Total alloplastic temporomandibular joint reconstruction combined with orthodontic treatment in a patient with idiopathic condylar resorption. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2011</b> , 140, 404-17	2.1	11
13	Radiographic evaluations of molar intrusion and changes with or without retention in rats. <i>Angle Orthodontist</i> , <b>2011</b> , 81, 389-96	2.6	8
12	Changes in occlusal force and occlusal contact area after orthodontic treatment. <i>Korean Journal of Orthodontics</i> , <b>2010</b> , 40, 176	1.4	5
11	Comparisons of occlusal force according to occlusal relationship, skeletal pattern, age and gender in Koreans. <i>Korean Journal of Orthodontics</i> , <b>2010</b> , 40, 304	1.4	15
10	Changes of hyoid, tongue and pharyngeal airway after mandibular setback surgery by intraoral vertical ramus osteotomy. <i>Angle Orthodontist</i> , <b>2010</b> , 80, 302-8	2.6	47
9	Absolute anchorage with universal T-loop mechanics for severe deepbite and maxillary anterior protrusion and its 10-year stability. <i>Angle Orthodontist</i> , <b>2010</b> , 80, 583-94	2.6	2

8	Relationships between dental roots and surrounding tissues for orthodontic miniscrew installation. <i>Angle Orthodontist</i> , <b>2009</b> , 79, 37-45	2.6	30
7	Photocatalytic antibacterial effect of TiO <sub>2</sub> film of TiAg on <i>Streptococcus mutans</i> . <i>Angle Orthodontist</i> , <b>2009</b> , 79, 528-32	2.6	25
6	Alteration of RANKL-induced osteoclastogenesis in primary cultured osteoclasts from SERCA2 <sup>±</sup> mice. <i>Journal of Bone and Mineral Research</i> , <b>2009</b> , 24, 1763-9	6.3	29
5	Nasal changes after surgical correction of skeletal Class III malocclusion in Koreans. <i>Angle Orthodontist</i> , <b>2008</b> , 78, 427-32	2.6	38
4	Photocatalytic antibacterial effect of TiO <sub>2</sub> film formed on Ti and TiAg exposed to <i>Lactobacillus acidophilus</i> . <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , <b>2007</b> , 80, 353-9	3.5	73
3	Initial changes of centres of rotation of the anterior segment in response to horizontal forces. <i>European Journal of Orthodontics</i> , <b>2006</b> , 28, 471-4	3.3	14
2	Effects of prestretching on force degradation of synthetic elastomeric chains. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2005</b> , 128, 477-82	2.1	40
1	Effect of root and bone morphology on the stress distribution in the periodontal ligament. <i>American Journal of Orthodontics and Dentofacial Orthopedics</i> , <b>2000</b> , 117, 98-105	2.1	56