

Yong Zhang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/629879/yong-zhang-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93
papers

17,047
citations

35
h-index

102
g-index

102
ext. papers

22,172
ext. citations

12.2
avg, IF

6.02
L-index

#	Paper	IF	Citations
93	Model-based analysis of ChIP-Seq (MACS). <i>Genome Biology</i> , 2008 , 9, R137	18.3	8406
92	Identifying ChIP-seq enrichment using MACS. <i>Nature Protocols</i> , 2012 , 7, 1728-40	18.8	857
91	FoxA1 translates epigenetic signatures into enhancer-driven lineage-specific transcription. <i>Cell</i> , 2008 , 132, 958-70	56.2	746
90	Androgen receptor regulates a distinct transcription program in androgen-independent prostate cancer. <i>Cell</i> , 2009 , 138, 245-56	56.2	691
89	PPARGamma and C/EBP factors orchestrate adipocyte biology via adjacent binding on a genome-wide scale. <i>Genes and Development</i> , 2008 , 22, 2941-52	12.6	582
88	Cistrome: an integrative platform for transcriptional regulation studies. <i>Genome Biology</i> , 2011 , 12, R83	18.3	461
87	Integrative genomic analyses reveal clinically relevant long noncoding RNAs in human cancer. <i>Nature Structural and Molecular Biology</i> , 2013 , 20, 908-13	17.6	432
86	Nucleosome dynamics define transcriptional enhancers. <i>Nature Genetics</i> , 2010 , 42, 343-7	36.3	382
85	Distinct features of H3K4me3 and H3K27me3 chromatin domains in pre-implantation embryos. <i>Nature</i> , 2016 , 537, 558-562	50.4	341
84	Intrinsic histone-DNA interactions are not the major determinant of nucleosome positions in vivo. <i>Nature Structural and Molecular Biology</i> , 2009 , 16, 847-52	17.6	293
83	Chromatin signature of embryonic pluripotency is established during genome activation. <i>Nature</i> , 2010 , 464, 922-6	50.4	285
82	GFOLD: a generalized fold change for ranking differentially expressed genes from RNA-seq data. <i>Bioinformatics</i> , 2012 , 28, 2782-8	7.2	273
81	A transcriptional signature and common gene networks link cancer with lipid metabolism and diverse human diseases. <i>Cancer Cell</i> , 2010 , 17, 348-61	24.3	263
80	Target analysis by integration of transcriptome and ChIP-seq data with BETA. <i>Nature Protocols</i> , 2013 , 8, 2502-15	18.8	255
79	NONCODE: an integrated knowledge database of non-coding RNAs. <i>Nucleic Acids Research</i> , 2005 , 33, D112-5	20.1	223
78	The <i>Physcomitrella patens</i> chromosome-scale assembly reveals moss genome structure and evolution. <i>Plant Journal</i> , 2018 , 93, 515-533	6.9	176
77	Computational prediction of associations between long non-coding RNAs and proteins. <i>BMC Genomics</i> , 2013 , 14, 651	4.5	157

76	Reprogramming of H3K9me3-dependent heterochromatin during mammalian embryo development. <i>Nature Cell Biology</i> , 2018 , 20, 620-631	23.4	152
75	Using MACS to identify peaks from ChIP-Seq data. <i>Current Protocols in Bioinformatics</i> , 2011 , Chapter 2, Unit 2.14	24.2	149
74	Single Cas9 nickase induced generation of NRAMP1 knockin cattle with reduced off-target effects. <i>Genome Biology</i> , 2017 , 18, 13	18.3	119
73	Systematic evaluation of factors influencing ChIP-seq fidelity. <i>Nature Methods</i> , 2012 , 9, 609-14	21.6	112
72	Identification of key factors conquering developmental arrest of somatic cell cloned embryos by combining embryo biopsy and single-cell sequencing. <i>Cell Discovery</i> , 2016 , 2, 16010	22.3	111
71	Identifying positioned nucleosomes with epigenetic marks in human from ChIP-Seq. <i>BMC Genomics</i> , 2008 , 9, 537	4.5	103
70	A comprehensive view of nuclear receptor cancer cisomes. <i>Cancer Research</i> , 2011 , 71, 6940-7	10.1	99
69	ChiLin: a comprehensive ChIP-seq and DNase-seq quality control and analysis pipeline. <i>BMC Bioinformatics</i> , 2016 , 17, 404	3.6	72
68	Canonical nucleosome organization at promoters forms during genome activation. <i>Genome Research</i> , 2014 , 24, 260-6	9.7	69
67	H3K9 demethylase KDM4E is an epigenetic regulator for bovine embryonic development and a defective factor for nuclear reprogramming. <i>Development (Cambridge)</i> , 2018 , 145,	6.6	67
66	Nucleosome depletion at yeast terminators is not intrinsic and can occur by a transcriptional mechanism linked to 3Rend formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 17945-50	11.5	65
65	NPInter: the noncoding RNAs and protein related biomacromolecules interaction database. <i>Nucleic Acids Research</i> , 2006 , 34, D150-2	20.1	63
64	Gene expression profiling of liver cancer stem cells by RNA-sequencing. <i>PLoS ONE</i> , 2012 , 7, e37159	3.7	62
63	Evidence against a genomic code for nucleosome positioning. Reply to "Nucleosome sequence preferences influence in vivo nucleosome organization.". <i>Nature Structural and Molecular Biology</i> , 2010 , 17, 920-3	17.6	60
62	MethylPurify: tumor purity deconvolution and differential methylation detection from single tumor DNA methylomes. <i>Genome Biology</i> , 2014 , 15, 419	18.3	55
61	Inhibition of Aberrant DNA Re-methylation Improves Post-implantation Development of Somatic Cell Nuclear Transfer Embryos. <i>Cell Stem Cell</i> , 2018 , 23, 426-435.e5	18	43
60	Comprehensive profiling reveals mechanisms of SOX2-mediated cell fate specification in human ESCs and NPCs. <i>Cell Research</i> , 2016 , 26, 171-89	24.7	40
59	The interactome as a tree--an attempt to visualize the protein-protein interaction network in yeast. <i>Nucleic Acids Research</i> , 2004 , 32, 4804-11	20.1	36

58	BSeQC: quality control of bisulfite sequencing experiments. <i>Bioinformatics</i> , 2013 , 29, 3227-9	7.2	35
57	The combination of Tet1 with Oct4 generates high-quality mouse-induced pluripotent stem cells. <i>Stem Cells</i> , 2015 , 33, 686-98	5.8	32
56	H3K4 Methyltransferase Set1a Is A Key Oct4 Coactivator Essential for Generation of Oct4 Positive Inner Cell Mass. <i>Stem Cells</i> , 2016 , 34, 565-80	5.8	32
55	CR Cistrome: a ChIP-Seq database for chromatin regulators and histone modification linkages in human and mouse. <i>Nucleic Acids Research</i> , 2014 , 42, D450-8	20.1	31
54	MicroRNA-125b is a key epigenetic regulatory factor that promotes nuclear transfer reprogramming. <i>Journal of Biological Chemistry</i> , 2017 , 292, 15916-15926	5.4	29
53	CistromeMap: a knowledgebase and web server for ChIP-Seq and DNase-Seq studies in mouse and human. <i>Bioinformatics</i> , 2012 , 28, 1411-2	7.2	29
52	Inherited DNA methylation primes the establishment of accessible chromatin during genome activation. <i>Genome Research</i> , 2018 , 28, 998-1007	9.7	29
51	Maternal Sall4 Is Indispensable for Epigenetic Maturation of Mouse Oocytes. <i>Journal of Biological Chemistry</i> , 2017 , 292, 1798-1807	5.4	27
50	Histone Demethylase LSD1 Promotes Adipocyte Differentiation through Repressing Wnt Signaling. <i>Cell Chemical Biology</i> , 2016 , 23, 1228-1240	8.2	27
49	Integrated analysis of multiple data sources reveals modular structure of biological networks. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 345, 302-9	3.4	25
48	Conservation analysis of small RNA genes in Escherichia coli. <i>Bioinformatics</i> , 2004 , 20, 599-603	7.2	25
47	SETDB1 modulates PRC2 activity at developmental genes independently of H3K9 trimethylation in mouse ES cells. <i>Genome Research</i> , 2015 , 25, 1325-35	9.7	23
46	Phylogenetic properties of metabolic pathway topologies as revealed by global analysis. <i>BMC Bioinformatics</i> , 2006 , 7, 252	3.6	23
45	Dr.seq2: A quality control and analysis pipeline for parallel single cell transcriptome and epigenome data. <i>PLoS ONE</i> , 2017 , 12, e0180583	3.7	21
44	Computational methodology for ChIP-seq analysis. <i>Quantitative Biology</i> , 2013 , 1, 54-70	3.9	20
43	CaSNP: a database for interrogating copy number alterations of cancer genome from SNP array data. <i>Nucleic Acids Research</i> , 2011 , 39, D968-74	20.1	20
42	Using local chromatin structure to improve CRISPR/Cas9 efficiency in zebrafish. <i>PLoS ONE</i> , 2017 , 12, e0182528	10.7	20
41	Transcription factor-pathway coexpression analysis reveals cooperation between SP1 and ESR1 on dysregulating cell cycle arrest in non-hyperdiploid multiple myeloma. <i>Leukemia</i> , 2014 , 28, 894-903	10.7	18

40	Histone H3K27 methylation modulates the dynamics of FANCD2 on chromatin to facilitate NHEJ and genome stability. <i>Journal of Cell Science</i> , 2018 , 131,	5.3	18
39	Unique molecular events during reprogramming of human somatic cells to induced pluripotent stem cells (iPSCs) at naïve state. <i>ELife</i> , 2018 , 7,	8.9	18
38	Computational inference of mRNA stability from histone modification and transcriptome profiles. <i>Nucleic Acids Research</i> , 2012 , 40, 6414-23	20.1	16
37	Faster and more accurate global protein function assignment from protein interaction networks using the MFGO algorithm. <i>FEBS Letters</i> , 2006 , 580, 1891-6	3.8	16
36	CistromeFinder for CHIP-seq and DNase-seq data reuse. <i>Bioinformatics</i> , 2013 , 29, 1352-4	7.2	15
35	Identification and characterization of human snoRNA core promoters. <i>Genomics</i> , 2010 , 96, 50-6	4.3	14
34	DiNuP: a systematic approach to identify regions of differential nucleosome positioning. <i>Bioinformatics</i> , 2012 , 28, 1965-71	7.2	13
33	Histone methylation mediates plasticity of human FOXP3(+) regulatory T cells by modulating signature gene expressions. <i>Immunology</i> , 2014 , 141, 362-76	7.8	12
32	Dynamic changes in subgraph preference profiles of crucial transcription factors. <i>PLoS Computational Biology</i> , 2006 , 2, e47	5	12
31	Transcriptional memory inherited from donor cells is a developmental defect of bovine cloned embryos. <i>FASEB Journal</i> , 2020 , 34, 1637-1651	0.9	12
30	Identifying Hfq-binding small RNA targets in Escherichia coli. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 343, 950-5	3.4	11
29	Overexpression of Tet3 in donor cells enhances goat somatic cell nuclear transfer efficiency. <i>FEBS Journal</i> , 2018 , 285, 2708-2723	5.7	10
28	A novel sulindac derivative lacking cyclooxygenase-inhibitory activities suppresses carcinogenesis in the transgenic adenocarcinoma of mouse prostate model. <i>Cancer Prevention Research</i> , 2010 , 3, 885-95 ^{3,2}	3.2	9
27	Classify hyperdiploidy status of multiple myeloma patients using gene expression profiles. <i>PLoS ONE</i> , 2013 , 8, e58809	3.7	9
26	CSTEA: a webserver for the Cell State Transition Expression Atlas. <i>Nucleic Acids Research</i> , 2017 , 45, W1031-W1037	10.1	10
25	A Transcriptomic Analysis Reveals Diverse Regulatory Networks That Respond to Cold Stress in Strawberry (¶) <i>International Journal of Genomics</i> , 2019 , 2019, 7106092	2.5	7
24	Treating donor cells with 2-PCPA corrects aberrant histone H3K4 dimethylation and improves cloned goat embryo development. <i>Systems Biology in Reproductive Medicine</i> , 2018 , 64, 174-182	2.9	7
23	Esrrb plays important roles in maintaining self-renewal of trophoblast stem cells (TSCs) and reprogramming somatic cells to induced TSCs. <i>Journal of Molecular Cell Biology</i> , 2019 , 11, 463-473	6.3	7

22	Direct induction of neural progenitor cells transiently passes through a partially reprogrammed state. <i>Biomaterials</i> , 2017 , 119, 53-67	15.6	6
21	SIRT1 reduces epigenetic and non-epigenetic changes to maintain the quality of postovulatory aged oocytes in mice. <i>Experimental Cell Research</i> , 2021 , 399, 112421	4.2	6
20	GeSICA: genome segmentation from intra-chromosomal associations. <i>BMC Genomics</i> , 2012 , 13, 164	4.5	5
19	Multiple metastases in a novel LNCaP model of human prostate cancer. <i>Oncology Reports</i> , 2013 , 30, 615-33	3.3	5
18	Epigenome sequencing comes of age in development, differentiation and disease mechanism research. <i>Epigenomics</i> , 2011 , 3, 207-20	4.4	5
17	HBO1 is a versatile histone acyltransferase critical for promoter histone acylations. <i>Nucleic Acids Research</i> , 2021 , 49, 8037-8059	20.1	5
16	Smarca5-mediated epigenetic programming facilitates fetal HSPC development in vertebrates. <i>Blood</i> , 2021 , 137, 190-202	2.2	5
15	Local chromatin dynamics of transcription factors imply cell-lineage specific functions during cellular differentiation. <i>Epigenetics</i> , 2012 , 7, 55-62	5.7	4
14	Dr.seq: a quality control and analysis pipeline for droplet sequencing. <i>Bioinformatics</i> , 2016 , 32, 2221-3	7.2	4
13	ATACdb: a comprehensive human chromatin accessibility database. <i>Nucleic Acids Research</i> , 2021 , 49, D55-D64	20.1	4
12	Genome-wide analysis of mammalian DNA segment fusion/fission. <i>Journal of Theoretical Biology</i> , 2006 , 240, 200-8	2.3	3
11	CAM: A quality control pipeline for MNase-seq data. <i>PLoS ONE</i> , 2017 , 12, e0182771	3.7	3
10	MyoD is a 3D genome structure organizer for muscle cell identity.. <i>Nature Communications</i> , 2022 , 13, 205	17.4	3
9	ncHMR detector: a computational framework to systematically reveal non-classical functions of histone modification regulators. <i>Genome Biology</i> , 2020 , 21, 48	18.3	2
8	Aberrant Epigenetic Reprogramming in the First Cell Cycle of Bovine Somatic Cell Nuclear Transfer Embryos. <i>Cellular Reprogramming</i> , 2021 , 23, 99-107	2.1	2
7	Dr.seq2: a quality control and analysis pipeline for parallel single cell transcriptome and epigenome data		1
6	A DNA methylation state transition model reveals the programmed epigenetic heterogeneity in human pre-implantation embryos. <i>Genome Biology</i> , 2020 , 21, 277	18.3	1
5	GLENER: a web server for GermLine cycle Expression ANalysis and Epigenetic Roadmap visualization. <i>BMC Bioinformatics</i> , 2021 , 22, 289	3.6	1

4	Aspirin inhibits prostaglandins to prevents colon tumor formation via down-regulating Wnt production. <i>European Journal of Pharmacology</i> , 2021 , 906, 174173	5.3	1
3	NUCOME: A comprehensive database of nucleosome organization referenced landscapes in mammalian genomes. <i>BMC Bioinformatics</i> , 2021 , 22, 321	3.6	0
2	Detecting chimeric 5'UTRs with cross-chromosomal splicing by bioinformatics. <i>Science Bulletin</i> , 2004 , 49, 1051		
1	SUMO2, a small ubiquitin-like modifier, is essential for development of murine preimplantation embryos. <i>Theriogenology</i> , 2021 , 166, 29-37	2.8	