

# Andrew B Harris

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6299490/publications.pdf>

Version: 2024-02-01

62  
papers

356  
citations

933410

10  
h-index

940516

16  
g-index

63  
all docs

63  
docs citations

63  
times ranked

473  
citing authors

#	ARTICLE	IF	CITATIONS
1	Are preoperative depression and anxiety associated with patient-reported outcomes, health care payments, and opioid use after anterior discectomy and fusion?. Spine Journal, 2020, 20, 1167-1175.	1.3	30
2	Chronic opioid use following anterior cervical discectomy and fusion surgery for degenerative cervical pathology. Spine Journal, 2020, 20, 78-86.	1.3	29
3	Rapamycin improves peripheral nerve myelination while it fails to benefit neuromuscular performance in neuropathic mice. Neurobiology of Disease, 2014, 70, 224-236.	4.4	28
4	Pre-injury depression and anxiety in patients with orthopedic trauma and their treatment. Injury, 2018, 49, 1079-1084.	1.7	26
5	Structural Allograft Versus PEEK Implants in Anterior Cervical Discectomy and Fusion: A Systematic Review. Global Spine Journal, 2020, 10, 775-783.	2.3	17
6	Previous High School Participation in Varsity Sport and Jump-Landing Biomechanics in Adult Recreational Athletes. Journal of Athletic Training, 2019, 54, 1089-1094.	1.8	14
7	Opioid Prescriptions for New Low Back Pain: Trends and Variability by State. Journal of the American Board of Family Medicine, 2020, 33, 138-142.	1.5	14
8	Changes in racial and ethnic disparities in lumbar spinal surgery associated with the passage of the Affordable Care Act, 2006-2014. Spine Journal, 2021, 21, 64-70.	1.3	12
9	Hospital Readmission Rates Following Outpatient Versus Inpatient Shoulder Arthroplasty. Orthopedics, 2021, 44, e173-e177.	1.1	12
10	The learning curve for performing three-column osteotomies in adult spinal deformity patients: one surgeon's experience with 197 cases. Spine Journal, 2019, 19, 1926-1933.	1.3	11
11	The engaged patient: patient activation can predict satisfaction with surgical treatment of lumbar and cervical spine disorders. Journal of Neurosurgery: Spine, 2020, 32, 914-920.	1.7	11
12	Predictors of Long-term Opioid Use After Elective Primary Total Shoulder Arthroplasty. Orthopedics, 2021, 44, 58-63.	1.1	10
13	Synthetic Cages Associated With Increased Rates of Revision Surgery and Higher Costs Compared to Allograft in ACDF in the Nonelderly Patient. Neurospine, 2020, 17, 896-901.	2.9	10
14	Reciprocal Changes in Cervical Alignment After Thoracolumbar Arthrodesis for Adult Spinal Deformity. Spine, 2019, 44, E1311-E1316.	2.0	9
15	Diagnostic Imaging Use for the Initial Evaluation of Low Back Pain by Primary Care Providers in the United States: 2011-2016. Journal of the American College of Radiology, 2019, 16, 1522-1527.	1.8	8
16	Use of Imaging During Emergency Department Visits for Low Back Pain. American Journal of Roentgenology, 2020, 214, 395-399.	2.2	8
17	Persistent sleep disturbance after spine surgery is associated with failure to achieve meaningful improvements in pain and health-related quality of life. Spine Journal, 2021, 21, 1325-1331.	1.3	8
18	Factors associated with extended length of stay in patients undergoing posterior spinal fusion for adolescent idiopathic scoliosis. Spine Deformity, 2020, 8, 187-193.	1.5	7

#	ARTICLE	IF	CITATIONS
19	Locomotor and skeletal muscle abnormalities in trembler J neuropathic mice. <i>Muscle and Nerve</i> , 2018, 57, 664-671.	2.2	6
20	Cadence impact on cardiopulmonary, metabolic and biomechanical loading during downhill running. <i>Gait and Posture</i> , 2019, 71, 186-191.	1.4	6
21	Seasonal Variation in the Volume of Posterior Spinal Arthrodesis Procedures for Pediatric Scoliosis. <i>Spine</i> , 2020, 45, 1293-1298.	2.0	6
22	Associations between preoperative depression and opioid use after anterior cruciate ligament reconstruction and concomitant procedures. <i>Physician and Sportsmedicine</i> , 2021, 49, 445-449.	2.1	5
23	Opioid prescribing practices after posterior spinal arthrodesis for adolescent idiopathic scoliosis. <i>Spine Deformity</i> , 2020, 8, 965-973.	1.5	5
24	Caudally directed upper-instrumented vertebra pedicle screws associated with minimized risk of proximal junctional failure in patients with long posterior spinal fusion for adult spinal deformity. <i>Spine Journal</i> , 2021, 21, 1072-1079.	1.3	5
25	Out-of-Network Billing in Privately Insured Patients Undergoing Elective Orthopaedic Surgery. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2021, 29, 1072-1078.	2.5	5
26	Preoperative opioid use is associated with increased readmission, revision surgery and cost after total shoulder arthroplasty. <i>Seminars in Arthroplasty</i> , 2020, 30, 35-41.	0.7	5
27	A Novel Method for Stratification of Major Complication Risk Using Body Mass Index Thresholds for Patients Undergoing Total Hip Arthroplasty: A National Cohort of 224,413 Patients. <i>Journal of Arthroplasty</i> , 2022, 37, 2049-2052.	3.1	5
28	Emergency Department Visits After Posterior Spinal Fusion for Adolescent Idiopathic Scoliosis. <i>Journal of Pediatric Orthopaedics</i> , 2020, 40, e629-e633.	1.2	4
29	Hospital Payments Increase as Payments to Surgeons Decrease for Common Inpatient Orthopaedic Procedures. <i>Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews</i> , 2020, 4, e20.00026.	0.7	4
30	Defining a Surgical Invasiveness Threshold for Increased Risk of a Major Complication Following Adult Spinal Deformity Surgery. <i>Spine</i> , 2021, 46, 931-938.	2.0	4
31	Chronic Opioid Use Following Lumbar Discectomy: Prevalence, Risk Factors, and Current Trends in the United States. <i>Neurospine</i> , 2020, 17, 879-887.	2.9	4
32	Sacropelvic fixation: An overview and update on current techniques. <i>Seminars in Spine Surgery</i> , 2019, 31, 81-86.	0.2	3
33	Preoperative and Postoperative Spending Among Working-Age Adults Undergoing Posterior Spinal Fusion Surgery for Degenerative Disease. <i>World Neurosurgery</i> , 2020, 138, e930-e939.	1.3	3
34	Opioid use after adult spinal deformity surgery: patterns of cessation and associations with preoperative use. <i>Journal of Neurosurgery: Spine</i> , 2020, 33, 490-495.	1.7	3
35	Outpatient Simultaneous Bilateral Total Knee Arthroplasty: Is It Safe?. <i>Journal of Arthroplasty</i> , 2022, 37, 699-703.	3.1	3
36	Solid Organ Transplant Is Associated With Increased Morbidity and Mortality in Patients Undergoing One or Two-level Anterior Cervical Decompression and Fusion. <i>Spine</i> , 2020, 45, 158-162.	2.0	2

#	ARTICLE	IF	CITATIONS
37	Health Care Resource Utilization in Commercially Insured Patients Undergoing Anterior Cervical Discectomy and Fusion for Degenerative Cervical Pathology. <i>Global Spine Journal</i> , 2021, 11, 108-115.	2.3	2
38	Practical answers to frequently asked questions for shared decision-making in adult spinal deformity surgery. <i>Journal of Neurosurgery: Spine</i> , 2021, 34, 218-227.	1.7	2
39	How is staging of ALIF following posterior spinal arthrodesis to the pelvis related to functional improvement in patients with adult spinal deformity?. <i>Spine Deformity</i> , 2021, 9, 1085-1091.	1.5	2
40	Risk Factors for Readmission following Anterior Cruciate Ligament Reconstruction. <i>Journal of Knee Surgery</i> , 2021, , .	1.6	2
41	270. Engaged patients are more likely to be satisfied at one year following adult spinal deformity surgery. <i>Spine Journal</i> , 2019, 19, S131-S132.	1.3	1
42	P105. Opioid prescribing practices following posterior spinal fusion for adolescent idiopathic scoliosis. <i>Spine Journal</i> , 2019, 19, S206-S207.	1.3	1
43	Preoperative patient expectations and pain improvement after adult spinal deformity surgery. <i>Journal of Neurosurgery: Spine</i> , 2020, 33, 496-501.	1.7	1
44	Retromolar trigone squamous cell carcinoma: A population-based analysis of survival. <i>Oral Oncology</i> , 2022, 127, 105767.	1.5	1
45	P28. Bone mineral density t-score is an independent predictor of significant blood loss in adult spinal deformity surgery. <i>Spine Journal</i> , 2019, 19, S171.	1.3	0
46	P68. National trends in opioid prescribing practices for patients presenting with isolated low back pain in the outpatient setting. <i>Spine Journal</i> , 2019, 19, S189.	1.3	0
47	144. Common psychiatric conditions and anterior cervical discectomy and fusion: an assessment of postoperative outcomes, two-year costs, and postoperative opioid utilization. <i>Spine Journal</i> , 2019, 19, S69-S70.	1.3	0
48	211. Defining a surgical invasiveness threshold for major complications following adult spinal deformity surgery. <i>Spine Journal</i> , 2019, 19, S104.	1.3	0
49	213. Adult spinal deformity patients with a decline in certain activities of daily living are likely to fail nonoperative treatment. <i>Spine Journal</i> , 2019, 19, S105.	1.3	0
50	214. Adult spinal deformity surgery does not prevent return to work among employed patients but more invasive surgery may delay the return. <i>Spine Journal</i> , 2019, 19, S105-S106.	1.3	0
51	253. Factors associated with chronic opioid use in preoperative opioid nonusers following adult spinal deformity surgery. <i>Spine Journal</i> , 2019, 19, S123-S124.	1.3	0
52	255. Preoperative opioid dosage and duration are associated with increased long-term opioid use after adult spinal deformity surgery. <i>Spine Journal</i> , 2019, 19, S125.	1.3	0
53	304. Disturbed sleep is associated with worse health outcomes after spine surgery. <i>Spine Journal</i> , 2019, 19, S148-S149.	1.3	0
54	P27. Postop opioid cessation in ASD patients using opioids preop is associated with improved outcomes and satisfaction. <i>Spine Journal</i> , 2019, 19, S170-S171.	1.3	0

#	ARTICLE	IF	CITATIONS
55	P42. Can 6- and 12-month opioid usage predict long-term opioid use in ASD patients?. Spine Journal, 2019, 19, S178.	1.3	0
56	P84. Predicting ASD surgeries that exceed Medicare allowable payment thresholds: a comparison of hospital costs to what the government will actually pay. Spine Journal, 2019, 19, S197-S198.	1.3	0
57	P121. Chronic opioid use following anterior cervical discectomy and fusion surgery for degenerative cervical pathology. Spine Journal, 2019, 19, S214.	1.3	0
58	231. Adult spinal deformity patients who undergo staged surgery within three months have equivalent timeline to functional recovery as those with non-staged surgery. Spine Journal, 2019, 19, S113.	1.3	0
59	153. Radiographic comparison between conventional laminectomy and a new technique for posterior lumbar decompression: a cadaveric study. Spine Journal, 2020, 20, S75.	1.3	0
60	Preoperative Hyponatremia Is an Independent Risk Factor for Prolonged Hospital Stay After Anterior Cervical Discectomy and Fusion. World Neurosurgery, 2021, , .	1.3	0
61	Geographic Variation in Physician Payments from Private Insurers for Commonly Performed Inpatient Orthopaedic Surgeries in the United States. Journal of Surgical Orthopaedic Advances, 2021, 30, 14-19.	0.1	0
62	Bone Mineral Density T-Score is an Independent Predictor of Major Blood Loss in Adult Spinal Deformity Surgery. Global Spine Journal, 2024, 14, 153-158.	2.3	0