

# Davide Nardo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6299561/publications.pdf>

Version: 2024-02-01

27  
papers

1,189  
citations

471061

17  
h-index

552369

26  
g-index

30  
all docs

30  
docs citations

30  
times ranked

1790  
citing authors

#	ARTICLE	IF	CITATIONS
1	Neural correlates of focused attention and cognitive monitoring in meditation. <i>Brain Research Bulletin</i> , 2010, 82, 46-56.	1.4	214
2	An fMRI investigation on image generation in different sensory modalities: The influence of vividness. <i>Acta Psychologica</i> , 2009, 132, 190-200.	0.7	125
3	Gray matter density in limbic and paralimbic cortices is associated with trauma load and EMDR outcome in PTSD patients. <i>Journal of Psychiatric Research</i> , 2010, 44, 477-485.	1.5	123
4	Effects of EMDR psychotherapy on 99mTc-HMPAO distribution in occupation-related post-traumatic stress disorder. <i>Nuclear Medicine Communications</i> , 2007, 28, 757-765.	0.5	80
5	Stimulus-Driven Orienting of Visuo-Spatial Attention in Complex Dynamic Environments. <i>Neuron</i> , 2011, 69, 1015-1028.	3.8	76
6	Individual Differences in Audio-Vocal Speech Imitation Aptitude in Late Bilinguals: Functional Neuro-Imaging and Brain Morphology. <i>Frontiers in Psychology</i> , 2011, 2, 271.	1.1	75
7	Gray matter volume alterations related to trait dissociation in PTSD and traumatized controls. <i>Acta Psychiatrica Scandinavica</i> , 2013, 128, 222-233.	2.2	62
8	Less is more: neural mechanisms underlying anomia treatment in chronic aphasic patients. <i>Brain</i> , 2017, 140, 3039-3054.	3.7	57
9	Spatial orienting in complex audiovisual environments. <i>Human Brain Mapping</i> , 2014, 35, 1597-1614.	1.9	56
10	Intra-cortical connectivity in multiple sclerosis: a neurophysiological approach. <i>Brain</i> , 2008, 131, 1783-1792.	3.7	45
11	Self-rating scales assessing subjective well-being and distress correlate with rCBF in PTSD-sensitive regions. <i>Psychological Medicine</i> , 2011, 41, 2549-2561.	2.7	37
12	Principal component analysis in mild and moderate Alzheimer's disease – A novel approach to clinical diagnosis. <i>Psychiatry Research - Neuroimaging</i> , 2009, 173, 8-14.	0.9	35
13	Neurobiology of Sleep Disturbances in PTSD Patients and Traumatized Controls: MRI and SPECT Findings. <i>Frontiers in Psychiatry</i> , 2015, 6, 134.	1.3	34
14	Mental imagery generation in different modalities activates sensory-motor areas. <i>Cognitive Processing</i> , 2009, 10, 268-271.	0.7	28
15	Mitochondrial Function Is Related to Alterations at Brain SPECT in Depressed Patients. <i>CNS Spectrums</i> , 2008, 13, 805-814.	0.7	24
16	Processing of inconsistent emotional information: an fMRI study. <i>Experimental Brain Research</i> , 2008, 186, 401-407.	0.7	20
17	Affective psychotherapy in post-traumatic reactions guided by affective neuroscience: memory reconsolidation and play. <i>Psychology Research and Behavior Management</i> , 2011, 4, 87.	1.3	18
18	Effects of mobile phone signals over BOLD response while performing a cognitive task. <i>Clinical Neurophysiology</i> , 2012, 123, 129-136.	0.7	18

#	ARTICLE	IF	CITATIONS
19	Efficacy of spoken word comprehension therapy in patients with chronic aphasia: a cross-over randomised controlled trial with structural imaging. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2021, 92, 418-424.	0.9	15
20	Imaging the neurobiological substrate of atypical depression by SPECT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 110-120.	3.3	10
21	Brain metabolic changes across King's stages in amyotrophic lateral sclerosis: a 18F-2-fluoro-2-deoxy-d-glucose-positron emission tomography study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021, 48, 1124-1133.	3.3	10
22	Competition between Visual Events Modulates the Influence of Salience during Free-Viewing of Naturalistic Videos. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 320.	1.0	8
23	Left hemispatial neglect and overt orienting in naturalistic conditions: Role of high-level and stimulus-driven signals. <i>Cortex</i> , 2019, 113, 329-346.	1.1	6
24	Lesion site and therapy time predict responses to a therapy for anomia after stroke: a prognostic model development study. <i>Scientific Reports</i> , 2021, 11, 18572.	1.6	5
25	Left egocentric neglect in early subacute right-stroke patients is related to damage of the superior longitudinal fasciculus. <i>Brain Imaging and Behavior</i> , 2022, 16, 211-218.	1.1	4
26	The influence of melodic and rhythmic redundancies on recognition memory for unknown musical themes. <i>Musicae Scientiae</i> , 2009, 13, 337-355.	2.2	2
27	Audiovisual stimulus-driven contributions to spatial orienting in ecologically valid situations: An fMRI study. <i>Seeing and Perceiving</i> , 2012, 25, 16.	0.4	0