Norberto Peporine Lopes

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/6299930/norberto-peporine-lopes-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

428 10,475 43 85 g-index

470 12,409 3.6 6.12 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
428	New -kaurene-type nor-diterpene and other compounds isolated from Mart. (Annonaceae) <i>Natural Product Research</i> , 2022 , 1-8	2.3	
427	Chemical constituents and antibacterial activity of Bromelia laciniosa (Bromeliaceae): Identification and structural characterization. <i>Phytomedicine Plus</i> , 2022 , 2, 100215		0
426	Evaluation of Ion Mobility Spectrometry for Improving Constitutional Assignment in Natural Product Mixtures <i>Journal of Natural Products</i> , 2022 ,	4.9	2
425	In vitro-in vivo correlation of the chiral pesticide prothioconazole after interaction with human CYP450 enzymes <i>Food and Chemical Toxicology</i> , 2022 , 163, 112947	4.7	0
424	Topical gel containing phenolic-rich extract from Ipomoea pes-capre leaf (Convolvulaceae) has anti-inflammatory, wound healing, and antiophidic properties. <i>Biomedicine and Pharmacotherapy</i> , 2022 , 149, 112921	7.5	1
423	Molecular basis of a bacterial-amphibian symbiosis revealed by comparative genomics, modeling, and functional testing. <i>ISME Journal</i> , 2021 ,	11.9	2
422	Time-Scale Shifting of Volatile Semiochemical Levels in Wild Type Lychnophora ericoides (Brazilian arnica) and Pollinator Records. <i>Planta Medica</i> , 2021 , 87, 101-112	3.1	O
421	A leukotriene-dependent spleen-liver axis drives TNF production in systemic inflammation. <i>Science Signaling</i> , 2021 , 14,	8.8	7
420	Eco-Friendly Pharmaceutical Analysis of Rifaximin in Tablets by HPLC-MS and Microbiological Turbidimetry. <i>Journal of Chromatographic Science</i> , 2021 , 59, 597-605	1.4	1
419	Marine Streptomyces sp. Isolated From the Brazilian Endemic Tunicate Euherdmania sp. Produces Dihydroeponemycin and Analogs With Potent Antiglioma Activity. <i>Frontiers in Marine Science</i> , 2021 , 8,	4.5	1
418	Licarin A as a Novel Drug for Inflammatory Eye Diseases. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2021 , 37, 290-300	2.6	2
417	Liquid Fungal Cocultivation as a Strategy to Access Bioactive Metabolites. <i>Planta Medica</i> , 2021 , 87, 187	7-1 9 5	
416	Anticancer Potential of Compounds from the Brazilian Blue Amazon. <i>Planta Medica</i> , 2021 , 87, 49-70	3.1	3
415	Associating chitosan and microemulsion as a topical vehicle for the administration of herbal medicines. <i>Carbohydrate Polymers</i> , 2021 , 255, 117482	10.3	3
414	Identification of flavonoids in Hayne (Fabaceae) by HPLC-DAD-MS analysis. <i>Natural Product Research</i> , 2021 , 35, 2414-2419	2.3	4
413	The Alkaloid-Enriched Fraction of (Buxaceae) Shows Prominent Activity against. <i>Molecules</i> , 2021 , 26,	4.8	2
412	Willd. alkaloids: Piecing biosynthesis together from transcriptome analysis and metabolite profiling of seeds and leaves <i>Journal of Advanced Research</i> , 2021 , 34, 123-136	13	1

(2020-2021)

411	Enantioselective inhibition of human CYP2C19 by the chiral pesticide ethofumesate: Prediction of pesticide-drug interactions in humans. <i>Chemico-Biological Interactions</i> , 2021 , 345, 109552	5	2
410	Distribution of flavonoids and other phenolics in Mikania species (Compositae) of Brazil. <i>Biochemical Systematics and Ecology</i> , 2021 , 97, 104273	1.4	1
409	In vitro enantioselective inhibition of the main human CYP450 enzymes involved in drug metabolism by the chiral pesticide tebuconazole. <i>Toxicology Letters</i> , 2021 , 351, 1-9	4.4	0
408	Photoprotective activity and HPLC-MS-ESI-IT profile of flavonoids from the barks of Hymenaea martiana Hayne (Fabaceae): development of topical formulations containing the hydroalcoholic extract. <i>Biotechnology and Biotechnological Equipment</i> , 2021 , 35, 504-516	1.6	O
407	Risk assessment of the chiral pesticide fenamiphos in a human model: Cytochrome P450 phenotyping and inhibition studies. <i>Food and Chemical Toxicology</i> , 2020 , 146, 111826	4.7	5
406	Yangambin and Epi-yangambin Isomers: New Purification Method from Ocotea fasciculata and First Cytotoxic Aspects Focusing on In Vivo Safety. <i>Planta Medica</i> , 2020 , 86, 415-424	3.1	О
405	Characteristic product ions of acetylene carotenoids by electrospray and nanospray ionization tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2020 , 34, e8811	2.2	1
404	Mycotoxins from Fusarium proliferatum: new inhibitors of papain-like cysteine proteases. <i>Brazilian Journal of Microbiology</i> , 2020 , 51, 1169-1175	2.2	2
403	Fragmentation study of clerodane diterpenes from Casearia species by tandem mass spectrometry (quadrupole time-of-flight and ion trap). <i>Rapid Communications in Mass Spectrometry</i> , 2020 , 34 Suppl 3, e8781	2.2	2
402	Prediction of seriniquinone-drug interactions by in vitro inhibition of human cytochrome P450 enzymes. <i>Toxicology in Vitro</i> , 2020 , 65, 104820	3.6	2
401	Targeting the Oncogenic TBX2 Transcription Factor With Chromomycins. <i>Frontiers in Chemistry</i> , 2020 , 8, 110	5	2
400	Sequesterpene Lactones Isolated from a Brazilian Cerrado Plant (spp. as Anti-Proliferative Compounds, Characterized by Functional and Proteomic Analysis, are Candidates for New Therapeutics in Glioblastoma. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3
399	Metabolomics to Characterize Adaptive and Signaling Responses in Legume Crops under Abiotic Stresses. <i>ACS Omega</i> , 2020 , 5, 1752-1763	3.9	30
398	Involvement of Isoorientin in the Antidepressant Bioactivity of a Flavonoid-Rich Extract from Passiflora edulis f. flavicarpa Leaves. <i>Revista Brasileira De Farmacognosia</i> , 2020 , 30, 240-250	2	5
397	Mass spectrometry-based metabolomics approach in the isolation of bioactive natural products. <i>Scientific Reports</i> , 2020 , 10, 1051	4.9	28
396	Are Predator Smell (TMT)-Induced Behavioral Alterations in Rats Able to Inhibit Seizures?. <i>Chemical Senses</i> , 2020 , 45, 347-357	4.8	1
395	Metabolomic study of marine Streptomyces sp.: Secondary metabolites and the production of potential anticancer compounds. <i>PLoS ONE</i> , 2020 , 15, e0244385	3.7	6
394	Insecticidal and inhibitory effects of Meliaceae and Asteraceae extracts to silverleaf whitefly. <i>Horticultura Brasileira</i> , 2020 , 38, 280-287	0.9	

393	Govaniadine Evaluation of Cytotoxicity and Permeability in Cell Culture. <i>Revista Brasileira De Farmacognosia</i> , 2020 , 30, 374-380	2	
392	Engineering of galectin-3 for glycan-binding optical imaging. <i>Biochemical and Biophysical Research Communications</i> , 2020 , 521, 674-680	3.4	2
391	Rhodnius spp. are differentiated based on the peptide/protein profile by matrix-assisted laser desorption/ionization mass spectrometry and chemometric tools. <i>Analytical and Bioanalytical Chemistry</i> , 2020 , 412, 1431-1439	4.4	7
390	Characterization of 3-aminospirostane alkaloids from roots of Solanum paniculatum L. with hepatoprotective activity. <i>Rapid Communications in Mass Spectrometry</i> , 2020 , 34 Suppl 3, e8705	2.2	2
389	Red pepper peptide coatings control Staphylococcus epidermidis adhesion and biofilm formation. <i>International Journal of Pharmaceutics</i> , 2020 , 574, 118872	6.5	8
388	A new approach for identifying antagonism among fungi species and antifungal activity. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020 , 179, 112960	3.5	4
387	Multiple origins of green coloration in frogs mediated by a novel biliverdin-binding serpin. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 18574-18581	11.5	8
386	Plant Natural Products for the Control of : The Main Vector of Important Arboviruses. <i>Molecules</i> , 2020 , 25,	4.8	24
385	Biomimetic Metabolism of Kaurenoic Acid Validated by Microsomal Reactions. <i>Revista Brasileira De Farmacognosia</i> , 2020 , 30, 551-558	2	О
384	Molecular basis of carrageenan-induced cytokines production in macrophages. <i>Cell Communication and Signaling</i> , 2020 , 18, 141	7.5	10
383	Determination of phenolic compounds, antioxidant activity and characterization of secondary metabolites in different parts of by HPLC-DAD-MS/MS analysis. <i>Natural Product Research</i> , 2020 , 34, 995	- 1 001	5
382	Dextrorotatory Chromomycins from the Marine Streptomyces sp. Associated to Palythoa caribaeorum. <i>Journal of the Brazilian Chemical Society</i> , 2020 ,	1.5	2
381	Characterization of aporphine alkaloids by electrospray ionization tandem mass spectrometry and density functional theory calculations. <i>Rapid Communications in Mass Spectrometry</i> , 2020 , 34 Suppl 3, e8533	2.2	4
380	Feeding behavior of Brevicoryne brassicae in resistant and susceptible collard greens genotypes: interactions among morphological and chemical factors. <i>Entomologia Experimentalis Et Applicata</i> , 2020 , 168, 228-239	2.1	6
379	Natural Products Diversity in Plant-Insect Interaction between (Asteraceae) and (Nymphalidae). <i>Molecules</i> , 2019 , 24,	4.8	5
378	Chemical Diversity in a Stingless Bee-Plant Symbiosis. <i>ACS Omega</i> , 2019 , 4, 15208-15214	3.9	1
377	Pharmacokinetic disposition of erythraline in rats after intravenous administration. <i>Revista Brasileira De Farmacognosia</i> , 2019 , 29, 773-777	2	O
376	Symbiotic skin bacteria as a source for sex-specific scents in frogs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 2124-2129	11.5	26

375	Alternative biodegradation pathway of the herbicide diuron. <i>International Biodeterioration and Biodegradation</i> , 2019 , 143, 104716	4.8	15
374	Exploring integument transcriptomes, cuticle ultrastructure, and cuticular hydrocarbons profiles in eusocial and solitary bee species displaying heterochronic adult cuticle maturation. <i>PLoS ONE</i> , 2019 , 14, e0213796	3.7	12
373	Picraviane A and B: Nortriterpenes with limonoid-like skeletons containing a heptanolide E-ring system from Picramnia glazioviana. <i>Phytochemistry</i> , 2019 , 163, 38-45	4	7
372	Chemical analysis of Brasilimeria Stach, 1949 (Hexapoda, Collembola, Neanuridae) hemolymphatic secretion, and description of a new species. <i>PLoS ONE</i> , 2019 , 14, e0212451	3.7	2
371	Myclobutanil enantioselective risk assessment in humans through in vitro CYP450 reactions: Metabolism and inhibition studies. <i>Food and Chemical Toxicology</i> , 2019 , 128, 202-211	4.7	20
370	Integrating Molecular Network and Culture Media Variation to Explore the Production of Bioactive Metabolites by A1SM3. <i>Marine Drugs</i> , 2019 , 17,	6	1
369	DMH-CBD, a cannabidiol analog with reduced cytotoxicity, inhibits TNF production by targeting NF-kB activity dependent on A receptor. <i>Toxicology and Applied Pharmacology</i> , 2019 , 368, 63-71	4.6	15
368	Acid diterpenes from Copaiba oleoresin (Copaifera langsdorffii): Chemical and plasma stability and intestinal permeability using Caco-2 cells. <i>Journal of Ethnopharmacology</i> , 2019 , 235, 183-189	5	9
367	Evaluation of anti-HSV-1 activity and toxicity of hydroethanolic extract of Tanacetum parthenium (L.) Sch.Bip. (Asteraceae). <i>Phytomedicine</i> , 2019 , 55, 249-254	6.5	14
366	Antifungal compounds from Streptomyces associated with attine ants also inhibit Leishmania donovani. <i>PLoS Neglected Tropical Diseases</i> , 2019 , 13, e0007643	4.8	21
365	Mass Spectral Similarity Networking and Gas-Phase Fragmentation Reactions in the Structural Analysis of Flavonoid Glycoconjugates. <i>Analytical Chemistry</i> , 2019 , 91, 10413-10423	7.8	22
364	In vitro inhibition of human CYP2D6 by the chiral pesticide fipronil and its metabolite fipronil sulfone: Prediction of pesticide-drug interactions. <i>Toxicology Letters</i> , 2019 , 313, 196-204	4.4	17
363	Non-polar and polar chemical profiling of six Casearia species (Salicaceae). <i>Biochemical Systematics and Ecology</i> , 2019 , 87, 103954	1.4	3
362	A possible solution to model nonlinearity in elimination and distributional clearances with \(\begin{align*} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1.4	4
361	Marine Bacteria from Rocas Atoll as a Rich Source of Pharmacologically Active Compounds. <i>Marine Drugs</i> , 2019 , 17,	6	7
3 60	Cinnamic acids derived compounds with antileishmanial activity target Leishmania amazonensis arginase. <i>Chemical Biology and Drug Design</i> , 2019 , 93, 139-146	2.9	7
359	Intra-clade metabolomic profiling of MAR4 Streptomyces from the Macaronesia Atlantic region reveals a source of anti-biofilm metabolites. <i>Environmental Microbiology</i> , 2019 , 21, 1099-1112	5.2	16
358	In vitro anti-Trypanosoma cruzi activity of ternary copper(II) complexes and in vivo evaluation of the most promising complex. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 109, 157-166	7.5	13

357	Characterization of Casearin X Metabolism by Rat and Human Liver Microsomes. <i>Planta Medica</i> , 2019 , 85, 282-291	3.1	2
356	Characterisation of the in vivo interactions between detomidine and methadone in horses: Pharmacokinetic and pharmacodynamic modelling. <i>Equine Veterinary Journal</i> , 2019 , 51, 517-529	2.4	12
355	Cathepsin D immobilized capillary reactors for on-flow screening assays. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 151, 252-259	3.5	7
354	Crystal structure of two new polymeric copper(II) complexes active against Trypanosoma cruzi. <i>Journal of Saudi Chemical Society</i> , 2018 , 22, 809-815	4.3	5
353	Chemical profiling of two congeneric sea mat corals along the Brazilian coast: adaptive and functional patterns. <i>Chemical Communications</i> , 2018 , 54, 1952-1955	5.8	12
352	Revisiting empirical rules for the determination of the absolute configuration of cascarosides and other (ox-)anthrones. <i>Chirality</i> , 2018 , 30, 432-438	2.1	5
351	Iontophoresis-stimulated silk fibroin films as a peptide delivery system for wound healing. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2018 , 128, 147-155	5.7	16
350	Degradation of atrazine by Pseudomonas sp. and Achromobacter sp. isolated from Brazilian agricultural soil. <i>International Biodeterioration and Biodegradation</i> , 2018 , 130, 17-22	4.8	22
349	Dereplication by HPLC-DAD-ESI-MS/MS and Screening for Biological Activities of Byrsonima Species (Malpighiaceae). <i>Phytochemical Analysis</i> , 2018 , 29, 196-204	3.4	22
348	Fragmentation pattern of amides by El and HRESI: study of protonation sites using DFT-3LYP data <i>RSC Advances</i> , 2018 , 8, 21407-21413	3.7	6
347	Dimeric chalcones derivatives from Myracrodruon urundeuva act as cathepsin V inhibitors. <i>Phytochemistry</i> , 2018 , 154, 31-38	4	8
346	Base-Controlled Regioselective Functionalization of Chloro-Substituted Quinolines. <i>Journal of Organic Chemistry</i> , 2018 , 83, 871-880	4.2	17
345	Anti-cancer activity of a new dihydropyridine derivative, VdiE-2N, in head and neck squamous cell carcinoma. <i>European Journal of Pharmacology</i> , 2018 , 819, 198-206	5.3	17
344	An integrative omics perspective for the analysis of chemical signals in ecological interactions. <i>Chemical Society Reviews</i> , 2018 , 47, 1574-1591	58.5	49
343	A comparative venomic fingerprinting approach reveals that galling and non-galling fig wasp species have different venom profiles. <i>PLoS ONE</i> , 2018 , 13, e0207051	3.7	1
342	Parawixin2 Protects Hippocampal Cells in Experimental Temporal Lobe Epilepsy. <i>Toxins</i> , 2018 , 10,	4.9	3
341	Metabolomic Fingerprinting of From Atlantic Oceanic Islands. Frontiers in Microbiology, 2018, 9, 3021	5.7	11
340	Ketalization of Ketones to 1,3-Dioxolanes and Concurring Self-Aldolization Catalyzed by an Amorphous, Hydrophilic SiO2-SO3H Catalyst under Microwave Irradiation. <i>Journal of the Brazilian Chemical Society</i> , 2018 ,	1.5	2

339	Isolation of Chavibetol and Methyleugenol from Essential Oil of by High Performance Liquid Chromatography. <i>Molecules</i> , 2018 , 23,	4.8	5
338	New Perspectives on Chlorogenic Acid Accumulation in Harvested Leaf Tissue: Impact on Traditional Medicine Preparations. <i>ACS Omega</i> , 2018 , 3, 18380-18386	3.9	7
337	Cytotoxicity of Structurally Diverse Anthranoids and Correlation with Mechanism of Action and Side Effects. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2018 , 21, 347-353	3.4	
336	Paenibacillus polymyxa Associated with the Stingless Bee Melipona scutellaris Produces Antimicrobial Compounds against Entomopathogens. <i>Journal of Chemical Ecology</i> , 2018 , 44, 1158-1169	2.7	13
335	Isolation and Identification of the Five Novel Flavonoids from Genipa americana Leaves. <i>Molecules</i> , 2018 , 23,	4.8	5
334	Phenolic Compounds from the Brazilian Genus Lychnophora Mart. (Asteraceae). <i>ACS Symposium Series</i> , 2018 , 21-46	0.4	
333	Phytochemical and chemotaxonomy investigation of polar crude extract from Eremanthus incanus (Asteraceae, Vernonieae). <i>Biochemical Systematics and Ecology</i> , 2018 , 81, 105-108	1.4	1
332	Spondias tuberosa inner bark extract exert antidiabetic effects in streptozotocin-induced diabetic rats. <i>Journal of Ethnopharmacology</i> , 2018 , 227, 248-257	5	17
331	Leishmanicidal Effects of Piperlongumine (Piplartine) and Its Putative Metabolites. <i>Planta Medica</i> , 2018 , 84, 1141-1148	3.1	10
330	Cleavage of Peptides from Amphibian Skin Revealed by Combining Analysis of Gland Secretion and in Situ MALDI Imaging Mass Spectrometry. <i>ACS Omega</i> , 2018 , 3, 5426-5434	3.9	10
329	A Cyclotide Isolated from Noisettia orchidiflora (Violaceae). <i>Planta Medica</i> , 2018 , 84, 947-952	3.1	4
328	Inhibition of Breast Cancer Cell Migration by Cyclotides Isolated from Pombalia calceolaria. <i>Journal of Natural Products</i> , 2018 , 81, 1203-1208	4.9	22
327	The role of tannins as antiulcer agents: a fluorescence-imaging based study. <i>Revista Brasileira De Farmacognosia</i> , 2018 , 28, 425-432	2	10
326	Propagating annotations of molecular networks using in silico fragmentation. <i>PLoS Computational Biology</i> , 2018 , 14, e1006089	5	139
325	Influence of season, drying temperature and extraction time on the yield and chemical composition of âharmeleiroâ[(Croton sonderianus) essential oil. <i>Journal of Essential Oil Research</i> , 2017 , 29, 76-84	2.3	7
324	The Hydroalcoholic Extract of Leaves of Mandevilla moricandiana Induces NO-Mediated Vascular Relaxation. <i>Planta Medica</i> , 2017 , 83, 63-69	3.1	2
323	Inactivation of Lapachone Cytotoxicity by Filamentous Fungi that Mimic the Human Blood Metabolism. <i>European Journal of Drug Metabolism and Pharmacokinetics</i> , 2017 , 42, 213-220	2.7	9
322	Understanding the fragmentation mechanisms of methoxy-, mesyl-, and tosyl-lapachol derivatives by computational chemistry and mass spectrometry analysis. <i>International Journal of Mass Spectrometry</i> , 2017 , 418, 92-100	1.9	4

321	Antileishmanial activity of verbascoside: Selective arginase inhibition of intracellular amastigotes of Leishmania (Leishmania) amazonensis with resistance induced by LPS plus IFN-\(\Pi\)Biochemical Pharmacology, 2017 , 127, 28-33	6	15
320	In Vitro Inhibition of Human CYP450s 1A2, 2C9, 3A4/5, 2D6 and 2E1 by Grandisin. <i>Planta Medica</i> , 2017 , 83, 727-736	3.1	8
319	Antibacterial activity of Limonium brasiliense (Baicuru) against multidrug-resistant bacteria using a statistical mixture design. <i>Journal of Ethnopharmacology</i> , 2017 , 198, 313-323	5	7
318	Apigenin-7-O-glucoside oxidation catalyzed by P450-bioinspired systems. <i>Journal of Inorganic Biochemistry</i> , 2017 , 170, 117-124	4.2	7
317	Development and validation of a quantification method for cucurbitacins E and I in rat plasma: Application to population pharmacokinetic studies. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 144, 99-105	3.5	7
316	Precursor Ion Scan Mode-Based Strategy for Fast Screening of Polyether Ionophores by Copper-Induced Gas-Phase Radical Fragmentation Reactions. <i>Analytical Chemistry</i> , 2017 , 89, 3929-3936	7.8	4
315	New cascarosides from Rhamnus purshiana and fragmentation studies of the class by ion trap mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2017 , 31, 1169-1174	2.2	5
314	Evolution of queen cuticular hydrocarbons and worker reproduction in stingless bees. <i>Nature Ecology and Evolution</i> , 2017 , 1,	12.3	17
313	Lapachol, a compound targeting pyrimidine metabolism, ameliorates experimental autoimmune arthritis. <i>Arthritis Research and Therapy</i> , 2017 , 19, 47	5.7	12
312	Gas-phase fragmentation of protonated piplartine and its fungal metabolites using tandem mass spectrometry and computational chemistry. <i>Journal of Mass Spectrometry</i> , 2017 , 52, 517-525	2.2	6
311	A soluble recombinant form of human leucocyte antigen-G 6 (srHLA-G6). <i>Biochemical and Biophysical Research Communications</i> , 2017 , 487, 28-33	3.4	3
310	Naturally occurring fluorescence in frogs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 3672-3677	11.5	44
309	The Caatinga endemic Manilkara rufula possesses remarkable activity against Trichomonas vaginalis and Tritrichomonas foetus. <i>Experimental Parasitology</i> , 2017 , 173, 18-28	2.1	5
308	Trichomonicidal and parasite membrane damaging activity of bidesmosic saponins from Manilkara rufula. <i>PLoS ONE</i> , 2017 , 12, e0188531	3.7	7
307	[10]-gingerol induces apoptosis and inhibits metastatic dissemination of triple negative breast cancer. <i>Oncotarget</i> , 2017 , 8, 72260-72271	3.3	51
306	Spatial and Temporal Variations in Secondary Metabolites Content of the Brazilian Arnica Leaves (Lychnophora ericoides Mart., Asteraceae). <i>Journal of the Brazilian Chemical Society</i> , 2017 ,	1.5	4
305	Phytochemical Study of Tapirira guianensis Leaves Guided by Vasodilatory and Antioxidant Activities. <i>Molecules</i> , 2017 , 22,	4.8	3
304	Use of GC/MS to identify chemical constituents and cytotoxic activity of the leaves of Phoradendron mucronatum and Phoradendron microphyllum (Viscaceae). <i>Anais Da Academia Brasileira De Ciencias</i> 2017 89 991-1001	1.4	5

303	Biological activities and phytochemical profile of Passiflora mucronata from the Brazilian restinga. <i>Revista Brasileira De Farmacognosia</i> , 2017 , 27, 702-710	2	9
302	Aflatoxins produced by Aspergillus nomius ASR3, a pathogen isolated from the leaf-cutter ant Atta sexdens rubropilosa. <i>Revista Brasileira De Farmacognosia</i> , 2017 , 27, 529-532	2	3
301	Alternaria toxins in South African sunflower seeds: cooperative study. <i>Mycotoxin Research</i> , 2017 , 33, 309-321	4	16
300	Fragmentation pathway and structural characterization of new glycosylated phenolic derivatives from Eremanthus glomerulatus Less (Asteraceae) by electrospray ionization tandem mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2017 , 52, 783-787	2.2	7
299	Gas-phase dissociation study of erythrinian alkaloids by electrospray ionization mass spectrometry and computational methods. <i>Journal of Mass Spectrometry</i> , 2017 , 52, 571-579	2.2	6
298	Global chemical analysis of biology by mass spectrometry. <i>Nature Reviews Chemistry</i> , 2017 , 1,	34.6	91
297	Dereplication of Flavonoid Glycoconjugates from Adenocalymma imperatoris-maximilianii by Untargeted Tandem Mass Spectrometry-Based Molecular Networking. <i>Planta Medica</i> , 2017 , 83, 636-646	; ^{3.1}	21
296	In vitro metabolism studies of natural products are crucial in the early development of medicines. <i>Phytochemistry Reviews</i> , 2017 , 16, 355-373	7.7	2
295	Antinociceptive Effect of the Essential Oil from Croton conduplicatus Kunth (Euphorbiaceae). <i>Molecules</i> , 2017 , 22,	4.8	8
294	Direct Analyses of Secondary Metabolites by Mass Spectrometry Imaging (MSI) from Sunflower (Helianthus annuus L.) Trichomes. <i>Molecules</i> , 2017 , 22,	4.8	11
293	A Simple Defined Medium for the Production of True Diketopiperazines in Xylella fastidiosa and Their Identification by Ultra-Fast Liquid Chromatography-Electrospray Ionization Ion Trap Mass Spectrometry. <i>Molecules</i> , 2017 , 22,	4.8	7
292	Disease Modifying Effects of the Spider Toxin Parawixin2 in the Experimental Epilepsy Model. <i>Toxins</i> , 2017 , 9,	4.9	5
291	Method Indicative of Stability for the Determination of Rifaximin and Its Degradation Products by Thin Chromatographic. <i>Current Pharmaceutical Analysis</i> , 2017 , 13,	0.6	7
2 90	Identification of compounds from non-polar fractions of Blechnum spp and a multitarget approach involving enzymatic modulation and oxidative stress. <i>Journal of Pharmacy and Pharmacology</i> , 2017 , 69, 89-98	4.8	1
289	Evaluation of Thr-bradykinin purified from Polybia occidentalis wasp venom in the choline uptake of mammal cortices. <i>Pharmaceutical Biology</i> , 2016 , 54, 3169-3171	3.8	1
288	Mevalonate-derived quinonemethide triterpenoid from in vitro roots of Peritassa laevigata and their localization in root tissue by MALDI imaging. <i>Scientific Reports</i> , 2016 , 6, 22627	4.9	16
287	Aqueous extract from Ipomoea asarifolia (Convolvulaceae) leaves and its phenolic compounds have anti-inflammatory activity in murine models of edema, peritonitis and air-pouch inflammation. <i>Journal of Ethnopharmacology</i> , 2016 , 192, 225-235	5	28
286	Nitric oxide and fever: immune-to-brain signaling vs. thermogenesis in chicks. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016 , 310, R896-905	3.2	16

285	Combining in vitro and in silico approaches to evaluate the multifunctional profile of rosmarinic acid from Blechnum brasiliense on targets related to neurodegeneration. <i>Chemico-Biological Interactions</i> , 2016 , 254, 135-45	5	18
284	7,7-Dimethylaporphine and Other Alkaloids from the Bark of Guatteria friesiana. <i>Journal of Natural Products</i> , 2016 , 79, 1524-31	4.9	12
283	Chemical Composition and Antimicrobial Activity of Essential Oil from the Leaves of Cyrtocymura scorpioides. <i>Chemistry of Natural Compounds</i> , 2016 , 52, 740-742	0.7	
282	Fragmentation reactions using electrospray ionization mass spectrometry: an important tool for the structural elucidation and characterization of synthetic and natural products. <i>Natural Product Reports</i> , 2016 , 33, 432-55	15.1	247
281	Evaluation of the Intestinal Absorption Mechanism of Casearin X in Caco-2 Cells with Modified Carboxylesterase Activity. <i>Journal of Natural Products</i> , 2016 , 79, 1084-90	4.9	8
280	Caatinga plants: Natural and semi-synthetic compounds potentially active against Trichomonas vaginalis. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016 , 26, 2229-36	2.9	12
279	Synthesis, cytotoxic and antitubercular activities of copper(II) complexes with heterocyclic bases and 3-hydroxypicolinic acid. <i>Inorganica Chimica Acta</i> , 2016 , 446, 87-92	2.7	18
278	Surface plasmon resonance and circular dichroism characterization of cucurbitacins binding to serum albumins for early pharmacokinetic profiling. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 122, 166-72	3.5	19
277	Inhibitory Effects of Hydroethanolic Leaf Extracts of Kalanchoe brasiliensis and Kalanchoe pinnata (Crassulaceae) against Local Effects Induced by Bothrops jararaca Snake Venom. <i>PLoS ONE</i> , 2016 , 11, e0168658	3.7	22
276	Copaiba Oil and Its Constituent Copalic Acid as Chemotherapeutic Agents against Dermatophytes. <i>Journal of the Brazilian Chemical Society</i> , 2016 ,	1.5	2
275	Chemical Constituents of Psychotria nemorosa Gardner and Antinociceptive Activity. <i>Journal of the Brazilian Chemical Society</i> , 2016 ,	1.5	3
274	Acetaminophen Prodrug: Microwave-Assisted Synthesis andin vitroMetabolism Evaluation by Mass Spectrometry. <i>Journal of the Brazilian Chemical Society</i> , 2016 ,	1.5	4
273	Aqueous Leaf Extract of (Pohl) Bail Decreases Local Effects Induced by Bothropic Venom. <i>BioMed Research International</i> , 2016 , 2016, 6101742	3	19
272	Composi ß qu f hica e toxicidade frente Aedes aegypti L. e Artemia salina Leach do l eo essencial das folhas de Myrcia sylvatica (G. Mey.) DC <i>Revista Brasileira De Plantas Medicinais</i> , 2016 , 18, 19-26		16
271	Dereplication of Natural Products Using GC-TOF Mass Spectrometry: Improved Metabolite Identification by Spectral Deconvolution Ratio Analysis. <i>Frontiers in Molecular Biosciences</i> , 2016 , 3, 59	5.6	12
270	Re-investigation of the fragmentation of protonated carotenoids by electrospray ionization and nanospray tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2016 , 30, 1540-8	2.2	15
269	Development and validation of a UHPLC-MS/MS bioanalytical method to quantify in plasma the analgesic candidate PT-31 following a preliminary pharmacokinetic study in rats. <i>Biomedical Chromatography</i> , 2016 , 30, 852-6	1.7	3
268	Rapid and efficient method for the quantification of lychnopholide in rat plasma by liquid chromatography-tandem mass spectrometry for pharmacokinetic application. <i>Biomedical Chromatography</i> , 2016 , 30, 1092-1096	1.7	2

267	Taraxerol 4-Methoxybenzoate, an in vitro Inhibitor of Photosynthesis Isolated from Pavonia multiflora A. St-Hil. (Malvaceae). <i>Chemistry and Biodiversity</i> , 2016 , 13, 284-292	2.5	3
266	Endophytic Actinobacteria from the Brazilian Medicinal Plant Lychnophora ericoides Mart. and the Biological Potential of Their Secondary Metabolites. <i>Chemistry and Biodiversity</i> , 2016 , 13, 727-36	2.5	21
265	Friedelin Synthase from Maytenus ilicifolia: Leucine 482 Plays an Essential Role in the Production of the Most Rearranged Pentacyclic Triterpene. <i>Scientific Reports</i> , 2016 , 6, 36858	4.9	15
264	Metabolic profile and safety of piperlongumine. Scientific Reports, 2016, 6, 33646	4.9	16
263	Electrospray ionization tandem mass spectrometry analysis of isopimarane diterpenes from Velloziaceae. <i>Rapid Communications in Mass Spectrometry</i> , 2016 , 30, 61-8	2.2	14
262	Application of MALDI Mass Spectrometry in Natural Products Analysis. <i>Planta Medica</i> , 2016 , 82, 671-89	3.1	23
261	Anti-inflammatory activity of aqueous extract and bioactive compounds identified from the fruits of Hancornia speciosa Gomes (Apocynaceae). <i>BMC Complementary and Alternative Medicine</i> , 2016 , 16, 275	4.7	38
260	Pharmacokinetic properties, in vitro metabolism and plasma protein binding of govaniadine an alkaloid isolated from Corydalis govaniana Wall. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 131, 464-472	3.5	7
259	In Vitro Metabolism Evaluation of the Ergot Alkaloid Dihydroergotamine: Application of Microsomal and Biomimetic Oxidative Model. <i>Planta Medica</i> , 2016 , 82, 1368-1373	3.1	3
258	Sharing and community curation of mass spectrometry data with Global Natural Products Social Molecular Networking. <i>Nature Biotechnology</i> , 2016 , 34, 828-837	44.5	1566
258 257		44·5 1·7	1566
	Molecular Networking. <i>Nature Biotechnology</i> , 2016 , 34, 828-837 Spondias tuberosa (Anacardiaceae) leaves: profiling phenolic compounds by HPLC-DAD and		
257	Molecular Networking. <i>Nature Biotechnology</i> , 2016 , 34, 828-837 Spondias tuberosa (Anacardiaceae) leaves: profiling phenolic compounds by HPLC-DAD and LC-MS/MS and in vivo anti-inflammatory activity. <i>Biomedical Chromatography</i> , 2016 , 30, 1656-65 Validation of analytical procedures using HPLC-ELSD to determine six sesquiterpene lactones in	1.7	16
² 57	Molecular Networking. <i>Nature Biotechnology</i> , 2016 , 34, 828-837 Spondias tuberosa (Anacardiaceae) leaves: profiling phenolic compounds by HPLC-DAD and LC-MS/MS and in vivo anti-inflammatory activity. <i>Biomedical Chromatography</i> , 2016 , 30, 1656-65 Validation of analytical procedures using HPLC-ELSD to determine six sesquiterpene lactones in Eremanthus species. <i>Biomedical Chromatography</i> , 2016 , 30, 484-93	1.7	16
² 57 ² 56 ² 55	Molecular Networking. <i>Nature Biotechnology</i> , 2016 , 34, 828-837 Spondias tuberosa (Anacardiaceae) leaves: profiling phenolic compounds by HPLC-DAD and LC-MS/MS and in vivo anti-inflammatory activity. <i>Biomedical Chromatography</i> , 2016 , 30, 1656-65 Validation of analytical procedures using HPLC-ELSD to determine six sesquiterpene lactones in Eremanthus species. <i>Biomedical Chromatography</i> , 2016 , 30, 484-93 Natural Green coating inhibits adhesion of clinically important bacteria. <i>Scientific Reports</i> , 2015 , 5, 8287 Quantification and localization of hesperidin and rutin in Citrus sinensis grafted on C. limonia after Xylella fastidiosa infection by HPLC-UV and MALDI imaging mass spectrometry. <i>Phytochemistry</i> ,	1.7 1.7 4.9	16 3 41
257 256 255 254	Molecular Networking. <i>Nature Biotechnology</i> , 2016 , 34, 828-837 Spondias tuberosa (Anacardiaceae) leaves: profiling phenolic compounds by HPLC-DAD and LC-MS/MS and in vivo anti-inflammatory activity. <i>Biomedical Chromatography</i> , 2016 , 30, 1656-65 Validation of analytical procedures using HPLC-ELSD to determine six sesquiterpene lactones in Eremanthus species. <i>Biomedical Chromatography</i> , 2016 , 30, 484-93 Natural Green coating inhibits adhesion of clinically important bacteria. <i>Scientific Reports</i> , 2015 , 5, 8287 Quantification and localization of hesperidin and rutin in Citrus sinensis grafted on C. limonia after Xylella fastidiosa infection by HPLC-UV and MALDI imaging mass spectrometry. <i>Phytochemistry</i> , 2015 , 115, 161-70 The azo dye Disperse Red 13 and its oxidation and reduction products showed mutagenic potential.	1.7 1.7 4.9	16 3 41 40
257 256 255 254 253	Molecular Networking. <i>Nature Biotechnology</i> , 2016 , 34, 828-837 Spondias tuberosa (Anacardiaceae) leaves: profiling phenolic compounds by HPLC-DAD and LC-MS/MS and in vivo anti-inflammatory activity. <i>Biomedical Chromatography</i> , 2016 , 30, 1656-65 Validation of analytical procedures using HPLC-ELSD to determine six sesquiterpene lactones in Eremanthus species. <i>Biomedical Chromatography</i> , 2016 , 30, 484-93 Natural Green coating inhibits adhesion of clinically important bacteria. <i>Scientific Reports</i> , 2015 , 5, 8287 Quantification and localization of hesperidin and rutin in Citrus sinensis grafted on C. limonia after Xylella fastidiosa infection by HPLC-UV and MALDI imaging mass spectrometry. <i>Phytochemistry</i> , 2015 , 115, 161-70 The azo dye Disperse Red 13 and its oxidation and reduction products showed mutagenic potential. <i>Toxicology in Vitro</i> , 2015 , 29, 1906-15 Photostability evaluation of five UV-filters, trans-resveratrol and beta-carotene in sunscreens.	1.7 1.7 4.9 4	16 3 41 40 33

249	Alkaloids isolated from the leaves of atemoya (Annona cherimola l'Annona squamosa). <i>Revista Brasileira De Farmacognosia</i> , 2015 , 25, 419-421	2	20
248	Amphidinolide P from the Brazilian octocoral Stragulum bicolor. <i>Revista Brasileira De Farmacognosia</i> , 2015 , 25, 600-604	2	6
247	Polyphenol-enriched cocoa protects the diabetic retina from glial reaction through the sirtuin pathway. <i>Journal of Nutritional Biochemistry</i> , 2015 , 26, 64-74	6.3	39
246	Development of a method to quantify clindamycin in vitreous humor of rabbits' eyes by UPLC-MS/MS: application to a comparative pharmacokinetic study and in vivo ocular biocompatibility evaluation. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 102, 346-52	3.5	10
245	Microsomal metabolism of erythraline: an anxiolitic spiroalkaloid. <i>Revista Brasileira De Farmacognosia</i> , 2015 , 25, 529-532	2	2
244	Pyrimidine alkaloids from Eudistoma vannamei. <i>Revista Brasileira De Farmacognosia</i> , 2015 , 25, 698-700	2	3
243	First serine protease inhibitor isolated from Rhinella schneideri poison. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2015 , 21, 30	2.2	8
242	Hypericum perforatum Reduces Paracetamol-Induced Hepatotoxicity and Lethality in Mice by Modulating Inflammation and Oxidative Stress. <i>Phytotherapy Research</i> , 2015 , 29, 1097-101	6.7	31
241	MALDI-MS of flavonoids: a systematic investigation of ionization and in-source dissociation mechanisms. <i>Journal of Mass Spectrometry</i> , 2015 , 50, 182-90	2.2	9
240	Antimicrobial activity of Aspilia latissima (Asteraceae). Brazilian Journal of Microbiology, 2015, 46, 1103-	·1 <u>1</u> 02	4
239	Benzyl benzoate and dibenzyl ether from of benzoic acid and benzyl alcohol under microwave irradiation using a SiO2âBO3H catalyst. <i>Catalysis Communications</i> , 2015 , 68, 97-100	3.2	19
238	Essential Oil Composition of Stevia urticifolia Growing in Ouro Preto-MG. <i>Chemistry of Natural Compounds</i> , 2015 , 51, 985-986	0.7	1
237	Formation of a Predominant Metabolite of Hydroxydihydrocarvone Evaluated by a Biomimetic Oxidative Model and in Rat Liver Microsomes. <i>Planta Medica Letters</i> , 2015 , 2, e61-e64		
236	Characterization of intestinal absorption of C-glycoside flavonoid vicenin-2 from Lychnophora ericoides leafs in rats by nonlinear mixed effects modeling. <i>Revista Brasileira De Farmacognosia</i> , 2015 , 25, 212-218	2	11
235	Quantification of Chemical Marker of Kalanchoe brasiliensis (Crassulaceae) Leaves by HPLCâDAD. Journal of Liquid Chromatography and Related Technologies, 2015 , 38, 795-800	1.3	7
234	Low expression of CD39 on regulatory T cells as a biomarker for resistance to methotrexate therapy in rheumatoid arthritis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 2509-14	11.5	93
233	Post-column sodiation to enhance the detection of polyacetylene glycosides in LC-DAD-MS analyses: an example from Bidens gardneri (Asteraceae). <i>Talanta</i> , 2015 , 135, 87-93	6.2	9
232	Copper(II) complexes with Ediketones and N-donor heterocyclic ligands: Crystal structure, spectral properties, and cytotoxic activity. <i>Polyhedron</i> , 2015 , 89, 1-8	2.7	41

231	A metabolomic protocol for plant systematics by matrix-assisted laser-desorption/ionization time-of flight mass spectrometry. <i>Analytica Chimica Acta</i> , 2015 , 859, 46-58	6.6	7
230	In vitro metabolism of the lignan (-)-grandisin, an anticancer drug candidate, by human liver microsomes. <i>Drug Testing and Analysis</i> , 2015 , 7, 780-6	3.5	7
229	Ruthenium(II) Complexes Containing Anti-Inflammatory Drugs as Ligands: Synthesis, Characterization andin vitroCytotoxicity Activities on Cancer Cell Lines. <i>Journal of the Brazilian Chemical Society</i> , 2015 ,	1.5	5
228	Mass spectrometry of flavonoid vicenin-2, based sunlight barriers in Lychnophora species. <i>Scientific Reports</i> , 2014 , 4, 4309	4.9	41
227	In vitro metabolism studies of erythraline, the major spiroalkaloid from Erythrina verna. <i>BMC Complementary and Alternative Medicine</i> , 2014 , 14, 61	4.7	10
226	In vitro metabolism of the alkaloid piplartine by rat liver microsomes. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 95, 113-20	3.5	25
225	Mass spectrometry in plant metabolomics strategies: from analytical platforms to data acquisition and processing. <i>Natural Product Reports</i> , 2014 , 31, 784-806	15.1	124
224	In Silico prediction and experimental evaluation of furanoheliangolide sesquiterpene lactones as potent agents against Trypanosoma brucei rhodesiense. <i>Antimicrobial Agents and Chemotherapy</i> , 2014 , 58, 325-32	5.9	40
223	In vitro metabolism of monensin A: microbial and human liver microsomes models. <i>Xenobiotica</i> , 2014 , 44, 326-35	2	12
222	A non-lethal SPME method for insect cuticular analysis by GC-MS. <i>Analytical Methods</i> , 2014 , 6, 8823-882	183.2	7
221	Evaluation of intestinal permeability of vicenin-2 and lychnopholic acid from Lychnophora salicifolia (Brazilian arnico) using Caco-2 cells. <i>Journal of Natural Products</i> , 2014 , 77, 464-71	4.9	5
220	Stability-indicating thin-layer chromatographic method for determination of darunavir in complex darunavirâEtyclodextrin in the presence of its degradation products. <i>Analytical Methods</i> , 2014 , 6, 3689-3	3693	4
219	Chemical compounds isolated from Talinum triangulare (Portulacaceae). Food Chemistry, 2014 , 160, 204	4-82 5	9
218	Queen signals in a stingless bee: suppression of worker ovary activation and spatial distribution of active compounds. <i>Scientific Reports</i> , 2014 , 4, 7449	4.9	37
217	Leishmanicidal evaluation of tetrahydroprotoberberine and spirocyclic erythrina-alkaloids. <i>Molecules</i> , 2014 , 19, 5692-703	4.8	26
216	Application of the Negishi Reaction in the Synthesis of Thiophene-Based Lignans Analogues with Leishmanicidal Effects. <i>Journal of the Brazilian Chemical Society</i> , 2014 ,	1.5	3
215	Complexes of platinum and palladium with Eliketones and DMSO: Synthesis, characterization, molecular modeling, and biological studies. <i>Journal of Molecular Structure</i> , 2014 , 1075, 370-376	3.4	21
214	Jacobsen catalyst as a cytochrome P450 biomimetic model for the metabolism of monensin A. <i>BioMed Research International</i> , 2014 , 2014, 152102	3	6

213	Direct MALDI-TOF/TOF analyses of unnatural beauvericins produced by the endophytic fungus Fusarium oxysporum SS46. <i>Revista Brasileira De Farmacognosia</i> , 2014 , 24, 433-438	2	1
212	Chemical Composition of Essential Oils from Croton conduplicatus (Euphorbiaceae) in Two Different Seasons. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2014 , 17, 1137-1145	1.7	10
211	Discovery of the rapanone and suberonone mixture as a motif for leishmanicidal and antifungal applications. <i>Bioorganic and Medicinal Chemistry</i> , 2014 , 22, 135-40	3.4	22
210	A systematic investigation of the fragmentation pattern of two furanoheliangolide C-8 stereoisomers using electrospray ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2014 , 28, 723-30	2.2	13
209	Direct proof by (13)C-nuclear magnetic resonance of semi-purified extract and isolation of ent-Catechin from leaves of Eucalyptus cinerea. <i>Pharmacognosy Magazine</i> , 2014 , 10, 191-4	0.8	1
208	A biosynthetic pathway of sesquiterpene lactones in Smallanthus sonchifolius and their localization in leaf tissues by MALDI imaging. <i>Chemical Communications</i> , 2013 , 49, 9989-91	5.8	14
207	Parawixin2, a novel non-selective GABA uptake inhibitor from Parawixia bistriata spider venom, inhibits pentylenetetrazole-induced chemical kindling in rats. <i>Neuroscience Letters</i> , 2013 , 543, 12-6	3.3	19
206	Biomimetic oxidation studies of monensin A catalyzed by metalloporphyrins: Identification of hydroxyl derivative product by electrospray tandem mass spectrometry. <i>Revista Brasileira De Farmacognosia</i> , 2013 , 23, 621-629	2	6
205	Flavanone glycosides from Bidens gardneri Bak. (Asteraceae). <i>Phytochemistry</i> , 2013 , 96, 418-22	4	16
204	Elucidating the neurotoxicity of the star fruit. <i>Angewandte Chemie - International Edition</i> , 2013 , 52, 130	67 <i>:6</i> 7.Д	23
203	In vitro metabolism study of the promising anticancer agent the lignan (-)-grandisin. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 72, 240-4	3.5	16
202	Effect of fertilisation and harvest period on polar metabolites of Calendula oficcinalis. <i>Revista Brasileira De Farmacognosia</i> , 2013 , 23, 731-735	2	8
2 01	Amazonian Brazilian medicinal plants described by C.F.P. von Martius in the 19th century. <i>Journal of Ethnopharmacology</i> , 2013 , 147, 180-9	5	52
200	A non-michaelian behavior of the in vitro metabolism of the pentacyclic triterpene alfa and beta amyrins by employing rat liver microsomes. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013 , 84, 14-9	3.5	15
199	Novel bisabolane derivative from "arnica-da-serra" (Vernonieae: Asteraceae) reduces pro-nociceptive cytokines levels in LPS-stimulated rat macrophages. <i>Journal of Ethnopharmacology</i> , 2013 , 148, 993-8	5	8
198	Task-Related Variation of Cuticular Hydrocarbon Profiles Affect Nestmate Recognition in the Giant ant Dinoponera quadriceps. <i>Journal of Insect Behavior</i> , 2013 , 26, 212-222	1.1	5
197	Chemical Composition of the Essential Oil of Vernonia crotonoides. <i>Chemistry of Natural Compounds</i> , 2013 , 49, 761-762	0.7	2
196	Electronic structure and gas-phase chemistry of protonated <code>HandEquinonoid</code> compounds: a mass spectrometry and computational study. <i>Rapid Communications in Mass Spectrometry</i> , 2013 , 27, 816-24	2.2	8

(2012-2013)

195	Development and validation studies for determination of phenylpropanoid-substituted flavan-3-ols in semipurified extract of Trichilia catigua by high-performance liquid chromatography with photodiode array detection. <i>Journal of Separation Science</i> , 2013 , 36, 1247-54	3.4	14
194	H2 unimolecular elimination in electrospray ionization mass spectrometry from erythraline, a spirocyclic alkaloid. <i>European Journal of Mass Spectrometry</i> , 2013 , 19, 345-50	1.1	3
193	Tannins possessing bacteriostatic effect impair Pseudomonas aeruginosa adhesion and biofilm formation. <i>PLoS ONE</i> , 2013 , 8, e66257	3.7	63
192	The relationship between leaf nitrogen, nitrogen metabolites and herbivory in two species of Nyctaginaceae from the Brazilian Cerrado. <i>Environmental and Experimental Botany</i> , 2012 , 75, 268-276	5.9	10
191	Secondary metabolites from Spirotropis longifolia (DC) Baill and their antifungal activity against human pathogenic fungi. <i>Phytochemistry</i> , 2012 , 74, 166-72	4	24
190	Biomimetic in vitro oxidation of lapachol: a model to predict and analyse the in vivo phase I metabolism of bioactive compounds. <i>European Journal of Medicinal Chemistry</i> , 2012 , 54, 804-12	6.8	34
189	Application of MALDI-MS analysis of Rainforest chemodiversity: a keystone for biodiversity conservation and sustainable use. <i>Journal of Mass Spectrometry</i> , 2012 , 47, 1482-5	2.2	9
188	Gas-phase reactivity of 2-hydroxy-1,4-naphthoquinones: a computational and mass spectrometry study of lapachol congeners. <i>Journal of Mass Spectrometry</i> , 2012 , 47, 1648-59	2.2	20
187	Exogenous influences on plant secondary metabolite levels. <i>Animal Feed Science and Technology</i> , 2012 , 176, 5-16	3	130
186	A new HPLC-DAD-MS/MS method for the simultaneous determination of major compounds in the crude extract of Lychnophora salicifolia Mart. (Brazilian arnicb) leaves: application to chemical variability evaluation. <i>Analytica Chimica Acta</i> , 2012 , 748, 28-36	6.6	16
185	The Influence of Biotic and Abiotic Factors on the Production of Secondary Metabolites in Medicinal Plants 2012 , 419-452		12
184	Meroterpenes isolated from the endophytic fungus Guignardia mangiferae. <i>Phytochemistry Letters</i> , 2012 , 5, 519-523	1.9	22
183	Novel sesquiterpene lactones from Eremanthus seidelii. <i>Tetrahedron Letters</i> , 2012 , 53, 6339-6342	2	6
182	Pyridine alkaloids from Senna multijuga as acetylcholinesterase inhibitors. <i>Journal of Natural Products</i> , 2012 , 75, 408-13	4.9	19
181	Chemical constituents from red algae Bostrychia radicans (Rhodomelaceae): new amides and phenolic compounds. <i>Quimica Nova</i> , 2012 , 35, 2186-2188	1.6	11
180	Structure elucidation and anticancer activity of 7-oxostaurosporine derivatives from the Brazilian endemic tunicate Eudistoma vannamei. <i>Marine Drugs</i> , 2012 , 10, 1092-102	6	25
179	Towards new botanical pesticides: the toxic effect of Eremanthus goyazensis (Asteraceae) leaves essential oil against Brevipalpus phoenicis (Acari: Tenuipalpidae). <i>Quimica Nova</i> , 2012 , 35, 2254-2257	1.6	4
178	Aplicaß de espectrometria de massas com ionizaß por eltron na antise de alcaloides do mulungu. <i>Quimica Nova</i> , 2012 , 35, 2177-2180	1.6	5

177	Antioxidant activity and chemical composition of the non polar fraction of Gracilaria domingensis (Kfzing) Sonder ex Dickie and Gracilaria birdiae (Plastino & Oliveira). <i>Revista Brasileira De Farmacognosia</i> , 2012 , 22, 724-729	2	17
176	Estudo por espectrometria de massas de soluês de hidrឱi(tosilឱi)iodobenzeno: propostas para mecanismos de despropor B . <i>Quimica Nova</i> , 2012 , 35, 1593-1599	1.6	4
175	Antiproliferative activity of Eremanthus crotonoides extracts and centratherin demonstrated in brain tumor cell lines. <i>Revista Brasileira De Farmacognosia</i> , 2012 , 22, 1295-1300	2	4
174	Sensitive method for determination of piplartine, an alkaloid amide from Piper species, in rat plasma samples by liquid chromatography-tandem mass spectrometry. <i>Quimica Nova</i> , 2012 , 35, 460-465	1.6	9
173	Complete IH and 13C NMR structural assignments for a group of four goyazensolide-type furanoheliangolides. <i>Quimica Nova</i> , 2012 , 35, 2205-2209	1.6	8
172	Systematic UPLC-ESI-MS/MS study on the occurrence of staurosporine and derivatives in associated marine microorganisms from Eudistoma vannamei. <i>Journal of the Brazilian Chemical Society</i> , 2012 , 23, 335-343	1.5	13
171	Seasonal variation of the major secondary metabolites present in the extract of Eremanthus mattogrossensis Less (Asteraceae: Vernonieae) leaves. <i>Quimica Nova</i> , 2012 , 35, 2139-2145	1.6	30
170	Gas-phase reactivity of protonated 2-oxazoline derivatives: mass spectrometry and computational studies. <i>Rapid Communications in Mass Spectrometry</i> , 2012 , 26, 1061-9	2.2	9
169	Analysis of insect cuticular compounds by non-lethal solid phase micro extraction with styrene-divinylbenzene copolymers. <i>Journal of Chemical Ecology</i> , 2012 , 38, 418-26	2.7	9
168	Megastigmanes from Aleurites moluccana (L.) Willd. (Euphorbiaceae). <i>Biochemical Systematics and Ecology</i> , 2012 , 40, 34-37	1.4	6
167	Uptake of Seeds Secondary Metabolites by Virola surinamensis Seedlings. <i>International Journal of Analytical Chemistry</i> , 2012 , 2012, 721494	1.4	3
166	Fundamentals and applications of analytical chemistry in natural products. <i>International Journal of Analytical Chemistry</i> , 2012 , 2012, 156201	1.4	1
165	The potential of secondary metabolites from plants as drugs or leads against protozoan neglected diseases - part I. <i>Current Medicinal Chemistry</i> , 2012 , 19, 2128-75	4.3	149
164	The Potential of Secondary Metabolites from Plants as Drugs or Leads Against Protozoan Neglected Diseases - Part II. <i>Current Medicinal Chemistry</i> , 2012 , 19, 2176-2228	4.3	142
163	In vitro metabolism of grandisin, a lignan with anti-chagasic activity. <i>Planta Medica</i> , 2012 , 78, 1939-41	3.1	12
162	Pre-clinical pharmacokinetics of the acridine antitumour candidate AC04 and its 1-oxo-metabolite plasma profile. <i>Xenobiotica</i> , 2012 , 42, 701-7	2	3
161	Characterisation of flavonoid aglycones by negative ion chip-based nanospray tandem mass spectrometry. <i>International Journal of Analytical Chemistry</i> , 2012 , 2012, 259217	1.4	17
160	Concentration of Inorganic Elements Content in Benthic Seaweeds of Fernando de Noronha Archipelago by Synchrotron Radiation Total Reflection X-Ray Fluorescence Analysis (SRTXRF). <i>International Journal of Analytical Chemistry</i> , 2012 , 2012, 407274	1.4	4

159	Apolar compounds in seaweeds from fernando de noronha archipelago (northeastern coast of Brazil). <i>International Journal of Analytical Chemistry</i> , 2012 , 2012, 431954	1.4	5
158	Validation of the Stability-Indicating HPLC Method for the Major Flavonoids in Spray- Dryed Leaf Extract of Aleurites moluccana L. Willd. <i>Current Pharmaceutical Analysis</i> , 2012 , 8, 349-359	0.6	
157	6-Shogaol inhibits cathepsin-K activity and has anticatabolic and anti-inflammatory properties in stimulated chondrocytes. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, A68.2-A68	2.4	
156	The potential of secondary metabolites from plants as drugs or leads against protozoan neglected diseases - part II. <i>Current Medicinal Chemistry</i> , 2012 , 19, 2176-228	4.3	67
155	The protective role of Lychnophora ericoides Mart. (Brazilian arnica) in 1,2-dimethylhydrazine-induced experimental colon carcinogenesis. <i>Nutrition and Cancer</i> , 2011 , 63, 593-	9 ^{2.8}	7
154	Effects of chlorogenic acid on neutrophil locomotion functions in response to inflammatory stimulus. <i>Journal of Ethnopharmacology</i> , 2011 , 135, 261-9	5	24
153	Neurobiological activity of Parawixin 10, a novel anticonvulsant compound isolated from Parawixia bistriata spider venom (Araneidae: Araneae). <i>Epilepsy and Behavior</i> , 2011 , 22, 158-64	3.2	16
152	Analyses of the genotoxic and mutagenic potential of the products formed after the biotransformation of the azo dye Disperse Red 1. <i>Toxicology in Vitro</i> , 2011 , 25, 2054-63	3.6	89
151	Application of the atoms in molecules theory and computational chemistry in mass spectrometry analysis of 1,4-naphthoquinone derivatives. <i>Journal of Physical Chemistry A</i> , 2011 , 115, 12780-8	2.8	14
150	Contribution for the phytochemical studies of Ageratum fastigiatum. <i>Revista Brasileira De Farmacognosia</i> , 2011 , 21, 936-942	2	9
149	The application of "double isolation" in Fourier transform ion cyclotron resonance sustained off-resonance irradiation collisionally-induced dissociation tandem mass spectrometry to remove labile isobaric impurities. <i>European Journal of Mass Spectrometry</i> , 2011 , 17, 481-4	1.1	
148	Metabolism evaluation of the anticancer candidate AC04 by biomimetic oxidative model and rat liver microsomes. <i>European Journal of Medicinal Chemistry</i> , 2011 , 46, 4245-51	6.8	19
147	Re-examination of the anion derivatives of isoflavones by radical fragmentation in negative electrospray ionization tandem mass spectrometry: experimental and computational studies. <i>Rapid Communications in Mass Spectrometry</i> , 2011 , 25, 2020-6	2.2	31
146	Dissociation of deprotonated microcystin variants by collision-induced dissociation following electrospray ionization. <i>Rapid Communications in Mass Spectrometry</i> , 2011 , 25, 1981-92	2.2	14
145	Selectivity in reduction of natural furanoheliangolides with Stryker's reagent. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 6148-53	3.9	11
144	Generation of naphthoquinone radical anions by electrospray ionization: solution, gas-phase, and computational chemistry studies. <i>Journal of Physical Chemistry A</i> , 2011 , 115, 5453-60	2.8	22
143	Patent literature on mosquito repellent inventions which contain plant essential oilsa review. <i>Planta Medica</i> , 2011 , 77, 598-617	3.1	66
142	Plant extracts, isolated phytochemicals, and plant-derived agents which are lethal to arthropod vectors of human tropical diseasesa review. <i>Planta Medica</i> , 2011 , 77, 618-30	3.1	70

141	Antileishmanial sesquiterpenes from the Brazilian red alga Laurencia dendroidea. <i>Planta Medica</i> , 2011 , 77, 733-5	3.1	59
140	Validation of a gas chromatographic method to quantify sesquiterpenes in copaiba oils. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2011 , 54, 653-9	3.5	43
139	Nomenclaturas de espectrometria de massas em lfigua portuguesa. <i>Quimica Nova</i> , 2011 , 34, 1875-1887	1.6	4
138	Effects of Caffeoylquinic Acid Derivatives and C-Flavonoid from Lychnophora ericoides on in vitro Inflammatory Mediator Production. <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000500	0.9	7
137	Lychnophorinae (asteraceae): a survey of its chemical constituents and biological activities. <i>Quimica Nova</i> , 2010 , 33, 2245-2260	1.6	31
136	Alkaloids from stems of Esenbeckia leiocarpa Engl. (Rutaceae) as potential treatment for Alzheimer disease. <i>Molecules</i> , 2010 , 15, 9205-13	4.8	48
135	New ceramides from acnistus arborescens. <i>Journal of the Brazilian Chemical Society</i> , 2010 , 21, 867-871	1.5	4
134	In vitro study of antioxidant and scavenger properties of phenolic compounds from Lychnophora species. <i>Quimica Nova</i> , 2010 , 33, 867-870	1.6	12
133	Differential metabolic and biological profiles of Lychnophora ericoides mart. (Asteraceae) from different localities in the Brazilian "campos rupestres". <i>Journal of the Brazilian Chemical Society</i> , 2010 , 21, 750-759	1.5	14
132	Sesquiterpenes Lactones and Flavonoids from Eremanthus argenteus (Asteraceae). <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000500	0.9	5
131	LC-MS-MS Identification and Determination of the Flavone-C-Glucoside Vicenin-2 in Rat Plasma Samples Following Intraperitoneal Administration of Lychnophora Extract. <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000500	0.9	3
130	Fungal tyrosine betaine, a novel secondary metabolite from conidia of entomopathogenic Metarhizium spp. fungi. <i>Fungal Biology</i> , 2010 , 114, 473-80	2.8	28
129	Dereplication of Bromotyrosine-derived Metabolites by LC-PDA-MS and Analysis of the Chemical Profile of 14 Aplysina Sponge Specimens from the Brazilian Coastline. <i>Australian Journal of Chemistry</i> , 2010 , 63, 886	1.2	11
128	Biomimetic oxidation of piperine and piplartine catalyzed by iron(III) and manganese(III) porphyrins. <i>Biological and Pharmaceutical Bulletin</i> , 2010 , 33, 912-6	2.3	22
127	The cuticular hydrocarbons profiles in the stingless bee Melipona marginata reflect task-related differences. <i>Journal of Insect Physiology</i> , 2010 , 56, 800-4	2.4	36
126	Electrospray MS-based characterization of beta-carbolinesmutagenic constituents of thermally processed meat. <i>Molecular Nutrition and Food Research</i> , 2010 , 54, 433-9	5.9	11
125	Diketopiperazines produced by endophytic fungi found in association with two Asteraceae species. <i>Phytochemistry</i> , 2010 , 71, 1423-9	4	35
124	Fragmentation studies and electrospray ionization mass spectrometry of lapachol: protonated, deprotonated and cationized species. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 2101-8	2.2	24

(2009-2010)

123	Antimicrobial activity of Aegiphila sellowiana Cham., Lamiaceae, against oral pathogens. <i>Revista Brasileira De Farmacognosia</i> , 2010 , 20, 246-249	2	9
122	Effects of caffeoylquinic acid derivatives and C-flavonoid from Lychnophora ericoides on in vitro inflammatory mediator production. <i>Natural Product Communications</i> , 2010 , 5, 733-40	0.9	24
121	Sesquiterpenes lactones and flavonoids from Eremanthus argenteus (Asteraceae). <i>Natural Product Communications</i> , 2010 , 5, 681-4	0.9	6
120	Biotransformation of a tetrahydrofuran lignan by the endophytic fungus Phomopsis Sp <i>Journal of the Brazilian Chemical Society</i> , 2009 , 20, 195-200	1.5	41
119	LC-ESI-MS determination of quassinoids isobrucein B and neosergeolide in Picrolemma sprucei stem infusions. <i>Journal of the Brazilian Chemical Society</i> , 2009 , 20, 1065-1070	1.5	5
118	Fotoprotetores derivados de produtos naturais: perspectivas de mercado e interales entre o setor produtivo e centros de pesquisa. <i>Quimica Nova</i> , 2009 , 32, 717-721	1.6	11
117	Cytotoxic lipidic mmino acids from the zoanthid Protopalythoa variabilis from the Northeastern coast of Brazil. <i>Journal of the Brazilian Chemical Society</i> , 2009 , 20, 1455-1459	1.5	10
116	Star fruit: simultaneous neurotoxic and nephrotoxic effects in people with previously normal renal function. <i>CKJ: Clinical Kidney Journal</i> , 2009 , 2, 485-8	4.5	16
115	Gas-phase dissociation of 1,4-naphthoquinone derivative anions by electrospray ionization tandem mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2009 , 44, 1224-33	2.2	20
114	Gas-phase fragmentation of gamma-lactone derivatives by electrospray ionization tandem mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2009 , 44, 1733-41	2.2	19
113	Chemical signals in the stingless bee, Frieseomelitta varia, indicate caste, gender, age, and reproductive status. <i>Journal of Chemical Ecology</i> , 2009 , 35, 1172-80	2.7	27
112	Rapid Screening and Identification of Polar Constituents from Brazilian Arnica Lychnophora sp. by LC-UV/DAD-ESI-MS and LC-UV/DAD-ESI-MS/MS Analysis. <i>Chromatographia</i> , 2009 , 69, 157-165	2.1	6
111	Inhibitory effects of Solidago chilensis Meyen hydroalcoholic extract on acute inflammation. <i>Journal of Ethnopharmacology</i> , 2009 , 122, 478-85	5	37
110	3'3-ditrifluoromethyldiphenyl diselenide: a new organoselenium compound with interesting antigenotoxic and antimutagenic activities. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2009 , 673, 133-40	3	24
109	Synthesis of phthalocyanines-ALA conjugates: water-soluble compounds with low aggregation. <i>Journal of Organic Chemistry</i> , 2009 , 74, 7962-5	4.2	35
108	Spruceanumines A and B, novel plumeran indole alkaloids from Aspidosperma spruceanum(Apocynaceae). <i>Journal of the Brazilian Chemical Society</i> , 2009 , 20, 753-759	1.5	4
107	A Fragmentation study of di-acidic mycosporine-like amino acids in electrospray and nanospray mass spectrometry. <i>Journal of the Brazilian Chemical Society</i> , 2009 , 20, 1625-1631	1.5	14
106	Cuticular hydrocarbons in the stingless bee Schwarziana quadripunctata (Hymenoptera, Apidae, Meliponini): differences between colonies, castes and age. <i>Genetics and Molecular Research</i> , 2009 , 8, 589-95	1.2	39

105	Nestmate recognition in a stingless bee: does the similarity of chemical cues determine guard acceptance?. <i>Animal Behaviour</i> , 2008 , 75, 1165-1171	2.8	44
104	Sesquiterpene lactones and flavonoids from Lychnophora reticulata Gardn. (Asteraceae). <i>Biochemical Systematics and Ecology</i> , 2008 , 36, 434-436	1.4	6
103	Glycosides, caffeoylquinic acids and flavonoids from the polar extract of leaves of Lychnophora ericoides Mart. (Asteraceae). <i>Biochemical Systematics and Ecology</i> , 2008 , 36, 473-475	1.4	7
102	Antileukemic effects of Didemnum psammatodes (Tunicata: Ascidiacea) constituents. <i>Comparative Biochemistry and Physiology Part A, Molecular & Engrative Physiology</i> , 2008 , 151, 363-369	2.6	26
101	Cytotoxic activity of a dichloromethane extract and fractions obtained from Eudistoma vannamei (Tunicata: Ascidiacea). <i>Comparative Biochemistry and Physiology Part A, Molecular & Description (Tunicata)</i> (2008), 151, 391-398	2.6	24
100	Star fruit 2008 , 901-912		3
99	Volatile Retention and Antifungal Properties of Spray-Dried Microparticles of Lippia sidoides Essential Oil. <i>Drying Technology</i> , 2008 , 26, 1534-1542	2.6	56
98	Ion fluxes and hematological parameters of two teleosts from the Rio Negro, Amazon, exposed to hypoxia. <i>Brazilian Journal of Biology</i> , 2008 , 68, 571-5	1.5	7
97	HPLC-ESI-MS/MS analysis of oxidized di-caffeoylquinic acids generated by metalloporphyrin-catalyzed reactions. <i>Quimica Nova</i> , 2008 , 31, 767-770	1.6	11
96	Aplica ß da quífica quífitica computacional no estudo de processos quíficos envolvidos em espectrometria de massas. <i>Química Nova</i> , 2008 , 31, 840-853	1.6	23
95	A theoretical and mass spectrometry study of the fragmentation of mycosporine-like amino acids. <i>International Journal of Mass Spectrometry</i> , 2008 , 273, 11-19	1.9	48
94	Characterization of interactions between polyphenolic compounds and human serum proteins by capillary electrophoresis. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 391, 625-32	4.4	62
93	Comparative analysis of the gas-phase reactions of cylindrospermopsin and the difference in the alkali metal cation mobility. <i>Rapid Communications in Mass Spectrometry</i> , 2008 , 22, 2015-20	2.2	11
92	Negative ion 'chip-based' nanospray tandem mass spectrometry for the analysis of flavonoids in glandular trichomes of Lychnophora ericoides Mart. (Asteraceae). <i>Rapid Communications in Mass Spectrometry</i> , 2008 , 22, 3802-8	2.2	21
91	Detailed 1H and 13C NMR structural assignment and relative stereochemistry determination for three closely related sesquiterpene lactones. <i>Magnetic Resonance in Chemistry</i> , 2008 , 46, 576-81	2.1	13
90	Application of high-resolution electrospray mass spectrometry for the elucidation of the disproportionation reaction of iodobenzene diacetate. <i>International Journal of Mass Spectrometry</i> , 2008 , 276, 24-30	1.9	9
89	Online identification of chlorogenic acids, sesquiterpene lactones, and flavonoids in the Brazilian arnica Lychnophora ericoides Mart. (Asteraceae) leaves by HPLC-DAD-MS and HPLC-DAD-MS/MS and a validated HPLC-DAD method for their simultaneous analysis. <i>Journal of Agricultural and Food</i>	5.7	74
88	Chemistry, 2008, 56, 1193-204 Biological activities from extracts of endophytic fungi isolated from Viguiera arenaria and Tithonia diversifolia. FEMS Immunology and Medical Microbiology, 2008, 52, 134-44		71

(2007-2008)

87	Neuropharmacological effects in mice of Lychnophora species (Vernonieae, Asteraceae) and anticonvulsant activity of 4,5-di-O-[E]-caffeoylquinic acid isolated from the stem of L. rupestris and L. staavioides. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2008 , 102, 281-6	3.1	10
86	Antitumor activity of two derivatives from 2-acylamine-1, 4-naphthoquinone in mice bearing S180 tumor. <i>Journal of Experimental Therapeutics and Oncology</i> , 2008 , 7, 113-21	0.8	6
85	Permeability profile estimation of flavonoids and other phenolic compounds by biopartitioning micellar capillary chromatography. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 8372-9	5.7	13
84	Sample optimization for rapid identification of nucleosides and bases from ascidian extracts using ESI-MS/MS. <i>Journal of the Brazilian Chemical Society</i> , 2007 , 18, 1054-1060	1.5	5
83	Constituintes quínicos da ascília didemnum psammatodes (sluiter, 1895) coletada na costa cearense. <i>Quimica Nova</i> , 2007 , 30, 1179-1181	1.6	3
82	Liquid chromatography-tandem mass spectrometric method for determination of the anti-inflammatory compound vicenin-2 in the leaves of L. ericoides Mart. <i>Biomedical Chromatography</i> , 2007 , 21, 925-30	1.7	12
81	Fragmentation of diketopiperazines from Aspergillus fumigatus by electrospray ionization tandem mass spectrometry (ESI-MS/MS). <i>Journal of Mass Spectrometry</i> , 2007 , 42, 1279-86	2.2	35
80	Inhibition of horseradish peroxidase catalytic activity by new 3-phenylcoumarin derivatives: synthesis and structure-activity relationships. <i>Bioorganic and Medicinal Chemistry</i> , 2007 , 15, 1516-24	3.4	89
79	A new high-performance liquid chromatography assay for the determination of sesquiterpene lactone 15-deoxygoyazensolide in rat plasma. <i>Analytica Chimica Acta</i> , 2007 , 601, 212-7	6.6	5
78	Inhibition of acute nociceptive responses in rats after i.c.v. injection of Thr6-bradykinin, isolated from the venom of the social wasp, Polybia occidentalis. <i>British Journal of Pharmacology</i> , 2007 , 151, 860	<u>)-8</u> .6	32
77	Differential ionisation of natural antioxidant polyenes in electrospray and nanospray mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2007 , 21, 3842-8	2.2	15
76	Influence of biochemical, mineral and morphological features of natural food on tropical cladocerans. <i>Aquatic Ecology</i> , 2007 , 41, 557-568	1.9	4
<i>75</i>	Radical Ion Generation Processes of Organic Compounds in Electrospray Ionization Mass Spectrometry. <i>Mini-Reviews in Organic Chemistry</i> , 2007 , 4, 75-87	1.7	60
74	Plantas medicinais: fatores de influticia no contetio de metablitos secunditios. <i>Quimica Nova</i> , 2007 , 30, 374-381	1.6	473
73	Fragmentation studies of monensin A and B in negative electrospray and nanospray tandem mass spectrometry. <i>European Journal of Mass Spectrometry</i> , 2007 , 13, 191-8	1.1	1
72	Metabolites from algae with economical impact. <i>Comparative Biochemistry and Physiology Part - C:</i> Toxicology and Pharmacology, 2007 , 146, 60-78	3.2	395
71	Neuropharmacological profile of FrPbAII, purified from the venom of the social spider Parawixia bistriata (Araneae, Araneidae), in Wistar rats. <i>Life Sciences</i> , 2007 , 80, 566-72	6.8	17
70	Genotoxicity of 15-deoxygoyazensolide in bacteria and yeast. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2007 , 631, 16-25	3	8

69	Colony membership is reflected by variations in cuticular hydrocarbon profile in a Neotropical paper wasp, Polistes satan (Hymenoptera, Vespidae). <i>Genetics and Molecular Research</i> , 2007 , 6, 390-6	1.2	13
68	Identification of biologically active triterpenes and sterols present in hexane extracts from Miconia species using high-resolution gas chromatography. <i>Biomedical Chromatography</i> , 2006 , 20, 827-30	1.7	22
67	Fragmentation studies of synthetic 2-acylamino-1,4-naphthoquinones by electrospray ionization mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2006 , 41, 1219-25	2.2	18
66	Neurochemical characterization of a neuroprotective compound from Parawixia bistriata spider venom that inhibits synaptosomal uptake of GABA and glycine. <i>Molecular Pharmacology</i> , 2006 , 69, 1998	- 2 ₫06	27
65	Mechanism for the elimination of aromatic molecules from polyenes in tandem mass spectrometry. <i>Chemical Communications</i> , 2006 , 4110-2	5.8	16
64	Variabilidade sazonal do teor de saponinas de Baccharis trimera (Less.) DC (Carqueja) e isolamento de flavona. <i>Revista Brasileira De Farmacognosia</i> , 2006 , 16, 557-561	2	19
63	Differences in secondary metabolites from leaf extracts of Mikania glomerata Sprengel obtained by micropropagation and cuttings. <i>Revista Brasileira De Farmacognosia</i> , 2006 , 16, 596-598	2	11
62	Constituintes quinicos de Almeidea coerulea (Nees & Mart.) A. StHil. Rutaceae. <i>Revista Brasileira</i> De Farmacognosia, 2006 , 16, 164-169	2	3
61	Espectrometria de massas com ioniza b por "electrospray": processos quínicos envolvidos na formab de bns de substicias orgiticas de baixo peso molecular. <i>Quimica Nova</i> , 2006 , 29, 287-292	1.6	32
60	Influence of the alkali metal cation on the fragmentation of monensin in ESI-MS/MS. <i>BJPS: Brazilian Journal of Pharmaceutical Sciences</i> , 2006 , 42, 363		3
60 59		2.3	3 363
	Evaluation of the anti-inflammatory, analgesic and antipyretic activities of the natural polyphenol chlorogenic acid. <i>Biological and Pharmaceutical Bulletin</i> , 2006 , 29, 2236-40 Letter: radical ion and protonated molecule formation with retinal in electrospray and nanospray.	2.3	
59	Journal of Pharmaceutical Sciences, 2006, 42, 363 Evaluation of the anti-inflammatory, analgesic and antipyretic activities of the natural polyphenol chlorogenic acid. Biological and Pharmaceutical Bulletin, 2006, 29, 2236-40 Letter: radical ion and protonated molecule formation with retinal in electrospray and nanospray.		363
59 58	Journal of Pharmaceutical Sciences, 2006, 42, 363 Evaluation of the anti-inflammatory, analgesic and antipyretic activities of the natural polyphenol chlorogenic acid. Biological and Pharmaceutical Bulletin, 2006, 29, 2236-40 Letter: radical ion and protonated molecule formation with retinal in electrospray and nanospray. European Journal of Mass Spectrometry, 2006, 12, 71-4 Analgesic activity of di-caffeoylquinic acids from roots of Lychnophora ericoides (Arnica da serra).	1.1	363
59 58 57	Evaluation of the anti-inflammatory, analgesic and antipyretic activities of the natural polyphenol chlorogenic acid. <i>Biological and Pharmaceutical Bulletin</i> , 2006 , 29, 2236-40 Letter: radical ion and protonated molecule formation with retinal in electrospray and nanospray. <i>European Journal of Mass Spectrometry</i> , 2006 , 12, 71-4 Analgesic activity of di-caffeoylquinic acids from roots of Lychnophora ericoides (Arnica da serra). <i>Journal of Ethnopharmacology</i> , 2005 , 96, 545-9 Metabolic adjustments in two Amazonian cichlids exposed to hypoxia and anoxia. <i>Comparative</i>	1.1	363 10 63
59 58 57 56	Evaluation of the anti-inflammatory, analgesic and antipyretic activities of the natural polyphenol chlorogenic acid. <i>Biological and Pharmaceutical Bulletin</i> , 2006 , 29, 2236-40 Letter: radical ion and protonated molecule formation with retinal in electrospray and nanospray. <i>European Journal of Mass Spectrometry</i> , 2006 , 12, 71-4 Analgesic activity of di-caffeoylquinic acids from roots of Lychnophora ericoides (Arnica da serra). <i>Journal of Ethnopharmacology</i> , 2005 , 96, 545-9 Metabolic adjustments in two Amazonian cichlids exposed to hypoxia and anoxia. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2005 , 141, 347-55 A study on the species present in solutions of hypervalent iodine(III) reagents by electrospray	1.1 5 2.3 2	363 10 63
59 58 57 56	Evaluation of the anti-inflammatory, analgesic and antipyretic activities of the natural polyphenol chlorogenic acid. <i>Biological and Pharmaceutical Bulletin</i> , 2006 , 29, 2236-40 Letter: radical ion and protonated molecule formation with retinal in electrospray and nanospray. <i>European Journal of Mass Spectrometry</i> , 2006 , 12, 71-4 Analgesic activity of di-caffeoylquinic acids from roots of Lychnophora ericoides (Arnica da serra). <i>Journal of Ethnopharmacology</i> , 2005 , 96, 545-9 Metabolic adjustments in two Amazonian cichlids exposed to hypoxia and anoxia. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2005 , 141, 347-55 A study on the species present in solutions of hypervalent iodine(III) reagents by electrospray ionization mass spectrometry. <i>Tetrahedron Letters</i> , 2005 , 46, 6023-6027 Oxidative metabolism of 5-o-caffeoylquinic acid (chlorogenic acid), a bioactive natural product, by	1.1 5 2.3 2	363 10 63 70

51	Biomimetic oxidation of praziquantel catalysed by metalloporphyrins. <i>Journal of Molecular Catalysis A</i> , 2005 , 226, 23-31		26	
50	Quantitative HPLC analysis of sesquiterpene lactones and determination of chemotypes in Eremanthus seidelii MacLeish & Schumacher (Asteraceae). <i>Journal of the Brazilian Chemical Society</i> , 2005 , 16, 1396-1401	1.5	14	
49	Sesquiterpene lactones from Minasia alpestris. Journal of the Brazilian Chemical Society, 2005, 16, 677-	6 8:0 5	9	
48	Electrospray ionization mass spectrometry screening of piperidine alkaloids from Senna spectabilis (Fabaceae) extracts: fast identification of new constituents and co-metabolites. <i>Journal of the Brazilian Chemical Society</i> , 2005 , 16, 1431-1438	1.5	23	
47	Evaluation of the anti-inflammatory and antioxidant activities of di-C-glucoflavones from Lychnophora ericoides (Asteraceae). <i>Planta Medica</i> , 2005 , 71, 3-6	3.1	44	
46	Flavonoids from Lychnophora passerina (Asteraceae): potential antioxidants and UV-protectants. <i>Biochemical Systematics and Ecology</i> , 2004 , 32, 239-243	1.4	25	
45	Triterpenoids and flavonoids from Lychnophoriopsis candelabrum (Asteraceae). <i>Biochemical Systematics and Ecology</i> , 2004 , 32, 509-512	1.4	4	
44	The fragmentation mechanism of five-membered lactones by electrospray ionisation tandem mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2004 , 232, 271-276	1.9	50	
43	Inhibitory activity of flavonoids from Lychnophora sp. on generation of reactive oxygen species by neutrophils upon stimulation by immune complexes. <i>Phytotherapy Research</i> , 2004 , 18, 61-5	6.7	34	
42	Total assignment of 1H and 13C NMR data for the sesquiterpene lactone 15-deoxygoyazensolide. <i>Magnetic Resonance in Chemistry</i> , 2004 , 42, 364-7	2.1	15	
41	Fragmentation studies on tetronasin by accurate-mass electrospray tandem mass spectrometry. Journal of the American Society for Mass Spectrometry, 2004 , 15, 325-35	3.5	23	
40	New chemical evidence for the ability to generate radical molecular ions of polyenes from ESI and HR-MALDI mass spectrometry. <i>Analyst, The</i> , 2004 , 129, 1223-6	5	39	
39	Evidence for gas-phase redox chemistry inducing novel fragmentation in a complex natural product. <i>Organic and Biomolecular Chemistry</i> , 2004 , 2, 358-63	3.9	11	
38	The biological activity in mammals and insects of the nucleosidic fraction from the spider Parawixia bistriata. <i>Toxicon</i> , 2004 , 43, 375-83	2.8	14	
37	A anticonvulsive fraction from Scaptocosa raptoria (Araneae: Lycosidae) spider venom. <i>Neuroscience Letters</i> , 2004 , 371, 171-5	3.3	13	
36	New butenolides in plantlets of Virola surinamensis (Myristicaceae). <i>Chemical and Pharmaceutical Bulletin</i> , 2004 , 52, 1255-7	1.9	5	
35	Production of an antiproliferative furanoheliangolide by Lychnophora ericoides cell culture. <i>Chemical and Pharmaceutical Bulletin</i> , 2004 , 52, 1433-5	1.9	19	
34	Biosynthesis of tetrahydrofuran lignans in Virola surinamensis. <i>BJPS: Brazilian Journal of Pharmaceutical Sciences</i> , 2004 , 40, 53-57		2	

33	Synthesis of trypanocidal tetrahydrofuran lignans. <i>Arkivoc</i> , 2004 , 2004, 112-126	0.9	7
32	In vitro trypanocidal activity of triterpenes from miconia species. <i>Planta Medica</i> , 2003 , 69, 470-2	3.1	67
31	LC-MS-MS identification of drug metabolites obtained by metalloporphyrin mediated oxidation. <i>Journal of the Brazilian Chemical Society</i> , 2003 , 14, 322-328	1.5	5
30	Quantification of furanoheliangolides by HPLC and GC. <i>BJPS: Brazilian Journal of Pharmaceutical Sciences</i> , 2003 , 39, 341-345		1
29	Trypanocidal activity of Lychnophora staavioides Mart. (Vernonieae, Asteraceae). <i>Phytomedicine</i> , 2003 , 10, 490-3	6.5	28
28	Enantioselective determination of metoprolol acidic metabolite in plasma and urine using liquid chromatography chiral columns: applications to pharmacokinetics. <i>Journal of Chromatography B:</i> Analytical Technologies in the Biomedical and Life Sciences, 2003, 783, 433-41	3.2	21
27	Effects of essential fatty acids and N and P-limited algae on the growth rate of tropical cladocerans. <i>Freshwater Biology</i> , 2003 , 48, 759-767	3.1	21
26	Sodium monensin dihydrate. Acta Crystallographica Section E: Structure Reports Online, 2003, 59, m105	0-m10	52 8
25	Sesquiterpene lactones from Lychnophora ericoides. <i>Journal of Natural Products</i> , 2003 , 66, 693-5	4.9	42
24	The effect of ruthenium(III) chloride on the formation of protonated parent ions in electrospray mass spectrometry. <i>Chemical Communications</i> , 2003 , 2732-3	5.8	7
23	Novel gas-phase ion-molecule aromatic nucleophilic substitution in beta-carbolines. <i>Chemical Communications</i> , 2003 , 72-3	5.8	7
22	Phytochemical study of Lychnophora markgravii (Asteraceae). <i>Biochemical Systematics and Ecology</i> , 2002 , 30, 609-612	1.4	9
21	Fragmentation studies on monensin A and B by accurate-mass electrospray tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2002 , 16, 414-20	2.2	45
20	Produtos naturais: atualidade, desafios e perspectivas. <i>Quimica Nova</i> , 2002 , 25, 45-61	1.6	41
19	Fragmentation studies on monensin A by sequential electrospray mass spectrometry. <i>Analyst, The</i> , 2002 , 127, 503-6	5	39
18	Fragmentation studies on lasalocid acid by accurate mass electrospray mass spectrometry. <i>Analyst, The</i> , 2002 , 127, 1224-7	5	26
17	A study of the effect of pH, solvent system, cone potential and the addition of crown ethers on the formation of the monensin protonated parent ion in electrospray mass spectrometry. <i>Analyst, The</i> , 2001 , 126, 1630-1632	5	30
16	BRAZILIAN SPECIES OF VIGUIERA (ASTERACEAE) EXHIBIT LOW LEVELS OF ITS SEQUENCE VARIATION. <i>Edinburgh Journal of Botany</i> , 2000 , 57, 323-332	0.5	21

LIST OF PUBLICATIONS

15	Phenylpropanoid derivatives and biflavones at different stages of differentiation and development of Araucaria angustifolia. <i>Phytochemistry</i> , 2000 , 55, 575-80	4	35
14	Analgesic activity of the lignans from Lychnophora ericoides. <i>Phytochemistry</i> , 2000 , 55, 809-13	4	74
13	Peridinin as the major biological carotenoid quencher of singlet oxygen in marine algae Gonyaulax polyedra. <i>Biochemical and Biophysical Research Communications</i> , 2000 , 268, 496-500	3.4	45
12	Antifungal constituents from roots of Virolasurinamensis. <i>Phytochemistry</i> , 1999 , 51, 29-33	4	44
11	Antimalarial use of volatile oil from leaves of Virola surinamensis (Rol.) Warb. by Waißi Amazon Indians. <i>Journal of Ethnopharmacology</i> , 1999 , 67, 313-9	5	89
10	Butanolides as a common feature of iryanthera lancifolia and virola surinamensis. <i>Phytochemistry</i> , 1998 , 49, 1405-1410	4	15
9	Flavonoids and lignans from Virola surinamensis twigs and their in vitro activity against Trypanosoma cruzi. <i>Planta Medica</i> , 1998 , 64, 667-8	3.1	67
8	Circadian and seasonal variation in the essential oil from Virola surinamensis leaves. <i>Phytochemistry</i> , 1997 , 46, 689-693	4	30
7	Lignans, Elactones and propiophenones of Virola surinamensis. <i>Phytochemistry</i> , 1996 , 43, 1089-1092	4	34
6	A butanolide from seedlings and micropropagated leaves of Virola surinamensis. <i>Phytochemistry</i> , 1994 , 35, 1469-1470	4	18
5	METABOLÍMICA DE PLANTAS: MÍTODOS E DESAFIOS. <i>Quimica Nova</i> ,	1.6	4
4	Tenofovir Disoproxil Fumarate: New Chemical Developments and Encouraging in vitro Biological Results for SARS-CoV-2. <i>Journal of the Brazilian Chemical Society</i> ,	1.5	6
3	Reference data based insights expand understanding of human metabolomes		4
2	Biotransformation of pungent constituents from ginger (Zingiber officinale Roscoe) by Colletotrichum gloeosporioides yields oxidative orthoâbrtho coupling products. <i>Biocatalysis and Biotransformation</i> ,1-12	2.5	
1	Cucurbitane Triterpene Glycosides from the Roots of Wilbrandia hibiscoides. <i>Revista Brasileira De Farmacognosia</i> ,1	2	