

Edith Pomarol-Clotet

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/6300184/edith-pomarol-clotet-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

125
papers

3,712
citations

30
h-index

57
g-index

140
ext. papers

4,990
ext. citations

5.4
avg, IF

4.73
L-index

#	Paper	IF	Citations
125	Target selection for deep brain stimulation in treatment resistant schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022 , 112, 110436	5.5	3
124	Cortical thinning over two years after first-episode psychosis depends on age of onset.. <i>NPJ Schizophrenia</i> , 2022 , 8, 20	5.5	0
123	Processing of linguistic deixis in people with schizophrenia, with and without auditory verbal hallucinations.. <i>NeuroImage: Clinical</i> , 2022 , 34, 103007	5.3	
122	Combining fMRI and DISC1 gene haplotypes to understand working memory-related brain activity in schizophrenia.. <i>Scientific Reports</i> , 2022 , 12, 7351	4.9	
121	New insights of the role of the KCNH2 gene in schizophrenia: An fMRI case-control study. <i>European Neuropsychopharmacology</i> , 2022 , 60, 38-47	1.2	
120	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021 , 26, 5124-5139	15.1	48
119	Altered brain responses to specific negative emotions in schizophrenia.. <i>NeuroImage: Clinical</i> , 2021 , 32, 102894	5.3	0
118	Association between body mass index and subcortical brain volumes in bipolar disorders-ENIGMA study in 2735 individuals. <i>Molecular Psychiatry</i> , 2021 ,	15.1	5
117	Comparison of non-parametric T relaxometry methods for myelin water quantification. <i>Medical Image Analysis</i> , 2021 , 69, 101959	15.4	4
116	methylation is associated with bipolar disorder and the isoform expression and methylation of myelin genes. <i>Epigenomics</i> , 2021 , 13, 845-858	4.4	1
115	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021 , 78, 47-63	14.5	43
114	Autobiographical memory and default mode network function in schizophrenia: an fMRI study. <i>Psychological Medicine</i> , 2021 , 51, 121-128	6.9	2
113	Brain imaging of executive function with the computerised multiple elements test. <i>Brain Imaging and Behavior</i> , 2021 , 15, 2317-2329	4.1	1
112	Structural brain abnormalities in borderline personality disorder correlate with clinical severity and predict psychotherapy response. <i>Brain Imaging and Behavior</i> , 2021 , 15, 2502-2512	4.1	3
111	Cortical thickness across the lifespan: Data from 17,075 healthy individuals aged 3-90 years. <i>Human Brain Mapping</i> , 2021 ,	5.9	26
110	Subcortical volumes across the lifespan: Data from 18,605 healthy individuals aged 3-90 years. <i>Human Brain Mapping</i> , 2021 ,	5.9	13
109	The BAT: A videotaped battery to assess theory of mind in schizophrenia. <i>Psychiatry Research</i> , 2021 , 297, 113709	9.9	

108	Neural correlates of disturbance in the sense of agency in schizophrenia: An fMRI study using the Enfacement Paradigm. <i>Schizophrenia Research</i> , 2021 ,	3.6	1
107	Auditory hallucinations activate language and verbal short-term memory, but not auditory, brain regions. <i>Scientific Reports</i> , 2021 , 11, 18890	4.9	3
106	Interindividual variability of functional connectome in schizophrenia. <i>Schizophrenia Research</i> , 2021 , 235, 65-73	3.6	1
105	A meta-analysis of deep brain structural shape and asymmetry abnormalities in 2,833 individuals with schizophrenia compared with 3,929 healthy volunteers via the ENIGMA Consortium. <i>Human Brain Mapping</i> , 2021 ,	5.9	7
104	Age- and gender-related differences in brain tissue microstructure revealed by multi-component T relaxometry. <i>Neurobiology of Aging</i> , 2021 , 106, 68-79	5.6	2
103	Activation and deactivation patterns in schizophrenia during performance of an fMRI adapted version of the stroop task. <i>Journal of Psychiatric Research</i> , 2021 , 144, 1-7	5.2	0
102	Brain structural and functional substrates of ADGRL3 (latrophilin 3) haplotype in attention-deficit/hyperactivity disorder. <i>Scientific Reports</i> , 2021 , 11, 2373	4.9	
101	Multivariate Brain Functional Connectivity Through Regularized Estimators. <i>Frontiers in Neuroscience</i> , 2020 , 14, 569540	5.1	2
100	Brain metabolic changes in patients with treatment resistant schizophrenia treated with deep brain stimulation: A series of cases. <i>Journal of Psychiatric Research</i> , 2020 , 127, 57-61	5.2	2
99	Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. <i>NeuroImage</i> , 2020 , 218, 116956	7.9	32
98	Birth weight and antipsychotic induced weight gain: A prenatal programming approach in the PEPs study. <i>Schizophrenia Research</i> , 2020 , 218, 292-294	3.6	1
97	Deep brain stimulation in treatment resistant schizophrenia: A pilot randomized cross-over clinical trial. <i>EBioMedicine</i> , 2020 , 51, 102568	8.8	23
96	Structural abnormality in schizophrenia versus bipolar disorder: A whole brain cortical thickness, surface area, volume and gyrification analyses. <i>NeuroImage: Clinical</i> , 2020 , 25, 102131	5.3	8
95	Brain imaging correlates of self- and other-reflection in schizophrenia. <i>NeuroImage: Clinical</i> , 2020 , 25, 102134	5.3	9
94	Language disintegration in spontaneous speech in Huntington's disease: a more fine-grained analysis. <i>Journal of Communication Disorders</i> , 2020 , 83, 105970	1.9	2
93	In vivo hippocampal subfield volumes in bipolar disorder-A mega-analysis from The Enhancing Neuro Imaging Genetics through Meta-Analysis Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	14
92	Intelligence, educational attainment, and brain structure in those at familial high-risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2020 ,	5.9	5
91	Greater male than female variability in regional brain structure across the lifespan. <i>Human Brain Mapping</i> , 2020 ,	5.9	31

90	What we learn about bipolar disorder from large-scale neuroimaging: Findings and future directions from the ENIGMA Bipolar Disorder Working Group. <i>Human Brain Mapping</i> , 2020 ,	5.9	21
89	Using structural MRI to identify bipolar disorders - 13 site machine learning study in 3020 individuals from the ENIGMA Bipolar Disorders Working Group. <i>Molecular Psychiatry</i> , 2020 , 25, 2130-2143	15.1	71
88	Metabolic Syndrome Screening in People With Severe Mental Illness: Results From Two Spanish Community Mental Health Centers. <i>Journal of the American Psychiatric Nurses Association</i> , 2020 , 26, 162-171	1.8	2
87	An overlapping pattern of cerebral cortical thinning is associated with both positive symptoms and aggression in schizophrenia via the ENIGMA consortium. <i>Psychological Medicine</i> , 2020 , 50, 2034-2045	6.9	6
86	Evidence for default mode network dysfunction in borderline personality disorder. <i>Psychological Medicine</i> , 2020 , 50, 1746-1754	6.9	6
85	Widespread white matter microstructural abnormalities in bipolar disorder: evidence from mega- and meta-analyses across 3033 individuals. <i>Neuropsychopharmacology</i> , 2019 , 44, 2285-2293	8.7	68
84	The interfering effects of frequent auditory verbal hallucinations on shadowing performance in schizophrenia. <i>Schizophrenia Research</i> , 2019 , 208, 488-489	3.6	4
83	Effects of mindfulness training on the default mode network in borderline personality disorder. <i>Clinical Psychology and Psychotherapy</i> , 2019 , 26, 562-571	2.9	5
82	Longitudinal brain functional changes between mania and euthymia in bipolar disorder. <i>Bipolar Disorders</i> , 2019 , 21, 449-457	3.8	11
81	Neutrophil Count Is Associated With Reduced Gray Matter and Enlarged Ventricles in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2019 , 45, 846-858	1.3	15
80	Effectiveness of a community-based nurse-led lifestyle-modification intervention for people with serious mental illness and metabolic syndrome. <i>International Journal of Mental Health Nursing</i> , 2019 , 28, 1328-1337	3.8	10
79	Multimodal Integration of Brain Images for MRI-Based Diagnosis in Schizophrenia. <i>Frontiers in Neuroscience</i> , 2019 , 13, 1203	5.1	14
78	Sparse wars: A survey and comparative study of spherical deconvolution algorithms for diffusion MRI. <i>NeuroImage</i> , 2019 , 184, 140-160	7.9	21
77	Effects of Mindfulness Training on Borderline Personality Disorder: Impulsivity Versus Emotional Dysregulation. <i>Mindfulness</i> , 2019 , 10, 1243-1254	2.9	8
76	The linguistic signature of hallucinated voice talk in schizophrenia. <i>Schizophrenia Research</i> , 2019 , 206, 111-117	3.6	12
75	Discoidin domain receptor 1 gene variants are associated with decreased white matter fractional anisotropy and decreased processing speed in schizophrenia. <i>Journal of Psychiatric Research</i> , 2019 , 110, 74-82	5.2	8
74	Reply to: New Meta- and Mega-analyses of Magnetic Resonance Imaging Findings in Schizophrenia: Do They Really Increase Our Knowledge About the Nature of the Disease Process?. <i>Biological Psychiatry</i> , 2019 , 85, e35-e39	7.9	4
73	Shared and differential default-mode related patterns of activity in an autobiographical, a self-referential and an attentional task. <i>PLoS ONE</i> , 2019 , 14, e0209376	3.7	7

72	Mental health professionals' attitudes towards mental illness: professional and cultural factors in the INTER NOS study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 325-339	5.1	14
71	Multimodal Brain Changes in First-Episode Mania: A Voxel-Based Morphometry, Functional Magnetic Resonance Imaging, and Connectivity Study. <i>Schizophrenia Bulletin</i> , 2019 , 45, 464-473	1.3	29
70	Functional Imaging Changes in the Medial Prefrontal Cortex in Adult ADHD. <i>Journal of Attention Disorders</i> , 2018 , 22, 679-693	3.7	17
69	Gray and white matter changes and their relation to illness trajectory in first episode psychosis. <i>European Neuropsychopharmacology</i> , 2018 , 28, 392-400	1.2	11
68	Orbitofrontal overactivation in reward processing in borderline personality disorder: the role of non-suicidal self-injury. <i>Brain Imaging and Behavior</i> , 2018 , 12, 217-228	4.1	20
67	Larger Gray Matter Volume in the Basal Ganglia of Heavy Cannabis Users Detected by Voxel-Based Morphometry and Subcortical Volumetric Analysis. <i>Frontiers in Psychiatry</i> , 2018 , 9, 175	5	19
66	A comparison of various MRI feature types for characterizing whole brain anatomical differences using linear pattern recognition methods. <i>NeuroImage</i> , 2018 , 178, 753-768	7.9	18
65	Abnormalities in gray matter volume in patients with borderline personality disorder and their relation to lifetime depression: A VBM study. <i>PLoS ONE</i> , 2018 , 13, e0191946	3.7	15
64	Approaches to neuromodulation for schizophrenia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018 , 89, 777-787	5.5	27
63	Deficits in nominal reference identify thought disordered speech in a narrative production task. <i>PLoS ONE</i> , 2018 , 13, e0201545	3.7	9
62	Cognitive impairment associated with cocaine use: The role of co-existent alcohol abuse/dependence. <i>Drug and Alcohol Dependence</i> , 2018 , 189, 70-75	4.9	5
61	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018 , 84, 644-654	7.9	325
60	Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E5154-E5163	11.5	182
59	Sensitivity and specificity of hypoactivations and failure of de-activation in schizophrenia. <i>Schizophrenia Research</i> , 2018 , 201, 224-230	3.6	3
58	Surface-based brain morphometry and diffusion tensor imaging in schizoaffective disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017 , 51, 42-54	2.6	8
57	Non redundant functional brain connectivity in schizophrenia. <i>Brain Imaging and Behavior</i> , 2017 , 11, 552-564	4.64	7
56	Eye movement desensitization and reprocessing therapy versus supportive therapy in affective relapse prevention in bipolar patients with a history of trauma: study protocol for a randomized controlled trial. <i>Trials</i> , 2017 , 18, 160	2.8	25
55	Evaluation of machine learning algorithms and structural features for optimal MRI-based diagnostic prediction in psychosis. <i>PLoS ONE</i> , 2017 , 12, e0175683	3.7	57

54	Differential failure to deactivate the default mode network in unipolar and bipolar depression. <i>Bipolar Disorders</i> , 2017 , 19, 386-395	3.8	25
53	Patterns of activation and de-activation associated with cue-guided spatial navigation: A whole-brain, voxel-based study. <i>Neuroscience</i> , 2017 , 358, 70-78	3.9	1
52	Spanish Validation of the Problem Behaviors Assessment-Short (PBA-s) for Huntington's Disease. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2017 , 29, 31-38	2.7	4
51	Midline Brain Abnormalities Across Psychotic and Mood Disorders. <i>Schizophrenia Bulletin</i> , 2016 , 42, 229-38	3.8	23
50	Converging Medial Frontal Resting State and Diffusion-Based Abnormalities in Borderline Personality Disorder. <i>Biological Psychiatry</i> , 2016 , 79, 107-16	7.9	40
49	Brain abnormalities in adults with Attention Deficit Hyperactivity Disorder revealed by voxel-based morphometry. <i>Psychiatry Research - Neuroimaging</i> , 2016 , 254, 41-7	2.9	24
48	Involvement of NRN1 gene in schizophrenia-spectrum and bipolar disorders and its impact on age at onset and cognitive functioning. <i>World Journal of Biological Psychiatry</i> , 2016 , 17, 129-39	3.8	10
47	Structural and functional brain changes in delusional disorder. <i>British Journal of Psychiatry</i> , 2016 , 208, 153-9	5.4	21
46	Clinical Improvement in a Treatment-Resistant Patient With Schizophrenia Treated With Deep Brain Stimulation. <i>Biological Psychiatry</i> , 2016 , 80, e69-70	7.9	19
45	Examining hippocampal function in schizophrenia using a virtual reality spatial navigation task. <i>Schizophrenia Research</i> , 2016 , 172, 86-93	3.6	14
44	Structural and Functional Brain Correlates of Cognitive Impairment in Euthymic Patients with Bipolar Disorder. <i>PLoS ONE</i> , 2016 , 11, e0158867	3.7	21
43	Letter to the Editor: Deep brain stimulation for schizophrenia. <i>Journal of Neurosurgery</i> , 2016 , 125, 229-30	3.2	6
42	Prevalence of cavum vergae in psychosis and mood spectrum disorders. <i>Journal of Affective Disorders</i> , 2015 , 186, 53-7	6.6	4
41	Validation of the Spanish version of the Clinical Assessment for Negative Symptoms (CAINS). <i>Schizophrenia Research</i> , 2015 , 166, 104-9	3.6	38
40	Validity and reliability of the Spanish version of the diagnostic assessment for the severely handicapped (DASH-II). <i>Research in Developmental Disabilities</i> , 2015 , 36C, 537-542	2.7	3
39	A Multisite, Randomized Controlled Clinical Trial of Computerized Cognitive Remediation Therapy for Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015 , 41, 1387-96	1.3	30
38	Transcultural adaption and validation of the Spanish version of the Bipolar Depression Rating Scale (BDRS-S). <i>Journal of Affective Disorders</i> , 2015 , 172, 110-5	6.6	7
37	Brain functional changes across the different phases of bipolar disorder. <i>British Journal of Psychiatry</i> , 2015 , 206, 136-44	5.4	40

36	Spherical Deconvolution of Multichannel Diffusion MRI Data with Non-Gaussian Noise Models and Spatial Regularization. <i>PLoS ONE</i> , 2015 , 10, e0138910	3.7	21
35	Trait or state? A longitudinal neuropsychological evaluation and fMRI study in schizoaffective disorder. <i>Schizophrenia Research</i> , 2014 , 159, 458-64	3.6	8
34	Comparison of serum BDNF levels in deficit and nondeficit chronic schizophrenia and healthy controls. <i>Psychiatry Research</i> , 2014 , 220, 197-200	9.9	15
33	Structural abnormalities in bipolar euthymia: a multicontrast molecular diffusion imaging study. <i>Biological Psychiatry</i> , 2014 , 76, 239-48	7.9	49
32	Eye movement desensitization and reprocessing therapy in subsyndromal bipolar patients with a history of traumatic events: a randomized, controlled pilot-study. <i>Psychiatry Research</i> , 2014 , 219, 122-8	9.9	53
31	Validity of modulation and optimal settings for advanced voxel-based morphometry. <i>NeuroImage</i> , 2014 , 86, 81-90	7.9	79
30	Anisotropic kernels for coordinate-based meta-analyses of neuroimaging studies. <i>Frontiers in Psychiatry</i> , 2014 , 5, 13	5	192
29	Common and specific brain responses to scenic emotional stimuli. <i>Brain Structure and Function</i> , 2014 , 219, 1463-72	4	23
28	Statistical analysis of brain tissue images in the wavelet domain: wavelet-based morphometry. <i>NeuroImage</i> , 2013 , 72, 214-26	7.9	11
27	Bipolar depressed patients show both failure to activate and failure to de-activate during performance of a working memory task. <i>Journal of Affective Disorders</i> , 2013 , 148, 170-8	6.6	58
26	EMDR therapy modulates the default mode network in a subsyndromal, traumatized bipolar patient. <i>Neuropsychobiology</i> , 2013 , 67, 181-4	4	27
25	Structural brain changes associated with tardive dyskinesia in schizophrenia. <i>British Journal of Psychiatry</i> , 2013 , 203, 51-7	5.4	28
24	Effect of the interleukin-1 β gene on dorsolateral prefrontal cortex function in schizophrenia: a genetic neuroimaging study. <i>Biological Psychiatry</i> , 2012 , 72, 758-65	7.9	25
23	Failure of de-activation in the medial frontal cortex in mania: evidence for default mode network dysfunction in the disorder. <i>World Journal of Biological Psychiatry</i> , 2012 , 13, 616-26	3.8	39
22	Procedural learning in schizophrenia: reconciling the discrepant findings. <i>Biological Psychiatry</i> , 2011 , 69, 49-54	7.9	16
21	Validation of the Word Accentuation Test (TAP) as a means of estimating premorbid IQ in Spanish speakers. <i>Schizophrenia Research</i> , 2011 , 128, 175-6	3.6	88
20	Predicting violence in psychiatric inpatients: a prospective study with the HCR-20 violence risk assessment scheme. <i>Journal of Forensic Psychiatry and Psychology</i> , 2011 , 22, 203-222	0.9	14
19	Neural correlates of cognitive impairment in schizophrenia. <i>British Journal of Psychiatry</i> , 2011 , 199, 202-10	10.4	35

18	ECT in a patient with Parkinson's disease and schizophrenia, with dopamine transporter visualisation using 123I-ioflupane SPET. <i>Journal of Neural Transmission</i> , 2011 , 118, 647-50	4.3	7
17	Lamotrigine: when and where does it act in affective disorders? A systematic review. <i>Journal of Psychopharmacology</i> , 2011 , 25, 1289-94	4.6	26
16	Conditional mutual information maps as descriptors of net connectivity levels in the brain. <i>Frontiers in Neuroinformatics</i> , 2010 , 4, 115	3.9	29
15	Are there valid subtypes of schizophrenia? A grade of membership analysis. <i>Psychopathology</i> , 2010 , 43, 53-62	3.4	10
14	Overall brain connectivity maps show cortico-subcortical abnormalities in schizophrenia. <i>Human Brain Mapping</i> , 2010 , 31, 2003-14	5.9	113
13	Individual differences in psychotic effects of ketamine are predicted by brain function measured under placebo. <i>Journal of Neuroscience</i> , 2008 , 28, 6295-303	6.6	67
12	Changes in serum lipids, independent of weight, are associated with changes in symptoms during long-term clozapine treatment. <i>Journal of Psychiatry and Neuroscience</i> , 2007 , 32, 331-8	4.5	60
11	The effects of a subpsychotic dose of ketamine on recognition and source memory for agency: implications for pharmacological modelling of core symptoms of schizophrenia. <i>Neuropsychopharmacology</i> , 2006 , 31, 413-23	8.7	27
10	Clozapine alone versus clozapine and risperidone with refractory schizophrenia. <i>New England Journal of Medicine</i> , 2006 , 354, 472-82	59.2	218
9	Frontal responses during learning predict vulnerability to the psychotogenic effects of ketamine: linking cognition, brain activity, and psychosis. <i>Archives of General Psychiatry</i> , 2006 , 63, 611-21		146
8	Probabilistic reasoning in schizophrenia: a comparison of the performance of deluded and nondeluded schizophrenic patients and exploration of possible cognitive underpinnings. <i>Cognitive Neuropsychiatry</i> , 2006 , 11, 521-36	2	73
7	Functional dysconnectivity in schizophrenia associated with attentional modulation of motor function. <i>Brain</i> , 2005 , 128, 2597-611	11.2	169
6	Heightened stimulus salience renders deluded schizophrenics less susceptible to the Famous names illusion. <i>Schizophrenia Research</i> , 2005 , 80, 369-71	3.6	9
5	Impairment of specific episodic memory processes by sub-psychotic doses of ketamine: the effects of levels of processing at encoding and of the subsequent retrieval task. <i>Psychopharmacology</i> , 2005 , 181, 445-57	4.7	43
4	Modafinil improves cognition and attentional set shifting in patients with chronic schizophrenia. <i>Neuropsychopharmacology</i> , 2004 , 29, 1363-73	8.7	221
3	Brain ageing in schizophrenia: evidence from 26 international cohorts via the ENIGMA Schizophrenia consortium		1
2	Greater male than female variability in regional brain structure across the lifespan		2
1	Brain correlates of impaired goal management in bipolar mania. <i>Psychological Medicine</i> , 1-9	6.9	

